



US 20010044975A1

(19) **United States**

(12) **Patent Application Publication**
Matsunaga et al.

(10) **Pub. No.: US 2001/0044975 A1**

(43) **Pub. Date: Nov. 29, 2001**

(54) **HAIR DYE COMPOSITION**

(75) Inventors: **Kenichi Matsunaga**, Tokyo (JP);
Hajime Miyabe, Tokyo (JP); **Yukihiro**
Ohashi, Tokyo (JP)

Correspondence Address:

OBLON SPIVAK MCCLELLAND MAIER &
NEUSTADT PC
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VA 22202 (US)

(73) Assignee: **Kao Corporation**, Chuo-ku (JP)

(21) Appl. No.: **09/809,196**

(22) Filed: **Mar. 16, 2001**

(30) **Foreign Application Priority Data**

Mar. 17, 2000 (JP) 2000-076666


Publication Classification

(51) **Int. Cl.⁷** **A61K 7/13**







(52) **U.S. Cl.** **8/405; 8/406; 8/415; 8/408**

(57) **ABSTRACT**

Provided is a hair dye composition containing a direct dye (1). This hair dye composition has markedly high hair dyeing power, has less color fade over time and undergoes a smaller change in the color tone of the dye after storage.



-continued



[B¹, B²: the group (2), (3), (4) or (5); R¹, R²: the group (6), (7), etc.; X: anion (A: a (substituted) phenylene group, etc., R³, R⁴: a (substituted) lower alkyl group, etc.; X¹: O, —NH— or CH₂—; X²: a (substituted) trimethylene group, etc.; Y: a (substituted) lower alkyl group, etc.; R⁵: a lower alkyl group, etc.; R⁶: a lower alkyl group, etc.; R⁷: H, etc.; X³: —OH, —NH₂— or —SH; R⁸: a lower alkoxy group, etc.; and R⁹: a phenyl group, etc.).]

HAIR DYE COMPOSITION

DESCRIPTION

HAIR DYE COMPOSITION

[0001] Technical Field

[0002] The present invention relates to a hair dye composition having markedly high dyeing power, can impart the hair with a vivid and deep color shade ranging from red to blue, has less color fade over time and undergoes a smaller change in the color tone of the dye even after storage.

[0003] Background Art

[0004] Hair dyes can be classified by the dye to be used therefor, or whether they have bleaching action of melanin or not. Typical examples include a two-part permanent hair dye composed of a first part containing an alkali agent, an oxidation dye and a direct dye such as nitro dye and a second part containing an oxidizing agent; and one-part semi-permanent hair dye containing an organic acid or an alkali agent, and a direct dye such as acid dye, basic dye or nitro dye.

[0005] The above-described permanent hair dye is however accompanied with the drawbacks that color tone imparted by an oxidation dye is not so vivid and the color of the hair dyed with a vivid-color producing nitro dye ordinarily employed as a direct dye markedly fades over time and becomes dull soon even if the color tone rightly after dyeing is very vivid (Japanese Patent Application Laid-Open (Kokai) No. Hei 6-271435).

[0006] Recently, hair dyes containing as a direct dye a so-called cationic dye having a cation group contained in their conjugate system have been reported (Japanese Language Laid-Open Publication (PCT) No. Hei 8-507545, 8-501322 or 10-502946, or Japanese Patent Application Laid-Open (Kokai) No. Hei 10-194942). They have been found to involve drawbacks that intended dyeing effects are not available owing to decomposition of them caused by mixing, upon hair dyeing, with hydrogen peroxide ordinarily employed as an oxidizing agent; and that they are unstable to an alkali agent or a reducing agent essentially contained in a permanent hair dye.


DISCLOSURE OF THE INVENTION

[0007] An object of the present invention is to provide a hair dye composition which has high hair dyeing power, less color fade over time, and excellent storage stability to permit only a smaller change in color tone of the dye after storage.





[0008] The present inventors have found that when the below-described cationic dye which is known (Japanese Patent Application Laid-Open (Kokai) No. Sho 49-24224, Sho 49-24228 or Hei 6-192582) to dye therewith polyacrylonitrile fibers, or polyester or polyamide fibers having an acid residue as a dyeing site is used as a hair dye, the resulting dye composition can impart the hair with a vivid and deep color tone ranging from red to blue without decomposing the dye upon hair drying, exhibits excellent light resistance, washing resistance, perspiration resistance, friction resistance and weather resistance, and undergoes a smaller change in the color tone of the dye after storage as

compared with that rightly after preparation because the dye exists in the composition stably.

[0009] In one aspect of the present invention, there is thus provided a hair dye composition comprising, as a direct dye, a compound represented by the following formula (1):




[0010] (wherein, B¹ and B² are the same or different and each independently represents a group of the following formula (2), (3), (4) or (5):



[0011] (in which, A represents a phenylene group which may have a unionizable substituent, or a naphthylene group; R³ and R⁴ are the same or different and each independently represents a hydrogen atom, a C₁₋₄ alkyl group which may have a substituent, an aralkyl group or a phenyl group, X¹ represents an oxygen atom, an imino group or a methylene group, X² represents an ethylene or trimethylene group which may have a substituent, Y represents a C₁₋₄ alkyl group or aralkyl group which may have a substituent, R⁵ represents a C₁₋₄ alkyl group, or an aryl group, R⁶ represents a hydrogen atom or a C₁₋₄ alkyl group and R⁷ represents a hydrogen atom or an unionizable group),

[0012] R¹ and R² are the same or different and each independently represents a C₁₋₄ alkyl group, a carbamoyl-ethyl group, a 2-carbamoylpropyl group, a benzyl group or a group of the following formula (6) or (7):



[0013] (in which, X³ represents a hydroxyl group, an amino group or a thiol group, R⁸ represents a hydrogen atom, a halogen atom, a C₁₋₄ alkyl group which may have a substituent, a C₁₋₄ alkoxy group or a phenoxy group, and R⁹ represents a hydrogen atom or a phenyl group which may have a substituent), and

[0014] X⁻ represents an anion.

[0015] In another aspect of the present invention, there is also provided a method for dyeing the hair with the above-described hair dye composition.

[0016] Best Mode for Carrying out the Invention


[0017] Compound (1) is known as a dye for specific synthetic fibers and described in Japanese Patent Application Laid-Open (Kokai) No. Sho 49-24224, Sho 49-24228 or Hei 6-192582. In the present invention, a vivid and deep color shade ranging from red to blue can be imparted to the hair by using this Compound (1) as a direct dye of the hair dye.

[0018] In B¹ or B² of the formula (1), examples of A in the formula (2) or (3) include phenylene, chlorophenylene, acetaminophenylene, methylphenylene, methoxyphenylene and naphthylene. Examples of R³ or R⁴ in the formula (2) include hydrogen atom, methyl group, ethyl group, cyanoethyl group, hydroxyethyl group, benzyl group, phenyl group, methoxyethyl group and chloroethyl group. Examples of X² in the formula (4) include trimethylene, 2-hydroxy-trimethylene, 2-chlorotrimethylene, 2-methoxy-trimethylene, propylene and 1,1,2-trimethylethylene, while examples of Y in the formula (4) include methyl, butyl, bromoethyl and benzyl. Examples of R⁵ in the formula (5) include methyl, ethyl, phenyl and tolyl, while those of R⁶ include hydrogen atom, methyl group and ethyl group. Those of R⁷ include methyl group, chlorine atom and methoxy group.







[0019] Examples of the C₁₋₄ alkyl group of R¹ or R² in the formula (1) include methyl and ethyl groups, while those of R⁸ in the formula (6) include a methyl group, a phenoxy group, a chlorine atom, a methacryloyloxy group, a butoxy group, an ethoxy group and a bromine atom.

[0020] Examples of the anion represented by X⁻ in the formula (1) include chloride ions, bromide ions, iodide ions, trichlorozinc acid ions, tetrachlorozinc acid ions, sulfuric acid ions, hydrosulfuric acid ions, methyl sulfate ions, phosphoric acid ions, formic acid ions and acetic acid ions.


[0021] Specific examples of the direct dye (1) to be used in the present invention include the following compounds:



-continued



-continued



[0022] These direct dyes (1) can be used either singly or in combination with another direct dye. In particular, combination with a yellow dye makes it possible to dye the hair with a deep and highly lustrous dark brown or black color.

[0023] Examples of the direct dye other than the direct dyes (1) include Basic Blue 7 (C. I. 42595), Basic Blue 26 (C. I. 44045), Basic Blue 99 (C. I. 56059), Basic Violet 10 (C. I. 45170), Basic Violet 14 (C. I. 42515), Basic Brown 16 (C. I. 12250), Basic Brown 17 (C. I. 12251), Basic Red 2 (C. I. 50240), Basic Red 22 (C. I. 11055), Basic Red 76 (C. I. 12245), Basic Red 118 (C. I. 12251:1) and Basic Yellow 57 (C. I. 12719); and basic dyes as described in Japanese Patent Publication No. Sho 58-2204, Japanese Patent Application Laid-Open No. Hei 9-118832, Japanese Language Laid-Open Publication (PCT) No. Hei 8-501322 or Japanese Language Laid-Open Publication (PCT) No. Hei 8-507545.

[0024] The direct dye (1) is preferably added in an amount of 0.01 to 20 wt. %, more preferably 0.05 to 10 wt. %, especially 0.1 to 5 wt. % based on the whole composition (after mixture of all the parts when a two part or three part composition is employed; this will apply equally hereinafter). When another direct dye is added in combination, the content of it with the direct dye (1) preferably ranges from 0.05 to 10 wt. %, especially 0.1 to 5 wt. %.

[0025] The hair dye composition of the present invention is preferably adjusted to pH 6 to 11, with pH 8 to 11 being especially preferred. Examples of the alkali agent to be used for pH adjustment include ordinarily employed ones such as ammonia, organic amines and salts thereof. The alkali agent is preferably added in an amount of 0.01 to 20 wt. %, more preferably 0.1 to 10 wt. %, especially 0.5 to 5 wt. % based on the whole composition.

[0026] In the hair dye composition of the present invention, an oxidizing agent can be incorporated. In this case, hair dyeing and bleaching can be carried out simultaneously, which facilitates more vivid hair dyeing. Ordinarily employed oxidizing agents, for example, hydrogen peroxide, persulfates such as ammonium persulfate, potassium persulfate and sodium persulfate, perborates such as sodium perborate, percarbonates such as sodium percarbonate and bromates such as sodium bromate and potassium bromate are usable. Out of them, hydrogen peroxide is especially preferred. The oxidizing agent is added in an amount of 0.5 to 10 wt. %, especially 1 to 8 wt. %, based on the whole composition.

[0027] In the hair dye composition of the present invention, an oxidation dye can be incorporated further. This

incorporation enables markedly vivid dyeing not attainable by the single use of an oxidation dye. The above-exemplified oxidizing agents can be used as an oxidizing agent, with hydrogen peroxide being particularly preferred. Alternatively, an oxidizing enzyme such as laccase can be employed. For the oxidation dye, known color developers and couplers ordinarily employed for an oxidation type hair dye can be used.

[0028] Examples of the developer include p-phenylenediamines having one or several groups selected from NH_2 —, NHR — and NR_2 — groups (R represents a C_{1-4} alkyl or hydroxyalkyl group) such as p-phenylenediamine, p-toluylenediamine, N-methyl-p-phenylenediamine, chloro-p-phenylenediamine, 2-(2'-hydroxyethylamino)-5-amino-toluene, N,N-bis-(2-hydroxyethyl)-p-phenylenediamine, 2-hydroxyethyl-p-phenylenediamine, 2,6-dimethyl-p-phenylenediamine, methoxy-p-phenylenediamine, 2,6-dichloro-p-phenylenediamine, 2-chloro-6-methyl-p-phenylenediamine, 6-methoxy-3-methyl-p-phenylenediamine, 2,5-diaminoanisole, N-(2-hydroxypropyl)-p-phenylenediamine and N-2-methoxyethyl-p-phenylenediamine; 2,5-diaminopyridine derivatives and 4,5-diaminopyrazole derivatives, p-aminophenols such as p-aminophenol, 2-methyl-4-aminophenol, N-methyl-p-aminophenol, 3-methyl-4-aminophenol, 2,6-dimethyl-4-aminophenol, 3,5-dimethyl-4-aminophenol, 2,3-dimethyl-4-aminophenol and 2,5-dimethyl-4-aminophenol; o-aminophenols, o-phenylenediamines, 4,4'-diaminophenylamine and hydroxypropylbis(N-hydroxyethyl-p-phenylenediamine); and salts thereof.

[0029] Examples of the coupler include 1-naphthol, 1,5-dihydroxynaphthalene, 1,7-dihydroxynaphthalene, 2,7-dihydroxynaphthalene, 5-amino-2-methylphenol, 5-(2'-hydroxyethylamino)-2-methylphenol, 2,4-diaminoanisole, m-toluylenediamine, resorcin, m-phenylenediamine, m-aminophenol, 4-chlororesorcin, 2-methylresorcin, 2,4-diaminophenoxyethanol, 2,6-diaminopyridine, 2-amino-3-hydroxypyridine, 4-hydroxyindole, 6-hydroxyindole, 2,4-diamino-6-hydroxypyrimidine, 2,4,6-triaminopyrimidine, 2-amino-4,6-dihydroxypyrimidine, 4-amino-2,6-dihydroxypyrimidine, 4,6-diamino-2-hydroxypyrimidine and 1,3-bis(2,4-diaminophenoxy)propane; and salts thereof.

[0030] As a developer or coupler, at least one of the above-exemplified ones can be used. Although no particular limitation is imposed on its content, it is added in an amount of 0.01 to 20 wt. %, especially 0.5 to 10 wt. % based on the whole composition.

[0031] To the hair dye composition of the present invention, a known autoxidation dye typified by an indole or an indoline, or a known direct dye such as a nitro dye or a disperse dye can also be added.

[0032] When an anionic component (such as anionic surfactant or anionic polymer) is added to the hair dye composition of the present invention, it is preferred to satisfy the following equation:

$$\frac{\text{“Ion activity concentration of an anionic component/”}}{\text{ion activity concentration of a cationic direct dye}} (1) \leq 8$$

[0033] The term “ion activity concentration” as used herein means “molar concentration \times ionic valence”

[0034] Addition of a polyol, polyol alkyl ether, cationic or amphoteric polymer or silicone to the hair dye composition of the present invention is preferred, because the resulting composition can dye the hair uniformly and has improved cosmetic effects.

[0035] In addition to the above-described components, those ordinarily employed as a raw material for cosmetics can be added to the hair dye composition of the present


component containing an oxidizing agent, or a third-part composition having, in addition to these two components, a powdery oxidizing agent such as persulfate. The direct dye (1) can be incorporated in either one or both of these components of the two-part or three-part composition. The one-part type is applied to the hair directly, while the two- or three-part type is applied to the hair after mixing these parts upon hair dyeing.

[0037] No particular limitation is imposed on the form of the hair dye composition of the present invention. Examples include powder, transparent liquid, emulsion, cream, gel, paste, aerosol, and aerosol foam. It preferably has a viscosity of 2000 to 100000 mPa.s in the stage of application to the hair (after mixing of all the components when a two-part or three-part type is employed).


EXAMPLES

[0038] Compounds employed in the below-described examples are as follows:

[0039] Compound (a)




[0040] Compound (b)




invention within an extent not impairing the advantages of the present invention. Examples of such an optional component include hydrocarbons, animal or vegetable fats and oils, higher fatty acids, organic solvents, penetration promoters, cationic surfactants, natural or synthetic polymers, higher alcohols, ethers, amphoteric surfactants, nonionic surfactants, protein derivatives, amino acids, antiseptics, chelating agents, stabilizing agents, antioxidants, plant extracts, crude drug extracts, vitamins, colorants, perfumes and ultraviolet absorbers.

[0036] The hair dye composition of the present invention can be prepared in a conventional manner into a one-part composition, a two-part composition having a first-part component containing an alkali agent and a second-part

[0041] Compound (c)



[0042] Compound (d)



Examples 1 to 5

[0043] In a manner known per se in the art, hair dyes as shown in Table 1 were prepared.

TABLE 1

	Examples				
	1	2	3	4	5
Dye [Compound (a)]	0.2			0.1	
Dye [Compound (b)]		0.5		0.1	0.2
Dye [Compound (c)]			0.3		
Dye [Compound (d)]				0.1	0.05
Ethanol		5		5	5
Propylene glycol			5		5
Diethylene glycol		10			
monoethyl ether					
Guar gum	1				
Hydroxypropyl guar gum		1	1	1	1
"Gufquat 734" (trade name, product of ISP Japan)	1		1		
"Catinal LC100" (trade name, product of Toho Chemical Industry)		1			1
"Polyether-modified silicone KF6005" (trade name, product of Shin-Etsu Chemical)					0.4
"Amodimethicone SM8702C" (trade name, product of Dow Corning Toray Silicone)				1.5	
Monoethanolamine			0.1		
Phosphoric acid		Amount to adjust pH to 9			
Perfume			q.s.		
Water			balance		
Total (g)			100		

Examples 6 to 9

[0044] In a manner known per se in the art, hair dyes as shown in Table 2 were prepared.

TABLE 2

	Examples			
	6	7	8	9
<u>1st part</u>				
Dye [Compound (a)]	0.2	0.1	0.15	
Dye [Compound (b)]		0.1	0.15	
Dye [Compound (c)]				0.2
Dye [Compound (d)]		0.1		
28 wt. % aqueous ammonia			5	
Monoethanolamine			2	
Propylene glycol			8	
Polyoxyethylene (20) isostearyl ether			24	
Polyoxyethylene (2) isostearyl ether			20	

TABLE 2-continued

	Examples			
	6	7	8	9
"Merquat 280" (trade name; product of Calgon Corp., a 35 wt. % aqueous solution)	8			
"Polymer JR400" (trade name; product of Union Carbide)		0.5		0.5
"Amodimethicone SM8702C" (trade name; product of Dow Corning Toray Silicone)			2	
"Polyether modified silicone KF6005" (trade name; product of Shin-Etsu Chemical)				0.3
Tetrasodium ethylenediaminetetraacetate			0.1	
Perfume		q.s.		
Ammonium chloride		Amount to adjust pH to 10		
Water		Balance		
<u>2nd part</u>				
35 wt. % aqueous hydrogen peroxide			17.1	
Methylparaben			0.1	
Phosphoric acid		Amount to adjust pH to 3.5		
Water		Balance		

Examples 10 to 12

[0045] In a manner known per se in the art, hair dyes as shown in Table 3 were prepared.

TABLE 3


	Examples		
	10	11	12
<u>1st part</u>			
Toluene-2,5-diamine	2	1	
Para-aminophenol			1
Resorcin	0.9	1.1	
Para-amino-ortho-cresol	0.5		1.1
2,4-Diaminophenoxyethanol	0.7		
Dye [Compound (a)]	0.05		
Dye [Compound (b)]		0.15	
Dye [Compound (c)]			0.1
28 wt. % aqueous ammonia		5	
Monoethanolamine		2	
Propylene glycol		8	
Polyoxyethylene (20) isostearyl ether		24	
Polyoxyethylene (2) isostearyl ether		20	
"Merquat 280" (trade name; product of Calgon Corp., a 35 wt. % aqueous solution)	8		
"Polymer JR400" (product of Union Carbide)		0.5	
"Amodimethicone SM8702C" (trade name; product of Dow Corning Toray Silicone)			2
Sodium sulfite		0.05	
Ascorbic acid		0.5	
Tetrasodium ethylenediaminetetraacetate		0.1	
Perfume		q.s.	
Ammonium chloride		Amount to adjust pH to 10	
Water		Balance	
<u>2nd part</u>			
35 wt. % Aqueous hydrogen peroxide		17.1	
Methylparaben		0.1	
Phosphoric acid		Amount to adjust pH to 3.5	
Water		Balance	

Example 13


[0046] In a manner known per se in the art, the following hair dye was prepared.

		(wt. %)
<u>(First part)</u>		
Para-aminophenol		1
Para-amino-ortho-cresol		1.1
Compound (a)		0.1
28 wt. % aqueous ammonia		5
Monoethanolamine		2
Cetanol		8.5
Polyoxyethylene (40) cetyl ether		3
Polyoxyethylene (2) cetyl ether		3.5
Stearyl trimethyl ammonium chloride		2
Liquid paraffin		0.5
Sodium sulfite		0.05
Ascorbic acid		0.5
Tetrasodium ethylenediaminetetraacetate		0.1
Perfume		q.s.
Ammonium chloride	Amount to adjust pH to 10	
Water	Balance	
<u>(Second part)</u>		
35 wt. % Hydrogen peroxide		17.1
Methylparaben		0.1
Phosphoric acid	Amount to adjust pH to 3.5	
Water	Balance	


1. A hair dye composition comprising, as a direct dye, a compound represented by the following formula (1):



(wherein, B¹ and B² are the same or different and each independently represents a group of the following formula (2), (3), (4) or (5):




-continued



(in which, A represents a phenylene group which may have an unionizable substituent, or a naphthylene group; R³ and R⁴ are the same or different and each independently represents a hydrogen atom, a C₁₋₄ alkyl group which may have a substituent, an aralkyl group or a phenyl group, X¹ represents an oxygen atom, an imino group or a methylene group, X² represents an ethylene or trimethylene group which may have a substituent, Y represents a C₁₋₄ alkyl group or aralkyl group which may have a substituent, R⁵ represents a C₁₋₄ alkyl group, or an aryl group, R⁶ represents a hydrogen atom or a C₁₋₄ alkyl group and R⁷ represents a hydrogen atom or an unionizable group),

R¹ and R² are the same or different and each independently represents a C₁₋₄ alkyl group, a carbamoylethyl group, a 2-carbamoylpropyl group, a benzyl group or a group of the following formula (6) or (7):



(in which, X³ represents a hydroxyl group, an amino group or a thiol group, R⁸ represents a hydrogen atom, a halogen atom, a C₁₋₄ alkyl group which may have a substituent, a C₁₋₄ alkoxy group or a phenoxy group, and R⁹ represents a hydrogen atom or a phenyl group which may have a substituent), and

X⁻ represents an anion.

2. A hair dye composition according to claim 1, further comprising an oxidizing agent.

3. A hair dye composition according to claim 1 or 2, further comprising an oxidation dye.

4. A method for dyeing the hair with a hair dye composition as claimed in any one of claims 1 to 3.

* * * * *