

(19) AUSTRALIAN PATENT OFFICE

(54) Title
Inductive component and use of said component

(51)⁶ International Patent Classification(s)
H01F 27/28 (2006.01) 27/02
H01F 3/14 (2006.01) 20060101ALI2005100
H01F 17/04 (2006.01) ⁸BMEP **H01F**
H01F 27/02 (2006.01) 27/22
H01F 27/22 (2006.01) 20060101ALI2005100
H01F 27/24 (2006.01) ⁸BMEP **H01F**
H01F 30/00 (2006.01) 27/24
H01F 37/00 (2006.01) 20060101ALI2006031
H01F 27/32 (2006.01) ⁰BMJP **H01F**
H01F 27/28 30/00
20060101AFI2006031 20060101ALI2006031
⁰BMJP **H01F** ⁰BMJP **H01F**
3/14 37/00
20060101ALI2005100 20060101ALI2006031
⁸BMEP **H01F** ⁰BMJP **H01F**
17/04 27/32
20060101ALI2005100 20060101ALN200510
⁸BMEP **H01F** ⁰BMEP
PCT/DE2003/002447

(21) Application No: 2003250792 (22) Application Date: 2003 .07 .21

(87) WIPO No: W004/017338

(30) Priority Data

| | | |
|--------------|--------------|--------------|
| (31) Number | (32) Date | (33) Country |
| 102 32 952.4 | 2002 .07 .19 | DE |

(43) Publication Date : 2004 .03 .03

(43) Publication Journal Date : 2004 .04 .22

(71) Applicant(s)
Siemens Aktiengesellschaft

(72) Inventor(s)
Honsberg-Riedl, Martin, Otto, Johann, Wolfgang, Eckhard

(74) Agent/Attorney
Spruson & Ferguson, Level 35 St Martins Tower 31 Market Street, Sydney, NSW, 2000

(56) Related Art
US 3617966
DE 10042283
EP 0193057
US 1876451
DE 19854902
US 6259347
DE 3700488
US 4885445

(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum
Internationales Büro



(43) Internationales Veröffentlichungsdatum
26. Februar 2004 (26.02.2004)

PCT


(10) Internationale Veröffentlichungsnummer
WO 2004/017338 A1

- (51) Internationale Patentklassifikation⁷: **H01F 3/14**, (71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von 27/02, 27/32, 17/00, 27/22) **US**; SIEMENS AKTIENGESELLSCHAFT [DE/DE]; Wittelsbacherplatz 2, 80333 München (DE).
- (21) Internationales Aktenzeichen: PCT/DE2003/002447 (72) Erfinder; und
- (22) Internationales Anmeldedatum: 21. Juli 2003 (21.07.2003) (75) Erfinder/Anmelder (nur für US): HONSBURG-RIEDEL, Martin [DE/DE]; Leonhardstrasse 44, 83317 Teisendorf (DE). OTTO, Johann [DE/DE]; Pater-Hammerschmid-Strasse 4, 83646 Bad Tölz (DE). WOLFGANG, Eckhard [AT/DE]; Murauer Strasse 237, 81379 München (DE).
- (25) Einreichungssprache: Deutsch (74) Gemeinsamer Vertreter: SIEMENS AKTIENGESELLSCHAFT; Postfach 22 16 34, 80506 München (DE).
- (26) Veröffentlichungssprache: Deutsch
- (30) Angaben zur Priorität: 102 32 952.4 19. Juli 2002 (19.07.2002) DE

[Fortsetzung auf der nächsten Seite]

(54) Title: INDUCTIVE COMPONENT AND USE OF SAID COMPONENT

(54) Bezeichnung: INDUKTIVES BAUELEMENT UND VERWENDUNG DES BAUELEMENTS



(57) Abstract: The invention relates to an inductive component (1), for the formation of a magnetic circuit, comprising at least one wire winding (3) and at least one core (4) with a ferromagnetic core material. Said core comprises a gap (7, 8) and at least one further gap (8, 7) to interrupt the magnetic circuit. The inductive component is characterised in that the gaps each have a gap width of at least 1.0mm. The core comprises two pieces, for example, which are arranged opposed to each other across the gaps (7, 8) and separated from each other by the gap width. The component is advantageously symmetrical with an essentially equal gap width for the gaps. A miniaturised inductive component is possible by the use of a wire winding made from high frequency braided wire and core material capable of accepting high frequencies, which has a high Q-factor even on a high power throughput and thus low electrical losses. In order to increase the Q-factor, the inductive component also has a cooling device for cooling the wire winding. The device is thus provided with a composite material with a thermally-conducting filler. The inductive component is used in a so-called electronic ballast (PVG) in the field of illumination.

(57) Zusammenfassung: Die Erfindung betrifft ein induktives Bauelement (1) zur Bildung eines magnetischen Kreises, aufweisend mindestens eine Drahtwicklung (3) und mindestens einen Kern (4) mit einem ferromagnetischen Kernmaterial, wobei der Kern zur Unterbrechung des magnetischen

[Fortsetzung auf der nächsten Seite]

WO 2004/017338 A1



(81) **Bestimmungsstaaten (national):** AF, AG, AI, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SI, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) **Bestimmungsstaaten (regional):** ARIPO-Patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ,

TM), europäisches Patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IL, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI-Patent (BF, BJ, CI, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Veröffentlicht:

— mit internationalem Recherchenbericht

Zur Erklärung der Zweibuchstaben-Codes und der anderen Abkürzungen wird auf die Erklärungen ("Guidance Notes on Codes and Abbreviations") am Anfang jeder regulären Ausgabe der PCT-Gazette verwiesen.

Kreises einen Spalt (7, 8) und mindestens einen weiteren Spalt (8, 7) aufweist. Das induktive Bauelement ist dadurch gekennzeichnet, dass die Spalte jeweils eine Spaltweite von mindestens 1,0 mm aufweisen. Der Kern besteht beispielsweise aus zwei Teilen, die an den Spalten (7, 8) einander gegenüber liegend angeordnet und durch die Spaltweiten voneinander beabstandet sind. Vorteilhaft ist das Bauelement symmetrisch mit im Wesentlichen gleichen Spaltweiten der Spalte. Mit der Verwendung einer Drahtwicklung aus einer Hochfrequenzlitze und einem Kern aus einem hochfrequenztauglichen Kernmaterial ist ein miniaturisiertes induktives Bauelement zugänglich, das auch bei einem hohen Leistungsdurchsatz eine hohe Güte Q und damit niedrige elektrische Verluste aufweist. Zur Erhöhung der Güte verfügt das induktive Bauelement zusätzlich über eine Kühlvorrichtung zum Kühlen der Drahtwicklung. Die Vorrichtung weist dabei ein Verbundmaterial mit einem Polymerwerkstoff und einem thermisch leitfähigen Füllstoff auf. Das induktive Bauelement wird in einem sogenannten elektronischen Vorschaltgerät (EVG) im Beleuchtungsbereich eingesetzt.

Description

Inductive component and use of said component

5 The invention relates to an inductive component for the formation of a magnetic circuit, comprising at least one wire winding and at least one core with a ferromagnetic core material, the core comprising a gap and at least one further gap to interrupt the magnetic
10 circuit. In addition, use of the component is specified.

An electronic ballast is used as an electronic voltage and/or current converter in the area of lighting
15 technology. Electronic ballasts comprise at least one inductive component. The inductive component is, for example, a choke coil or a transformer. The inductive component has a wire winding. The wire winding comprises a number of windings of an electrical
20 conductor to produce a magnetic flux by means of the current flowing in the conductor. The wire winding also serves for producing a voltage by changing the magnetic induction in the wire winding. To increase the magnetic induction and to reduce a magnetic leakage
25 loss, the wire winding is usually located on a core with ferromagnetic material. The ferromagnetic core material is, for example, a ferrite. The core provides a magnetic circuit which is as closed as possible.

30 These electronic ballasts are increasingly miniaturized. The miniaturization relates in particular to an inductive component of the electronic ballasts. A small overall size of an inductive component can be achieved with the same power
35 throughput by a higher switching frequency. However, a higher switching frequency leads to an increase in the electrical losses and consequently to a decrease in the quality of the inductive component. The quality is a

measure of the electrical quality of the inductive component. With increasing miniaturization of the inductive component, it is possible as a result of the diminishing quality for an inadmissibly high operating temperature to occur, in particular when the inductive component is operated under a high AC voltage.

Thus, a need exists to provide an inductive component which has a high quality even when a high AC voltage is applied.

According to a first aspect of the present disclosure, there is provided an inductive component for the formation of a magnetic circuit, comprising at least one wire winding and at least one core with a ferromagnetic core material, the core comprising a gap and at least one further gap to interrupt the magnetic circuit. The inductive component is characterized in that the gaps each have a gap width of at least 1.0 mm. This results in a relatively wide overall gap, which is divided between at least two gaps. In particular, the gap width of the gaps is respectively selected from the range from 1.2 mm to 10 mm, inclusive. The gap width is preferably 2 mm to 10 mm.

A gap is a desired interruption in the magnetic circuit. The gap width is in this case preferably approximately the same over the entire extent of the gap. The extent is, for example, a width, a length or a radius of the gap. To interrupt the magnetic circuit, the gap at least partly comprises a non-ferromagnetic material. The non-ferromagnetic material is, for example, a diamagnetic or paramagnetic material. According to an embodiment of the invention, the magnetic circuit is interrupted at at least two points. The interruption is brought about by means of the gaps. The gap widths have the effect that the magnetic circuit is interrupted over a length of at least 2×0.5 mm. It has surprisingly been found that, in spite

of using an AC voltage of several hundred volts to activate the inductive component, a relatively high quality Q can be achieved on account of these gaps. Therefore, a smaller overall size of the inductive component is possible in comparison with an inductive component with differently configured gaps.

In one particular configuration, the core comprises at least two parts which are arranged opposed to each other across the gaps and separated from each other by the gap widths.

Preferably, at least one of the gaps is an air gap. This means that the intermediate space in the core defined by the gap contains air. The non-ferromagnetic material of the gap is air. However, a different non-ferromagnetic, gaseous material may also be arranged in the air gap. On the other hand, a solid or liquid non-ferromagnetic material is also conceivable. This material is, for example, a polymer material. For example, the use of an adhesive with which the parts of the core are bonded together is advantageous. The adhesive leads not only to an interruption in the magnetic circuit. It also leads to an integral contact between the parts of the core.

In one particular configuration of the invention, the gaps have an essentially equal gap width. For example, the core comprises two parts which are separated from each other by two gaps. Gaps of equal width have the effect that the two parts are arranged in each case at the same distance from each other. Essentially equal means that small deviations of up to 10% of the gap width are also admissible.

In a further configuration, the wire winding comprises an inner region and an outer region and the gaps of the core are arranged in the inner region and/or in the

outer region of the wire winding. For example, one gap is arranged in the inner region and two gaps are arranged in the outer region. The gaps in the outer region are preferably distinguished by the gap width
5 being essentially equal. In this case, it is also possible for the gap in the inner region of the wire winding to have a much greater gap width than the two gaps in the outer region. Preferably, however, the gap widths of all the gaps are essentially equal.

10 The core may be unsymmetrical. This means that it cannot be transformed into itself by applying a symmetry operation. In a further configuration, the core is essentially symmetrical. Essentially means
15 here that there may be deviations with respect to an exact symmetry. In addition, essentially means that the symmetry concerns those elements of the core that are mainly responsible for the function and properties of the core. The symmetrical core is transformed into
20 itself by reflection at a point (center of symmetry), at a straight line (axis of symmetry) or a plane (plane of symmetry). For example, said elements of symmetry are arranged in the interior space of the wire winding. The element of symmetry is, for example, a plane of
25 symmetry which is arranged perpendicularly in relation to a winding axis of the wire winding. The winding axis of the wire winding is given by a direction in which the wire is wound up. The core comprises, for example, two parts which are respectively transformed
30 into each other by the reflection at the plane of symmetry. For this purpose, the plane of symmetry preferably also contains the gaps and the core comprises parts that are formed mirror-symmetrically in relation to one another. For example, the core has an
35 RM6 or comparable core shape. These core shapes are a combination of an E core shape with a cup-type core shape.

In particular, the entire component comprising the wire winding and the core has an essentially symmetrical construction. This means that not only the core but also the wire winding are constructed in an essentially symmetrical manner. For example, the wire winding and the core can be transformed into themselves by a reflection at a common plane of reflection. Essentially symmetrical means here that deviations from symmetry are also quite conceivable. These deviations relate in particular to a number or shape of the windings of the wire winding, a shape of the core and an arrangement of the wire winding and core in relation to each other.

15 In particular, the core material of the core is capable of accepting high frequencies. Preferably, the core material is a ferrite in the form of an M33 core material with a cutoff frequency of approximately 10 MHz. This core material comprises manganese and zinc.

20 Similarly, a K1, K6 or K12 core material is conceivable. These core materials comprise nickel and zinc. The K6 core material has, for example, a cutoff frequency of 7 MHz.

25 In one particular configuration, the wire winding comprises a high-frequency braided wire with a multiplicity of individual wires that are electrically insulated from one another. A braided wire is a wire which is wound or braided from many metal filaments (individual wires). In the case of a high-frequency braided wire, the individual wires are insulated from one another in order to reduce losses caused by the skin effect and eddy currents. As a result, a lower high-frequency loss resistance is achieved in comparison with a braided wire with individual wires of the same cross section that are not insulated from one another. In particular, the individual wires have at least an individual wire diameter that is selected from

the range from 10 μm to 50 μm , inclusive. In particular, the multiplicity is selected from the range from 5 to 100, inclusive. Preferably, the multiplicity is selected from the range from 10 to 30, inclusive.

5 For example, 10 or more individual wires are arranged to form a high-frequency braided wire. This allows wire windings with a relatively great surface area, and consequently with a relatively low high-frequency loss resistance, to be provided.

10

In particular, the inductive component is a choke coil or a transformer. A choke coil is permeable to DC current. On the other hand, AC current is restricted by the choke coil. The choke coil has a high electrical reactance for a current of high frequency. 15 The transformer comprises at least two wire windings. However, more than two wire windings may also be arranged to form the transformer. As an alternative to this, the transformer comprises a wire winding which is 20 subdivided into two parts by an electrical tap.

In order to increase further the high quality that can already be achieved by the structural measure described, the inductive component is also cooled. For 25 this purpose, according to one particular configuration there is at least one cooling device for cooling the wire winding, which device comprises at least one composite material with at least one polymer material and at least one thermally conductive filler.

30

With the aid of the cooling device, the heat produced in the wire winding during the operation of the inductive component can be efficiently dissipated. The efficient dissipation of the heat brings about a 35 relatively small temperature increase of the wire winding. The small temperature increase leads to a relatively small increase in the electrical resistance in the wire winding. This results in an increased

quality of the inductive component in comparison with an uncooled wire winding.

5 The composite material preferably comprises an electrically insulating or electrically poorly conducting polymer material with a thermally conductive and electrically poorly conducting filler. The polymer material may comprise a natural and/or synthetic polymer. The natural polymer is, for example, 10 unvulcanized rubber. The synthetic polymer is a plastic.

The polymer material acts here as a base material of the composite material by forming a matrix in which the 15 filler is embedded. In this case, there may be a number of fillers. The filler or the fillers may be in the form of powder or fibers. A diameter of a filler particle is selected from the μm range, which ranges from 100 nm to 100 μm . A degree of filling of the 20 filler in the polymer material is in this case preferably chosen such that a coagulation limit is exceeded. Below the coagulation limit, the probability of individual filler particles touching one another is very low. This leads to a relatively low specific 25 thermal conductivity coefficient. If the coagulation limit is exceeded, there is a relatively great probability of the filler particles touching one another. This produces a relatively high specific thermal conductivity coefficient of the composite 30 material.

The filler is thermally conductive and preferably also electrically insulating or electrically poorly conducting. This has the effect that the inductive 35 component can also be operated with a relatively high operating voltage. For example, the operating voltage is up to 2000 V. The composite material also has a high dielectric strength under an operating voltage of

this order of magnitude. Suitable in particular as a thermally conductive and at the same time electrically insulating or electrically poorly conducting filler is a ceramic material. A ceramic material with said
5 properties is, for example, aluminum oxide (Al_2O_3).

For efficient removal of heat produced in the wire winding during the operation of the inductive component, the composite material of the cooling device
10 is preferably directly connected to the wire winding. Heat transfer away from the wire winding takes place by heat conduction.

In one particular configuration, the cooling device
15 comprises at least one film with the composite material which is in direct, thermally conductive contact with the wire winding. The film and the wire winding are bonded in such a way that thermal conduction can take place from the wire winding to the film. The film and
20 the wire winding are touching each other. A film thickness of the film is, for example, 0.22 mm. Dependent on the composite material (type of polymer material, type and degree of filling of the filler, etc.), a specific thermal conductivity coefficient λ of
25 from 0.15 K/Wm to as much as 6.5 K/Wm can in this case be achieved. In spite of the relatively small film thickness, the dielectric strength may in this case be 1 kV to 6 kV.

30 In order to ensure efficient heat dissipation by the cooling device, a flexible film in particular is used with the composite material. The film is plastically and/or elastically deformable. The wire winding can be embedded in the film with something approaching a form
35 fit. A thermal contact area between the film and the wire winding over which the heat conduction takes place is in this case particularly large.

In one particular configuration, the cooling device has at least one casting compound, which comprises at least one further composite material with at least one further polymer material and at least one further thermally conductive filler and which is in direct, thermally conductive contact with the wire winding and/or the film. The composite material and the further composite material may be the same or different. The same applies to individual components of the composite material and of the further composite material. The wire winding and/or the film are partly or completely embedded in the casting compound with the further composite material. Since the further composite material is thermally conductive and a virtually complete form fit between the casting compound and the wire winding or film is brought about by the embedding, the heat from the wire winding and the film can be dissipated very efficiently via the casting compound. The use of the casting compound additionally produces a homogeneous temperature distribution within the inductive component. The wire winding of the component is homogeneously cooled. This likewise contributes to an increased quality of the inductive component.

Both in the case of the film and in the case of the casting compound, it is possible for intermediate spaces (voids) to be present between the casting compound, the film and the wire winding, which spaces are filled with air and therefore contribute to a thermal insulation of the casting compound, the film and the wire winding from one another. Efficient dissipation of heat is not possible on account of the intermediate spaces. In one particular configuration, an intermediate space that is present between the film and the wire winding and/or between the casting compound and the wire winding therefore comprises a thermally conductive material for thermally bridging

the intermediate space. The intermediate space is preferably completely filled with the thermally conductive material. This leads to improved heat dissipation away from the wire winding. A thermally
5 conductive material, which is additionally electrically insulating, is preferably used for this purpose. The thermally conductive material is therefore selected in particular from the group comprising oil, paste, wax and/or adhesive. With these thermally conductive and
10 at the same time electrically insulating materials it is ensured that, even when high operating voltages are used, there is a requisite dielectric strength.

The cooling device of the inductive component is
15 configured in such a way that the heat produced in the wire winding during the operation of the inductive component can be efficiently removed to the outside. For this purpose, further transfer of the heat away from the composite material of the cooling device is
20 provided. The further transfer of the heat takes place, for example, by convection. For this purpose, a fluid which can absorb the heat is conducted past the cooling device with the composite material. The fluid is, for example, a liquid or a gas or gas mixture.

25 The further transfer of the heat preferably takes place by heat conduction. In one particular configuration, in the case of the inductive component the film with the composite material and/or the casting compound with
30 the composite material is therefore connected in a thermally conducting manner by heat conduction to a heat sink. With the aid of the heat sink, it is ensured that there is the smallest possible temperature difference between the wire winding, the cooling device
35 and the heat sink during the operation of the inductive component. For this purpose, the heat sink is preferably configured in such a way that it can absorb a large amount of heat. The heat capacity of the heat

sink is great. It is also conceivable that the heat sink provides efficient removal of the heat. The heat sink is, for example, a cooling body made of a material which is distinguished by a high thermal conductivity.
5 To maintain the heat gradient, the cooling body may be cooled by convection.

According to a second aspect of the present disclosure, the inductive component is used in an electronic ballast,
10 in the case of which an electrical input power is converted into an electrical output power. The input power and the output power are normally different. In particular, the component is in this case operated with an AC voltage at a frequency from the range from 100
15 kHz to 200 MHz, inclusive. This frequency range is referred to as the high-frequency range.

In one particular configuration, an AC voltage of up to 2000 volts is used. It has been found that, with the
20 aid of the gaps, a high quality can be achieved even in the case of several hundred volts with a frequency of several MHz. This has the effect that the inductive component can be miniaturized and a high power throughput can nevertheless be achieved along with a
25 high quality and low internal losses. The inductive component can consequently be referred to as a miniaturized HF-HV (high-frequency high-voltage) component.

30 The inductive component may also be used in an ignition transformer for igniting a discharge lamp. For igniting the discharge lamp, the discharge lamp is activated by means of an electrical circuit with a high AC voltage (initial voltage). In a further
35 configuration, a voltage pulse with an AC voltage of up to 40 kV is therefore used. The component is briefly activated with this high AC voltage within a few μm (ignition period).

The invention is presented in more detail on the basis of several exemplary embodiments and the associated figures. The figures are schematic and do not
5 represent illustrations that are true to scale.

Figure 1 shows an inductive component from the side.

10 Figure 2 shows a quality/voltage diagram of the inductive component.

Figures 3a and 3b show an RM form of construction of the core of the inductive component from above and in cross section along
15 the connecting line I-I.

Figures 4 to 6 show the inductive component from Figure 1 with a cooling device in each case, in a lateral cross
20 section.

Figure 7 shows a detail of the inductive component with the cooling device in
25 a lateral cross section.

The inductive component 1 is an HF-HV (high-frequency high-voltage) transformer (Figure 1). The component 1 comprises a wire winding 3 and a core 4. The wire
30 winding is distinguished by a winding axis 12, along which the wire of the wire winding 3 is wound. The wire winding 3 is a high-frequency braided wire 14 with 30 individual wires. The wire diameter of an individual wire is approximately 30 μm . The core 4 is
35 a ferrite core and comprises an M33 core material. The core comprises an RM6 core shape (Figures 3a and 3b). The core is a combination of an E core shape and a cup-type core shape with a central bore 15. The core 4 has

a gap 7 in its center, which is arranged around the central bore 15 in the inner region 10 of the wire winding 3. Two further gaps 8 are arranged in the outer region 11 of the wire winding 3, in each case in one of the core limbs 6 of the core 4. All three gaps 7 and 8 are air gaps. At approximately 3 mm in each case, the gap widths of the gaps 7 and 8 are essentially equal.

10 The core is essentially symmetrical. It comprises two parts 5, which are arranged mirror-symmetrically in relation to the plane of reflection 13 and are arranged opposed to each other across the gaps 7 and 8 and separated from each other by the gap widths 9. The plane of reflection 13 is located in the three gaps 7 and 8. However, the arrangement has the effect that not only the core 4 but also the wire winding 3 are arranged in an essentially symmetrical manner. This results in an inductive component which is essentially symmetrical in relation to the plane of reflection 13.

The quality/voltage diagram shown in Figure 2 was measured with a primary inductance of the HF-HV transformer 1 of 24 μH and a frequency of 2.7 MHz with the aid of the circular resonance method. It can clearly be seen that a relatively good quality of the component can be achieved even with an effective AC voltage ($U_L[V_{\text{rms}}]$) of several hundred volts. The high quality can be achieved in spite of the high frequency with a small overall size, as obtained in the case of an RM6 core shape.

The wire winding 3 of the miniaturized HF-HV transformer is cooled according to further embodiments. For this purpose, a cooling device 20 is present for cooling the wire winding 3.

According to a first embodiment, the cooling device 20 comprises a film 21 with a thermally conducting composite material. The base material of the composite material is a thermally and electrically poorly
5 conducting polymer material. Embedded in the polymer material is a filler with a high thermal and low electrical conductivity. The film 21 has a film thickness of approximately 0.22 mm. The specific thermal conductivity coefficient λ is approximately 4
10 K/Wm. The dielectric strength is up to 6 kV.

The high-frequency braided wire 14 of the wire winding 3 and the film 21 are wound around a coil former 30 adapted to the RM6 core shape. In this case, the film
15 21 and the wire winding 3 are arranged around the coil former 30 in such a way that the high-frequency braided wire 14 of the wire winding 3 and the films 21 alternate in the radial direction, starting from the coil former 30 (Figures 4 and 5). The film 21 used
20 serves as an intermediate insulating layer of the high-frequency braided wire 14 of the wire winding 3. This results in an efficient heat conducting path 24 away from the wire winding 3 in the radial direction. Heat which is produced in the high-frequency braided wire 14
25 during the operation of the inductive component 1 is efficiently dissipated along the heat conducting path 24.

According to an alternative embodiment, the high-
30 frequency braided wire 14 of the wire winding 3 and a number of films 21 are themselves respectively aligned radially in relation to the coil former 30. This creates a multi-chamber solution, which is also referred to as a disk winding. Here, too, efficient
35 dissipation of the heat over the heat conducting path 24 is provided.

For the further dissipation of the heat, the inductive component 1 or the cooling device 20 of the inductive component 1 is embedded in a casting compound 22 with a further thermally conductive composite material (Figures 4 and 6). The casting compound 22 is in direct thermally conducting contact with part of the wire winding 3. This means that the heat can be dissipated by means of heat conduction over a thermal contact area between the high-frequency braided wire 14 of the wire winding 3 and the film 21 or the films 21. For efficient dissipation of the heat, the casting compound 22 is connected in a thermally conducting manner to the heat sink 25 by means of heat conduction. The heat sink 25 is a printed circuit board with a thermally highly conductive material. This results in a relatively small temperature difference between the wire winding 3 and the heat sink 25 during the operation of the inductive component.

As an alternative to the casting compound 22, the further dissipation of the heat takes place through a dissipating fin 26 with a relatively high heat conductivity coefficient (Figure 2). By means of the dissipating fin 26, which is connected to the films 21 by means of a spacing ceramic 28 with a relatively high heat conducting coefficient, the heat is passed on from the films 21 or the wire winding 3 in the direction of the heat sink 25.

Both in the case of the casting compound 22 and in the case of the film 21, intermediate spaces 27 may be present, reducing the efficiency with which the wire winding 3 is cooled (Figure 7). According to a further embodiment, these intermediate spaces 27 are filled with a thermally conductive and electrically insulating or poorly conducting paste.

The claims defining the invention are as follows:

1. An inductive component for the formation of a magnetic circuit, comprising at least one wire winding and at least one core with a ferromagnetic core material, the core comprising a gap and at least one further gap to interrupt the magnetic circuit, the gaps each having a gap width of at least 1.0 mm, wherein the gap width is selected from the range from 2.0 mm to 10 mm, inclusive.
2. The component as claimed in claim 1, the core comprising at least two parts which are arranged opposed to each other across the gaps and separated from each other by the gap widths.
3. The component as claimed in either one of claims 1 and 2, at least one of the gaps being an air gap.
4. The component as claimed in any one of claims 1 to 3, the gaps having an essentially equal gap width.
5. The component as claimed in any one of claims 1 to 4, the wire winding comprising an inner region and an outer region and the gaps of the core being arranged in the inner region and/or in the outer region of the wire winding.
6. The component as claimed in any one of claims 1 to 5, the core being essentially symmetrical.
7. The component as claimed in any one of claims 1 to 6, the core material of the core being capable of accepting high frequencies.
8. The component as claimed in any one of claims 1 to 7, the wire winding comprising a high-frequency braided wire

2003250792 30 Jan 2007

with a multiplicity of individual wires that are electrically insulated from one another.

9. The component as claimed in claim 8, the individual
5 wires having at least an individual wire diameter that is selected from the range from 10 μ m to 50 μ m, inclusive.

10. The component as claimed in either one of claims 8 and
9, the multiplicity being selected from the range from 5 to
10 100, inclusive.

11. The component as claimed in any one of claims 1 to 10,
the component being a choke coil or a transformer.

15 12. The component as claimed in any one of claims 1 to 11,
there being at least one cooling device for cooling the wire
winding, which device comprises at least one composite
material with at least one polymer material and at least one
thermally conductive filler.

20 13. The component as claimed in claim 12, the cooling
device comprising at least one film with the composite
material which is in direct, thermally conductive contact
with the wire winding.

25 14. The component as claimed in either one of claims 12
and 13, the cooling device having at least one casting
compound, which comprises at least one further composite
material with at least one further polymer material and at
30 least one further thermally conductive filler and which is
in direct, thermally conductive contact with the wire
winding and/or the film.

2003250792 30 Jan 2007

15. The component as claimed in any one of claims 12 to 14, an intermediate space that is present between the film and the wire winding and/or between the casting compound and the wire winding comprising a thermally conductive material for thermally bridging the intermediate space.

16. The component as claimed in claim 15, the thermally conductive material being selected from the group comprising oil, paste, wax and/or adhesive.

17. The component as claimed in any one of claims 12 to 16, the film with the composite material and/or the casting compound with the further composite material being connected in a thermally conducting manner by heat conduction to a heat sink.

18. The use of a component as claimed in any one of claims 1 to 17 in an electronic ballast, in the case of which an electrical input power is converted into an electrical output power.

19. The use as claimed in claim 18, the component being operated with an AC voltage at a frequency from the range from 100 kHz to 200 MHz, inclusive.

20. The use as claimed in either one of claims 18 and 19, an AC voltage of up to 2000 V being used.

21. The use as claimed in either one of claims 18 and 19, a voltage pulse with an AC voltage of up to 40 kV being used.

22. An inductive component for the formation of a magnetic circuit, said inductive component being substantially as

2003250792 30 Jan 2007

19

described herein with reference to the accompanying drawings.

23. Use of a component substantially as described herein
s with reference to the accompanying drawings.

Dated 29 January, 2007
Siemens Aktiengesellschaft
Patent Attorneys for the Applicant/Nominated Person
SPRUSON & FERGUSON

AH21(641747_1)PRW

1/4

FIG 1




FIG 2




FIG 3A




FIG 3B




FIG 4




FIG 5




FIG 6




FIG 7

