

A CUBICAL TYPE THEORY FOR HIGHER INDUCTIVE TYPES

SIMON HUBER

1. INTRODUCTION

This note describes a variation of cubical type theory [1] better suited for the extension with higher inductive types. The basic idea is to decompose the composition operation into a generalized version of transport and a homogeneous composition, i.e., a composition in a constant type. A similar approach was already taken in earlier versions of [1] which were then dropped due to problems with a regularity assumption on composition present in the earlier versions.

2. NEW PRIMITIVES

2.1. Transport. The generalization of the transport operation from [1] where one can also specify where the given type is known to be constant; on this part the output is equal to the input.

$$\frac{\Gamma, i : \mathbb{I} \vdash A \quad \Gamma \vdash \varphi : \mathbb{F} \quad \Gamma, i : \mathbb{I}, \varphi \vdash A = A(i/0) \quad \Gamma \vdash u_0 : A(i/0)}{\Gamma \vdash \text{transp}^i A \varphi u_0 : A(i/1)[\varphi \mapsto u_0]}$$

Note that since $\Gamma, i : \mathbb{I}, \varphi \vdash A = A(i/0)$ also $\Gamma, \varphi \vdash A(i/0) = A(i/1)$ (and hence this equation also holds in context $\Gamma, i : \mathbb{I}, \varphi$).

We can also derive a corresponding “filling” operation which connects the input to transp to its output by:

$$\frac{\Gamma, i : \mathbb{I} \vdash A \quad \Gamma \vdash \varphi : \mathbb{F} \quad \Gamma, i : \mathbb{I}, \varphi \vdash A = A(i/0) \quad \Gamma \vdash u_0 : A(i/0)}{\Gamma, i : \mathbb{I} \vdash \text{transpFill}^i A \varphi u_0 = \text{transp}^j A(i/i \wedge j) (\varphi \vee (i = 0)) u_0 : A}$$

Note that $\Gamma, i : \mathbb{I}, \varphi \vdash A = A(i/0)$ entails

$$\Gamma, i : \mathbb{I}, j : \mathbb{I}, \varphi \vee (i = 0) \vdash A(i/i \wedge j) = A(i/i \wedge j)(j/0).$$

This operation satisfies

$$\begin{aligned} \Gamma \vdash (\text{transpFill}^i A \varphi u_0)(i/0) &= u_0 : A(i/0), \text{ and} \\ \Gamma \vdash (\text{transpFill}^i A \varphi u_0)(i/1) &= \text{transp}^i A \varphi u_0 : A(i/1), \end{aligned}$$

and the induced path is constant u_0 on φ .

Date: August 2017.

This old write-up is based on work figuring out higher inductive types in cubical type theory together with Thierry Coquand, Anders Mörtberg, and Cyril Cohen, which later also lead to [2]. Section 3.6 was slightly modified in February 2022, after a possible problem was pointed out by András Kovács (see <https://github.com/agda/agda/issues/5755>).

Using the involution on \mathbb{I} we can also derive the corresponding operation going from $(i/1)$ to $(i/0)$ by:

$$\mathbf{transp}^{-i} A \varphi u = (\mathbf{transp}^i A(i/1 - i) \varphi u)(i/1 - i) : A(i/0)$$

where now $u : A(i/1)$. Similarly one can define $\mathbf{transpFill}^{-i} A \varphi u$.

Another derived operation is **forward**:

$$\frac{\Gamma, i : \mathbb{I} \vdash A \quad \Gamma \vdash r : \mathbb{I} \quad \Gamma \vdash u : A(i/r)}{\Gamma \vdash \mathbf{forward}^i A r u = \mathbf{transp}^i A(i/i \vee r) (r = 1) u : A(i/1)}$$

satisfying $\mathbf{forward}^i A 1 u = u$.

2.2. Homogeneous Composition. Homogeneous composition is like composition from [1] but in a constant type:

$$\frac{\Gamma \vdash A \quad \Gamma \vdash \varphi : \mathbb{F} \quad \Gamma, i : \mathbb{I}, \varphi \vdash u : A \quad \Gamma \vdash u_0 : A[\varphi \mapsto u(i/0)]}{\Gamma \vdash \mathbf{hcomp}^i A [\varphi \mapsto u] u_0 : A[\varphi \mapsto u(i/1)]}$$

We have a derived analogous homogeneous filling operation given by

$$\Gamma, i : \mathbb{I} \vdash \mathbf{hfill}^i A [\varphi \mapsto u] u_0 = \mathbf{hcomp}^j A [\varphi \mapsto u(i/i \wedge j), (i = 0) \mapsto u_0] u_0 : A.$$

2.3. Composition. The general composition operation from [1] can be defined in terms of \mathbf{transp} and \mathbf{hcomp} as follows.

$$\frac{\Gamma, i : \mathbb{I} \vdash A \quad \Gamma \vdash \varphi : \mathbb{F} \quad \Gamma, i : \mathbb{I}, \varphi \vdash u : A \quad \Gamma \vdash u_0 : A(i/0)[\varphi \mapsto u(i/0)]}{\Gamma \vdash \mathbf{comp}^i A [\varphi \mapsto u] u_0 = \mathbf{hcomp}^i A(i/1) [\varphi \mapsto \mathbf{forward}^j A(i/j) i u] (\mathbf{forward}^i A 0 u_0) : A(i/1)}$$

Note $\mathbf{forward}^j A(i/j) i u$ binds j only in A we can also simply write this as $\mathbf{forward}^i A i u$. The required judgmental equality for \mathbf{comp} follows from the one of \mathbf{hcomp} and $\mathbf{forward}^i A 1 u = u$.

It might be illustrative to the reader to see that such a generalized transport operation $\mathbf{transp}^i A \varphi u_0$ can be defined in terms of composition by $\mathbf{comp}^i A [\varphi \mapsto u_0] u_0$.

3. RECURSIVE DEFINITION OF TRANSPORT

We now explain $\mathbf{transp}^i A \varphi u_0$ by induction on the type A .

3.1. Natural Numbers.

$$\begin{aligned} \mathbf{transp}^i \mathbb{N} \varphi 0 &= 0 \\ \mathbf{transp}^i \mathbb{N} \varphi (S u_0) &= S(\mathbf{transp}^i \mathbb{N} \varphi u_0) \end{aligned}$$

We could also directly take $\mathbf{transp}^i \mathbb{N} \varphi u_0 = u_0$.

3.2. Dependent Paths. Let $\Gamma, i : \mathbb{I}, j : \mathbb{I} \vdash A$, $\Gamma, i : \mathbb{I} \vdash u : A(j/0)$, and $\Gamma, i : \mathbb{I} \vdash v : A(j/1)$.

$$\begin{aligned} \mathbf{transp}^i (\mathbf{Path}^j A v w) \varphi u_0 &= \\ \langle j \rangle \mathbf{comp}^i A [\varphi \mapsto u_0 j, (j = 0) \mapsto v, (j = 1) \mapsto w] (u_0 j) \end{aligned}$$

Note that we can in general not take an \mathbf{hcomp} here as A might depend on i .

3.3. Dependent Pairs. Let $\Gamma, i : \mathbb{I} \vdash A$ and $\Gamma, i : \mathbb{I}, x : A \vdash B$ with $\Gamma, i : \mathbb{I}, \varphi \vdash A = A(i/0)$ and $\Gamma, i : \mathbb{I}, \varphi, x : A \vdash B = B(i/0)$.

$$\text{transp}^i((x : A) \times B) \varphi u_0 = (\text{transp}^i A \varphi (u_0.1), \text{transp}^i B(x/v) \varphi (u_0.2))$$

where $v = \text{transpFill}^i A \varphi u_0.1$.

3.4. Dependent Functions. Let $\Gamma, i : \mathbb{I} \vdash A$ and $\Gamma, i : \mathbb{I}, x : A \vdash B$ with $\Gamma, i : \mathbb{I}, \varphi \vdash A = A(i/0)$ and $\Gamma, i : \mathbb{I}, \varphi, x : A \vdash B = B(i/0)$.

$$\text{transp}^i((x : A) \rightarrow B) \varphi u_0 v = \text{transp}^i B(x/w) \varphi (u_0 w(i/0))$$

where $v : A(i/1)$ and $w = \text{transpFill}^{-i} A \varphi v$.

3.5. Universe.

$$\text{transp}^i \mathbf{U} \varphi A = A$$

3.6. Glue. Let

$$\Gamma, i : \mathbb{I} \vdash A \quad \Gamma, i : \mathbb{I} \vdash \varphi : \mathbb{F} \quad \Gamma, i : \mathbb{I}, \varphi \vdash T \quad \Gamma, i : \mathbb{I}, \varphi \vdash w : \text{Equiv } T A$$

and write B for $\text{Glue}[\varphi \mapsto (T, w)] A$. We will indicate the (usually omitted) arguments of unglue by a subscript of the involved partial element, so, e.g., unglue_φ denotes the unglue of B , and $\text{unglue}_{\varphi(i/0)}$ the unglue of $B(i/0)$.

Let further $\Gamma \vdash \psi : \mathbb{F}$ and $\Gamma, i : \mathbb{I}, \psi \vdash B = B(i/0)$ and $\Gamma \vdash u_0 : B(i/0)$. We are going to define

$$\Gamma \vdash \text{transp}^i B \psi u_0 : B(i/1)$$

satisfying¹

- (i) $\Gamma, \psi \vdash \text{transp}^i B \psi u_0 = u_0 : B(i/1)$, and
- (ii) $\Gamma, \forall i \varphi \vdash \text{transp}^i B \psi u_0 = \text{transp}^i T \psi u_0 : T(i/1)$.

Note that since B is constant when restricted to ψ , so is T :

$$\Gamma, i : \mathbb{I}, \varphi, \psi \vdash T = B = B(i/0) = T(i/0),$$

and so the right-hand side in (ii) is well typed.

First, we set

$$\Gamma, \forall i \varphi, i : \mathbb{I} \vdash \tilde{t} = \text{transpFill}^i T \psi u_0 : T$$

and $\Gamma, \forall i \varphi \vdash t_1 = \tilde{t}(i/1) : T(i/1)$.

Next, define

$$\Gamma \vdash a_1 = \text{comp}^i A [\psi \mapsto \text{unglue}_\varphi u_0, \forall i \varphi \mapsto w.1 \tilde{t}] (\text{unglue}_{\varphi(i/0)} u_0) : A(i/1).$$

Note that we have

$$\Gamma, \psi \wedge \forall i \varphi, i : \mathbb{I} \vdash w.1 \tilde{t} = w.1 u_0 = \text{unglue}_\varphi u_0,$$

and $\Gamma, \forall i \varphi \vdash (w.1 \tilde{t})(i/0) = w(i/0).1 u_0 = \text{unglue}_{\varphi(i/0)} u_0$, so the previous composition is well formed.

We get a partial element

$$(1) \quad \Gamma, \varphi(i/1), \psi \vee \forall i \varphi \vdash [\psi \mapsto (u_0, \langle _ \rangle a_1), \\ \forall i \varphi \mapsto (t_1, \langle _ \rangle a_1)] : \text{fib } w(i/1).1 a_1$$

¹Note that these are of course rules of the system. What this really shows is that these rules are admissible in this case, and should also suggest how to define a constructive semantics based on cubical sets similar to [1]. Similar remarks apply later for our calculations.

which we can extend to an element

$$\Gamma, \varphi(i/1) \vdash (t'_1, \alpha) : \text{fib } w(i/1).1 a_1$$

using that $w(i/1).1$ is an equivalence [1, Lemma 5].

Now set

$$\Gamma \vdash a'_1 = \text{hcomp}^j A(i/1) [\varphi(i/1) \mapsto \alpha j, \psi \mapsto a_1] a_1 : A(i/1).$$

Note that $\Gamma, j : \mathbb{I}, \varphi(i/1) \wedge \psi \vdash \alpha j = a_1$ since (t'_1, α) extends (1), and trivially $\Gamma, \varphi(i/1) \vdash \alpha 0 = a_1$ as α is in the fiber of a_1 .

Finally, we can set

$$\Gamma \vdash \text{transp}^i(\text{Glue} [\varphi \mapsto (T, w)] A) \psi u_0 = \text{glue} [\varphi(i/1) \mapsto t'_1] a'_1 : B(i/1)$$

which is well defined as $\Gamma, \varphi(i/1) \vdash a'_1 = \alpha 1 = w(i/1).1 t'_1$.

Let us now check (i) and (ii). For (i) we have $\Gamma, \psi, \varphi(i/1) \vdash t'_1 = u_0 : T(i/1)$ as (t'_1, α) extends (1).

Concerning (ii) we have

$$\Gamma, \forall i \varphi \vdash \text{transp}^i(\text{Glue} [\varphi \mapsto (T, w)] A) \psi u_0 = t'_1 = t_1$$

using $\forall i \varphi \leq \varphi(i/1)$ and (1).

4. RECURSIVE DEFINITION OF HOMOGENEOUS COMPOSITION

We explain hcomp by induction on the type.

4.1. Natural Numbers.

$$\begin{aligned} \text{hcomp}^i \mathbb{N} [\varphi \mapsto 0] 0 &= 0 \\ \text{hcomp}^i \mathbb{N} [\varphi \mapsto S u] (S u_0) &= S(\text{hcomp}^i \mathbb{N} [\varphi \mapsto u] u_0) \end{aligned}$$

4.2. Dependent Paths.

$$\begin{aligned} \text{hcomp}^i(\text{Path}^j A v w) [\varphi \mapsto u] u_0 &= \\ \langle j \rangle \text{hcomp}^i A [\varphi \mapsto u j, (j = 0) \mapsto v, (j = 1) \mapsto w] (u_0 j) \end{aligned}$$

4.3. Dependent Pairs.

$$\text{hcomp}^i((x : A) \times B) [\varphi \mapsto u] u_0 = (v(i/1), \text{comp}^i B(x/v) [\varphi \mapsto u.2] u_0.2)$$

where $v = \text{hfill}^i A [\varphi \mapsto u.1] u_0.1$. As v depends on i we cannot use hcomp in the second component on the right-hand side.

4.4. Dependent Functions.

$$\text{hcomp}^i((x : A) \rightarrow B) [\varphi \mapsto u] u_0 v = \text{hcomp}^i B(x/v) [\varphi \mapsto u v] (u_0 v)$$

4.5. Universe.

$$\text{hcomp}^i \mathbb{U} [\varphi \mapsto E] A = \text{Glue} [\varphi \mapsto (E(i/1), \text{equiv}^i E(i/1 - i))] A$$

4.6. **Glue.** Given $\Gamma \vdash A$, $\Gamma \vdash \varphi : \mathbb{F}$, $\Gamma, \varphi \vdash T$, and $\Gamma, \varphi \vdash w : \mathbf{Equiv} T A$. Let us write B for $\mathbf{Glue} [\varphi \mapsto (T, w)] A$. Moreover, we are given

$$\Gamma \vdash \psi : \mathbb{F} \quad \Gamma, i : \mathbb{I}, \psi \vdash u : B \quad \Gamma \vdash u_0 : B[\psi \mapsto u(i/0)]$$

and we want to define

$$\Gamma \vdash \mathbf{hcomp}^i B [\psi \mapsto u] u_0 : B[\psi \mapsto u(i/1)]$$

such that

$$(2) \quad \Gamma, \varphi \vdash \mathbf{hcomp}^i B [\psi \mapsto u] u_0 = \mathbf{hcomp}^i T [\psi \mapsto u] u_0 : T.$$

First, we set

$$\Gamma, i : \mathbb{I}, \varphi \vdash \tilde{t} = \mathbf{hfill}^i T [\psi \mapsto u] u_0 : T$$

and write $t_1 = \tilde{t}(i/1)$.

Now define $\Gamma \vdash a_1 = \mathbf{hcomp}^i A [\psi \mapsto \mathbf{unglue} u, \varphi \mapsto w.1 \tilde{t}] (\mathbf{unglue} u_0) : A$. This composition is well formed since

$$\Gamma, \varphi \vdash w.1 \tilde{t}(i/0) = w.1 u_0 = \mathbf{unglue} u_0 : A$$

and

$$\Gamma, i : \mathbb{I}, \varphi \wedge \psi \vdash \mathbf{unglue} u = w.1 u = w.1 \tilde{t} : A.$$

We can now set $\Gamma \vdash \mathbf{hcomp}^i B [\psi \mapsto u] u_0 = \mathbf{glue} [\varphi \mapsto t_1] a_1 : B$. This is well defined as $\Gamma \varphi \vdash a_1 = w.1 \tilde{t}(i/1) = w.1 t_1 : A$. Note that we also have $\Gamma, \psi \vdash \mathbf{hcomp}^i B [\psi \mapsto u] u_0 = u(i/1) : B$ since $\Gamma, \psi, \varphi \vdash t_1 = u(i/1) : T$ and $\Gamma, \psi \vdash a_1 = \mathbf{unglue} u(i/1) : A$, so

$$\begin{aligned} \Gamma, \psi \vdash \mathbf{hcomp}^i B [\psi \mapsto u] u_0 &= \mathbf{glue} [\varphi \mapsto t_1] a_1 \\ &= \mathbf{glue} [\varphi \mapsto u(i/1)] (\mathbf{unglue} u(i/1)) = u(i/1) : B \end{aligned}$$

Also (2) trivially follows from $\Gamma, \varphi \vdash \mathbf{glue} [\varphi \mapsto t_1] a_1 = t_1 : T$.

Observe that we didn't use the fact that $w.1$ is an equivalence.

REFERENCES

1. C. Cohen, T. Coquand, S. Huber, and A. Mörtberg, *Cubical Type Theory: A Constructive Interpretation of the Univalence Axiom*, 21st International Conference on Types for Proofs and Programs (TYPES 2015) (T. Uustalu, ed.), Leibniz International Proceedings in Informatics (LIPIcs), vol. 69, Schloss Dagstuhl–Leibniz-Zentrum fuer Informatik, 2018.
2. T. Coquand, S. Huber, and A. Mörtberg, *On higher inductive types in cubical type theory*, Proceedings of the 33rd Annual ACM/IEEE Symposium on Logic in Computer Science (New York, NY, USA), LICS '18, ACM, 2018, pp. 255–264.