



Marble Soundness Classification

The assessment of physical properties in natural stone products is a challenging task. The challenge is not unique to the stone industry in that producers of all natural materials are charged with developing a system of classifying and categorizing those materials within their industry. The Marble Soundness Classification System has been with us, essentially unmodified, for more than half of a century (originating with the National Association of Marble Producers who merged with the Marble Institute in 1963). Its long, established use is definitely a result of its simplicity and effectiveness, but perhaps the greatest strength of this system is that it is linked only to material working properties, and specifically excludes any relationship with the market value of the materials. The intentional disassociation with market value has encouraged the objective review of natural stone materials for technical purposes, while avoiding the temptation to publish inappropriate classifications in the interest of inflating the cost of these materials. The recent incorporation of the Marble Classification data by ASTM into the C503 Standard Specification prompted the publication of this technical bulletin to educate MIA members about this system. Since this system has been so successful with marble and marble-like stones, the MIA is currently working on a similar classification system for granite and granite-like products.

This bulletin contains five sections:

1. Marble Soundness Classification definitions and descriptions (revised since the publication of the *Dimension Stone Design Manual, VI*)—pages 1-2.
2. How Marbles receive their Soundness Classification—pages 2-3.
3. What is on the horizon for a Granite Soundness Classification System—page 3.
4. Listing of Marbles with Soundness Classification designations—pages 3-10.
5. Understanding Stone Test Reports of Group C Marbles (this is the last article that Vincent Migliore wrote for the Marble Institute)—pages 11-12.

Section 1: Marble Soundness Classification

(This text is a revision to that referenced on pages 82-83 of the Dimension Stone Design Manual, VI, and will be incorporated into next version of the Design Manual)

As a result of knowledge gained from extensive practical experience in the dimension stone industry, marbles have been classified into four groups known as the Marble Soundness Classification.

The groupings—A, B, C, and D—should be taken into account when specifying or using marble, for all marbles are not suitable for all building applications. This is particularly true of the comparatively fragile marbles classified under Groups C and D, which may require additional fabrication before or during installation.

The basis of this classification is the characteristics encountered in fabricating, and has no reference whatsoever to the comparative merits or value of each type of marble (e.g. an A class marble is not necessarily more valuable than a D class marble). The classification indicates what method of fabrication is considered necessary and acceptable in each instance.

This technical bulletin contains general guidelines. The Marble Institute of America and its Member companies are not responsible for any use or misuse that causes damage of any kind, including loss of rights, materials, and personal injury alleged to be caused directly or indirectly by the information contained in this document.

Marble Institute of America

28901 Clemens Road, Suite 100 • Cleveland, Ohio 44145-1166 USA • 440.250.9222 • www.marble-institute.com

**STONE INDUSTRY
EDUCATION**
POWERED BY MIA

as based on standard trade practice, and applies only to marble and limestone/marble.

The four groups of Marble Soundness Classification are:

Group A Marbles

Sound marbles with uniform and favorable working qualities, containing no obvious geological voids or fissures. They include completely metamorphosed (recrystallized) limestone or dolostone, in which non-carbonate minerals associated with clay and silt have been recrystallized or altered into other minerals. These stones have uniform working qualities, can be used on the exterior or interior, and do not require any filling or patching.

Group B Marbles

Marbles similar in character to Group A, but some geological imperfections could be evident. Group B Marbles are similar in quality to limestone or dolostone of Group A, except all the non-carbonate minerals associated with clay and silt have not been recrystallized or altered into other minerals. These marbles may contain holes or voids which are filled with epoxy, shellac, or polyester resin by "waxing," "sticking," or "filling". Filling is not intended to be noticeable to a great degree, nor is it expected to be perfectly color matched or "glass" smooth. Group B Marbles are suitable for exterior or interior applications.

Waxing ,sticking and filling (common industry terms) are defined below:

Waxing refers to the practice of filling minor surface imperfections such as voids or sand holes with melted shellac, cabinet-maker's wax or certain polyester compounds. It does not refer to the application of paste wax to make surfaces shinier.

Sticking describes the butt edge repair of a broken piece, now generally done with dowels, cements, or epoxies. The pieces are "stuck" together; thus "sticking."

Filling describes the filling of natural voids in stone units with cements or synthetic resins and similar materials.

Group C Marbles

Group C Marbles comprise the largest and most colorful group of marbles. They may contain all or some of the following features: holes, voids, lines of separation and structural flaws. Group C Marbles have variations in working qualities. Many of the non-carbonate minerals associated with clay and silt have not been recrystallized or altered into other minerals due to incomplete metamorphism.

It is standard practice to repair these variations by use of reinforcing backing, liners, sticking together, filling with resin or cement, fabricating corners or missing stone with compounds of similar nature, color and texture. Any other work necessary to hold the stone together is performed to yield a finished product that is usable for architectural purposes. Upon completion, most repairs can be visible and apparent given a difference in light reflection. Quality of the repair work will vary in this group. With several exceptions, these marbles are not suitable for exterior application.

Group D Marbles

Marbles which are very similiar to Group C, but contain a larger proportion of natural faults, maximum variations in working qualities and require more methods of finishing. Few stones carry this designation; it is reserved for only very laborious Group C stones.

Section 2: How Marbles Receive Their Soundness Classification

The actual classification (A, B, C, or D) is determined by the quarry/producer based on the definitions described above. The Marble Institute of America confirms the designation and publishes the listing.

Quarry/Producer Members desiring that a marble be added or re-classified to this listing should follow this process:

Step 1: Designate the marble with one of the classifications (using the definitions published in this technical bulletin and/or *Dimension Stone Design Manual, VI*).

Step 2: Request that the MIA Technical Department verify the quarry/producer designation. The sup-

porting documentation should include the following:

- A letter to the MIA Technical Department stating the classification, stone name, origin, and reason for the designation.
- 12"x12" (300 mm x 300 mm) sample
- 2-3 photographs featuring close-up images of the vein the stone was taken from.
- Payment of \$250 USD (payable to the Marble Institute of America) to cover review and report fees.
- Quarry/producer pays all costs associated with shipping samples, photos, etc.

Step 3: MIA Technical Department issues a report. The classification given in this report is a point of reference only. To work with stone is to work with a product of nature, and products of nature vary from sample to sample. Further research and testing is normally done to substantiate the stone's worthiness for particular applications.

Section 3: Granite Soundness Classification System

Currently there is no soundness classification system established for granite. Similar to marble, the unique properties and characteristics found in various granites also require specific measures to be employed in the fabrication, handling, and installation practices to ensure quality applications of the material. The Marble Institute is developing a classification system for granite for use by the stone industry in 2005.

Section 4: Listing of Marbles with a Soundness Classification Designation

Many marbles have received a Marble Soundness Classification designation since the inception of this system. The most recent listing of marbles was featured in both *Dimension Stone Design Manual, IV* (1991), and the *Dimension Stones of the World* (2-volume set). Several dozen marbles have received a designation since these publications were first printed. This technical bulletin includes the most recent list. It is important to note that many of the classifications were originally established by the producer. Therefore consumers are encouraged to investigate a stone's classification and request documentation about the classification from the supplier of the product.

Key to Color Range Abbreviations

Black	Blk
Blue-Gray	Bl/Gy
Brecciated, Black & White	Brc-Blk/W
Brown	Brw
Buff-Brown-Yellowish	Bf-Brw-Y
Buff-Cream or Light	Bf-C/L
Buff-Dark	Bf-Dk
Gray	Gy
Gray-Bluish	Gy-Bl
Green	Gr
Pink	P
Orange	O
Red	R
Red-Reddish Brown.....	R-RBw
Rose.....	Rs
Veined, Brecciated (Bluish or Gray Background).....	V, Brc (Bl-Gy)
Veined, Brecciated (Tan or Yellowish Background).....	V, Brc (T-Y)
White	W
White-Bluish.....	W-BI
White-Brownish.....	W-Brw
White-Creamy	W-Cr
White-Goldish	W-Go
White-Grayish	W-Gy
White-Greenish.....	W-Gr
Yellow or Gold	Y/G

Name	Color	Origin	S.C.	Name	Color	Origin	S.C.
A				A (continued)			
Abancado Laranja	O	Portugal	C	Aurisina Chiara	Gy	Italy	B
Abancado Laranja Claro	O	Portugal	C	Aurisina Fiorito	Gy	Italy	B
Acquabianca	W-Bl	Italy	A	Aurisina Granitello	Gy	Italy	B
Adair Marble	W-Bl	Canada	B	Avorio Beta	Bf-C/L	Italy	C
Adria Grigio	Gy	Yugoslavia	C	Avorio di Siena	Y/G	Italy	C
Aegean Crystal	W	Greece	B	Avorio Siena	Y/G	Italy	C
African Rose	Brw	Morocco	C	B			
African Rose Light	Brw	Morocco	C	Baker Dark Cedar	Brw	U.S.A.	A
Afyon	Bf-C/L	Turkey	B	Bardiglietto	Gy-Bl	Italy	B
Afyon White	W	Turkey	A	Bardiglio Cappella	Bl/Gy	Italy	C
Ajax	W-Cr	Greece	A	Bardiglio Carrara	Gy	Italy	B
Alagao Beige	O	Philippines	C	Bardiglio Carrara Chiaro	Gy-Bl	Italy	B
Alba Pallida	Bf/Cl	Italy	C	Bardiglio Carrara Scuro	Bl/Gy	Italy	B
Alexander White	W	Guatemala	A	Bardiglio Costa	Gy	Italy	D
Almiscado	Rs	Portugal	C	Basaltina	Gy	Italy	A
Alpinina Clara*	Bf-C/L	Portugal	C	Beige Classic*	Bf-C/L	Philippines	C
Alpinina Rosada*	Bf-C/L	Portugal	C	Beige Maya	Bf-C/L	Mexico	C
Andies Grey	Gy	U.S.A.	A	Beige Peach*	O	Philippines	C
Apache Gold Vein	Gy	U.S.A.	C	Beige Serpentina	Bf-C/L	Spain	C
Aphrodisias Cloudy	W-Bl	Turkey	A	Belgium Black	Blk	Belgium	B
Aphrodisias White	W	Turkey	A	Belgium Blue*	Blk	Belgium	B
Apollo	Gr	Taiwan	B	Belgium Red Light	R	Belgium	C
Arabescato	V, Brc(Cr-W)	Italy	B	Belice Verde	Gr	Guatemala	C
Arabescato Alga Marina				Bettogli Vein	V, Brc(Cr-W)	Italy	A
Stazzema	V, Brc(Cr-W)	Italy	C	Bianco Arni	W-Gy	Italy	A
Arabescato Arni	V, Brc(Cr-W)	Italy	C	Bianco Carrara B	W	Italy	A
Arabescato Arni Corchia	V, Brc(Cr-W)	Italy	B	Bianco Carrara C	W	Italy	A
Arabescato Calacatta Resceto	V, Brc(Cr-W)	Italy	C	Bianco Carrara C/D	W	Italy	A
Arabescato Carcaraiia	V, Brc(Cr-W)	Italy	C	Bianco Carrara D	W	Italy	A
Arabescato Cervaiole	V, Brc(Cr-W)	Italy	B	Bianco Cristal	W	Greece	B
Arabescato Colletino	V, Brc(Cr-W)	Italy	C	Bianco de Nieve	W	Yugoslavia	B
Arabescato Corchia	V, Brc(Cr-W)	Italy	B	Bianco P	W	Italy	A
Arabescato Faniello	V, Brc(Cr-W)	Italy	C	Bianco Pentelicon	W	Greece	A
Arabescato Garfagnana	V, Brc(Cr-W)	Italy	B	Bianco Venato Gioia	W-Gy	Italy	A
Arabescato la Mossa	V, Brc(Cr-W)	Italy	B	Biancospino	W-Gy	Italy	A
Arabescato M	V, Brc(Cr-W)	Italy	B	Black and Gold	Blk	Italy	D
Arabescato Orobico	V, Brc(Cr-W)	Italy	C	Black and Gold Extra	Blk	Italy	D
Arabescato Orobico Grigio Nuvolato	V, Brc(Cr-W)	Italy	C	Black Levadias	Blk	Greece	B
Arabescato Orobico Rosso	V, Brc(Cr-W)	Italy	C	Black Marquina*	Blk	Spain	C
Arabescato Rosso Garfagnana	V, Brc(Cr-W)	Italy	C	Black Principessa	Blk	Spain	D
Arabescato Siena	V, Brc(Cr-W)	Italy	C	Black Saint Laurent	Blk	France	D
Arabescato Tombaccio	V, Brc(Cr-W)	Italy	C	Blanc Bleute de Savoie	Bl/Gy	France	C
Arabescato Vagli	V, Brc(Bl-Gy)	Italy	B	Blanco Macael	W	Spain	A
Arabescato	Bf-Brw-Y	Spain	B	Blanco Macael Heavy Veined	W	Spain	A
Ardesia	Blk	Italy	D	Blanco Marfil	Bf-C/L	Mexico	C
Arta Pink	P	Greece	B	Bleu Belge	Blk	Belgium	C
Asbury Pink	P	U.S.A.	A	Blue Savoy	Bl/Gy	France	C
Athos White	W	Greece	A	Boardman Brown	W-Brw	U.S.A.	A
				Boardman Vein	W-Gy	U.S.A.	A
				Bois Jourdan	V, Brc(Bl-Gy)	France	C

Name	Color	Origin	S.C.	Name	Color	Origin	S.C.
B (continued)				C (continued)			
Botticino Clasico	Bf-C/L	Puerto Rico	A	Cedar Tavernelle	R-RBrw	U.S.A.	A
Botticino Classico	Bf-C/L	Italy	C	Cevenol	Gy	France	C
Botticino Fiorito	Bf-C/L	Italy	C	Champlain Black	Blk	U.S.A.	A
Botticino Magnus	Bf-C/L	Puerto Rico	A	Chandolin*	R	France	C
Botticino Perlato	Bf-C/L	Puerto Rico	A	Chantueil	Bf-Brw-Y	France	B
Botticino Royal	Bf-C/L	Italy	C	Charcoal Saint Jean	Brc-Blk/W	France	C
Botticino Sicilia	Bf-C/L	Italy	C	Chassagne Beige	Bf-Brw-Y	France	A
Botticino Sicilia Royal	Bf-C/L	Italy	C	Chassagne Rose	P	France	A
Botticino Standard	Bf-C/L	Italy	C	Chassagne Violine	P	France	C
Branco Mar*	W-Cr	Portugal	B	Cherokee	W	U.S.A.	A
Brando Rosal*	W-Cr	Portugal	B	Chiampo Mandorlaro	Bf-C/L	Italy	C
Brazilian Rose	Rs	Brazil	C	Chiampo Paglierino	Rs	Italy	C
Brazilian White	W	Brazil	A	Chiampo Perlato	bf-C/L	Italy	C
Breccia Aurora	V, Brc(T-Y)	Italy	D	Chiampo Porfirico	Rs	Italy	C
Breccia Aurora IMV	V, Brc(T-Y)	Italy	D	Chiampo Rosa	P	Italy	C
Breccia Carsica	Bf-Dk	Italy	C	Chocolate Brun Amazone	Bf-Brw-Y	Brazil	A
Breccia Karnezeika	V, Brc(T-Y)	Greece	C	Cipollino Dorato	W-Go	Italy	C
Breccia Novella	Gy	France	D	Cipollino Verde Apuano	Gr	Italy	B
Breccia Oniciata	Bf-C/L	Italy	D	Claro	W	Taiwan	B
Breccia Pernice	V, Brc(T-Y)	Italy	D	Cliffdale "A" Dark	Br-Brw-Y	U.S.A.	C
Brecha da Ota*	Brw	Portugal	C	Cliffdale "B" Light	Bf-Brw-Y	U.S.A.	C
Brecha Lioz*	R-RBrw	Portugal	C	Collemandina	R	Italy	D
Brecha Perola *	R-RBrw	Portugal	C	Colorado Yule	W	U.S.A.	C
Brecha Portuguesa*	Brw	Portugal	C	Connemara Marble	Gr	Ireland	C
Brecha Tavira Dourada*	Brw	Portugal	C	Coral Rouge Fleuri	R-RBrw	U.S.A.	D
Brecha Tavira Vermelha*	R-RBrw	Portugal	C	Coralito	Rs	Spain	C
Breche Maritime	Bf-C/L	Portugal	C	Craig Pink Tennessee	P	U.S.A.	A
Breche Noire	Brc-Blk/W	France	C	Cream Wombeyan	Bf-C/L	Australia	A
Breche Nouvelle	Brw	France	C	Crema Espanol	Y/G	Spain	C
Breche Ronceveaux	Brc-Blk/W	France	C	Crema Levante	Bf-C/L	Spain	C
Bronceado	Y/G	Spain	C	Crema Marfil*	Bf-C/L	Spain	C
Brown Beige*	Brw	Philippines	C	Crema Nuevo	Brw	Spain	C
Brown Chios	Brw	Greece	C	Crème Perla	Bf-C/L	Italy	C
Brown Terra	Brw	Venezuela	B	Cremo Delicato	W-Cr	Italy	B
Brown Tourmalion	Brw	France	C	Creole	E-Bl	U.S.A.	A
C				D			
Café Goleta	Brw	Mexico	B	Dark Emperador*	Brw	Spain	C
Calacata Campo Cecina	V, Brc(Cr-W)	Italy	C	Dark Green Antique	Gr	Taiwan	C
Calacata Cremo	V, Brc(Cr-W)	Italy	C	Dark Hualian Jade	Gr	Taiwan	C
Calacata Cremo Massa	V, Brc(Cr-W)	Italy	C	Desert Peach	O	Greece	C
Calacata di Siena	Y/G	Italy	C	Desert Pink	P	Greece	B
Calacatta	V, Brc(Cr-W)	Italy	B	Dolcetto Perlato	Bf-C/L	Italy	C
Calacatta Tirreno	V, Brc(Cr-W)	Italy	B	Doppio Nero	Blk	China	C
Calacatta Vagli	W-Cr	Italy	C	Dove	V, Brc(Bl-Gy)	Turkey	C
Calacatta Vagli Rosato	W-Cr	Italy	C	Duchessa Rosa	Rs	Spain	C
Caliza Capri	Bf-C/L	Spain	C	Duquesa Gris	Gy	Spain	C
Campan Rose Vert	Gr	France	C				
Campan Rouge	R	France	C				
Capistrano	Bf-C/L	Philippines	C				
Cassino Rosa	Rs	Italy	D				
Cedar Rose	R-RBrw	U.S.A.	A				

Name	Color	Origin	S.C.	Name	Color	Origin	S.C.
D (continued)				G (continued)			
Duquesa Rosa	Rs	Spain	C	Gris Antique	Blk	Belgium	B
E				Gris Duquesa	Gy	Spain	C
Edward Pink	P	U.S.A.	A	Gris Goleta	Gy-Bl	Mexico	B
Emperador Light	Brw	Spain	C	Gris Macael	Gy	Spain	A
Eretria Red	R	Greece	C	Gris Paloma	Gy	France	C
Estremoz Branco	W	Portugal	A	Gris Perla	Gy-Bl	Mexico	B
Estremoz Crème	Bf-C/L	Portugal	A	Gris Tellez	W-Gy	Mexico	B
Estremoz Vergadas	W	Portugal	A	Gris Tepeaca	Gy	Mexico	B
Estremoz Vergadas Catanhas	W-Brw	Portugal	A	Gris Terrazo	Gy	Mexico	B
Etremoz Vergado	W	Portugal	A	Guatemala Antique Green	Gr	Guatemala	C
Etremoz Vergado Escuro	W	Portugal	A	Guatemala Emerald			
Etowah Fleur	P	U.S.A.	A	Green	Gr	Guatemala	C
Etowah Pink	P	U.S.A.	A	Guatemala Extra White	W	Guatemala	A
Eureka Danby	W-Brw	U.S.A.	A	Guatemala Gold	Y/G	Guatemala	A
F				Guatemala Gray	Gy	Guatemala	A
Fantastico Arni	Gr	Italy	D	Guatemala Standard	White	Guatemala	A
Farges*	Bf-C/L	France	C	Guatemala Veined Gray	Gy	Guatemala	A
Fawntan*	Brw	Philippines	C	Guatemala White	W	Guatemala	A
Filleto America	Bf-C/L	Italy	C	H			
Filleto Rosso	Bf-C/L	Italy	C	Hauteville	Bf-C/L	France	B
Filetto Rosso Classico	Bf-C/L	Italy	C	Highland Danby	Gy	U.S.A.	A
Fior di Mare	Gy	Italy	B	Hualian Jade	Gr	Taiwan	C
Fior di Pesco	V, Brc(Bl-Gy)	Italy	D	Hualien Green	Gr	Taiwan	C
Fior di Pesco Carnico	V, Brc(Bl-Gy)	Italy	D	Hualien Jewel	Gr	Taiwan	C
Florido*	Blk	Spain	C	Hualien White B	V, Brc(Cr-W)	Taiwan	B
Forest Green	Gr	Italy	C	Hualien White C	V, Brc(Cr-W)	Taiwan	C
Formosa Black	Blk	Taiwan	B	I			
Formosa White	W	Taiwan	A	Ilios	W-Gy	Greece	A
French Antique Gray	Gy	France	C	Imperial Black	Blk	U.S.A.	B
French Red	R	France	C	Imperial Brown	V, Brc(T-Y)	Spain	B
French Rouge Antique	R-RBrw	France	C	Imperial Calacata	V, Brc(Cr-W)	Italy	C
G				Imperial Danby	W	U.S.A.	A
Galaxy	W-Cr	Greece	A	Imperial Emperador			
Giallo di Siena	Y/G	Italy	C	Brown	Brw	Spain	C
Giallo Mori	Y/G	Italy	C	Incarnat Turquin	Gy	Spain	C
Giallo Siena	Y/G	Italy	C	Italian Cremo	W-Cr	Italy	C
Giallo Siena Avorio	Y/G	Italy	C	Italian Pearl*	Bf-C/L	Philippines	C
Giallo Siena Unito	Y/G	Italy	C	Italian Pink	P	Italy	B
Gold Black	Blk	Honduras	A	J			
Gray St. Anne Alpha	V, Brc(Bl-Gy)	France	B	Jade Green	Gr	Taiwan	C
Gray St. Anne Basque	V, Brc(Bl-Gy)	France	B	Jaspe Gris	C, Brc(Bl-Gy)	Mexico	B
Gray/White Wombeyan	Gy	Australia	B	Jaspe Rosa	V, Brc(Bl-Gy)	Mexico	B
Greek White	W	Greece	A	Jerusalem Stone*	Bf-C/L	Israel	B
Grey Duchess	Gy	Spain	C	Juane Rose	Rs	Norway	B
Grigio Carnico	V, Brc(Bl-Gy)	Italy	D	Jura	Brw	Germany	A
Grigio Romano	Gy	Italy	C	Jura Beige	Bf-C/L	Germany	A
Grimaldi	Gy	France	C	Jura Giallo	Bf-C/L	Germany	A

Name	Color	Origin	S.C.	Name	Color	Origin	S.C.				
J (continued)				N (continued)							
Jura Gray	Gy-Bl	Germany	A	Nero Marquina*	Blk	Spain	C				
Jura Melange	Bf-C/L	Germany	A	Nero St. Laurent	Blk	France	D				
K											
K-Beige*	Bf-C/L	Philippines	C	Noir Cihigue	Blk	France	C				
L											
Lamberry Cedar	R-RBrw	U.S.A.	B	Noir Fleuri	Blk	France	C				
Larrys	Bf-C/L	France	B	Norwegian Rose	Rs	Norway	B				
Lasa Bianco Vena Oro	W-Go	Italy	A	Norwegian Rose (M.L.)	Rs	Norway	B				
Lasa Bianco Venato	W	Italy	A	Norwegian Rose (M.S.)	Rs	Norway	B				
Lee White	W	U.S.A.	A	Notre Dame	Bf-C/L	France	C				
Light Beige	Bf-C/L	Philippines	B	Notre Dame A	Bf-C/L	France	C				
Light Verde Jade	Gr	Taiwan	C	Nowshera Maroon	R	Pakistan	C				
Lido	Gy	Morocco	B	Nuovo Brocatello	V, Brc(T-Y)	Italy	B				
Lioz	Rs	Portugal	C	Nuvoltao Apuano	Gy-Bl	Italy	B				
Lioz Crème	Bf-Brw-Y	Portugal	C	O							
Loredo Chiaro	V, Brc(T-Y)	Italy	D	Olho de Sapo	Bf-C/L	Portugal	B				
Loredo IMV	V, Brc(T-Y)	Italy	D	Ozark Famosa	Brw	U.S.A.	C				
Loredo Rubane	Bf/Dk	Italy	C	Ozark Fleuri	Gy	U.S.A.	A				
Luck Dark Cedar	R-RBrw	U.S.A.	B	Ozark Grey Vein	Gy	U.S.A.	A				
Luck Dark Cedar Tavernelle	R-RBrw	U.S.A.	B	P							
Luck Dark Rose	Rs	U.S.A.	A	Paonazzetto	V, Brc(Cr-W)	Italy	C				
Luck Light Rose	Rs	U.S.A.	A	Paradiso	Brw	Italy	D				
Luck Medium Rose	Rs	U.S.A.	A	Paradiso D	Brw	Italy	D				
M				Pardais	Rs	Portugal	A				
Macchiavecchia	V, Brc(T-Y)	Italy	D	Pavonazzo	V, Brc(Cr-W)	U.S.A.	A				
Manyas White	W	Turkey	A	Pearl Beige	Bf-C/L	Italy	C				
Marblehaus Beige	Bf-C/L	Philippines	B	Pearl Gray	W-Gy	Guatemala	A				
Marbre du Roi	R	France	C	Pearl Grey	Gy	U.S.A.	A				
Mariposa Alagao*	O	Philippines	C	Pentelicon White	W	Greece	A				
Mariposa Danby	W-Gr	U.S.A.	A	Penuela	Bf-Dk	Mexico	B				
Marron Braun*	Brw	Spain	C	Peperino Grigio	Gy	Italy	C				
Marron Emperador*	Brw	Spain	C	Peperino Rosato	R	Italy	C				
Marron Imperial*	Brw	Spain	C	Perla Marina	W-Cr	Italy	C				
Maya	Bf-C/L	Mexico	C	Perlato d'Italia	Bf-C/L	Italy	C				
Mezzotint	Gy	U.S.A.	A	Perlato Philippines*	Bf-C/L	Philippines	C				
Mink Black	Brw	Honduras	A	Perlato Royal	Bf-C/L	Italy	C				
Mino Nero Antique	Blk	Mexico	C	Perlato Sicilia	Bf-C/L	Italy	C				
Moca Crème*	Bf-C/L	Portugal	B	Perlato Suevo	Bf-C/L	Italy	C				
Montclair Danby	W-Gr	U.S.A.	A	Perlino Rosato	P	Italy	C				
N				Petit Granit	Blk	Belgium	B				
Napoleon Grand Melange	Bf-C/L	France	C	Piastraccia	V, Brc(Cr-W)	Italy	B				
Napoleon Grey	Gy	U.S.A	A	Pietra del Cardosa	Gy	Italy	B				
Napoleon Tigre	Bf-C/L	France	C	Pietra di Luserna	Gr	Italy	B				
Naxos	W	Greece	A	Pilion Pink	P	Greece	A				
Negro Marquina*	Blk	Spain	C	Pink Dutchess	Rs	Spain	C				
Negro Monterrey	Blk	Mexico	B	Pink Ioannina	P	Greece	B				
				Pink Tennessee	Rs	U.S.A.	A				
				Plateau Danby	W-Gy	U.S.A.	A				
				Porto Extra	Blk	Italy	D				
				Portoro Macchia Fine	Blk	Italy	D				
				Portoro Macchia Larga	Blk	Italy	D				

Name	Color	Origin	S.C.	Name	Color	Origin	S.C.
P (continued)				R (continued)			
Pouillenay	Bf-C/L	France	A	Rosatta*	R-RBrw	Philippines	C
Primavera	Bf-Brw-Y	Philippines	B	Rose Aurora	Rs	Portugal	A
Pumpokha White	W	Pakistan	A	Rose De Felines	Bf-Brw-Y	France	D
Q				Rose Gray	Gy	U.S.A.	A
Quetzal Green	Gr	Guatemala	C	Rose Turquesa	Rs	Spain	C
R				Rosso Alicante*	R	Spain	C
Radio Black	Blk	U.S.A.	A	Rosso Antico d'Italia	R	Italy	D
Rainbow	Gy	Honduras	A	Rosso Asiago	R	Italy	C
Rasotica	Brw	Yugoslavia	D	Rosso Collemandina	R	Italy	D
Red Duquesa	Rs	Spain	C	Rosso Coralito	R	Spain	C
Red Dutchess	Rs	Spain	C	Rosso Francia	R	France	C
Red Eretria	R	Greece	C	Rosso Levanto	R	Italy	D
Red Levanto	R	Italy	D	Rosso Magnaboschi	R	Italy	C
Red Levanto Rai	R	Italy	D	Rosso Magnaboschi Fiorito	R	Italy	C
Red Royale	R	France	C	Rosso Rubino	R	Italy	C
Red Verona	R	Italy	C	Rosso Verona	R	Italy	C
Regal Blue	Bl/Gy	U.S.A.	A	Rosso Verona Broccato	R	Italy	C
Regal White Danby	W-Cr	U.S.A.	A	Rouge Antique	R-RBrw	France	C
Repen Classico Chiaro	Gy	Italy	B	Rouge Incarnat	R	France	C
Repen Classico Zolla	Gy	Italy	B	Rouge Matadof	R	Spain	C
Revermont	Bf-C/L	France	B	Rouge Turquin	Gy	France	C
Roc Argent	Gy	France	C	Royal Danby	W-Bl	U.S.A.	A
Rochebelle Beige*	Bf-C/L	France	B	Royal Fleuri	R-RBrw	U.S.A.	D
Rochebelle Rose*	P	France	B	Royal White	W	Taiwan	A
Rocheret*	Y/G	France	B	Rubane	Bf-C/L	France	C
Rojo Alicante*	R	Spain	C	Ruivina Clara	W-Gy	Portugal	B
Rojo Bilbao	R	Spain	C	Ruivina Escura	Gy	Portugal	B
Rojo Coralito	R	Spain	C	Ruivina Raiado	W-Gy	Portugal	A
Roman Stone	Gy	Italy	B	S			
Rosa Aurora A	W	Portugal	A	Saint Corneille	Bf-C/L	France	B
Rosa Aurora B	Bf-C/L	Portugal	A	Saint Florient	Rs	Portugal	C
Rosa Aurora C	W	Portugal	A	Saint Florient Rose	Rs	Portugal	C
Rosa Clasico	Rs	Mexico	C	Saint Jean Fleury	Brc-Blk/W	France	C
Rosa de Borba	Rs	Portugal	A	Salanti Red	R	Greece	C
Rosa del Garda	Rs	Italy	C	Salome/Leopard	V, Brc(Bl-Gy)	Turkey	C
Rosa do Monte	O	Portugal	A	Santo Tomas	R-RBrw	Mexico	A
Rosa do Monte A	Rs	Portugal	A	Selji Cream	Bf-C/L	Yugoslavia	B
Rosa do Monte B	Rs	Portugal	A	Semi-Rijo*	W-Cr	Portugal	B
Rosa Duquesa	Rs	Spain	C	Serpeggiante Classico	V, Brc(T-Y)	Italy	C
Rosa Emperador	Bf-C/L	Mexico	B	Serpeggiante di Trani	V, Brc(T-Y)	Italy	C
Rosa Imperial	V, Brc(Cr-W)	Mexico	B	Serpeggiante Silverbella	V, Brc(T-Y)	Italy	C
Rosa Mexico	R	Mexico	D	Serpentine	Gr	Italy	C
Rosa Norvegia	Rs	Norway	B	Serpentine Verde Scuro	Gr	Italy	C
Rosa Portogallo	Rs	Portugal	B	Serpantino Classico	Gr	Italy	C
Rosa Salmon	Rs	Puerto Rico	C	Serpantino di Fundres	Gr	Italy	C
Rosa Surpi	Rs	Greece	C	Sierra Madre	Bf-Brw-Y	Germany	A
Rosa Vergado	Rs	Portugal	A	Snow White	W	Greece	A
Rosalit	Rs	Yugoslavia	C	Spanish Black*	Blk	Spain	C
Rosato	V, Brc(T-Y)	Italy	C	St. Anne African Vein	Blk	Morocco	C
				St. Florient	Rs	Portugal	C

Name	Color	Origin	S.C.	Name	Color	Origin	S.C.
S (continued)				V (continued)			
St. Thomas	R-RBrw	Mexico	A	Verde Dorato	Gr	Italy	C
Stalattite	R	Italy	C	Verde Fraye	Gr	Italy	C
Staro	W	Taiwan	B	Verde Giada	Gr	Italy	C
Statuario Venato Carrara	W	Italy	B	Verde Gressoney	Gr	Italy	C
Statuary Vein	V, Brc(Cr-W)	Italy	B	Verde Imperiale	Gr	Italy	C
Ste. Genevieve Golden Vein	V, Brc(T-Y)	U.S.A.	C	Verde Issorie	Gr	Italy	C
Ste. Genevieve Rose	V, Brc(Cr-W)	U.S.A.	C	Verde Patrizia	Gr	Italy	C
Sterling Grey	Gy	U.S.A.	A	Verde Smeraldo	Gr	Italy	C
Sunflower	V, Brc(T-Y)	Italy	B	Verde St. Denis	Gr	Italy	C
Sunset	Gy	Honduras	A	Verde Svezia	Gr	Sweden	B
Superior Black	Brc-Blk/W	Honduras	B	Verde Tiffany	Gy	Italy	C
Supren	Gy	Turkey	C	Verde Tinos	Gr	Greece	C
T				Verde Viana Claro	Gr	Portugal	A
Taiwan Jade	Gr	Taiwan	C	Verde Viana Cristal	Gr	Portugal	A
Taiwan Green	Gr	Taiwan	C	Verde Viana Escuro	Gr	Portugal	A
Tavernelle Chiampo Mandorlato	Bf-C/L	Italy	C	Veria White	W	Greece	A
Tea Rose	Bl/Gy	China	C	Vermont Verde Antique	Gr	U.S.A.	C
Teresa Beige*	Bf-C/L	Philippines	C	Vert d'Estours	Gr	France	C
Thassos A-1	W	Greece	A	Vert d'Irlande	Gr	Ireland	C
Thassos White	W	Greece	A	Vert Jade	Gr	Italy	C
Tienshan Jade	Gr	Taiwan	C	Vert Racega	Gr	Italy	C
Tigre	Bf-C/L	France	C	Villa Gray	V, Brc(Bl-Gy)	China	C
Tikal Green	Gr	Guatemala	C	Villebois*	Gy	France	C
Tinos Green	Gr	Greece	B	Vize Pink	P	Turkey	A
Tinos Green Dark	Gr	Greece	C	Volou Pink	P	Greece	B
Topaze*	W-Cr	Portugal	C	Vulcano	Bf-Dk	Italy	C
Trani Chiaro	Bf-C/L	Italy	C	W			
Trani Perlato	Bf-C/L	Italy	C	Waterloo White	W-Gy	Canada	B
Trani Unito	Bf-C/L	Italy	C	White Alabama	W	U.S.A.	A
Trigaxes Claro	Gy	Portugal	A	White Carrara	W	Italy	A
Trigaxes Escuro	Gy	Portugal	A	White Carrara C	W	Italy	A
Tropical Gray	Gy	Honduras	A	White Carrara C/A	W	Italy	A
Tropical White	W-Gy	Honduras	B	White Carrara D	W	Italy	A
Tsipolino	Gy-Bl	Greece	B	White Cherokee	W-Gy	U.S.A.	A
U				White Georgia	W-Go	U.S.A.	A
Uliano Venato	Gy-Bl	Italy	A	White Georgia Golden Vien	W-Go	U.S.A.	A
V				White Veined Statuary	W	Italy	B
Valencia Rose	P	Spain	B	X			
Veined Black B	Brc-Blk/W	Taiwan	C	Xita*	P	Portugal	C
Veined Black C	Brc-Blk/W	Taiwan	C	Y			
Venezuelan Pink	P	Venezuela	B	Yellow Siena	Y/G	Italy	C
Verde Acceglie	Gr	Italy	D	Yellow Verona	Y/G	Italy	C
Verde Alpi Cesana	Gr	Italy	C	* Denotes hard or dolomitic limestones capable of taking a polish and known commercially as marble.			
Verde Antique	Gr	U.S.A.	C				
Verde Antonio	Gr	Italy	C				
Verde Aver	Gr	Italy	C				

Onyx Varieties

<u>Name</u>	<u>Color</u>	<u>Origin</u>	<u>S.C.</u>
A			
Agata Malaga	Brw	Spain	C
Arabescato Vittoria	V, Brc(Cr-W)	Norway	D
C			
Cabriño	Bl/Gy	Peru	D
H			
Honey Onyx	Bf-C/L	Spain	C
M			
Mexican Onyx	V, Brc(Cr-W)	Mexico	C
O			
Onice Pakistan	Gr	Pakistan	D
Onyx Carbino	Bl/Gy	Peru	D
P			
Pakistan Onyx	Gr	Pakistan	D
V			
Vista Grande Onyx	W-Brw	U.S.A.	C
Vista Grande Onyx Vein	W-Brw	U.S.A.	C

Travertine Varieties

The soundness classification of "C" for most travertines is the result of the filling process used. Unfilled travertines would be classified in either group "A" or "B." Contact your travertine producer for additional information.

C			
Caesar (Roman Classic Travertine)	Bf-C/L	Italy	C
Classico (Roman Classic Travertine)	Bf-C/L	Italy	C
Colosseo (Roman Classic Travertine)	Bf-C/L	Italy	C
Continental Buff Travertine	Bf-C/L	U.S.A.	C
D			
Denizli Travertine	Bf-C/L	Turkey	C
Desert Crème Travertine	Bf-Dk	U.S.A.	C
Desert Gold Fleuri Travertine	Y/G	U.S.A.	C
Desert Gold Veined Travertine	Y/G	U.S.A.	C

<u>Name</u>	<u>Color</u>	<u>Origin</u>	<u>S.C.</u>
I			
Imperial Travertine	Y/G	Spain	C
Incas Golden Travertine	Y/G	Peru	C
M			
Montemerano Travertine	Bf-Dk	Italy	C
N			
Navona Travertine	Bf-C/L	Italy	C
O			
Oniciato (Roman Travertine)	Brw	Italy	C
Osso Travertine	Bf-C/L	Italy	C
P			
Pantheon (Roman Classic Travertine)	Bf-C/L	Italy	C
Peruvian Golden Travertine	Y/G	Peru	C
Pueblo Travertine	Bf-C/L	Mexico	D
R			
Remo (Roman Classic Travertine)	W-Cr	Italy	C
S			
Scheherazade Fleuri Travertine	P	U.S.A.	C
Scheherazade Vein Travertine	P	U.S.A.	C
St. Peter Travertine	Brw	Italy	C
Striato Travertine	Bf-Dk	Italy	C
T			
Temple Crème Travertine	Bf-C/L	U.S.A	C
Travertine "N"	Bf-C/L	Italy	C
Travertine BS Larry Light	Bf-C/L	Italy	C
Travertine Light	Bf-C/L	Mexico	C
Travertino	Brw	Portugal	C
Travertino Iberico	Bf-C/L	Spain	C
Travertino Moonlight	Bf-C/L	Italy	C
Travertino Nole	Brw	Italy	C
Travertino Paglierino	Bf	Italy	C
Travertino Rojo	R-RBrw	Spain	C
Travertino Silver	Gr-Bl	Italy	C
W			
Walnut Travertine	Brw	Italy	C