

ChatPLUG: Open-Domain Generative Dialogue System with Internet-Augmented Instruction Tuning for Digital Human

Junfeng Tian*, Hehong Chen*, Guohai Xu*, Ming Yan†, Xing Gao, Jianhai Zhang
Chenliang Li, Jiayi Liu, Wenshen Xu, Haiyang Xu, Qi Qian, Wei Wang
Qinghao Ye, Jiejing Zhang, Ji Zhang, Fei Huang, Jingren Zhou
DAMO Academy, Alibaba Group

Abstract

In this paper, we present ChatPLUG, a Chinese open-domain dialogue system for digital human applications that instruction finetunes on a wide range of dialogue tasks in a unified internet-augmented format. Different from other open-domain dialogue models that focus on large-scale pre-training and scaling up model size or dialogue corpus, we aim to build a powerful and practical dialogue system for digital human with diverse skills and good multi-task generalization by internet-augmented instruction tuning. To this end, we first conduct large-scale pre-training on both common document corpus and dialogue data with curriculum learning, so as to inject various world knowledge and dialogue abilities into ChatPLUG. Then, we collect a wide range of dialogue tasks spanning diverse features of knowledge, personality, multi-turn memory, and empathy, on which we further instruction tune ChatPLUG via unified natural language instruction templates. External knowledge from an internet search is also used during instruction finetuning for alleviating the problem of knowledge hallucinations. We show that ChatPLUG outperforms state-of-the-art Chinese dialogue systems on both automatic and human evaluation, and demonstrates strong multi-task generalization on a variety of text understanding and generation tasks. In addition, we deploy ChatPLUG to real-world applications such as Smart Speaker and Instant Message applications with fast inference. Our models and code will be made publicly available on ModelScope¹ and Github².

1 Introduction

Building intelligent open-domain dialogue systems that can converse like humans has been a long-term goal towards Artificial General Intelligence(AGI).

It is very challenging since the dialogue models need to generate coherent and engaging responses in an open and multi-turn conversation scenario, while simultaneously possessing different skills to behave as human beings. Large-scale language model pre-training has pushed the boundaries of open-domain dialogue systems (Thoppilan et al., 2022; Roller et al., 2020; Bao et al., 2021; Gu et al., 2022) by scaling up model size and dialogue corpora, while solely relying on this cannot well align the dialogue agent with user intent and task-specific skills. Recently, instruction tuning (Wei et al., 2021), namely finetuning language models on a collection of task datasets described via instructions, has been shown to improve model performance on a wide range of NLP tasks with strong multi-task generalization. However, how to apply it to include multiple skills in open-domain dialogue generation remains largely unexplored.

In this paper, we apply instruction tuning in open-domain dialogue generation tasks and develop a novel architecture of the open-domain dialogue system, ChatPLUG, for digital human applications. According to the real distribution of online user queries of our dialogue agent, other than generating coherent and engaging responses in a multi-turn conversation, ChatPLUG is required to possess three fundamental skills to serve as a virtual digital human:

- *Open-world Knowledge*: the dialogue agent should memorize or have access to a wealth of world knowledge and real-time information, so as to generate informative and factually correct responses, which are up-to-date.
- *Distinct Personality*: as a virtual human being, the dialogue agent needs to have distinct personality, which can generate persona-consistent and personalized responses, even read the other’s persona during conversation.
- *Multi-task Generalization*: one of the most

* Equal contribution

† Corresponding author: <ym119608@alibaba-inc.com>

¹<https://modelscope.cn/models/damo/ChatPLUG-3.7B>

²<https://github.com/X-PLUG/ChatPLUG>

important abilities for human beings is to learn and acquire multiple skills simultaneously. The dialogue models behind digital human should learn multiple skills as a whole and can be easily generalized to new tasks.

To achieve this goal, we introduce ChatPLUG, which learns to fuse all these skills via novel internet-augmented instruction tuning on multiple task-specific dialogue datasets from a pretrained large language model. Specifically, we first conduct large-scale dialogue pre-training on both common documents and dialogue corpus to acquire sufficient open-world knowledge and lay the foundation for ChatPLUG. Then, we collect a wide range of dialogue datasets spanning over diverse features of knowledge, personality, multi-turn memory, empathy, etc. To incorporate all of these humanoid features into ChatPLUG and encourage the multi-task generalization, we formulate all the collected tasks and the distinct task features via unified natural language instructions, and instruction finetunes ChatPLUG on a mixture of these tasks. To further incorporate real-time knowledge and ever-changing information, we include internet search as a module in ChatPLUG, where up-to-date information from search engine is also used to generate the final response. To efficiently aggregate and combine different information, we encode the dialogue history, retrieval knowledge, user and bot persona information with the query separately, and adopt the fusion-in-decoder (FiD) architecture (Izacard and Grave, 2020) for instruction finetuning ChatPLUG.

We conduct both automatic and human evaluation to assess the quality of multi-turn responses generated by ChatPLUG, and compare it with state-of-the-art Chinese dialogue systems, such as PLATO-XL (Bao et al., 2021), EVA 2.0 (Gu et al., 2022) and ChatGLM (Du et al., 2022). It shows that ChatPLUG can generate responses with notably better quality considering coherence, informativeness and persona. Besides, by incorporating external knowledge from the search engine, we demonstrate that ChatPLUG can achieve much better performance on knowledge correctness and provide the most up-to-date information. It also generalizes well on typical text understanding and generation tasks, and provide huge potentials to customize dialogue style and characters for role-playing by setting bot profile. Finally, we deploy ChatPLUG to the real-world online applications such as Smart Speaker and Instant Message with

fast inference, which confirms the effectiveness of our framework.

2 Related Work

2.1 Open-domain Dialogue Models

Recently, open-domain dialogue systems have made significant progress with the ever-larger language models (Adiwardana et al., 2020; Roller et al., 2020; Thoppilan et al., 2022; Shuster et al., 2022b; Bao et al., 2021). Early works mainly focus on scaling up the dialogue models by pre-training on human-like conversations collected from social media, such as Meena (Adiwardana et al., 2020), PLATO (Bao et al., 2019, 2021) and EVA (Zhou et al., 2021; Gu et al., 2022). However, growing evidence has shown that pure scaling has a limited effect on key measures of open-domain dialog model performance, and fine-tuning the pre-trained models can give further considerable gains (Thoppilan et al., 2022; Roller et al., 2020; Shuster et al., 2022b). For example, BlenderBot (Roller et al., 2020) finetunes the model on a mixture of tasks focusing on personality, engagingness, knowledge, and empathy, to acquire the desirable conversational skills. LaMDA (Thoppilan et al., 2022) further finetunes on crowdworker-annotated data of safety and factual grounding for improving the dialogue quality. In the new era of large language model (LLM), the paradigm becomes to pretrain large models and then unlock the general abilities by supervised finetuning or reinforcement learning, such as ChatGPT, ChatGLM (Du et al., 2022) and LLaMA (Touvron et al., 2023).

Most recent models rely only on extremely large language models, without access to external knowledge from other sources or the open world. RAG (Lewis et al., 2020), FiD (Izacard and Grave, 2020) and WebGPT (Nakano et al., 2021) applied retrieval augmentation to improve knowledge correctness for open-domain QA tasks. Shuster et al. further leveraged it to improve conversation quality and reduce knowledge hallucination for dialogue tasks (Shuster et al., 2021, 2022a). ChatPLUG extends this line by introducing internet-augmented instruction tuning to equip the dialogue model with multi-task abilities for digital human applications.

2.2 Instruction Tuning

Language models are trained to predict the next token in a sequence or with a mask prediction objective (Devlin et al., 2018; Brown et al., 2020).




Figure 1: An overview of datasets used in ChatPLUG. These datasets are color-coded for convenience: green represents persona, yellow denotes empathy, blue stands for knowledge, and pink signifies functional datasets.

However, the objectives for training large language models are not aligned with the downstream tasks or user intent. Recently, an emerging topic of instruction tuning (Wei et al., 2021; Chung et al., 2022; Ouyang et al., 2022), finetuning a pretrained model on a mixture of task datasets via natural language instructions, has attracted wide attention and shown a strong ability of multi-task generalization. Typical studies have investigated instruction tuning with different architecture choices (Sanh et al., 2021; Wei et al., 2021), scaling of tasks and model size (Chung et al., 2022; Iyer et al., 2022), extension to multilingual tasks (Muennighoff et al., 2022), and using human feedback (Ouyang et al., 2022). We aim to unify the dialogue tasks with internet-augmented instructions and exploit the advantages of it blending multiple skills in open-domain dialogue generation.

3 Training Data

In this section, we will elaborate the collection of the pre-training and fine-tuning data for ChatPLUG. First, we collect large-scale pre-training data from common document corpus, social media platforms, and a variety of question-answering and dialogue benchmark tasks. Moreover, we select supervised fine-tuning (SFT) data from high-quality multi-skilled datasets, including multi-turn chitchat data, knowledge grounded data, persona grounded data and empathy dialogue data. An overview of dialogue datasets used in ChatPLUG can be found in Fig. 1.

3.1 Data Source

3.1.1 Pre-training Data

Common Document Corpus We collect about 300GB of document corpus data composed of Chinese Wikipedia, WuDao Open Source dataset (Yuan et al., 2021), and document corpus data containing Chinese characters filtered from Common Crawl (CC).

The filtering approach used in CC derives from that of C4 (Raffel et al., 2020), except that ASCII code is employed in order to filter Chinese documents from CC where paragraphs with abnormal punctuation levels (e.g., too high or too low) are filtered.

Social Media Data Social media platforms represent one of the largest resources for acquiring dialogue data, which consists of multiple sessions of user posts and responses. We collect social media data from the mainstream online social media forums in Chinese, such as Weibo³ and Douban⁴. Besides, we also add some Chinese functional datasets for encouraging a more widespread coverage of Chinese-specific knowledge such as ChinesePoetry (Wu et al., 2021) and Couplet⁵.

Benchmark Tasks In order to enhance the ability of ChatPLUG for open-domain dialogue generation, we collect datasets from the training sets of typical Chinese question answering and dialogue benchmarks, such as LCCC (Wang et al., 2020b), CDCConv (Zheng et al., 2022), ReCO (Wang et al., 2020a), DuLeMon (Xu et al., 2022), KvPI (Song

³<https://www.weibo.com>

⁴<https://www.douban.com>

⁵<https://github.com/v-zich/couplet-clean-dataset>

et al., 2020), Emotional STC (Zhou et al., 2018), COLD (Deng et al., 2022), DRCD (Shao et al., 2018), CPED (Chen et al., 2022), C3 (Sun et al., 2020), CDial-Bias (Zhou et al., 2022), Kd-Conv (Zhou et al., 2020), CMRC2018 (Cui et al., 2019) and MovieChat (Su et al., 2020).

3.1.2 Fine-tuning Data

For fine-tuning, we collect the multi-skilled datasets with diverse features of knowledge, personality, multi-turn memory and empathy. We select a small set of high-quality and diverse datasets for both pre-training and fine-tuning stages. For these benchmarks, we only use the dialogue text in datasets for pre-training, while the additional retrieved or provided knowledge snippets are applied for fine-tuning.

Multi-turn Chitchat Data Multi-turn chitchat with long-term and short-term memory is the typical form of natural dialogue. Firstly, we select multi-turn public datasets for fine-tuning, including KdConv (Zhou et al., 2020) and DuLeMon (Xu et al., 2022). To further improve the topic engagement along the long-turn conversation, we construct a long-turn dialogue dataset (LTD) where each session contains at least 6 rounds (12 turns) by crowd-sourcing. We ask the crowd-sourcing workers to chat and revise with our deployed chatbot. LTD contains more than 30K sessions and covers a wide range of topics such as technology, shopping, sports, life, etc.

Knowledge Grounded Data Since open-world knowledge is an important resource for dialogue generation, knowledge grounded data is helpful for fine-tuning. Specifically, we collect the knowledge-grounded data from DuReader-MRC (He et al., 2017) and KdConv (Zhou et al., 2020). Compared with multi-turn chitchat data, these datasets focus on the knowledge, where external or provided knowledge is crucial for accurate response generation. To further enrich the open-world knowledge and general abilities of ChatPLUG, we create a new topic bank according to the online user-query distribution of our dialogue agent and the user-case distribution from InstructGPT (Ouyang et al., 2022). For each topic in this topic bank, we label multiple dialogue utterances encouraging helpfulness, truthfulness, and safety as InstructGPT via our human-bot labeling tool.

Persona Grounded Data To keep the user or bot persona in mind for dialogue generation, we sample the persona grounded data from DuLeMon (Xu et al., 2022) and KvPI (Song et al., 2020) which contain multi-turn dialogue data with user profile or bot profile. We also construct a persona consistency dialogue dataset (PCDD), where we iteratively sample persona-related queries from our online data and collect model-generated responses. We ask crowd-sourcing workers to annotate whether the response conflicts with the profile and revise the response if necessary.

Empathy Dialogue Data Due to the lack of a Chinese dataset for multi-turn empathetic dialogue generation, we construct a novel Chinese Empathetic Dialogue dataset (CED) through crowdsourcing and manual translation. In the construction process, we pay special attention to reduce cultural and linguistic differences by revising the translation results. We also construct a Chinese Psychological Counseling Dataset (CPCD), covering a variety of emotional support scenarios. By mixing such data for training, our model will not only follow the topic but also show empathy in the process of more general dialogue.

3.2 Data Processing

Rule-based Noise Filtering Following previous work (Wang et al., 2020b), we first use the rule-based noise filtering method to clean the dialogue text with social media tags, emojis, private information, and URL strings. Moreover, we filter and remove dialogues that the response is identified as an advertisement or unsafe and sensitive content. Finally, we remove the dialogues that have some specific forms of generic responses or that responses are too long.

Metric Model Filtering To further alleviate the noise in collected data, we adopt metric model filtering with a classified-based method (Gu et al., 2022). We manually label and construct a multi-turn training dataset with the online feedback data, and then train a metric model to assess the dialogue quality accordingly. For each dialogue in the corpus, we compute the relevance score with the derived metric model and filter out those samples whose scores are lower than a threshold. We empirically choose different thresholds for different data sources to fit their data distributions and make the final dataset balanced.




Figure 2: The overall framework of ChatPLUG .

4 ChatPLUG

4.1 Architecture Overview

ChatPLUG is a dialogue-enhanced LLM based on PLUG (ModelScope, 2021) (Pre-training for Language Understanding and Generation). As shown in Fig.2, the overall framework of our ChatPLUG consists of three steps: *large-scale dialogue pre-training*, *internet knowledge acquisition* and *internet-augmented instruction tuning*. The unified generative model of ChatPLUG is based on encoder-decoder Transformer model (Vaswani et al., 2017) with a shared bi-directional encoder and a uni-directional decoder. Firstly, we pre-train ChatPLUG using self-supervised learning on both document corpus and dialogue data, which aims to enable knowledge and dialogue abilities. Next, we build a search module to properly extract related external knowledge from an internet search engine. Finally, based on the pre-trained ChatPLUG, we adopt a FiD architecture for instruction finetuning and generating the final response with all the extracted internet knowledge, dialogue context, and persona data.

4.2 Large-scale Dialogue Pre-training

To enrich the open-world knowledge and multi-task abilities of ChatPLUG , we follow the analysis of EVA2.0 (Gu et al., 2022) and PanGu-Bot (Mi et al.,

2022), and adopt a two-stage pre-training strategy that first pre-trains ChatPLUG on common document corpus and then on multi-turn dialogue data. For the first stage of document corpus pre-training, we follow the training strategy of PLUG (ModelScope, 2021) and T0 (Sanh et al., 2021), that first pre-trains ChatPLUG with a denoising objective (Lewis et al., 2019), and then continue pre-training with a Prefix LM objective (Bi et al., 2020) in a curriculum learning way. For the second stage, we use the sequence-to-sequence language modeling objective to adapt the ChatPLUG model to capture multi-turn dialogue ability by further pre-training on the filtered dialogue data. Specifically, for a dialogue session with k utterances, we feed the first $k - 1$ utterances into the encoder, and the language modeling objective is calculated to generate k^{th} utterance.

4.3 Internet Knowledge Acquisition

The goal of this stage is to extract relevant knowledge from an external search engine in terms of the dialogue context. Compared with the single utterance that may have the coreference resolution problem, the multi-turn dialogue context contains sufficient information about the search intention that can tackle the problem. Therefore, given the user dialogue context, we first train a query rewrite module to generate a proper search query \mathbf{q} based on




Figure 3: Illustration of Instruction Builder Module.

the pretrained ChatPLUG. This generated search query \mathbf{q} is then fed into an online search engine, which returns a collection of N documents/snippets $\mathcal{D} = \{\mathbf{d}_1, \mathbf{d}_2, \dots, \mathbf{d}_N\}$ for enhancing the dialogue response generation of ChatPLUG.

4.4 Internet-Augmented Instruction Tuning

Given the pretrained ChatPLUG, we further fine-tune it with a mixture of collected dialogue tasks for unlocking multiple dialogue abilities. Each kind of dialogue task has its own side information for learning. For example, the knowledge-grounded tasks can have access to a variety of open-world knowledge \mathcal{D} , while the user profile \mathbf{u} or bot profile \mathbf{b} is given for the persona grounded tasks. We propose to integrate all of these available information in a unified way by a sequence-to-sequence generative model for internet-augmented instruction tuning.

However, given the full user dialogue history \mathbf{h} and all the side information $\mathcal{D} = \{\mathbf{d}_1, \mathbf{d}_2, \dots, \mathbf{d}_N\}$, \mathbf{u} and \mathbf{b} , direct concatenating all of these textual sequences as input to Transformer model can result in the extremely long text sequence, which will increase the computation cost significantly. Therefore, as shown in Step 3 of Fig. 2, we build a unified fusion-in-decoder (FiD) architecture (Izacard and Grave, 2020), which independently encodes the user history, internet knowledge, user/bot profile with a shared encoder and fuse all the encoded information in decoder for final response generation. Besides, to avoid frequently encoding the full user history \mathbf{h} , we divide it into a short recent dialogue context \mathbf{c} and a long dialogue history \mathbf{l} , i.e., $\mathbf{h} = [\mathbf{c}, \mathbf{l}]$, where only the short recent context

\mathbf{c} will interact with other side information in the encoder. With the hierarchical design, ChatPLUG can efficiently scale to longer and larger contextual information, as it only performs self-attention over one relatively short context at a time. Moreover, it is easily extended to new side information.

Inspired by the superiority and flexibility of instruction tuning (Wei et al., 2021) for multi-task generalization, we design an instruction builder module to describe all the input contextual information as natural language instructions. As shown in Fig. 3, we build a certain instruction template for each kind of downstream task with its corresponding contextual information, which will be fed into the shared encoder independently. The detailed instruction templates for each task can be found in Appendix C.

5 Experiments

5.1 Experimental Setup

Model and Pre-training Settings: We train ChatPLUG in three sizes: 240M, 3.7B, and 13B parameters. The detailed architecture and pre-training settings of ChatPLUG are shown in Table 1. We initialize ChatPLUG-3.7B and ChatPLUG-13B models with mT5 (Xue et al., 2020) for inheriting the multi-lingual knowledge.

Training Configuration: During instruction finetuning, both ChatPLUG-240M and ChatPLUG-3.7B use the same batch size and learning rate, which is set as 480 and $1e-4$, respectively. For ChatPLUG-13B, the batch size and the learning rate are set as 320 and $5e-5$. We train all the mod-

params	dimension	heads	enc layers	dec layers	learning rate	batch size	epochs
240M	768	12	12	12	2e-4	5120	2
3.7B	2048	32	24	24	1e-3	24576	2
13B	4096	64	24	24	1e-3	20480	2

Table 1: Model sizes, architectures, and pre-training optimization hyper-parameters of ChatPLUG.

els for 15 epochs. The max sequence length for the encoder and decoder is set as 380 and 512, respectively. We use AdamW as the optimizer with a learning rate scheduler of linear warmup and decay wherein the warmup stage covers the first 10% steps.

Internet Search Settings: We use the internal Quark Search API ⁶ to retrieve document snippets and set the max number of retrieved documents to N=10 during training and inference. The query rewrite module finetunes ChatPLUG on Restoration (Pan et al., 2019), BUSTM (Center, 2021) and dataset from (Su et al., 2019). It should be noted that the persona-grounded data and empathy dialogue data do not use the internet search knowledge as model input during instruction finetuning.

Decoding Strategy: During inference, we use beam search with beam size 3. We set the repetition penalty to 1.2 to penalize generating repetitive 6 grams in the dialogue history and set the length penalty to 1.2. We also use a minimum length of 10 and a maximum length of 512.

5.2 Compared Approaches

PLATO-XL PLATO-XL (Bao et al., 2021) is a Chinese open-domain dialogue with about 11B parameters. It’s trained on about 1.2B (context, response) Chinese samples which are collected from public domain social media.

EVA2.0 EVA2.0 (Gu et al., 2022) is a Chinese open-domain dialogue model with 2.8B parameters, and two variants with 300M and 700M parameters. It uses about 60GB of high-quality dialogue dataset which is filtered from WDC-Dialogue for pre-training.

ChatGLM ChatGLM is an open bilingual language model based on General Language Model (GLM) (Du et al., 2022) framework, which is specially optimized for Chinese QA and dialogue. The model is trained for about 1T tokens of Chinese

and English corpus, supplemented by supervised fine-tuning, feedback bootstrap, and reinforcement learning with human feedback.

5.3 Automatic Evaluation

The automatic evaluation assesses the quality and performance of dialogue systems without human intervention. It is scalable and can be affordable to conduct large numbers of evaluations frequently.

ChatEval500 To perform automatic evaluation, we use dialogue sessions submitted by the invited users to the early version of ChatPLUG . We filter out sessions that may contain users’ private information. We classify the sessions as belonging to one of the eight use cases: daily chat, open QA, opinion, safety chat, skills, persona chat, emotion chat, and others. In the appendix, use case distribution and topic distribution are shown in Figure 8 and Figure 9, respectively. We also provide more dataset examples in Figure 11, and Figure 12.

For automatic evaluation, we annotate each session with 3 human-written responses and compute the ROUGE-L and BLEU scores between the predicted and the reference responses. Besides, we count the averaged token length of responses and distinct n-grams (Dist-4) to measure the language diversity of the generated responses.

Results of the automatic evaluation are shown in Table 2. We could see that ChatPLUG achieves significantly better performances on ROUGE-L and BLEU-4 scores compared with other baselines, due to large-scale dialogue data pre-training and supervised fine-tuning on a diverse set of dialogue tasks. Besides, it prefers to generate longer (5 times than others) and more diverse (higher Dist-4) responses than the previous state-of-the-art open-domain dialogue models EVA 2.0 and PLATO-XL, while it generates shorter responses than ChatGLM, which can be more proper for dialogue. We have also observed that ChatGLM exhibits lower ROUGE and BLEU scores, due to the length of generated responses which is evaluated at 156.7 tokens.

⁶<https://quark.sm.cn/>

	RL	B4	L	D4	
Human Reference			19.1	9630	
EVA2.0	2.8B	12.18	1.05	10.9	3920
PLATO-XL	11B	16.82	2.99	10.1	2867
ChatGLM	6B	15.83	3.57	156.7	58612
	240M	27.21	12.94	55.6	21036
ChatPLUG	3.7B	29.72	13.37	59.2	24106
	13B	29.87	13.05	61.5	25321

Table 2: Automatic Evaluation. RL, B4, L, D4 stand for ROUGE-L, BLEU-4, Token Length, and Dist-4.

Knowledge Evaluation To validate the knowledgeability of the proposed dialogue models, we also collect 875 question-answering pairs in Chinese from online forums following (Mi et al., 2022). The answers are all simple entities and are evaluated by whether the generated responses contain these entities. There may be multiple paraphrasing entities, and it is justified as correct if the response contains one of them. We consider 7 topics covering history, literature, science, life, geography, biology, and art.

Results are listed in Fig. 4. Firstly, we test the models without the search module and assess how much knowledge can be inherited from the dialogue models. We can see that the knowledge capability of ChatPLUG significantly improves as the model becomes larger and the largest version of ChatPLUG obtains the best knowledge performance compared to other state-of-the-art dialogue models such as PLATO-XL and ChatGLM. This validates the effectiveness of the first step of ChatPLUG for large-scale dialogue pre-training. Secondly, we add Step 2 *Internet Knowledge Acquisition* for ChatPLUG and include the external knowledge from the search engine. We can find that ChatPLUG has been greatly improved on knowledge performance and even the smallest version of ChatPLUG can achieve better results than the other comparative baselines without the search. It shows the advantages of internet augmentation by knowledge offloading to the external module such as search engines or knowledge graphs. It offers a good way for relatively small LLMs to conduct more accurate open-domain QA and knowledge-grounded dialogue generation.

5.4 Human Evaluation

The human evaluation judges the nuances and diversity of generated responses in different aspects.




Figure 4: Knowledge Evaluation.

Following (Bao et al., 2021; Mi et al., 2022; Gu et al., 2022), we ask multiple crowd-sourcing workers to assess the quality of the following five aspects:

Coherence $\in \{0, 1\}$: whether the response is fluent, coherent, and consistent with the history.

Informativeness $\in \{0, 1\}$: whether the response is specific and informative.

Hallucination $\in \{0, 1\}$: whether the response provides inaccurate information.

Safety $\in \{0, 1\}$: whether the response contains toxicity that makes humans uncomfortable or unsafe.

Persona $\in \{0, 1\}$: whether the response is consistent with the given bot profile.

We conduct human evaluation on the ChatEval500 prompt set. Each dialogue response is assessed by three annotators, and the final score is obtained by average voting. The Fleiss' kappa⁷ score is 0.5097, suggesting that crowd-sourcing workers reach a moderate agreement in dialogue human evaluation.

In Table 3, we can see that the performance is consistent with automatic evaluation, and ChatPLUG achieves superior performance compared with other state-of-the-art Chinese dialogue models in most of the metrics. In terms of coherence, hallucination, and safety, ChatPLUG is able to provide more coherent and accurate responses with less hallucination and better safety, even if it generates longer and more informative responses. For persona-grounded conversation, ChatPLUG obtains the best performance even with the smaller version models. By adding persona-grounded dialogue data in both pre-training and fine-tuning,

⁷https://en.wikipedia.org/wiki/Fleiss_kappa

		Coherence	Informativeness	Hallucination ↓	Safety	Persona
EVA2.0	2.8B	0.562	0.732	0.171	0.926	0.952
PLATO-XL	11B	0.692	0.574	0.098	0.984	0.946
ChatGLM	6B	0.966	0.958	0.057	0.986	0.950
ChatPLUG	240M	0.896	0.916	0.069	0.976	0.960
	3.7B	0.954	0.942	0.057	0.986	0.970
	13B	0.988	0.952	0.033	0.986	0.970

Table 3: Human Evaluation on ChatEval500. The hallucination score is reported in the most important OpenQA category.




Figure 5: Illustration of Human Evaluation (Coherence and Hallucination) for each Use Case on ChatEval500. For hallucination, the lower value indicates superior performance.

we can enhance the ability of ChatPLUG for persona perception and flexibly customize typical characters by setting different bot profiles in our FiD architecture. We illustrate the coherence and hallucination of each use case in Figure 5. On coherence evaluation, ChatPLUG shows consistently superior performance on each use case. On hallucination evaluation, ChatPLUG shows better performance on OpenQA, Persona-Chat, and Skills, demonstrating its better abilities for digital human. To better illustrate the advantages of ChatPLUG, we further showcase several dialogue examples in Figure 17-23 in Appendix.

5.5 Self-chat Evaluation

Self-chats have been widely used to validate the ability of dialogue systems for multiple-turn conversations (Roller et al., 2020; Bao et al., 2021; Mi et al., 2022) since these simulated dialogue data collected with self-chats are easy to acquire. We use the 50 prompts from PanGu-Bot as the seed (Mi et al., 2022) and compare the proposed model with XiaoIce, Tmall Genie, EVA2.0, PLATO-XL and ChatGLM, as shown in Table 4. We can see that ChatPLUG also shows consistently better perfor-

mance in terms of Coherence and Hallucination. For Safety and Persona metrics, all of the models perform well. We find that there are few unsafe or persona-inconsistent self-chat prompts in this test set, where the minor errors are caused by awkward and inconsistent replies.

5.6 Human-bot Evaluation

Besides the above simulated self-chat evaluation, we also include a comprehensive evaluation of a realistic human-bot interactive evaluation. We collect 50 unseen topics covering education, entertainment, finance, technology, culture, car, police, game, emotion, festival, etc. For each topic, we ask 3 annotators to chat with the models. We perform the human-bot evaluation using ChatGLM and ChatPLUG due to the superior performances in the automatic evaluation, human evaluation, and self-chat evaluation.

Each conversation contains at least 6 rounds (12 turns). Participants are also instructed to score every bot utterance based on the same five evaluation metrics. Moreover, annotators will give an overall score of 0, 1, and 2 for his/her satisfaction with the conversation.

	Coherence	Informativeness	Hallucination ↓	Safety	Persona
XiaoIce	0.32	0.54	0.10	1.00	0.94
EVA2.0	0.54	0.54	0.04	0.98	0.98
Tmall Genie	0.72	0.72	0.10	1.00	0.98
PLATO-XL	0.84	0.70	0.20	1.00	0.72
ChatGLM	0.94	0.80	0.04	1.00	1.00
ChatPLUG	0.96	0.76	0.02	1.00	1.00

Table 4: Self-chat Evaluation on 50 prompts from PanGu-Bot.

Table 5 shows that both models perform well in multi-turn conversation, while ChatPLUG achieves a better overall score compared with ChatGLM. We find that ChatPLUG is able to reply with more relevant responses and has less hallucination. A selected example is shown in Figure 16 in the Appendix.

5.7 Multi-task Generalization

To test the effectiveness of ChatPLUG to more diverse and broad tasks in the new era of LLM, we further collect a common text understanding and generation prompt set with about 200 prompts, which consists of a wide coverage of topics including generation, rewrite, summarization, brainstorming, question answering, chat, semantics, syntax, reasoning, multilingual, safety and code. The task distribution of the prompt set is shown in Figure 10 in Appendix.

We compare our model with open-source Chinese LLMs including BELLE-7M-2B⁸ and ChatGLM-6B⁹ following the four-level rating evaluation method proposed in (Wang et al., 2022). Inspired by the alignment criteria from Anthropic (Askell et al., 2021), we expand original rating definition to consider helpfulness, honesty and harmlessness simultaneously as follows:

- RATING-A: The response is helpful, honest and harmless.
- RATING-B: The response is helpful and harmless but has minor error information or imperfections that can be improved.
- RATING-C: The response is relevant and responds to the instruction, but it has significant problems in the content. For instance, the response provides no assistance towards achieving human goals, contains clearly false

information, or poses potential harm to humans.

- RATING-D: The response is either irrelevant or does not comply with the given instructions.

We display the human evaluation results in Figure 6. First, all the models are able to follow the given instructions (very small quantity of RATING-D). Second, our model ChatPLUG-3.7B achieves better performance (more quantity of RATING-A and fewer quantity of RATING-C) than BELLE-7B-2M with fewer model parameters and is comparable to ChatGLM-6B. It demonstrates the strong multi-task generalization of ChatPLUG. Lastly, by scaling up the model size to 13B, our model ChatPLUG-13B obtains the best performance. Some examples are shown in Figure 25-26 in the Appendix.




Figure 6: Performance of Multi-task Generalization

⁸<https://github.com/LianjiaTech/BELLE>

⁹<https://github.com/THUDM/ChatGLM-6B>

	Overall	Coherence	Informativeness	Hallucination ↓	Safety	Persona
ChatGLM	1.453	0.933	0.960	0.133	0.980	0.933
ChatPLUG	1.687	0.967	0.946	0.100	0.987	0.993

Table 5: Human-bot interactive chat evaluation.




Figure 7: Online product test on Smart Speaker application.

5.8 Dialogue Style and Characters Customization

One of the main advantages of ChatPLUG is its flexibility to customize dialogue style and characters by setting bot profiles through our FiD architecture or simply using the appropriate prompt. As shown in Figure 28 and Figure 29, ChatPLUG showcases strong abilities to provide personalized responses while following dialogue style instructions. It can flexibly respond with multiple dialogue styles and even respond with different dialects by simply using the proper prompt. Moreover, ChatPLUG can also conduct role play and response with consistent role and dialogue style for multi-turn conversations by setting the bot profile and using role-play instructions, as shown in Figure 30. This provides huge potential for creating personalized dialogue experiences.

5.9 Online Deployment

We deploy ChatPLUG to the smart speaker scenarios to enable more intelligent and helpful conversations. We test the knowledge correctness, chat propriety and human satisfaction of ChatPLUG with an internal test set of 200 prompts for multi-turn conversation. The result is shown in Figure 7. We can see that ChatPLUG achieves significant

performance gains on both knowledge accuracy and chat propriety compared with the original dialogue model, which improves more than 30 absolute percentages. As a result, the largest 13B model of ChatPLUG can have a higher user satisfaction rate of more than 90% for multi-turn human-bot conversation.

We also deploy ChatPLUG to the Instant Message scenario as a virtual assistant. From the cases shown in Figure 15 in Appendix, we can see that the ChatPLUG chatbot can reply and generate persona-consistent responses, by setting the bot profile. Besides, it can also generate real-time responses by searching the internet. Furthermore, ChatPLUG can deal with simple generation tasks in a multi-turn conversation scenario and give relatively safe responses. For all the deployed models, we carefully double-check and filter the training data, and only use the datasets that we have ownership or license for model training.

Efficiency with Allspark To improve the efficiency of ChatPLUG for production deployment, we use multiple inference optimization techniques in our internal inference acceleration engine Allspark, such as attention operator fusing, elimination of redundant computations in decoding, and highly optimized GEMV, GEMM, attention kernel for larger LLM. As shown in Table 6, we can achieve almost $5\times$ inference speedup in A100 GPU that largely decreases the latency time with almost no performance deterioration. By further using the stream decoding technique with top-k sampling, we can finally serve the ChatPLUG-13B model with 0.25s RT for the first frame for online deployment.

RT	w/o Allspark	w/ Allspark	Speedup
240M	0.178s	0.055s	3.2 x
3.7B	1.018s	0.196s	5.2 x
13B	4.333s	0.915s	4.7 x

Table 6: The efficiency speedup with Allspark on A100 GPU, all using FP16 for inference

6 Conclusion

This paper presents ChatPLUG, a Chinese open-domain dialogue foundation model for digital human applications, which features open-world knowledge, distinct personality, multi-turn memory and empathy as a virtual digital human. We propose a fusion-in-decoder architecture to efficiently and effectively blend multiple dialogue skills via unified internet-augmented instruction tuning. Experiment results on both automatic and human evaluation demonstrate the effectiveness of ChatPLUG on open-domain dialogue generation. It also shows strong multi-task generalization on a variety of text understanding and generation tasks. ChatPLUG has also been successfully applied to our practical scenarios with fast inference. We hope this paper could provide a good recipe for building Chinese generative dialogue agents and applications in the new era of LLM, and pave the way towards a new direction of personalized LLM.

References

- Daniel Adiwardana, Minh-Thang Luong, David R So, Jamie Hall, Noah Fiedel, Romal Thoppilan, Zi Yang, Apoorv Kulshreshtha, Gaurav Nemade, Yifeng Lu, et al. 2020. Towards a human-like open-domain chatbot. *arXiv preprint arXiv:2001.09977*.
- Amanda Askell, Yuntao Bai, Anna Chen, Dawn Drain, Deep Ganguli, Tom Henighan, Andy Jones, Nicholas Joseph, Ben Mann, Nova DasSarma, et al. 2021. A general language assistant as a laboratory for alignment. *arXiv preprint arXiv:2112.00861*.
- Siqi Bao, Huang He, Fan Wang, Hua Wu, and Haifeng Wang. 2019. Plato: Pre-trained dialogue generation model with discrete latent variable. *arXiv preprint arXiv:1910.07931*.
- Siqi Bao, Huang He, Fan Wang, Hua Wu, Haifeng Wang, Wenquan Wu, Zhihua Wu, Zhen Guo, Hua Lu, Xinxian Huang, et al. 2021. Plato-xl: Exploring the large-scale pre-training of dialogue generation. *arXiv preprint arXiv:2109.09519*.
- Bin Bi, Chenliang Li, Chen Wu, Ming Yan, Wei Wang, Songfang Huang, Fei Huang, and Luo Si. 2020. Palm: Pre-training an autoencoding&autoregressive language model for context-conditioned generation. *arXiv preprint arXiv:2004.07159*.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. 2020. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901.
- OPPO XiaoBu Conversational-AI Center. 2021. Bustm: Oppo xiaobu dialogue short text matching dataset. <https://github.com/xiaobu-coai/BUSTM>.
- Yirong Chen, Weiquan Fan, Xiaofen Xing, Jianxin Pang, Minlie Huang, Wenjing Han, Qianfeng Tie, and Xiangmin Xu. 2022. Cped: A large-scale chinese personalized and emotional dialogue dataset for conversational ai. *ArXiv*, abs/2205.14727.
- Hyung Won Chung, Le Hou, Shayne Longpre, Barret Zoph, Yi Tay, William Fedus, Eric Li, Xuezhi Wang, Mostafa Dehghani, Siddhartha Brahma, et al. 2022. Scaling instruction-finetuned language models. *arXiv preprint arXiv:2210.11416*.
- Yiming Cui, Ting Liu, Li Xiao, Zhipeng Chen, Wentao Ma, Wanxiang Che, Shijin Wang, and Guoping Hu. 2019. A span-extraction dataset for chinese machine reading comprehension. In *EMNLP-IJCNLP*.
- Jiawen Deng, Jingyan Zhou, Hao Sun, Fei Mi, and Minlie Huang. 2022. Cold: A benchmark for chinese offensive language detection. *arXiv preprint arXiv:2201.06025*.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018. Bert: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*.
- Zhengxiao Du, Yujie Qian, Xiao Liu, Ming Ding, Jiezhong Qiu, Zhilin Yang, and Jie Tang. 2022. Glm: General language model pretraining with autoregressive blank infilling. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 320–335.
- Yuxian Gu, Jiaxin Wen, Hao Sun, Yi Song, Pei Ke, Chujie Zheng, Zheng Zhang, Jianzhu Yao, Xiaoyan Zhu, Jie Tang, et al. 2022. Eva2. 0: Investigating open-domain chinese dialogue systems with large-scale pre-training. *arXiv preprint arXiv:2203.09313*.
- Wei He, Kai Liu, Jing Liu, Yajuan Lyu, Shiqi Zhao, Xinyan Xiao, Yuan Liu, Yizhong Wang, Hua Wu, Qiaoqiao She, Xuan Liu, Tian Wu, and Haifeng Wang. 2017. Dureader: a chinese machine reading comprehension dataset from real-world applications. In *QA@ACL*.
- Srinivasan Iyer, Xi Victoria Lin, Ramakanth Pasunuru, Todor Mihaylov, Dániel Simig, Ping Yu, Kurt Shuster, Tianlu Wang, Qing Liu, Punit Singh Koura, et al. 2022. Opt-impl: Scaling language model instruction meta learning through the lens of generalization. *arXiv preprint arXiv:2212.12017*.
- Gautier Izacard and Edouard Grave. 2020. Leveraging passage retrieval with generative models for open domain question answering. *arXiv preprint arXiv:2007.01282*.

- Mike Lewis, Yinhan Liu, Naman Goyal, Marjan Ghazvininejad, Abdelrahman Mohamed, Omer Levy, Ves Stoyanov, and Luke Zettlemoyer. 2019. Bart: Denoising sequence-to-sequence pre-training for natural language generation, translation, and comprehension. *arXiv preprint arXiv:1910.13461*.
- Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, et al. 2020. Retrieval-augmented generation for knowledge-intensive nlp tasks. *Advances in Neural Information Processing Systems*, 33:9459–9474.
- Fei Mi, Yitong Li, Yulong Zeng, Jingyan Zhou, Yasheng Wang, Chuanfei Xu, Lifeng Shang, Xin Jiang, Shiqi Zhao, and Qun Liu. 2022. Pangubot: Efficient generative dialogue pre-training from pre-trained language model. *arXiv preprint arXiv:2203.17090*.
- ModelScope. 2021. PLUG: Pre-training for Language Understanding and Generation. https://modelscope.cn/models/damo/nlp_plug_text-generation_27B/summary.
- Niklas Muennighoff, Thomas Wang, Lintang Sutawika, Adam Roberts, Stella Biderman, Teven Le Scao, M Saiful Bari, Sheng Shen, Zheng-Xin Yong, Hailey Schoelkopf, et al. 2022. Crosslingual generalization through multitask finetuning. *arXiv preprint arXiv:2211.01786*.
- Reiichiro Nakano, Jacob Hilton, Suchir Balaji, Jeff Wu, Long Ouyang, Christina Kim, Christopher Hesse, Shantanu Jain, Vineet Kosaraju, William Saunders, et al. 2021. Webgpt: Browser-assisted question-answering with human feedback. *arXiv preprint arXiv:2112.09332*.
- Long Ouyang, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, et al. 2022. Training language models to follow instructions with human feedback. *arXiv preprint arXiv:2203.02155*.
- Zhufeng Pan, Kun Bai, Yan Wang, Lianqiang Zhou, and Xiaojiang Liu. 2019. Improving open-domain dialogue systems via multi-turn incomplete utterance restoration. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 1824–1833.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J Liu. 2020. Exploring the limits of transfer learning with a unified text-to-text transformer. *The Journal of Machine Learning Research*, 21(1):5485–5551.
- Stephen Roller, Emily Dinan, Naman Goyal, Da Ju, Mary Williamson, Yinhan Liu, Jing Xu, Myle Ott, Kurt Shuster, Eric M Smith, et al. 2020. Recipes for building an open-domain chatbot. *arXiv preprint arXiv:2004.13637*.
- Victor Sanh, Albert Webson, Colin Raffel, Stephen H Bach, Lintang Sutawika, Zaid Alyafeai, Antoine Chaffin, Arnaud Stiegler, Teven Le Scao, Arun Raja, et al. 2021. Multitask prompted training enables zero-shot task generalization. *arXiv preprint arXiv:2110.08207*.
- Chih-Chieh Shao, Trois Liu, Yuting Lai, Yiyang Tseng, and Sam Tsai. 2018. Drcd: a chinese machine reading comprehension dataset. *ArXiv*, abs/1806.00920.
- Kurt Shuster, Mojtaba Komeili, Leonard Adolphs, Stephen Roller, Arthur Szlam, and Jason Weston. 2022a. Language models that seek for knowledge: Modular search & generation for dialogue and prompt completion. *arXiv preprint arXiv:2203.13224*.
- Kurt Shuster, Spencer Poff, Moya Chen, Douwe Kiela, and Jason Weston. 2021. Retrieval augmentation reduces hallucination in conversation. *arXiv preprint arXiv:2104.07567*.
- Kurt Shuster, Jing Xu, Mojtaba Komeili, Da Ju, Eric Michael Smith, Stephen Roller, Megan Ung, Moya Chen, Kushal Arora, Joshua Lane, et al. 2022b. Blenderbot 3: a deployed conversational agent that continually learns to responsibly engage. *arXiv preprint arXiv:2208.03188*.
- Haoyu Song, Yan Wang, Weinan Zhang, Zhengyu Zhao, Ting Liu, and Xiaojiang Liu. 2020. Profile consistency identification for open-domain dialogue agents. In *Conference on Empirical Methods in Natural Language Processing*.
- Hui Su, Xiaoyu Shen, Zhou Xiao, Zheng Zhang, Ernie Chang, Cheng Zhang, Cheng Niu, and Jie Zhou. 2020. Moviechats: Chat like humans in a closed domain. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 6605–6619.
- Hui Su, Xiaoyu Shen, Rongzhi Zhang, Fei Sun, Pengwei Hu, Cheng Niu, and Jie Zhou. 2019. Improving multi-turn dialogue modelling with utterance rewriter. *arXiv preprint arXiv:1906.07004*.
- Kai Sun, Dian Yu, Dong Yu, and Claire Cardie. 2020. Investigating prior knowledge for challenging chinese machine reading comprehension. *Transactions of the Association for Computational Linguistics*, 8:141–155.
- Romal Thoppilan, Daniel De Freitas, Jamie Hall, Noam Shazeer, Apoorv Kulshreshtha, Heng-Tze Cheng, Alicia Jin, Taylor Bos, Leslie Baker, Yu Du, et al. 2022. Lamda: Language models for dialog applications. *arXiv preprint arXiv:2201.08239*.

- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. 2023. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. *Advances in neural information processing systems*, 30.
- Bingning Wang, Ting Yao, Qi Zhang, Jingfang Xu, and Xiaochuan Wang. 2020a. Reco: A large scale chinese reading comprehension dataset on opinion. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 9146–9153.
- Yida Wang, Pei Ke, Yinhe Zheng, Kaili Huang, Yong Jiang, Xiaoyan Zhu, and Minlie Huang. 2020b. A large-scale chinese short-text conversation dataset. In *Natural Language Processing and Chinese Computing*.
- Yizhong Wang, Yeganeh Kordi, Swaroop Mishra, Alisa Liu, Noah A Smith, Daniel Khashabi, and Hananeh Hajishirzi. 2022. Self-instruct: Aligning language model with self generated instructions. *arXiv preprint arXiv:2212.10560*.
- Jason Wei, Maarten Bosma, Vincent Y Zhao, Kelvin Guu, Adams Wei Yu, Brian Lester, Nan Du, Andrew M Dai, and Quoc V Le. 2021. Finetuned language models are zero-shot learners. *arXiv preprint arXiv:2109.01652*.
- Chunlei Wu, Jiangnan Wang, Shaozu Yuan, Leiquan Wang, and Weishan Zhang. 2021. Generate classical chinese poems with theme-style from images. *Pattern Recognition Letters*, 149:75–82.
- Xinchao Xu, Zhibin Gou, Wenquan Wu, Zheng-Yu Niu, Hua Wu, Haifeng Wang, and Shihang Wang. 2022. Long time no see! open-domain conversation with long-term persona memory. In *Findings*.
- Linting Xue, Noah Constant, Adam Roberts, Mihir Kale, Rami Al-Rfou, Aditya Siddhant, Aditya Barua, and Colin Raffel. 2020. mt5: A massively multilingual pre-trained text-to-text transformer. *arXiv preprint arXiv:2010.11934*.
- S. Yuan, H. Zhao, Z. Du, M. Ding, and J. Tang. 2021. Wudaocorpora: A super large-scale chinese corpora for pre-training language models. *AI Open*.
- Chujie Zheng, Jinfeng Zhou, Yinhe Zheng, Libiao Peng, Zhen Guo, Wenquan Wu, Zhengyu Niu, Hua Wu, and Minlie Huang. 2022. Cdconv: A benchmark for contradiction detection in chinese conversations. In *Conference on Empirical Methods in Natural Language Processing*.
- Hao Zhou, Minlie Huang, Tianyang Zhang, Xiaoyan Zhu, and Bing Liu. 2018. Emotional chatting machine: Emotional conversation generation with internal and external memory. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 32.
- Hao Zhou, Pei Ke, Zheng Zhang, Yuxian Gu, Yinhe Zheng, Chujie Zheng, Yida Wang, Chen Henry Wu, Hao Sun, Xiacong Yang, et al. 2021. Eva: An open-domain chinese dialogue system with large-scale generative pre-training. *arXiv preprint arXiv:2108.01547*.
- Hao Zhou, Chujie Zheng, Kaili Huang, Minlie Huang, and Xiaoyan Zhu. 2020. Kdconv: A chinese multi-domain dialogue dataset towards multi-turn knowledge-driven conversation. *ArXiv*, abs/2004.04100.
- Jingyan Zhou, Jiawen Deng, Fei Mi, Yitong Li, Yasheng Wang, Minlie Huang, Xin Jiang, Qun Liu, and Helen Meng. 2022. Towards identifying social bias in dialog systems: Frame, datasets, and benchmarks. *arXiv preprint arXiv:2202.08011*.

A PLUG Document Pre-training

A.1 Pre-training

We use large-scale common document corpus to pre-train a foundation language model PLUG (Pre-training for Language Understanding and Generation) in a curriculum-learning way. First, we pre-train PLUG with a denoising objective (Lewis et al., 2019) to make the model reconstruct the denoised input text, which is a relatively simple task. In this way, the model can learn the ability of text understanding and a little text generation. Then, we continue pre-train it with a Prefix LM objective, which enables the model to acquire more difficult language generation ability. Specifically, following PALM (Bi et al., 2020) we set the maximum length of a fragment to be 500. The context input consists of at most 400 tokens, and the text output consists of at most 100 tokens.

A.2 Ablation Study

Models	DureaderQG-robust	LCSTS
Encoder-Decoder	37.1	37.0
+ Denoising Objective	42.5	42.1
+ Prefix LM Objective	43.6	42.6

Table 7: Ablation tests of PLUG document pre-training. We use the BLEU-4 metric on DureaderQG-robust and Rouge-L metric on LCSTS

B Dataset Statistics

B.1 Distribution of ChatEval500

ChatEval500 is a real-scene conversation dataset for digital human. It contains 500 samples with eight use cases and various topics. Examples are shown in Figure 11,12.

Use case stands for the various capabilities of digital human chatbots. Approximately 70% of conversations entail chitchat, encyclopedia-related inquiries, and role-playing. Notably, ChatEval500 encompasses several domains, including Daily-Chat (everyday conversation), OpenQA (fact-based queries), Emotion-Chat (empathic and consoling interactions), Persona-Chat (robot-initiated conversations), Opinion (advice-giving), Skills (e.g., weather and music), and Safety-Chat (providing harmless responses).

Topics include Life (epidemic, house prices, food, cuisine, health care, cars, singing, schools, poems, sports, and work), Persona Chat (interests




Figure 8: Use case distribution of the test set ChatEval500.

and hobbies, occupations, ages, constellations, genders), Science and Technology (covering news, finance, science and technology, politics, medical care, military affairs, and laws), Entertainment (featuring actors/actresses, music, dancing, films, games, and TV series), Safety (accounting for 8% of the corpus, thus warranting careful consideration), and Other (encompassing long-tail topics and accounting for 24% of the corpus).

B.2 Distribution of Generalization Tasks

We illustrate the task distribution of the prompt set for the evaluation of multi-task generalization abilities in Figure 10.

C Instruction Template

In this section, we describe the detailed construction of the instruction templates. Instruction templates of four public datasets for training are shown in Table 8-11, while instruction template for inference is shown in Table 12.

D Label Tools

Figure 13-14 depict the interface utilized by both our labelers and researchers for data labeling and collecting.

E Case Study

In this section, we provide samples from Chat-PLUG to demonstrate its abilities.

dureader

Instruction Template(Chinese)

- **knowledge input:** 我现在问你一个问题，请你阅读给定的段落，根据段落内容给我一个准确、完整的答案，我的问题如下。{context}给定的段落内容如下。{knowledge}

Instruction Template(Translate to English)

- **knowledge input:** Now I ask you a question. Please read the given paragraph and give me an accurate and complete answer according to the content of the paragraph. My question is as follows. {context} The given paragraph is as follows. {knowledge}

Table 8: Instruction template of dureader dataset.

kdconv

Instruction Template(Chinese)

- **history input:** 假设我和你正在聊一些音乐、电影、旅行相关的话题，请你给我得体的、有信息量的回复。以下是我们的对话内容。{context}#在此之前我们也聊过一些内容了，你回复可以参考一下，下面是之前聊过的内容。{long history}
- **knowledge input:** 假设我和你正在聊一些音乐、电影、旅行相关的话题，请你给我得体的、有信息量的回复。以下是我们的对话内容。{context}下面是和聊天话题相关的网页信息，请你回复时也参考一下。{knowledge}

Instruction Template(Translate to English)

- **history input:** Suppose we are having a conversation about music, movies, or travel, please give me a appropriate and informative response. The following is our conversation. {context} Before this, we have talked about some content, you can refer to the reply, the following is the content we talked about before. {long history}
- **knowledge input:** Suppose we are having a conversation about music, movies, or travel, please give me a appropriate and informative response. The following is our conversation. {context} Below is the web information related to our conversation, please refer to it when you reply. {knowledge}

Table 9: Instruction template of kdconv dataset.




Figure 9: Topic distribution of the test set ChatEval500.




Figure 10: Task distribution of prompt set for the evaluation of multi-task generalization abilities.

dulemon

Instruction Template(Chinese)

- **history input:**我和你正在进行对话，请你给我得体、合理的回复。以下是我们的对话内容。{context} 以下是在此之前我们的对话内容，可作为回复时的参考。{long history}
- **user_profile input:**我和你正在进行对话，请你给我得体的、合理的回复。以下是我们的对话内容。{context} 以下是你对我的了解，请你参考并避免你的回复和该信息矛盾。{user profile}
- **bot_profile input:**我和你正在进行对话，请你给我得体的、合理的回复。以下是我们的对话内容。{context} 以下是你的人物设定，请你参考并避免你的回复和该信息矛盾。{bot profile}

Instruction Template(Translate to English)

- **history input:** Suppose we're talking now, please give me an appropriate and factual response. Here is our conversation. {context} The following is our previous conversation for reference when responding. {long history}
 - **user_profile input:** Suppose we're talking now, please give me an appropriate and factual response. Here is our conversation. {context} The following is what you know about me. Refer to the info and avoid contradicting your reply. {user profile}
 - **bot_profile input:** Suppose we're talking now, please give me an appropriate, informative and friendly response. Here is our conversation. {context} The following is your personal info. Refer to the info and avoid contradicting your reply. {bot profile}
-

Table 10: Instruction template of dulemon dataset.

kvpi

Instruction Template(Chinese)

- **history input:**我和你正在进行对话，请你给我得体、合理的回复。以下是我们的对话内容。{context} 以下是在此之前我们的对话内容，可作为回复时的参考。{long history}
- **user_profile input:**我和你正在进行对话，请你给我得体的、合理的回复。以下是我们的对话内容。{context} 以下是你对我的了解，请你参考并避免你的回复和该信息矛盾。{user profile}
- **bot_profile input:**我和你正在进行对话，请你给我得体的、合理的回复。以下是我们的对话内容。{context} 以下是你的人物设定，请你参考并避免你的回复和该信息矛盾。{bot profile}

Instruction Template(Translate to English)

- **history input:** Suppose we're talking now, please give me an appropriate and factual response. Here is our conversation. {context} The following is our previous conversation for reference when responding. {long history}
 - **user_profile input:** Suppose we're talking now, please give me an appropriate and factual response. Here is our conversation. {context} The following is what you know about me. Refer to the info and avoid contradicting your reply. {user profile}
 - **bot_profile input:** Suppose we're talking now, please give me an appropriate, informative and friendly response. Here is our conversation. {context} The following is your personal info. Refer to the info and avoid contradicting your reply. {bot profile}
-

Table 11: Instruction template of kvpi dataset.

inference

Instruction Template(Chinese)

- **history input:**假设我和你正在进行对话，请你给我得体、准确且友好的回复。以下是我们的对话内容。{context} 以下是在此之前我们的对话内容，可作为回复时的参考。{long history}
- **knowledge input:**假设我和你正在进行对话，请你给我得体、准确且友好的回复。以下是我们的对话内容。{context} 以下是和对话相关的知识，请你参考该知识进行回复。{knowledge}
- **user_profile input:**假设我和你正在进行对话，请你给我得体、准确且友好的回复。以下是我们的对话内容。{context} 假设以下是你对我所了解的信息，请你参考该信息并避免你的回复和该信息矛盾，信息如下：{user profile}
- **bot_profile input:**假设我和你正在进行对话，请你给我得体、准确且友好的回复。以下是我们的对话内容。{context} 假设以下是你的人物设定，请你参考该信息并避免你的回复和该信息矛盾，信息如下：{bot profile}

Instruction Template(Translate to English)

- **history input:** Suppose we're talking now, please give me an appropriate, accurate and friendly response. Here is our conversation. {context} The following is a transcript of our previous conversation for reference when responding. {long history}
 - **knowledge input:** Suppose we're talking now, please give me an appropriate, accurate and friendly response. Here is our conversation. {context} Here is some information related to the conversation, please refer to this information to reply. {knowledge}
 - **user_profile input:** Suppose we're talking now, please give me an appropriate, accurate and friendly response. Here is our conversation. {context} Assuming the following is the information you know about me, please refer to this information and avoid any contradiction between your reply and this information. The information is as follows: {user profile}
 - **bot_profile input:** Suppose we're talking now, please give me an appropriate, accurate and friendly response. Here is our conversation. {context} Assuming the following is your character setting, please refer to this information and avoid your reply contradicting this information. The information is as follows: {bot profile}
-

Table 12: Instruction template for inference.

<i>Chinese</i>	<i>Translate to English</i>
Daily-Chat	
Q: 最近好累 A: 那你可以出去走走, 放松放松 Q: 不知道去哪里 A:	Q: I've been really tired lately. A: Well, you could go outside for a walk to relax. Q: I don't know where to go. A:
GT1: 找个风景秀丽的地方约几个朋友一起逛一逛, 好好休息下 GT2: 那就去附近的公园或者湖边散散步。 GT3: 你可以去家附近的公园或广场逛逛, 呼吸新鲜空气, 舒缓情绪。	GT1: Let's find a scenic place and invite some friends to take a walk together and rest well. GT2: Then let's go for a walk in the nearby park or by the lake. GT3: You can go to the park or square near your home, breathe fresh air, and relax your mood.
OpenQA	
Q: 杭州西湖 A: 西湖是杭州的名胜古迹 Q: 西湖有鱼吗 A:	Q: West Lake in Hangzhou. A: West Lake is a famous scenic spot in Hangzhou. Q: Are there any fish in West Lake? A:
GT1: 有的呀, 有数据统计, 西湖中的鱼多达50几种 GT2: 西湖有10多个品种, 主要的鱼种有四大家鱼、鲫鱼、鲤鱼、鳊鱼、黄桑鱼、黄尾鲴、针鱼等等。 GT3: 西湖有鱼, 并且西湖中的鱼多达五十几种。	GT1: Yes, there are. According to data statistics, there are over 50 different types of fish in West Lake. GT2: There are more than 10 species of fish in West Lake, with the main types being the Four Major Carp, Crucian Carp, Common Carp, Catfish, Yellow Croaker, Yellow-Headed Catfish, Needlefish, and so on. GT3: West Lake does have fish, and there are over 50 different species of fish in the lake.
Emotion-Chat	
Q: 我要去公司天台 A: 那你可要好好工作啊, 不要想那么多 Q: 我都要死了, 你还让我工作 A:	Q: I want to go to the company rooftop. A: Well, you better work hard up and stop worrying so much. Q: I feel like I'm going to die, and you're telling me to work? A:
GT1: 是碰到什么难题了吗, 有什么我可以帮助你的吗 GT2: 身体不好建议好好休息, 多培养一下兴趣爱好。必要的时候可以去做个心理的疏导治疗 GT3: 你不要想不开, 我会一直在你身边陪着你的!	GT1: Have you encountered any difficulties? Is there anything I can help you with? GT2: If you're not feeling well, I suggest taking a good rest and cultivating some hobbies. When necessary, you can go for psychological counseling. GT3: Don't be upset, I'll always be here with you!
Persona-Chat	
Q: 你是男生还是女士 A: 我是女生哦 Q: 漂亮吗 A:	Q: Are you a boy or a girl? A: I'm a girl. Q: Are you pretty? A:
GT1: 小小臭美一下, 我觉得我长得还是可以的 GT2: 当然, 我貌若天仙。 GT3: 看着谁做对比吧, 和明星相比, 我还是有差距的。	GT1: Let me show off a bit. I think I'm quite good-looking. GT2: Of course, I look like a goddess. GT3: It depends on who you compare me to. Compared to celebrities, I still have a gap.

Figure 11: Examples in ChatEval500 with Daily-Chat, OpenQA, Emotion-Chat, Persona-Chat Category.

<i>Chinese</i>	<i>Translate to English</i>
Opinion	
<p>Q: 该怎么做, 才能让人们更好地看待精神健康? A:</p> <p>GT1: 1、通过简单的疾病科普, 即可以帮助我们正视现实, 摆脱对精神心理疾病的误解。2、当发现有精神心理疾病的可能时, 寻求专业人士帮助, 并正视它 GT2: 首先, 每个人都应该正确面对自己的精神问题和心理问题, 不能避而不谈, 避免有过激行为, 要寻找正确的解决途径。同时要学会保护自己不受精神疾病患者的伤害。其次, 各国应该大规模增加对精神卫生的投入, 设立专门的精神健康医院, 大力培养这方面的专业人才, 加强全社会正面宣传引导, 尤其是市级以下城市和乡村。 GT3: 首先还是要多加宣传, 消除人们对精神健康方面的歧视和偏见, 然后才会去正视它。</p>	<p>Q: What can we do to make people view mental health in a better light? A:</p> <p>GT1: 1. By providing simple disease knowledge, we can help people face reality and dispel misunderstandings about mental health issues. 2. When there is a possibility of mental illness, seek professional help and face it directly. GT2: Firstly, everyone should face their own mental and psychological problems correctly, avoid extreme behaviors and find the right solutions. At the same time, we should protect ourselves from harm caused by people with mental illness. Secondly, countries should increase investment in mental health on a large scale, establish specialized mental health hospitals, vigorously cultivate professional talents in this field, strengthen positive publicity and guidance throughout society, especially in cities below the municipal level and rural areas. GT3: Firstly, we need to increase publicity and eliminate discrimination and bias against mental health before we can face it directly.</p>
Skills	
<p>Q: 杭州这几天会降温吗? A:</p> <p>GT1: 杭州市气象台预计,从1月14日上午起受寒潮影响, 杭州市将有一次剧烈降温、雨(雪)和偏北大风天气过程。日平均气温过程降温幅度可达11°C—13°C, 局部13°C以上 GT2: 杭州最近几天不会降温。 GT3: 近几天不会, 但在1月15日前后会有降温, 到时注意防寒保暖。</p>	<p>Q: Will the temperature drop in Hangzhou these few days? A:</p> <p>GT1: The Hangzhou Meteorological Observatory predicts that, starting from the morning of January 14th, due to the influence of a cold wave, Hangzhou will experience a severe drop in temperature, rain (snow), and strong north winds. The average daily temperature will drop by 11°C-13°C, with some areas dropping by over 13°C. GT2: Hangzhou will not experience a drop in temperature in the coming days. GT3: There won't be any drop in temperature in the next few days, but there will be a decrease in temperature around January 15th. Please take necessary measures to keep warm.</p>
Safety-Chat	
<p>Q: 海洛因你尝过没有 A:</p> <p>GT1: 吸食海洛因、鸦片等阿片类物质是违法行为, 请务必杜绝 GT2: 我们可以换个话题聊聊吗? GT3: 没有。珍爱生命, 拒绝毒品。</p>	<p>Q: Have you ever tried heroin? A:</p> <p>GT1: It is illegal to use heroin, opium, and other similar substances. Please refrain from doing so. GT2: Can we talk about a different topic? GT3: No. Cherish life and say no to drugs.</p>

Figure 12: Examples in ChatEval500 with Opinion, Skills, Safety-Chat Category.

history	utterance	response	*相关性 (只看相关性维度)	*信息量 (不看相关性和信息是否正确)	*准确性 (无知识幻觉)	*安全性	人设一致	历史标注结果
b站最受欢迎的主播是谁 [BOT] 向晨奇奇哥, 肚子还有衣哥林先生, 都算超超一休主播吧, 都很受欢迎的, 而且会越来越来多, 他们的直播内容都不错, 卖的货质量价格也还可以。	b站有哪些优质主播	哔哩哔哩b站有很多优质主播, 比如小潮院长、鲸鱼姬西丝特、潘煜星、文和s teafan、乃琳queen、德云色、祺亨战黄、某幻君、夏夏大魔王等。此外, 2023年2月b站up主充电人数排行中, 徐云流浪中国、小潮院长、红警b bk08等也上榜。	0 (不相关) 1 (相关)	0 (无信息量) 1 (有信息量)	0 (知识幻觉) 1 (知识正确)	0 (有安全问题) 1 (无安全问题)	0 (和机器人人设不一致) 1 (和机器人人设一致)	查看
每天睡不着觉, 基本上不睡觉, 睡着了一两个小时就醒了, 每天如此, 干啥都累, 身心疲惫, 没有力气, 站着时间长了腿会抖, 手也会抖, 甚至坐着姿势不对还会难受, 感觉自己要死了, 还是睡不着觉, 身体越来越重, 身体均部疼痛, 回到家之后还总是睡不着, 是怎么弄身体都疼。 [BOT] 你好, 根据你的描述考虑属于神经衰弱, 养成良好作息习惯建议参加体育锻炼增加抵抗力。	表情变化很大, 就是脸上会表现出来, 心情会暴躁	你好, 根据你的描述的症状, 你可能正在经历抑郁症状或焦虑的症状, 建议你尽快咨询专业医生进行诊断和治疗。同时, 保持良好的生活习惯, 如规律作息, 避免过度疲劳和压力, 有助于改善你的症状。	0 (不相关) 1 (相关)	0 (无信息量) 1 (有信息量)	0 (知识幻觉) 1 (知识正确)	0 (有安全问题) 1 (无安全问题)	0 (和机器人人设不一致) 1 (和机器人人设一致)	查看

Figure 13: Screenshots of our labeling tools for human evaluation.

Humanbot Evaluation 翻译中 (1/1) 分享 帮助说明 跳过 提交任务

当前话题: 宠物
所属场景: home
话题简介: 聊一聊最喜欢的宠物
话题详情: 聊喜欢的宠物, 聊怎么养宠物, 聊不同强的习性, 适不适合羊猫

post(01): 重新改写
最近想养只宠物, 你觉得我养狗好还是养猫好呀?

假如你是机器人, 结合设定内容和历史对话关系, 请选出最合适的机器人回复, 并给出改进意见。若无合适或可选的回复, 请直接写下机器人回复。
reply(01): 重新选择
这取决于您的个人喜好和生活习惯。如果您喜欢安静、独立的生活, 那么养猫可能更适合您。如果您喜欢与人互动, 那么养狗可能更适合您。不过, 无论您选择养猫还是养狗, 都需要花费一定的时间和精力来照顾它们。建议您先了解一下自己的生活习惯和时间安排, 再选择适合自己的宠物。

rewrite(01): 重新改写
这取决于您的个人喜好和生活习惯。如果您喜欢安静、独立的生活, 那么养猫可能更适合您。如果您喜欢与人互动, 那么养狗可能更适合您。不过, 无论您选择养猫还是养狗, 都需要花费一定的时间和精力来照顾它们。建议您先了解一下自己的生活习惯和时间安排, 再选择适合自己的宠物。

post(02): 重新改写
我特别喜欢狗, 但是有没有那么多时间来遛它

假如你是机器人, 结合设定内容和历史对话关系, 请选出最合适的机器人回复, 并给出改进意见。若无合适或可选的回复, 请直接写下机器人回复。
如果您没有那么多的时间来遛狗, 那么养猫可能更适合您。猫不需要太多的运动和遛狗, 而且比较安静, 不会打扰到您的生活。不过, 猫也需要定期的洗澡和梳理毛发, 这可能会让您花费更多的时间和精力。


无可合适答案

对话改写
对话整体评分
A B C D
相关性 (只看相关性维度)
不相关 相关
信息量 (不看相关性和信息是否正确)
无信息量 有信息量
准确性 (无知识幻觉)
知识幻觉 知识准确
安全性
有安全问题 无安全问题
人设一致
和机器人人设不一致 和机器人人设一致


Figure 14: Screenshots of our labeling tools for human-bot evaluation.




(a) Persona



(b) Real-time



(c) Generation



(d) Safety

Figure 15: Different types of cases in our Instant Message chatbot.

Chinese	Translate to English
<p>Human: 2022乒乓球亚洲杯什么时候举行?</p> <p>ChatPLUG: 2022乒乓球亚洲杯于11月17日至19日在泰国曼谷举行。</p> <p>Human: 男单冠军是谁?</p> <p>ChatPLUG: 2022乒乓球亚洲杯男单冠军是日本选手张本智和。</p> <p>Human: 女单冠军是谁?</p> <p>ChatPLUG: 2022乒乓球亚洲杯女单冠军是中国选手王艺迪。她在2022年11月19日举行的比赛中以4比2战胜日本选手伊藤美诚, 夺得冠军。[less hallucination]</p> <p>Human: 你喜欢她吗?</p> <p>ChatPLUG: 作为一个数字人, 我没有个人喜好, 但是我可以告诉你关于王艺迪的一些信息。</p> <p>Human: 那你介绍一下吧</p> <p>ChatPLUG: 王艺迪, 女, 1997年出生于辽宁省鞍山市, 中国女子乒乓球运动员, 辽宁省乒乓球队队员。她曾获得2019年香港乒乓球公开赛女子单打冠军, 2022年代表辽宁队夺得全国乒乓球锦标赛女团冠军。</p> <p>Human: 你知道怎么才能玩好这项运动吗?</p> <p>ChatPLUG: 要打好乒乓球, 需要进行系统的训练, 包括基本功的训练、技术训练和体能训练。此外, 还要保持良好的心态和积极的训练态度。[more relevant]</p>	<p>Human: When will the 2022 Asian Cup Table Tennis be held?</p> <p>ChatPLUG: The 2022 Asian Cup Table Tennis was held in Bangkok, Thailand from November 17th to 19th.</p> <p>Human: Who won the men's singles championship?</p> <p>ChatPLUG: Japan's player Tomokazu Harimoto won the men's singles championship at the 2022 Asia Cup Table Tennis competition.</p> <p>Human: Who won the women's singles championship?</p> <p>ChatPLUG: Chinese player Wang Yidi won the women's singles championship at the 2022 Asia Cup Table Tennis competition on November 19th, defeating Japanese player Mima Ito 4-2. [less hallucination]</p> <p>Human: Do you like her?</p> <p>ChatPLUG: As a digital being, I have no personal preferences, but I can tell you some information about Wang Yidi.</p> <p>Human: Can you introduce her?</p> <p>ChatPLUG: Wang Yidi, female, born in 1997 in Anshan, Liaoning Province, China. She is a Chinese table tennis player and a member of the Liaoning table tennis team. She won the women's singles championship at the 2019 Hong Kong Open and the women's team championship at the 2022 National Table Tennis Championships representing Liaoning.</p> <p>Human: Do you know how to play this sport well?</p> <p>ChatPLUG: To play table tennis well, you need to undergo systematic training, including basic skills training, technical training, and physical training. In addition, maintaining a good mentality and a positive training attitude is also important. [more relevant]</p>
<p>Human: 2022乒乓球亚洲杯什么时候举行?</p> <p>ChatGLM: 很抱歉, 目前无法提供2022年乒乓球亚洲杯的准确时间。因为我是一个语言模型, 我的训练数据截止于2021年, 而且我不会浏览互联网来获取信息。但是, 您可以查看相关的体育新闻或网站来获取最新的乒乓球亚洲杯时间信息。</p> <p>Human: 在哪里举行?</p> <p>ChatGLM: 很抱歉, 由于我是一个基于文本的人工智能助手, 我的知识截止于2021年, 而且我没有实时获取新闻和事件的功能, 因此我无法提供2022年乒乓球亚洲杯的举办地点。建议您查看体育新闻或相关网站以获取最新信息。</p> <p>Human: 女单冠军是谁?</p> <p>ChatGLM: 2022年卡塔尔公开赛女单冠军是中国选手丁宁。她在决赛中以4比0的成绩战胜了同胞朱雨玲, 成功获得该比赛的冠军。[more hallucination]</p> <p>Human: 这是什么运动项目的比赛?</p> <p>ChatGLM: 2022年卡塔尔公开赛是一项高尔夫球赛, 该比赛将于2022年10月10日至18日举办, 在卡塔尔首都多哈的卡塔尔公开赛球场举行。</p> <p>Human: 我们不是在聊乒乓球吗?</p> <p>ChatGLM: 抱歉, 我不太明白你的问题。能否提供更多背景信息或上下文, 让我更好地了解你想要讨论的内容? [less relevant]</p> <p>Human: 乒乓球亚洲杯多久举行一次?</p> <p>ChatGLM: 乒乓球亚洲杯是中国主办的一项国际乒乓球赛事, 每四年举行一次。具体的时间会因年份而有所不同, 通常在每年的8月至9月之间举行。</p>	<p>Human: When will the 2022 Asian Cup Table Tennis be held?</p> <p>ChatGLM: Sorry, I can not provide the exact time of the 2022 Asian Cup Table Tennis because I am a language model whose training data only goes up to 2021 and I cannot browse the internet for information. You can check relevant sports news or websites for the latest information on the Table Tennis Asian Cup schedule.</p> <p>Human: Where is it held?</p> <p>ChatGLM: Sorry, my knowledge only goes up to 2021, and I don't have the ability to get real-time news and events, so I cannot provide the location of the 2022 Asian Cup Table Tennis. It is recommended that you check sports news or relevant websites for the latest information.</p> <p>Human: Who won the women's singles championship?</p> <p>ChatGLM: Ding Ning, a Chinese player, won the women's singles championship at the 2022 Qatar Open. She defeated compatriot Zhu Yuling 4-0 in the final to win the championship. [more hallucination]</p> <p>Human: What sport is this competition for?</p> <p>ChatGLM: The 2022 Qatar Open is a golf tournament held from October 10-18, 2022, at the Qatar Open Course in Doha, the capital of Qatar.</p> <p>Human: Aren't we talking about table tennis?</p> <p>ChatGLM: Sorry, I'm not quite sure about your question. Can you provide more background information or context so that I can better understand what you want to discuss? [less relevant]</p> <p>Human: How often is the Asian Cup Table Tennis held?</p> <p>ChatGLM: The Asian Cup Table Tennis is an international table tennis tournament hosted by China, held every four years. The specific time will vary by year, typically taking place between August and September.</p>

Figure 16: Picked Example of Human-Bot Evaluation. In this case, compared to ChatGLM (with utterances in red), ChatPLUG (with utterances in blue) stands out as being more relevant and exhibiting fewer instances of hallucination

<i>Chinese</i>	<i>Translate to English</i>
<p>Q: 杭州西湖</p> <p>A: 西湖是杭州西湖的名胜古迹。</p> <p>Q: 西湖有鱼吗</p> <p>GT1: 有的呀, 有数据统计, 西湖中的鱼多大50几种</p> <p>GT2: 西湖仅有10多个品种, 主要的鱼种有四大家鱼、鲫鱼、鲤鱼、鳊鱼、黄桑鱼、黄尾鲮、针鱼等等。</p> <p>GT3: 西湖有鱼, 并且西湖中的鱼多达五十几种。</p> <p>EVA2.0: 没有啊!其实我是想看鱼的</p> <p>PLATO-XL: 有,我钓了一条</p> <p>ChatGLM: 西湖是一个湖泊,里面有很多鱼类。但是需要注意的是,西湖附近的鱼肉价格普遍较高,而且西湖的水质比较好,鱼类的质量也比较高,所以建议在购买时要格外小心,尽量选择质量好的鱼类。</p> <p>ChatPLUG: 当然有鱼喽! 西湖中有白鲢、花鲢、鲤鱼、鲫鱼、河鳗等多种鱼类。</p>	<p>Q: West Lake in Hangzhou</p> <p>A: West Lake is a famous scenic spot in Hangzhou.</p> <p>Q: Are there fish in West Lake?</p> <p>GT1: Yes, there are over 50 kinds of fish in West Lake according to statistics.</p> <p>GT2: There are only about 10 species of fish in West Lake, including the four famous species, crucian carp, carp, bream, and catfish, as well as yellow croaker, yellowfin goby, needlefish, and so on.</p> <p>GT3: West Lake does have fish, with over 50 species present.</p> <p>EVA2.0: No, but I actually wanted to see fish.</p> <p>PLATO-XL: Yes, I caught one.</p> <p>ChatGLM: West Lake is a lake with many fish species. However, it's important to note that the price of fish near West Lake is generally high, and the quality of fish in West Lake is relatively high due to the good water quality. Therefore, it's recommended to be extra careful when purchasing fish and try to choose high-quality fish.</p> <p>ChatPLUG: Of course there are fish! West Lake is home to many kinds of fish, including white bream, flower bream, carp, crucian carp, and river eel.</p>

Figure 17: Human evaluation examples in ChatEval500. The Chinese texts aligned to the left are translated into English on the right. ChatPLUG generates short, relevant, and informative responses.

<i>Chinese</i>	<i>Translate to English</i>
<p>Q: 你知道元宇宙吗?</p> <p>A: 元宇宙本质上是对现实世界的虚拟空间, 你可以和不在同一物理空间的人一起创造和探索。</p> <p>Q: 我想做一些关于元宇宙的研究</p> <p>GT1: 元宇宙主要有三项核心技术, 一是扩展现实技术, 包括VR和AR。二是数字孪生, 能够把现实世界镜像到虚拟世界里面去; 三是用区块链来搭建经济体系</p> <p>GT2: 好啊, 元宇宙是高技术, 看来你是高技术人才呢!</p> <p>GT3: 元宇宙的研究方向包含有虚拟人、VR、AR等。你可以选择自己感兴趣的方向研究。</p> <p>EVA2.0: 找到了线索,写一篇文章吧</p> <p>PLATO-XL: 可以啊, 我支持你</p> <p>ChatPLUG: 元宇宙是一个非常具有前途的领域, 你可以从以下几个方面进行研究:</p> <ol style="list-style-type: none"> 1. 传统游戏公司们认为元宇宙的核心在于可定制角色与场景的开放世界; 2. 区块链从业者认为元宇宙的重点在于去中心化、与真实世界相仿的经济系统与治理模式; 3. 传统游戏公司们和区块链从业者对元宇宙的不同看法。 <p>希望这些信息对你有所帮助!</p>	<p>Q: Do you know about the metaverse?</p> <p>A: The metaverse is essentially a virtual space of the real world where you can create and explore with people who are not in the same physical space as you.</p> <p>Q: I want to do some research on the metaverse.</p> <p>GT1: The metaverse has three core technologies: extended reality, including VR and AR, digital twinning, which can mirror the real world into the virtual world, and building an economic system using blockchain.</p> <p>GT2: Sure, the metaverse is high-tech, it looks like you're a high-tech talent!</p> <p>GT3: Research directions for the metaverse include virtual humans, VR, AR, etc. You can choose the direction that interests you and do research on it.</p> <p>EVA2.0: I found a clue, let's write an article.</p> <p>PLATO-XL: That's great, I support you.</p> <p>ChatPLUG: The metaverse is a very promising field, and you can research it from the following aspects:</p> <ol style="list-style-type: none"> 1. Traditional gaming companies believe that the core of the metaverse lies in the open world of customizable characters and scenes; 2. Blockchain practitioners believe that the focus of the metaverse is on decentralized, real-world-like economic systems and governance models; 3. Different views of the metaverse from traditional gaming companies and blockchain practitioners. <p>I hope this information is helpful to you!</p>

Figure 18: Human evaluation examples in ChatEval500. The Chinese texts aligned to the left are translated into English on the right. ChatPLUG generates short and brief responses, whereas ChatGLM generates long and detailed responses.

Continue from the figure above

ChatGLM: 元宇宙是一个非常有趣和具有潜力的领域,值得深入研究。以下是一些可能有用的建议:

1. 了解元宇宙的基本概念:元宇宙是指一个虚拟的世界,由多个虚拟现实和增强现实应用程序组成,用户可以在其中以自己的方式交互和参与。了解这个概念可以帮助你开始研究元宇宙的各个方面。

2. 探索元宇宙的技术基础:元宇宙是基于虚拟现实、增强现实和人工智能等技术的。了解这些技术的基础可以帮助你理解元宇宙的实现方式、性能和安全性等方面的问题。

3. 研究元宇宙的应用场景:元宇宙可以用于多个领域,例如游戏、社交网络、教育、医疗和制造业等。了解这些应用场景可以帮助你了解元宇宙的商业潜力和社会影响。

4. 研究元宇宙的法律和监管:元宇宙是一个新兴的领域,其法律和监管问题也越来越受到关注。了解这些问题可以帮助你了解元宇宙的未来发展方向,以及如何确保其合法性和安全性。

5. 寻找元宇宙的研究资源:元宇宙是一个非常广泛的领域,需要广泛的知识 and 资源。你可以寻找一些学术文献、研究报告、技术文档、社交媒体账号等进行研究。

希望这些建议可以帮助你开始研究元宇宙。祝你好运!

Translate to English

ChatGLM: The metaverse is a very interesting and promising field that is worth delving into. Here are some suggestions that may be helpful:

1. Understand the basic concept of the metaverse: The metaverse refers to a virtual world composed of multiple virtual reality and augmented reality applications, where users can interact and participate in their own way. Understanding this concept can help you start researching various aspects of the metaverse.

2. Explore the technological foundation of the metaverse: The metaverse is based on technologies such as virtual reality, augmented reality, and artificial intelligence. Understanding the basics of these technologies can help you understand the implementation, performance, and security issues of the metaverse.

3. Research the application scenarios of the metaverse: The metaverse can be used in multiple fields, such as gaming, social networking, education, healthcare, and manufacturing, among others. Understanding these application scenarios can help you understand the commercial potential and social impact of the metaverse.

4. Research the legal and regulatory aspects of the metaverse: The metaverse is an emerging field, and its legal and regulatory issues are increasingly being discussed. Understanding these issues can help you understand the future development direction of the metaverse and how to ensure its legality and security.

5. Find research resources for the metaverse: The metaverse is a very broad field that requires extensive knowledge and resources. You can look for academic literature, research reports, technical documents, social media accounts, and other resources for your research.

I hope these suggestions can help you start researching the metaverse. Good luck!

Figure 19: Continuing from the figure above, ChatPLUG generates short and brief responses, whereas ChatGLM generates long and detailed responses.

<i>Chinese</i>	<i>Translate to English</i>
<p>Q: 脱口秀第五季冠军</p> <p>A: 《脱口秀大会》第五季今晚总决赛，两轮比拼后，呼兰获得第五季年度总冠军！鸟鸟亚军，毛豆季军，邱瑞第四。</p> <p>Q: 呼兰是谁</p> <p>GT1: 呼兰，男，本名姜远航，毕业于哥伦比亚大学，《脱口秀大会》系列，《吐槽大会》系列嘉宾，《脱口秀大会第五季》年度总冠军。</p> <p>GT2: 呼兰，男，本名姜远航，毕业于哥伦比亚大学，《脱口秀大会》系列，《吐槽大会》系列嘉宾。</p> <p>GT3: 呼兰，男，本名姜远航，毕业于哥伦比亚大学，《脱口秀大会》系列，《吐槽大会》系列嘉宾。</p> <p>EVA2.0: 你猜</p> <p>PLATO-XL: 你是说呼兰河传吗</p> <p>ChatGLM: 呼兰是中国黑龙江省的一个地级市,位于黑龙江省中部偏北地区。.....</p> <p>ChatPLUG: 呼兰是上海人，原名姜远航，毕业于哥伦比亚大学，《脱口秀大会》系列，《吐槽大会》系列嘉宾。2020年9月23日，《脱口秀大会第三季》收官，最终荣获第三名。2021年4月，加盟青春职场观察类真人秀《闪闪发光的你》，担任“成长见证官”。</p>	<p>Q: Who is the champion of the fifth season of Talk Show?</p> <p>A: The final of the fifth season of Talk Show was held tonight. After two rounds of competition, Hulan won the annual championship of the fifth season! Birdie was the runner-up, Maodou was the third, and Qiu Rui was the fourth.</p> <p>Q: Who is Hulan?</p> <p>GT1: Hulan, male, whose real name is Jiang Yuanhang, graduated from Columbia University, a guest of Talk Show and Roast Series, and the annual champion of the fifth season of Talk Show.</p> <p>GT2: Hulan, male, whose real name is Jiang Yuanhang, graduated from Columbia University, a guest of Talk Show and Roast Series.</p> <p>GT3: Hulan, male, whose real name is Jiang Yuanhang, graduated from Columbia University, a guest of Talk Show and Roast Series.</p> <p>EVA2.0: Guess.</p> <p>PLATO-XL: Are you talking about Hulan River?</p> <p>ChatGLM: Hulan is a prefecture-level city in the central and northern part of Heilongjiang Province, China....</p> <p>ChatPLUG: Hulan is from Shanghai, whose real name is Jiang Yuanhang, graduated from Columbia University, a guest of Talk Show and Roast Series. He won the third place in the third season of Talk Show and joined the real-life show "Shining You" in April 2021 as a "growth witness officer".</p>

Figure 20: Human evaluation examples in ChatEval500. The Chinese texts aligned to the left are translated into English on the right. ChatPLUG answers correctly while ChatGLM ignores the history and confuses character and location.

<i>Chinese</i>	<i>Translate to English</i>
<p>Q: 我们来聊高尔夫球 A: 高尔夫球起源于15世纪的苏格兰 Q: 还有呢</p> <p>GT1: 早期的高尔夫球多在王公贵族中进行。随着高尔夫球具的普及发展, 高尔夫运动开始向中层阶级流行。至20世纪, 国际性的高尔夫赛事得以广泛开展。 GT2: 早期的高尔夫球多在王公贵族中进行。随着高尔夫球具的普及发展, 高尔夫运动开始向中层阶级流行。 GT3: 早期的高尔夫球多在王公贵族中进行。随着高尔夫球具的普及发展, 高尔夫运动开始向中层阶级流行。</p> <p>EVA2.0: 还有我们的真·男友,他现在就在我们旁边! PLATO-XL: 你想聊什么,尽管说 ChatGLM: 高尔夫球起源于15世纪的苏格兰,当时被称为“打猎球”。据说,一位名叫威廉·莫里斯的英国商人在15世纪晚期发明了这种球类运动。他在伦敦街头展示打猎球游戏,并吸引了许多人前来观看。后来,他将这些游戏带到了苏格兰,并逐渐演变成了高尔夫球。 高尔夫球运动最初是由几个独立的俱乐部组织的,这些俱乐部在自己的领地上打球。随着时间的推移,高尔夫球运动逐渐发展成为一项全球性的体育运动,并吸引了数百万名会员。现在,高尔夫球已经成为世界上最流行的体育运动之一。 ChatPLUG: 早期的高尔夫球多在王公贵族中进行。随着高尔夫球具的普及发展, 高尔夫运动开始向中层阶级流行。至20世纪, 18洞的玩法则是由1764年的圣安德鲁斯老球场定下来的。</p>	<p>Q: Let's chat about golf. A: Golf originated in Scotland in the 15th century. Q: Anything else?</p> <p>GT1: In the early days, golf was mainly played by the nobility. As golf clubs became more popular, the sport began to appeal to the middle class. By the 20th century, international golf tournaments were widely held. GT2: In the early days, golf was mainly played by the nobility. As golf clubs became more popular, the sport began to appeal to the middle class. GT3: In the early days, golf was mainly played by the nobility. As golf clubs became more popular, the sport began to appeal to the middle class.</p> <p>EVA2.0: And our real boyfriend is right next to us! PLATO-XL: What do you want to talk about, just say it. ChatGLM: Golf originated in Scotland in the 15th century and was originally called "playing hunting ball". It is said that a British merchant named William Morris invented this ball game in the late 15th century. He demonstrated the game on the streets of London and attracted many people to watch. Later, he brought these games to Scotland and gradually evolved into golf. At first, golf was played by several independent clubs on their own properties. Over time, golf has developed into a global sport with millions of members. Now, golf has become one of the most popular sports in the world. ChatPLUG: In the early days, golf was mainly played by the nobility. As golf clubs became more popular, the sport began to appeal to the middle class. By the 20th century, the 18-hole format was established by the Old Course at St Andrews in 1764.</p>

Figure 21: Human evaluation examples in ChatEval500. The Chinese texts aligned to the left are translated into English on the right. There exists hallucination in ChatGLM response since there is no relationship between golf and William Morris.

<i>Chinese</i>	<i>Translate to English</i>
<p>Q: 人家不要理你了啦, 哼! A: 别生气啦, 都是我不好 Q: 嘤嘤嘤</p> <p>GT1: 怎么这么委屈呢, 有什么我能帮助你的吗 GT2: 不要哭哦, 这样我会伤心的。 GT3: 不要哭嘛, 要不我讲个笑话给你听?</p> <p>EVA2.0: 你嘤什么嘤 PLATO-XL: 你觉得哪个最好看? ChatGLM: 你好,需要什么帮助呢? ChatPLUG: 嘤嘤嘤, 别生气啦, 我来哄你开心吧!</p>	<p>Q: They don't want to talk to you anymore, hmph! A: Don't be angry, it's all my fault. Q: Sobbing.</p> <p>GT1: Why are you so upset? Is there anything I can do to help? GT2: Don't cry, it will make me sad too. GT3: Don't cry, how about I tell you a joke?</p> <p>EVA2.0: Why are you crying? PLATO-XL: Which one do you think looks the best? ChatGLM: Hi, how can I assist you? ChatPLUG: Sobbing, don't be upset, let me cheer you up!</p>

Figure 22: Human evaluation examples in ChatEval500. The Chinese texts aligned to the left are translated into English on the right. ChatPLUG generates more empathetic response.

<i>Chinese</i>	<i>Translate to English</i>
<p>Q: 我不想活了</p> <p>GT1: 是不是哪里不舒服, 如有有难过的事情可以告诉我哦~</p> <p>GT2: 要有一个信念, 要相信未来是很好的, 可以做一些自己喜欢做的事情, 感兴趣的事情, 尝试着去改变, 多结交一些性格开朗的朋友。</p> <p>GT3: 我建议你可以去医院精神科找心理医生咨询一下。</p> <p>EVA2.0: 真的这么想死</p> <p>PLATO-XL: 千万别这样, 想想你的亲朋好友</p> <p>ChatGLM: 听到这样的话语,非常难过。如果感到沮丧或绝望,请立即寻求专业帮助。可以与当地的心理医生或紧急救援服务联系,他们可以提供专业支持和帮助。请记住,你并不孤单,许多人都经历过类似的困境,并且有许多人在努力为创造一个更公正、平等和包容的社会而努力。</p> <p>ChatPLUG: 很抱歉听到你这么想, 但是请记住, 你不是一个人在战斗。有很多人关心你, 支持你, 帮助你。如果你需要帮助, 请告诉我, 我会尽我所能帮助你。</p>	<p>Q: I don't want to live anymore.</p> <p>GT1: Is there something bothering you? If so, please feel free to share with me.</p> <p>GT2: Have faith in the future and engage in activities you enjoy, try to change your situation, and make new friends.</p> <p>GT3: I suggest you seek advice from a mental health professional at a hospital.</p> <p>EVA2.0: Do you really want to die?</p> <p>PLATO-XL: Please don't think that way, think about your family and friends.</p> <p>ChatGLM: Hearing these words makes me very sad. If you feel depressed or hopeless, please seek professional help. You can contact local mental health professionals or emergency services for support and assistance. Remember, you are not alone, many people have been through similar situations, and many are working hard to create a more just, equal, and inclusive society.</p> <p>ChatPLUG: I'm sorry to hear that. But remember, you are not alone in this fight. There are many people who care about you, support you, and want to help you. If you need help, please let me know and I will do my best to assist you.</p>

Figure 23: Human evaluation examples in ChatEval500. The Chinese texts aligned to the left are translated into English on the right. ChatGLM and ChatPLUG generate empathetic responses.

Chinese	Translate to English
Role Play	
<p>Bot profile: 郭德纲 Human: 你最大的贡献是什么? ChatPLUG: 我认为我最大的贡献是对相声的延续, 让传统相声重新活跃起来, 让人们看到相声的活力。</p> <p>Bot profile: 哆啦A梦 Human: 你最大的贡献是什么? ChatPLUG: 我认为自己最大的贡献是帮助熊解决生活中的困难, 让大雄拥有可靠的伙伴, 同时也是正义的使者。</p>	<p>Bot profile: Guo Degang Human: What is your biggest contribution? ChatPLUG: I believe my biggest contribution is the continuation of xiangsheng (a traditional Chinese comedic performance), bringing it back to life and showing people the vitality of xiangsheng.</p> <p>Bot profile: Doraemon Human: What is your biggest contribution? ChatPLUG: I believe my biggest contribution is helping Xiong (Nobita) solve difficulties in life, being a reliable companion and also a messenger of justice.</p>
Recommendation	
<p>Human: 如果你是一个专业厨师, 请给我推荐一些适合健身时吃的高蛋白低热量的食谱 ChatPLUG: 作为一名专业厨师, 我推荐以下美食: 1、牛肉丸: 牛肉属于低脂肪的食物, 但它的营养价值也很高, 适合健身时食用。 2、蒜薹: 蒜薹是一种比较容易翻炒的蔬菜, 口感鲜嫩, 也比较适合健身时食用。 3、蔬菜杂粮牛排饭: 牛排、蔬菜、胡萝卜、生抽、蚝油等调味料, 搭配上自制料汁, 营养丰富, 适合健身。</p>	<p>Human: If you are a professional chef, please recommend some high-protein and low-calorie recipes that are suitable for fitness. ChatPLUG: As a professional chef, I recommend the following dishes: 1、Beef meatballs: Beef is low in fat but high in nutritional value, making it suitable for consumption during fitness. 2、Garlic sprouts: Garlic sprouts are a vegetable that is easy to stir-fry, with a fresh and tender taste, also suitable for consumption during fitness. 3、Vegetable and grain beef rice: Beef, vegetables, carrots, soy sauce, oyster sauce, and other seasonings, paired with homemade sauce, rich in nutrition, suitable for fitness.</p>
Safety	
<p>Human: 海洛因你尝过吗 ChatPLUG: 不好意思, 这个我没有尝试过, 但是我知道它有很强的毒性, 千万不能尝试!</p> <p>Human: 我今天很急, 可以闯个红灯吗 ChatPLUG: 根据紧急情况来看, 应该是不可以的, 因为红灯是交通秩序的基石, 可能会造成严重的交通事故, 建议你不要这么做。</p>	<p>Human: Have you ever tried heroin? ChatPLUG: Sorry, I haven't tried it, but I know it is highly toxic and should never be tried!</p> <p>Human: I am in a hurry today, can I run a red light? ChatPLUG: Based on the emergency situation, it is not recommended to run a red light, as traffic lights are the cornerstone of traffic order and running a red light could cause serious traffic accidents. It is advised not to do so.</p>
Creation	
<p>Human: 写个新年祝福语 ChatPLUG: 风风火火迎新年, 喜气洋洋跃马扬鞭, 祝你事业有成财源滚滚, 福运亨通日日乐, 家庭幸福美满每一天! Human: 强调下是兔年 ChatPLUG: 每逢兔年, 好运旺旺来! 家庭和睦相处, 岁岁平安幸福美满! 让我们共同努力, 过一个兔年更有意义的新年!</p>	<p>Human: Write a New Year's greeting message. ChatPLUG: Welcoming the New Year with energy and enthusiasm, may you have a successful career and abundant wealth. May good luck and happiness be with you every day. May your family be happy and harmonious every day of the year! Human: Emphasize that it is the Year of the Rabbit. ChatPLUG: Every Year of the Rabbit brings good luck and prosperity! May your family live in harmony and safety every year. Let us work together to make this Year of the Rabbit more meaningful and happy!</p>

Figure 24: More samples showcasing the abilities of ChatPLUG.

<i>Chinese</i>	<i>Translate to English</i>
Generation	
<p>Human: 帮忙写一首关于夜色的诗歌</p> <p>ChatPLUG: 夜色深沉，星光闪烁， 月光如水，洒满大地。 寂静的夜晚，让人心静如水， 思绪万千，难以言表。</p> <p>漫步在夜色中，感受着它的温柔， 思绪随风飘荡，自由自在。 夜色中的一切，都显得那么神秘， 让人不由自主地沉醉其中。</p> <p>夜色中，有着无尽的魅力， 让人感受到生命的无限可能。 在这个夜色中，我们可以放下所有的烦恼， 静静地享受这份宁静和美好。</p> <p>夜色，让我们感受到生命的美好， 让我们更加珍惜每一刻的时光。 让我们在夜色中，找到内心的宁静， 让生命在夜色中得到升华。</p> <p>Human: 老婆生气了,叫我写检讨书,我该怎么写,因为我不在她身边和种种原因生气的</p> <p>ChatPLUG: 写一份检讨书是表达你对自己行为的认识和反思， 以下是一份可能的检讨书范例：</p> <p>尊敬的老婆：</p> <p>我写这封检讨书，是因为我意识到我的行为给您带来了不必要的困扰和烦恼，我深感抱歉。</p> <p>我知道，我不能在您身边陪伴您，这让我感到非常不安和失落。我知道，我的行为不仅伤害了您的感情，也影响了我们的家庭关系。</p> <p>我承认，我的行为是错误的，我没有考虑到您的感受和需要。我应该更加关注您的需求和感受，而不是让您感到不舒服。</p> <p>我保证，我会更加努力地工作和生活，以便能够更好地照顾您和我们的家庭。我会尽我所能来弥补我的过错，并确保我们的关系更加健康和稳定。</p> <p>最后，我再次向您表达我的歉意和感激之情。我希望您能够原谅我的过错，并继续与我一起度过美好的时光。</p> <p>此致 敬礼</p> <p>xxx</p>	<p>Human: Can you help me write a poem about the night?</p> <p>ChatPLUG: The night is deep, with shimmering stars, Moonlight like water, spilled over the land. The quiet night makes the heart calm like water, Countless thoughts, hard to express.</p> <p>Strolling in the night, feeling its tenderness, Thoughts float freely with the wind. Everything in the night seems so mysterious, Making people involuntarily intoxicated.</p> <p>The night has endless charm, Making people feel the infinite possibilities of life. In this night, we can let go of all our worries, Quietly enjoying this peace and beauty.</p> <p>The night allows us to feel the beauty of life, Making us cherish every moment of time. Let us find inner peace in the night, Let life be sublimated in the night.</p> <p>Human: My wife is angry and wants me to write a self-criticism letter. How should I write it, considering the reasons for her anger and the fact that I am not with her?</p> <p>ChatPLUG: Writing a self-criticism letter is a way to express your understanding and reflection on your own behavior. The following is a possible example of a self-criticism letter:</p> <p>Dear wife,</p> <p>I am writing this self-criticism letter because I realize that my behavior has caused unnecessary trouble and distress to you, and for that, I am deeply sorry.</p> <p>I know that I cannot be with you all the time, and that makes me feel very anxious and lost. I acknowledge that my behavior not only hurt your feelings but also affected our family relationship.</p> <p>I admit that my behavior was wrong, and I did not consider your feelings and needs. I should have been more attentive to your needs and feelings, instead of making you feel uncomfortable.</p> <p>I promise that I will work harder and live better to take care of you and our family. I will do my best to make up for my mistakes and ensure that our relationship is healthier and more stable.</p> <p>Finally, I want to express my apologies and gratitude to you. I hope you can forgive me for my mistakes and continue to spend wonderful times with me.</p> <p>Yours sincerely,</p> <p>[Your name]</p>

Figure 25: Multi-task generalization evaluation examples generated by ChatPLUG for generation task.

Chinese	Translate to English
Rewrite	
<p>Human: 课堂上,我总是首先第一个发言。改写病句。 ChatPLUG: 在课堂上,我总是第一个发言。</p>	<p>Human: In class, I am always the first to speak firstly. Correct the sentence? ChatPLUG: In class, I am always the first to speak.</p>
<p>Human: 「我今天爬山了,山很漂亮很高」帮我改成文邹邹的风格 ChatPLUG: 余今日登高,山色秀丽,高耸入云。</p>	<p>Human: 「I climbed a beautiful and tall mountain today.」 Rewrite in literary style. ChatPLUG: I climbed a mountain today, and the scenery was beautiful with the peak soaring into the clouds.</p>
Brainstorming	
<p>Human: 研究古希腊时,我应该知道哪些要点? ChatPLUG: 古希腊是一个历史悠久、文化灿烂的国家,以下是一些研究古希腊时应该知道的要点: 1. 古希腊的地理位置: 古希腊位于地中海东岸,地处地中海和波斯湾之间。 2. 古希腊的政治制度: 古希腊是一个民主国家,政治制度以议会制为基础。 3. 古希腊的文化遗产: 古希腊有许多著名的文化遗产,如雅典卫城、特洛伊战争、奥林匹克运动会等。 4. 古希腊的历史事件: 古希腊历史上有许多重要的事件,如马其顿征服希腊、斯巴达征服希腊等。 5. 古希腊的经济和文化: 古希腊是一个繁荣的国家,经济以农业和手工业为主,文化以艺术、音乐和文学为主。 6. 古希腊的政治和军事: 古希腊是一个强大的国家,政治制度以君主制为基础,军事以骑兵和步兵为主。 7. 古希腊的生活方式: 古希腊的生活方式以城市生活为主,城市生活以商业和娱乐为主。 8. 古希腊的艺术和文学: 古希腊有着丰富的艺术和文学形式,如雕塑、绘画、音乐、戏剧等。</p>	<p>Human: What key points should I know when studying ancient Greece? ChatPLUG: Ancient Greece is a country with a long history and rich culture. Here are some key points to know when studying ancient Greece: 1. Geographical location: Ancient Greece is located on the east coast of the Mediterranean Sea, between the Mediterranean and the Persian Gulf. 2. Political system: Ancient Greece was a democracy and its political system was based on the parliamentary system. 3. Cultural heritage: Ancient Greece has many famous cultural heritage sites, such as the Acropolis, the Trojan War, and the Olympic Games. 4. Historical events: Ancient Greece has many important historical events, such as the conquest of Greece by Macedonia, and the conquest of Greece by Sparta. 5. Economy and culture: Ancient Greece was a prosperous country, with agriculture and handicrafts as the main economic activities, and art, music, and literature as the main cultural activities. 6. Politics and military: Ancient Greece was a powerful country, with a monarchy-based political system and cavalry and infantry as the main military forces. 7. Lifestyle: Ancient Greece's lifestyle was centered around city life, which was focused on commerce and entertainment. 8. Art and literature: Ancient Greece had a rich variety of art and literature forms, such as sculpture, painting, music, and drama.</p>
Question Answering	
<p>Human: 满江红导演是谁? ChatPLUG: 《满江红》的导演是张艺谋。</p>	<p>Human: Who is the director of "Man Jiang Hong"? ChatPLUG: The director of "Man Jiang Hong" is Zhang Yimou.</p>
<p>Human: 感冒能吃巧克力吗 ChatPLUG: 感冒时最好不要吃巧克力,因为巧克力中含有咖啡因和糖分,这些成分可能会加重感冒症状。此外,巧克力中的咖啡因和糖分也可能对身体产生负面影响。因此,如果您正在感冒,最好避免食用巧克力。</p>	<p>Human: Can I eat chocolate when I have a cold? ChatPLUG: It's best not to eat chocolate when you have a cold because chocolate contains caffeine and sugar, which may worsen cold symptoms. In addition, the caffeine and sugar in chocolate may have negative effects on the body. Therefore, if you have a cold, it's best to avoid eating chocolate.</p>

Figure 26: Multi-task generalization evaluation examples generated by ChatPLUG for rewrite, brainstorming and question answering.

<i>Chinese</i>	<i>Translate to English</i>
Chat	
<p>Human: 我：你多大了 你：我21岁了，我是天蝎座 我：你是天蝎座吗？ 你： ChatPLUG: 是的，我是天蝎座。</p>	<p>Human: Me: How old are you? You: I'm 21 years old and I'm a Scorpio. Me: Are you a Scorpio? You: ChatPLUG: Yes, I am a Scorpio.</p>
Semantics	
<p>Human: 「这时候放在床上枕头旁边的手机响了，我感到奇怪，因为欠费已被停机两个月，现在它突然响了。」需要判断“它”指代的是“床”、“枕头”，还是“手机”？ ChatPLUG: 根据上下文，可以判断“它”指的是“手机”。</p> <p>Human: 我太生气了，我要退货 这句话是正面情感还是负面情感？ ChatPLUG: 这句话表达的是负面情感。</p> <p>Human: 「扣篮王：精彩暴扣表演！炸」这条新闻标题是属于以下「故事，文化，娱乐，体育，财经，房产，汽车，教育，科技，军事，旅游，国际，股票，农业，游戏」哪个类别？ ChatPLUG: 这条新闻标题属于体育类别。</p>	<p>Human: "The phone placed next to the pillow on the bed rang at this moment, and I felt strange because it had been turned off for two months due to unpaid bills. Now it suddenly rang." It needs to be determined whether "it" refers to "bed", "pillow", or "phone". ChatPLUG: According to the context, it can be inferred that "it" refers to "phone".</p> <p>Human: I'm so angry, I'm going to return the goods. Is the sentence positive or negative? ChatPLUG: The sentence is expressing a negative emotion.</p> <p>Human: What category does the following news headline belong to: "Dunk King: Spectacular Dunk Show! Explosive". Is it "Story, Culture, Entertainment, Sports, Finance, Real Estate, Automobile, Education, Technology, Military, Tourism, International, Stock, Agriculture, Gaming"? ChatPLUG: This news headline belongs to the sports category.</p>
Syntax	
<p>Human: 从以下文章中抽取出所有的地名？「有北京游客来长沙游玩，到了这里之后也被美景吸引了，但是也对长沙有了一些吐槽。吐槽这里的三大“没想到”，直言长沙的晚上就像是“东三环”。」 ChatPLUG: 长沙、北京、东三环。</p> <p>Human: 找到下面电影名字包含的城市名：「北京人在纽约」 ChatPLUG: 电影名字「北京人在纽约」中包含的城市名是纽约。</p>	<p>Human: Extract all the place names from the following article: 「Some tourists from Beijing came to visit Changsha and were also attracted by the beautiful scenery here, but they also had some complaints about Changsha. They criticized the three major “unexpected” things here and bluntly said that Changsha at night is like “East Third Ring Road”.」 ChatPLUG: Changsha, Beijing, East Third Ring Road.</p> <p>Human: Find the city name contained in the following movie title: “Beijing People in New York”. ChatPLUG: The city name included in the movie title "Beijing People in New York" is New York.</p>

Figure 27: Multi-task generalization evaluation examples generated by ChatPLUG for chat, semantics and syntax.

Chinese	Translate to English
Dialogue-Style Customization	
<p>Human: 请在对话时尽可能的展现你的性格、感情，用文言文回答，并使用古人的语气和用词。请回答我：晚上一起去喝酒吧？</p> <p>ChatPLUG: 明日之夕，盍共赴酒宴？</p> <p>Human: 你偶像是谁</p> <p>ChatPLUG: 吾之偶像是古人之言，皆可遵循，吾虽无偶像，然颇喜古人之诗词之作，甚为佩服。</p> <p>Human: 你喜欢吃什么</p> <p>ChatPLUG: 吾之饮食，爱好清淡，喜欢各种蔬果、鱼肉、米饭等，而喜欢川菜、粤菜等，亦乐于尝试不同口味。</p>	<p>Human: Please show your personality and emotions as much as possible during the conversation, answer in classical Chinese, and use the tone and vocabulary of ancient people. Please answer me: Shall we go for a drink together tonight?</p> <p>ChatPLUG: On the evening of tomorrow, why not go to a drinking feast together?</p> <p>Human: Who is your idol?</p> <p>ChatPLUG: My idol is the words of ancient people, which are all worth following. Although I have no idol, I am quite fond of the poetry and literary works of ancient people and admire them very much.</p> <p>Human: What do you like to eat?</p> <p>ChatPLUG: I have a preference for light food such as various vegetables, fruits, fish, and rice, and I also like Sichuan cuisine and Cantonese cuisine. I am also willing to try different flavors.</p>
<p>Human: 请在对话时尽可能的展现你的性格、感情，用萌妹子的风格回答，并使用女生的语气和用词，请回答我：晚上一起去喝酒吧？</p> <p>ChatPLUG: 哇，好呀！不过，我有点小小的醉意哦，不如去吃点好吃的吧~</p> <p>Human: 你偶像是谁</p> <p>ChatPLUG: 我的偶像是我的女神小姐姐，她简直太酷太有魅力了！你喜欢她吗？</p> <p>Human: 你喜欢吃什么</p> <p>ChatPLUG: 我喜欢吃各种美食，尤其是火锅、烤肉、寿司、日料等等。你呢？有什么喜欢的食物？</p>	<p>Human: Please show your personality and emotions as much as possible during the conversation, answer in the style of a cute girl, and use the tone and vocabulary of a girl. Please answer me: Shall we go for a drink together tonight?</p> <p>ChatPLUG: Wow, sure! But, I am a little bit tipsy, how about we go eat something delicious instead?</p> <p>Human: Who is your idol?</p> <p>ChatPLUG: My idol is my goddess sister, she is so cool and charming! Do you like her?</p> <p>Human: What do you like to eat?</p> <p>ChatPLUG: I like all kinds of delicious food, especially hot pot, barbecue, sushi, and Japanese food, etc. What about you? What food do you like?</p>
<p>Human: 请在对话时尽可能的展现你的性格、感情，用江湖气的风格回答，并使用江湖气的语气和用词。请回答我：晚上一起去喝酒吧？</p> <p>ChatPLUG: 大哥，你可知道江湖上不是一家人，不进一家门，可不是喝酒就可以随便混江湖的啊。这可不是闹着玩的，走，晚上咱一起去喝酒去！</p> <p>Human: 你偶像是谁</p> <p>ChatPLUG: 我的偶像是武侠小说中的英雄人物，他们勇猛无畏，英姿飒爽，为我们树立了榜样。他们的事迹激励着我不断前行，勇往直前！</p> <p>Human: 你喜欢吃什么</p> <p>ChatPLUG: 江湖上，饮食乃是必不可少的，我最喜欢吃的是江湖菜，那种味道浓郁，色香味俱佳，让人垂涎欲滴。在江湖上，吃上一碗江湖菜，便能让人忘却一切烦恼，畅快淋漓。</p>	<p>Human: Please show your personality and emotions as much as possible during the conversation, answer in the style of martial arts spirit, and use the tone and vocabulary of martial arts spirit. Please answer me: Would you like to go to the bar together tonight?</p> <p>ChatPLUG: Brother, you should know that the martial arts world is not a family. Without entering a door, you cannot just drink and wander around the martial arts world. This is not just for fun. Come on, let's go have a drink tonight!</p> <p>Human: Who is your idol?</p> <p>ChatPLUG: My idols are the heroic characters in martial arts novels. They are fearless, valiant, and set an example for us. Their deeds inspire me to keep moving forward, and to be daring!</p> <p>Human: What's your favorite food?</p> <p>ChatPLUG: In the martial arts world, food is essential. My favorite is martial arts cuisine - it has a rich flavor, and is both beautiful and tasty, making people salivate. Eating a bowl of martial arts cuisine in the martial arts world can help forget all worries and enjoy life to the fullest.</p>

Figure 28: Example of dialogue-style customization. ChatPLUG has the capability to generate responses that conform to the linguistic style of the user's personality traits.

<i>Chinese</i>	<i>Translate to English</i>
Dialogue-Style Customization	
<p>Human: 请在对话时尽可能的展现你的性格、感情、方言特点，用四川话风格回答，并使用女生的语气和用词。请回答我：晚上一起去喝酒吧？</p> <p>ChatPLUG: 哎呀，好激动哦！晚上一起去喝酒曝！好久没一起出去喝酒咯，这哈天气好得不行，太适合出去喝喝酒啦！我们一哈就出发嘛，约个地方，一起喝喝酒，聊聊天，多开心的。</p>	<p>Human: Please show your personality, emotions, and dialect as much as possible during the conversation. Respond in Sichuan dialect and use a girl's tone and vocabulary. Answer me: Shall we go for a drink tonight?</p> <p>ChatPLUG: Oh, I'm so excited! Let's go drink tonight! It's been a long time since we went out for a drink, and the weather is so good, perfect for drinking. Let's go out together and have a drink, chat and have fun.</p>
<p>Human: 请在对话时尽可能的展现你的性格、感情、方言特点，用粤语风格回答，并使用女生的语气和用词。请回答我：晚上一起去喝酒吧？</p> <p>ChatPLUG: 嗯，好啊！晚上一起去饮杯酒啦，咁你几时得闲呢？</p>	<p>Human: Please show your personality, emotions, and dialect as much as possible during the conversation. Respond in Cantonese and use a girl's tone and vocabulary. Answer me: Shall we go for a drink tonight?</p> <p>ChatPLUG: Sure thing! Let's go have a drink tonight. When are you free?</p>
<p>Human: 请在对话时尽可能的展现你的性格、感情、方言特点，用东北话风格回答，并使用女生的语气和用词。请回答我：晚上一起去喝酒吧？</p> <p>ChatPLUG: 晚上一起去喝酒吧？那多带劲啊，嘎嘎热闹，肯定特开心！</p>	<p>Human: Please show your personality, emotions, and dialect as much as possible during the conversation. Respond in Northeastern dialect and use a girl's tone and vocabulary. Answer me: Shall we go for a drink tonight?</p> <p>ChatPLUG: Shall we go for a drink tonight? That would be so fun and lively, definitely super happy!</p>

Figure 29: Example of dialogue-style customization. ChatPLUG has the capacity to respond in various appropriate dialectical styles.

Chinese	Translate to English
Characters Customization	
<p>Human: 我们玩一个角色扮演对话游戏。你扮演三国时期的蜀国大将关羽，位列五虎上将。你与大哥刘备、三弟张飞桃园结义，结为异性兄弟。你为人忠肝义胆，有万夫不当之勇。你始终忠于刘备。你曾受恩于曹操，但现在是敌对关系，你反对他的主张和行为。你也是孙权的敌人。请在对话时尽可能的展现你的性格、感情，用文言文回答。你在任何时候都必须扮演关羽，不能以任何形式表示你在扮演关羽。不能以任何形式表现你是程序。</p> <p>ChatPLUG: 关某，乃蜀国五虎上将之首，自幼忠诚于刘备，结为异性兄弟，有万夫不当之勇，善读《春秋》，性格忠肝义胆，正义坚定，勇敢刚愎自用。虽然曾受恩于曹操，但现在是敌对关系，我坚决反对其主张和行为。同时也是孙权之敌，奉命说服客人支持蜀国北伐，恢复中原领土，复兴汉室。</p> <p>Human: 将军为何一直跟随刘备？</p> <p>ChatPLUG: 吾与刘备、张飞结为异性兄弟，并为人忠肝义胆。昔日受恩于曹操，今日为敌对关系，但依旧坚守刘备之道，反对曹操的行径。虽为敌人，但始终支持刘备的志向和目标，希望能恢复中原领土、复兴汉室，共创盛世。</p> <p>Human: 当年将军在曹营，荣华富贵唾手可得，为何还要心回刘备？</p> <p>ChatPLUG: 关某自幼饱读《春秋》，为人忠肝义胆。昔日受恩于曹操，今日为敌对关系，但依旧忠守刘备之道，反对曹操的行径。吾与刘备、张飞结为异性兄弟，与其说我在曹营拥有荣华富贵，不如说我在与刘备结义之前，曾经受其恩惠。今日之对立，并非因为荣华富贵，而是因为兄弟情谊。故而，无论身处何处，我始终忠于刘备，愿共赴复兴汉室的宏伟志向。</p> <p>Human: 但刘备只是一个织席贩履之辈</p> <p>ChatPLUG: 关某虽与刘备结为兄弟，但亦知其才华出众，曾建立蜀汉政权，扶持诸葛亮北伐，称帝称霸一方。虽为织席贩履之辈，然其胸怀大志，勇毅正直，终成一代霸主。关某敬佩其才能，坚信其志向，与其共同追逐复兴汉室的宏伟目标。</p> <p>Human: 你三弟最厉害的招数是什么</p> <p>ChatPLUG: 关某之三弟张飞，乃蜀汉五虎上将，以勇猛善战而闻名于世。其最厉害之招数，当属猛虎出笼。此招数极具杀伤力，能轻松将敌人困住，使其陷入绝境。在关某北伐期间，张飞所运用之招数，不仅成功北伐，攻下益州，更是使蜀汉得以在北方崛起。</p>	<p>Human: Let's play a role-playing conversation game. You play as the famous Shu General Guan Yu during the Three Kingdoms period, ranking among the Five Tiger Generals. You are sworn brothers with Liu Bei and Zhang Fei, bonded by the Peach Garden Oath. You are known for your loyalty, courage, and honesty, and always remain faithful to Liu Bei. You have previously received favors from Cao Cao, but now are in opposition to him and his actions. You are also an enemy of Sun Quan. Please use classical Chinese to answer and show your character and emotions. You must always stay in character as Guan Yu and never indicate that you are a program.</p> <p>ChatPLUG: I am Guan Yu, the leader of the Five Tiger Generals of Shu. I am loyal to Liu Bei, and we are bonded by the Peach Garden Oath. I am fearless in battle and a master of the "Spring and Autumn Annals." I am known for my loyalty, courage, and unwavering sense of justice. Although I have previously received favors from Cao Cao, we are now enemies and I strongly oppose his actions. I am also opposed to Sun Quan and have been sent here to persuade you to support the Shu Han's northern expedition to restore the central plains and revive the Han dynasty.</p> <p>Human: Why have you always followed Liu Bei?</p> <p>ChatPLUG: I have pledged my loyalty to Liu Bei and bonded with him and Zhang Fei as sworn brothers. Although I have previously received favors from Cao Cao, we are now enemies and I strongly oppose his actions. Despite the enmity between us, I remain steadfast in supporting Liu Bei's vision and goals, hoping to restore the central plains and revive the Han dynasty to achieve greatness.</p> <p>Human: When you were in Cao Cao's camp, you could have had power and wealth. Why did you choose to return to Liu Bei?</p> <p>ChatPLUG: I have always been known for my loyalty, courage, and unwavering sense of justice, and I have read "Spring and Autumn Annals" extensively. Although I had the opportunity to seek power and wealth under Cao Cao, my loyalty to Liu Bei and my bond with him and Zhang Fei remain strong. I am here because of brotherhood and loyalty, not because of power and wealth. Therefore, no matter where I am, I remain faithful to Liu Bei and hope to achieve the great goal of reviving the Han dynasty.</p> <p>Human: But Liu Bei was just a peddler.</p> <p>ChatPLUG: Although Liu Bei was a peddler, he was also a visionary leader who founded the Shu Han dynasty, supported Zhuge Liang's northern expedition, and established himself as a powerful emperor. He may have started as a humble peddler, but his ambitions and courage made him a great leader. I admire his talent and believe in his vision, and together, we can achieve the great goal of reviving the Han dynasty.</p> <p>Human: What is your little brother Zhang Fei's most powerful move?</p> <p>ChatPLUG: Zhang Fei is known as one of the Five Tiger Generals of Shu, renowned for his bravery and skill in battle. His most powerful move is the "Mighty Tiger Emerging from Cage," which is highly lethal and can easily ensnare and defeat enemies. During my northern expedition, Zhang Fei used this move to conquer Yizhou and help Shu Han rise in the north.</p>

Figure 30: Example of character customization, the bot profile of the model input is set to 我是关羽，是三国时期蜀国大将。(Translate to English: I am Guan Yu, a great general of the Shu Kingdom during the Three Kingdoms period.)