


john@Johns-MacBook-Pro storefront % bun run serve

vue-cli-service serve



● Vue Build Selldone® Business OS™ Storefront Project ●
 The #1 operating system for fast-growing companies.

Configuration	Value
ENVIRONMENT	development
DEV_HOST	localhost
DEV_PORT	8080
IS_HTTPS	true

INFO Starting development server...
 (node:12751) [DEP_WEBPACK_DEV_SERVER_HTTPS] DeprecationWarning: 'https' option is deprecated.
 Please use the 'server' option.
 (Use `node --trace-deprecation ...` to show where the warning was created)

ERROR Failed to compile with 6 errors
 9:24:30 PM

error in ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c

Module not found: Error: Can't resolve '../..../Components/assets/icons/hyper.svg' in
 '/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/cart'

```
error in ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c
```

```
Module not found: Error: Can't resolve
```

```
'../../../../../Components/assets/selldone-logo/selldone-text-draw.png' in  
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/cart'
```

```
error in ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c
```

```
Module not found: Error: Can't resolve
```

```
'../../../../../Components/assets/selldone-logo/logo-mini-dark.svg' in '/Users/john/Documents/VISUAL  
CODE PROJECTS/Github/storefront/pages/hyper/cart'
```

```
error in ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76
```

```
Module not found: Error: Can't resolve '../../../../../Components/assets/icons/hyper.svg' in  
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/order'
```

```
error in ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76
```

```
Module not found: Error: Can't resolve
```

```
'../../../../../Components/assets/selldone-logo/selldone-text-draw.png' in  
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/order'
```

```
error in ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76
```

```
Module not found: Error: Can't resolve
```

```
'../../../../../Components/assets/selldone-logo/logo-mini-dark.svg' in '/Users/john/Documents/VISUAL  
CODE PROJECTS/Github/storefront/pages/hyper/order'
```

```
ERROR in ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c  
(./node_modules/@vue/cli-plugin-babel/node_modules/babel-loader/lib/index.js??clonedRuleSet-40.us  
e[0]!../node_modules/vue-loader/dist/templateLoader.js??ruleSet[1].rules[4]!../node_modules/vue-load  
er/dist/index.js??ruleSet[0].use[0]!../pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=templat  
e&id=5fc16d7c) 2:0-74
```

```
Module not found: Error: Can't resolve '../../../../../Components/assets/icons/hyper.svg' in  
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/cart'
```

```
@ ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c 1:0-328  
1:0-328
```

```
@ ./pages/hyper/cart/StorefrontPageHyperCart.vue 1:0-84 6:68-74 16:83-18:3 17:29-35 16:2-18:4
```

```
@ ./router/StorefrontRouter.ts 123:9-103
```

```
@ ./storefront.ts 20:0-47 46:24-30 94:8-14
```

```
ERROR in ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c  
(./node_modules/@vue/cli-plugin-babel/node_modules/babel-loader/lib/index.js??clonedRuleSet-40.us  
e[0]!../node_modules/vue-loader/dist/templateLoader.js??ruleSet[1].rules[4]!../node_modules/vue-load  
er/dist/index.js??ruleSet[0].use[0]!../pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=templat  
e&id=5fc16d7c) 3:0-95
```

Module not found: Error: Can't resolve

'../../../../../../Components/assets/selldone-logo/selldone-text-draw.png' in
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/cart'
@ ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c 1:0-328
1:0-328
@ ./pages/hyper/cart/StorefrontPageHyperCart.vue 1:0-84 6:68-74 16:83-18:3 17:29-35 16:2-18:4
@ ./router/StorefrontRouter.ts 123:9-103
@ ./storefront.ts 20:0-47 46:24-30 94:8-14

ERROR in ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c
(./node_modules/@vue/cli-plugin-babel/node_modules/babel-loader/lib/index.js??clonedRuleSet-40.us
e[0]!../node_modules/vue-loader/dist/templateLoader.js??ruleSet[1].rules[4]!../node_modules/vue-load
er/dist/index.js??ruleSet[0].use[0]!../pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=templat
e&id=5fc16d7c) **4:0-91**

Module not found: Error: Can't resolve

'../../../../../../Components/assets/selldone-logo/logo-mini-dark.svg' in
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/cart'
@ ./pages/hyper/cart/StorefrontPageHyperCart.vue?vue&type=template&id=5fc16d7c 1:0-328
1:0-328
@ ./pages/hyper/cart/StorefrontPageHyperCart.vue 1:0-84 6:68-74 16:83-18:3 17:29-35 16:2-18:4
@ ./router/StorefrontRouter.ts 123:9-103
@ ./storefront.ts 20:0-47 46:24-30 94:8-14

ERROR in ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76
(./node_modules/@vue/cli-plugin-babel/node_modules/babel-loader/lib/index.js??clonedRuleSet-40.us
e[0]!../node_modules/vue-loader/dist/templateLoader.js??ruleSet[1].rules[4]!../node_modules/vue-load
er/dist/index.js??ruleSet[0].use[0]!../pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=tem
plate&id=03c65b76) **2:0-74**

Module not found: Error: Can't resolve ' ../../../../Components/assets/icons/hyper.svg' in

'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/order'
@ ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76 1:0-329
1:0-329
@ ./pages/hyper/order/StorefrontPageHyperOrder.vue 1:0-85 6:68-74 16:84-18:3 17:29-35 16:2-18:4
@ ./router/StorefrontRouter.ts 120:9-105
@ ./storefront.ts 20:0-47 46:24-30 94:8-14

ERROR in ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76
(./node_modules/@vue/cli-plugin-babel/node_modules/babel-loader/lib/index.js??clonedRuleSet-40.us
e[0]!../node_modules/vue-loader/dist/templateLoader.js??ruleSet[1].rules[4]!../node_modules/vue-load
er/dist/index.js??ruleSet[0].use[0]!../pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=tem
plate&id=03c65b76) **3:0-95**

Module not found: Error: Can't resolve

'../../../../../../Components/assets/selldone-logo/selldone-text-draw.png' in
'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/order'
@ ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76 1:0-329
1:0-329
@ ./pages/hyper/order/StorefrontPageHyperOrder.vue 1:0-85 6:68-74 16:84-18:3 17:29-35 16:2-18:4
@ ./router/StorefrontRouter.ts 120:9-105

@ ./storefront.ts 20:0-47 46:24-30 94:8-14

ERROR in ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76
(./node_modules/@vue/cli-plugin-babel/node_modules/babel-loader/lib/index.js??clonedRuleSet-40.us
e[0]!../node_modules/vue-loader/dist/templateLoader.js??ruleSet[1].rules[4]!../node_modules/vue-load
er/dist/index.js??ruleSet[0].use[0]!../pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=tem
plate&id=03c65b76) **4:0-91**

Module not found: Error: Can't resolve

'../../../../../Components/assets/selldone-logo/logo-mini-dark.svg' in

'/Users/john/Documents/VISUAL CODE PROJECTS/Github/storefront/pages/hyper/order'

@ ./pages/hyper/order/StorefrontPageHyperOrder.vue?vue&type=template&id=03c65b76 1:0-329
1:0-329

@ ./pages/hyper/order/StorefrontPageHyperOrder.vue 1:0-85 6:68-74 16:84-18:3 17:29-35 16:2-18:4

@ ./router/StorefrontRouter.ts 120:9-105

@ ./storefront.ts 20:0-47 46:24-30 94:8-14

webpack compiled with **6 errors**

ERROR in core/enums/bot/ShopBots.ts:23:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
21 |     placeholder: "",
22 |     available: true,
> 23 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
24 |         return `https://bots.selldone.com/${shop_id}/telegram-${secret}`;
25 |     },
26 | },
```

ERROR in core/enums/bot/ShopBots.ts:23:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
21 |     placeholder: "",
22 |     available: true,
> 23 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
24 |         return `https://bots.selldone.com/${shop_id}/telegram-${secret}`;
25 |     },
26 | },
```

ERROR in core/enums/bot/ShopBots.ts:33:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
31 |     token: "Token",
32 |     available: false,
> 33 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
34 |         return `https://bots.selldone.com/${shop_id}/slack-${secret}`;
35 |     },
36 | },
```

ERROR in core/enums/bot/ShopBots.ts:33:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
31 |     token: "Token",
32 |     available: false,
> 33 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
34 |         return `https://bots.selldone.com/${shop_id}/slack-${secret}`;
35 |     },
36 | },
```

ERROR in core/enums/bot/ShopBots.ts:42:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
40 |     name: "Amazon Alexa",
41 |     available: false,
> 42 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
43 |         return `https://bots.selldone.com/${shop_id}/amazon-${secret}`;
44 |     },
45 | },
```

ERROR in core/enums/bot/ShopBots.ts:42:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
40 |     name: "Amazon Alexa",
41 |     available: false,
> 42 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
43 |         return `https://bots.selldone.com/${shop_id}/amazon-${secret}`;
44 |     },
45 | },
```

ERROR in core/enums/bot/ShopBots.ts:54:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
52 |     token2: "Secret",
53 |     available: false,
> 54 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
55 |         return `https://bots.selldone.com/${shop_id}/cisco-${secret}`;
56 |     },
57 | },
```

ERROR in core/enums/bot/ShopBots.ts:54:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
52 |     token2: "Secret",
53 |     available: false,
> 54 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
55 |         return `https://bots.selldone.com/${shop_id}/cisco-${secret}`;
56 |     },
57 | },
```

ERROR in core/enums/bot/ShopBots.ts:67:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
65 |     token3: "Verification",
66 |     available: false,
> 67 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
68 |         return `https://bots.selldone.com/${shop_id}/facebook-${secret}`;
69 |     },
70 | },
```

ERROR in core/enums/bot/ShopBots.ts:67:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
65 |     token3: "Verification",
66 |     available: false,
> 67 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
68 |         return `https://bots.selldone.com/${shop_id}/facebook-${secret}`;
69 |     },
70 | },
```

ERROR in core/enums/bot/ShopBots.ts:78:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
76 |     token: "Token",
77 |     available: false,
> 78 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
79 |         return `https://bots.selldone.com/${shop_id}/hangouts-${secret}`;
80 |     },
81 | },
```

ERROR in core/enums/bot/ShopBots.ts:78:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
76 |     token: "Token",
77 |     available: false,
> 78 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
79 |         return `https://bots.selldone.com/${shop_id}/hangouts-${secret}`;
80 |     },
81 | },
```

ERROR in core/enums/bot/ShopBots.ts:87:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
85 |     name: "HipChat",
86 |     available: false,
> 87 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
88 |         return `https://bots.selldone.com/${shop_id}/hipchat-${secret}`;
```

```
89 |     },
90 |   },
```

ERROR in core/enums/bot/ShopBots.ts:87:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
85 |     name: "HipChat",
86 |     available: false,
> 87 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
88 |         return `https://bots.selldone.com/${shop_id}/hipchat-${secret}`;
89 |     },
90 | },
```

ERROR in core/enums/bot/ShopBots.ts:98:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
96 |     token2: "API Key",
97 |     available: false,
> 98 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
99 |         return `https://bots.selldone.com/${shop_id}/microsoft-${secret}`;
100 |     },
101 | },
```

ERROR in core/enums/bot/ShopBots.ts:98:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
96 |     token2: "API Key",
97 |     available: false,
> 98 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
99 |         return `https://bots.selldone.com/${shop_id}/microsoft-${secret}`;
100 |     },
101 | },
```

ERROR in core/enums/bot/ShopBots.ts:118:21

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
116 |     token: "Token",
117 |     available: false,
> 118 |     getWebhookURL: (shop_id, secret) => {
    |                                     ^^^^^^^
119 |         return `https://bots.selldone.com/${shop_id}/twilio-${secret}`;
120 |     },
121 | },
```

ERROR in core/enums/bot/ShopBots.ts:118:30

TS7006: Parameter 'secret' implicitly has an 'any' type.

```
116 |     token: "Token",
117 |     available: false,
> 118 |     getWebhookURL: (shop_id, secret) => {
```


ERROR in core/enums/gtag/TrackConfig.ts:22:5

TS2304: Cannot find name 'gtag'.

```
20 |     static SetLanguage(language: string) {
21 |         if (typeof gtag !== "function") return;
> 22 |         gtag("set", {
      |             ^^^^^
23 |             language: language,
24 |         });
25 |     }
```

ERROR in core/enums/gtag/TrackConfig.ts:27:16

TS2304: Cannot find name 'gtag'.

```
25 |     }
26 |     static SetCurrency(currency: keyof typeof Currency) {
> 27 |         if (typeof gtag !== "function") return;
      |             ^^^^^
28 |         gtag("set", {
29 |             currency: currency,
30 |         });
```

ERROR in core/enums/gtag/TrackConfig.ts:28:5

TS2304: Cannot find name 'gtag'.

```
26 |     static SetCurrency(currency: keyof typeof Currency) {
27 |         if (typeof gtag !== "function") return;
> 28 |         gtag("set", {
      |             ^^^^^
29 |             currency: currency,
30 |         });
31 |     }
```

ERROR in core/enums/gtag/TrackEvents.ts:23:16

TS2304: Cannot find name 'gtag'.

```
21 |
22 |     static OnSelectCategoryStep1(category:string) {
> 23 |         if (typeof gtag !== "function") return;
      |             ^^^^^
24 |         gtag("event", this.EVENT_ONBOARDING + ": Step 1", {
25 |             category: category,
26 |         });
```

ERROR in core/enums/gtag/TrackEvents.ts:24:5

TS2304: Cannot find name 'gtag'.

```
22 |     static OnSelectCategoryStep1(category:string) {
23 |         if (typeof gtag !== "function") return;
> 24 |         gtag("event", this.EVENT_ONBOARDING + ": Step 1", {
      |             ^^^^^
25 |             category: category,
26 |         });
```

```
27 | //this.LOG({category});
```

ERROR in core/enums/gtag/TrackEvents.ts:30:16

TS2304: Cannot find name 'gtag'.

```
28 | }
29 | static OnConfirmStep2(category:string, currency:keyof typeof Currency, income:number) {
> 30 |   if (typeof gtag !== "function") return;
    |           ^^^^^
31 |   gtag("event", this.EVENT_ONBOARDING + ": Step 2", {
32 |     category: category,
33 |     currency: currency,
```

ERROR in core/enums/gtag/TrackEvents.ts:31:5

TS2304: Cannot find name 'gtag'.

```
29 | static OnConfirmStep2(category:string, currency:keyof typeof Currency, income:number) {
30 |   if (typeof gtag !== "function") return;
> 31 |   gtag("event", this.EVENT_ONBOARDING + ": Step 2", {
    |           ^^^^^
32 |     category: category,
33 |     currency: currency,
34 |     income: income,
```

ERROR in core/enums/gtag/TrackEvents.ts:39:16

TS2304: Cannot find name 'gtag'.

```
37 | }
38 | static OnCreateStep3(category:string, currency:keyof typeof Currency, income:number,
country:string/* alpha-2 country code */) {
> 39 |   if (typeof gtag !== "function") return;
    |           ^^^^^
40 |   gtag("event", this.EVENT_ONBOARDING + ": Step 3", {
41 |     category: category,
42 |     currency: currency,
```

ERROR in core/enums/gtag/TrackEvents.ts:40:5

TS2304: Cannot find name 'gtag'.

```
38 | static OnCreateStep3(category:string, currency:keyof typeof Currency, income:number,
country:string/* alpha-2 country code */) {
39 |   if (typeof gtag !== "function") return;
> 40 |   gtag("event", this.EVENT_ONBOARDING + ": Step 3", {
    |           ^^^^^
41 |     category: category,
42 |     currency: currency,
43 |     income: income,
```

ERROR in core/enums/gtag/TrackEvents.ts:55:16

TS2304: Cannot find name 'gtag'.

```
53 | */
54 | static OnLoginUser() {
```

```
> 55 |     if (typeof gtag !== "function") return;
      |           ^^^^^
      |
      | 56 |     gtag("event", "login", {
      | 57 |         method: null,
      | 58 |     });
```

ERROR in core/enums/gtag/TrackEvents.ts:56:5

TS2304: Cannot find name 'gtag'.

```
54 |     static OnLoginUser() {
      |
      | 55 |         if (typeof gtag !== "function") return;
      |
      | > 56 |         gtag("event", "login", {
      |           ^^^^^
      |
      | 57 |             method: null,
      | 58 |         });
      | 59 |         console.log("⚡ Login");
```

ERROR in core/enums/gtag/TrackEvents.ts:63:16

TS2304: Cannot find name 'gtag'.

```
61 |
      |
      | 62 |     static OnRegisterUser() {
      |
      | > 63 |         if (typeof gtag !== "function") return;
      |           ^^^^^
      |
      | 64 |         gtag("event", "sign_up", {
      | 65 |             method: null,
      | 66 |         });
```

ERROR in core/enums/gtag/TrackEvents.ts:64:5

TS2304: Cannot find name 'gtag'.

```
62 |     static OnRegisterUser() {
      |
      | 63 |         if (typeof gtag !== "function") return;
      |
      | > 64 |         gtag("event", "sign_up", {
      |           ^^^^^
      |
      | 65 |             method: null,
      | 66 |         });
      | 67 |         console.log("⚡ Sign up");
```

ERROR in core/enums/gtag/TrackEvents.ts:76:41

TS7006: Parameter 'agency' implicitly has an 'any' type.

```
74 |     */
      |
      | 75 |
      |
      | > 76 |     static OnPurchasePartnerAffiliateDeal(agency, plan, purchase) {
      |                                           ^^^^^^^
      |
      | 77 |         if (typeof gtag !== "function") return;
      | 78 |         gtag("event", "purchase", {
      | 79 |             transaction_id: purchase.uuid,
```

ERROR in core/enums/gtag/TrackEvents.ts:76:49

TS7006: Parameter 'plan' implicitly has an 'any' type.

```

74 |     */
75 |
> 76 |     static OnPurchasePartnerAffiliateDeal(agency, plan, purchase) {
    |
77 |         if (typeof gtag !== "function") return;
78 |         gtag("event", "purchase", {
79 |             transaction_id: purchase.uuid,

```

ERROR in core/enums/gtag/TrackEvents.ts:76:55

TS7006: Parameter 'purchase' implicitly has an 'any' type.

```

74 |     */
75 |
> 76 |     static OnPurchasePartnerAffiliateDeal(agency, plan, purchase) {
    |
77 |         if (typeof gtag !== "function") return;
78 |         gtag("event", "purchase", {
79 |             transaction_id: purchase.uuid,

```

ERROR in core/enums/gtag/TrackEvents.ts:77:16

TS2304: Cannot find name 'gtag'.

```

75 |
76 |     static OnPurchasePartnerAffiliateDeal(agency, plan, purchase) {
> 77 |         if (typeof gtag !== "function") return;
    |
78 |         gtag("event", "purchase", {
79 |             transaction_id: purchase.uuid,
80 |             affiliation: agency.name,

```

ERROR in core/enums/gtag/TrackEvents.ts:78:5

TS2304: Cannot find name 'gtag'.

```

76 |     static OnPurchasePartnerAffiliateDeal(agency, plan, purchase) {
77 |         if (typeof gtag !== "function") return;
> 78 |         gtag("event", "purchase", {
    |
79 |             transaction_id: purchase.uuid,
80 |             affiliation: agency.name,
81 |             value: purchase.amount,

```

ERROR in core/enums/gtag/TrackEvents.ts:115:46

TS7006: Parameter 'agency' implicitly has an 'any' type.

```

113 |     }
114 |
> 115 |     static OnStartCheckoutPartnerAffiliateDeal(agency, affiliate, plan) {
    |
116 |         if (typeof gtag !== "function") return;
117 |         gtag("event", "begin_checkout", {
118 |             currency: plan.currency,

```

ERROR in core/enums/gtag/TrackEvents.ts:115:54

TS7006: Parameter 'affiliate' implicitly has an 'any' type.

```
113 |   }
114 |
> 115 |   static OnStartCheckoutPartnerAffiliateDeal(agency, affiliate, plan) {
      |
116 |     if (typeof gtag !== "function") return;
117 |     gtag("event", "begin_checkout", {
118 |       currency: plan.currency,
```

ERROR in core/enums/gtag/TrackEvents.ts:115:65

TS7006: Parameter 'plan' implicitly has an 'any' type.

```
113 |   }
114 |
> 115 |   static OnStartCheckoutPartnerAffiliateDeal(agency, affiliate, plan) {
      |
116 |     if (typeof gtag !== "function") return;
117 |     gtag("event", "begin_checkout", {
118 |       currency: plan.currency,
```

ERROR in core/enums/gtag/TrackEvents.ts:116:16

TS2304: Cannot find name 'gtag'.

```
114 |
115 |   static OnStartCheckoutPartnerAffiliateDeal(agency, affiliate, plan) {
> 116 |     if (typeof gtag !== "function") return;
      |                ^^^^^
117 |     gtag("event", "begin_checkout", {
118 |       currency: plan.currency,
119 |       value: plan.price,
```

ERROR in core/enums/gtag/TrackEvents.ts:117:5

TS2304: Cannot find name 'gtag'.

```
115 |   static OnStartCheckoutPartnerAffiliateDeal(agency, affiliate, plan) {
116 |     if (typeof gtag !== "function") return;
> 117 |     gtag("event", "begin_checkout", {
      |     ^^^^^
118 |       currency: plan.currency,
119 |       value: plan.price,
120 |       items: [
```

ERROR in core/enums/gtag/TrackEvents.ts:143:39

TS7006: Parameter 'agency' implicitly has an 'any' type.

```
141 |   }
142 |
> 143 |   static OnRefundPartnerAffiliateDeal(agency, plan, purchase) {
      |
144 |     if (typeof gtag !== "function") return;
145 |     gtag("event", "refund", {
```

```
146 |         transaction_id: purchase.uuid,
```

ERROR in core/enums/gtag/TrackEvents.ts:143:47

TS7006: Parameter 'plan' implicitly has an 'any' type.

```
141 |     }
142 |
> 143 |     static OnRefundPartnerAffiliateDeal(agency, plan, purchase) {
      |
144 |         if (typeof gtag !== "function") return;
145 |         gtag("event", "refund", {
146 |             transaction_id: purchase.uuid,
```

^^^^

ERROR in core/enums/gtag/TrackEvents.ts:143:53

TS7006: Parameter 'purchase' implicitly has an 'any' type.

```
141 |     }
142 |
> 143 |     static OnRefundPartnerAffiliateDeal(agency, plan, purchase) {
      |
144 |         if (typeof gtag !== "function") return;
145 |         gtag("event", "refund", {
146 |             transaction_id: purchase.uuid,
```

^^^^^^^^

ERROR in core/enums/gtag/TrackEvents.ts:144:16

TS2304: Cannot find name 'gtag'.

```
142 |
143 |     static OnRefundPartnerAffiliateDeal(agency, plan, purchase) {
> 144 |         if (typeof gtag !== "function") return;
      |
145 |         gtag("event", "refund", {
146 |             transaction_id: purchase.uuid,
147 |             affiliation: agency.name,
```

^^^^

ERROR in core/enums/gtag/TrackEvents.ts:145:5

TS2304: Cannot find name 'gtag'.

```
143 |     static OnRefundPartnerAffiliateDeal(agency, plan, purchase) {
144 |         if (typeof gtag !== "function") return;
> 145 |         gtag("event", "refund", {
      |
146 |             transaction_id: purchase.uuid,
147 |             affiliation: agency.name,
148 |             value: purchase.amount,
```

^^^^

ERROR in core/enums/gtag/TrackEvents.ts:182:41

TS7006: Parameter 'agency' implicitly has an 'any' type.

```
180 |     }
181 |
> 182 |     static OnViewPartnerAffiliateDealPage(agency, affiliate, plans) {
      |
      |
      |
```

^^^^^^

```
183 |     if (typeof gtag !== "function") return;
184 |     gtag("event", "view_item_list", {
185 |         item_list_id: `Agency ${agency.id} | Affiliate ${affiliate.id}`,
```

ERROR in core/enums/gtag/TrackEvents.ts:182:49

TS7006: Parameter 'affiliate' implicitly has an 'any' type.

```
180 |     }
181 |
> 182 |     static OnViewPartnerAffiliateDealPage(agency, affiliate, plans) {
      |                                                                 ^^^^^^^^^^^
183 |         if (typeof gtag !== "function") return;
184 |         gtag("event", "view_item_list", {
185 |             item_list_id: `Agency ${agency.id} | Affiliate ${affiliate.id}`,
```

ERROR in core/enums/gtag/TrackEvents.ts:182:60

TS7006: Parameter 'plans' implicitly has an 'any' type.

```
180 |     }
181 |
> 182 |     static OnViewPartnerAffiliateDealPage(agency, affiliate, plans) {
      |                                                                 ^^^^^^
183 |         if (typeof gtag !== "function") return;
184 |         gtag("event", "view_item_list", {
185 |             item_list_id: `Agency ${agency.id} | Affiliate ${affiliate.id}`,
```

ERROR in core/enums/gtag/TrackEvents.ts:183:16

TS2304: Cannot find name 'gtag'.

```
181 |
182 |     static OnViewPartnerAffiliateDealPage(agency, affiliate, plans) {
> 183 |         if (typeof gtag !== "function") return;
      |                   ^^^^^
184 |         gtag("event", "view_item_list", {
185 |             item_list_id: `Agency ${agency.id} | Affiliate ${affiliate.id}`,
186 |             item_list_name: agency.name,
```

ERROR in core/enums/gtag/TrackEvents.ts:184:5

TS2304: Cannot find name 'gtag'.

```
182 |     static OnViewPartnerAffiliateDealPage(agency, affiliate, plans) {
183 |         if (typeof gtag !== "function") return;
> 184 |         gtag("event", "view_item_list", {
      |         ^^^^^
185 |             item_list_id: `Agency ${agency.id} | Affiliate ${affiliate.id}`,
186 |             item_list_name: agency.name,
187 |             items: plans.map((plan) => {
```

ERROR in core/enums/gtag/TrackEvents.ts:187:25

TS7006: Parameter 'plan' implicitly has an 'any' type.

```
185 |             item_list_id: `Agency ${agency.id} | Affiliate ${affiliate.id}`,
186 |             item_list_name: agency.name,
```

```

> 187 |         items: plans.map((plan) => {
      |                                     ^^^^^
      |
188 |         return {
189 |             item_id: plan.id,
190 |             item_name: plan.name,

```

ERROR in core/enums/gtag/TrackProduct.ts:23:24

TS7006: Parameter 'product' implicitly has an 'any' type.

```

21 |     static EVENT_ACTION_VIEW_PRODUCT = "SD View Product";
22 |
> 23 |     static onViewProduct(product) {
      |                                     ^^^^^^^^^
24 |         if (typeof gtag !== "function") {
25 |             return;
26 |         }

```

ERROR in core/enums/gtag/TrackProduct.ts:24:16

TS2304: Cannot find name 'gtag'.

```

22 |
23 |     static onViewProduct(product) {
> 24 |         if (typeof gtag !== "function") {
      |                                     ^^^^^
25 |             return;
26 |         }
27 |

```

ERROR in core/enums/gtag/TrackProduct.ts:28:5

TS2304: Cannot find name 'gtag'.

```

26 |     }
27 |
> 28 |     gtag("event", this.EVENT_ACTION_VIEW_PRODUCT, {
      |     ^^^^^
29 |         event_category: this.EVENT_CATEGORY_PRODUCT, // 📁 Category
30 |         shop_id: product?.shop_id, // 🏪 Store
31 |         type: product?.type,

```

ERROR in core/enums/gtag/TrackSeller.ts:25:20

TS7006: Parameter 'shop' implicitly has an 'any' type.

```

23 |     static EVENT_ACTION_ADD_SHOP_GATEWAY = "SD Add Shop Gateway";
24 |
> 25 |     static onAddShop(shop) {
      |                                     ^^^^^
26 |         if (typeof gtag !== "function") {
27 |             return;
28 |         }

```

ERROR in core/enums/gtag/TrackSeller.ts:26:16

TS2304: Cannot find name 'gtag'.


```




24 |
25 |   static onAddShop(shop) {
> 26 |     if (typeof gtag !== "function") {
    |                               ^^^^^
27 |         return;
28 |     }
29 |

```

ERROR in core/enums/gtag/TrackSeller.ts:30:5

TS2304: Cannot find name 'gtag'.

```

28 |     }
29 |
> 30 |     gtag("event", this.EVENT_ACTION_ADD_SHOP, {
    |         ^^^^^
31 |         event_category: this.EVENT_CATEGORY_SELLER, //  Category
32 |         event_label: "Create Shop", //  Label
33 |         value: 1, //  Value (should be a number)

```

ERROR in core/enums/gtag/TrackSeller.ts:40:23

TS7006: Parameter 'product' implicitly has an 'any' type.

```

38 |     }
39 |
> 40 |   static onAddProduct(product) {
    |                               ^^^^^^^^^
41 |     if (typeof gtag !== "function") {
42 |         return;
43 |     }

```

ERROR in core/enums/gtag/TrackSeller.ts:41:16

TS2304: Cannot find name 'gtag'.

```




39 |
40 |   static onAddProduct(product) {
> 41 |     if (typeof gtag !== "function") {
    |                               ^^^^^
42 |         return;
43 |     }
44 |

```

ERROR in core/enums/gtag/TrackSeller.ts:45:5

TS2304: Cannot find name 'gtag'.

```

43 |     }
44 |
> 45 |     gtag("event", this.EVENT_ACTION_ADD_PRODUCT, {
    |         ^^^^^
46 |         event_category: this.EVENT_CATEGORY_SELLER, //  Category
47 |         event_label: "Add Product", //  Label
48 |         value: 1, //  Value (should be a number)

```

ERROR in core/enums/gtag/TrackSeller.ts:56:23

TS7006: Parameter 'gateway' implicitly has an 'any' type.

```
54 |  
55 | // Event for adding shop payment  
> 56 | static onAddGateway(gateway, shop_gateway) {  
    |                                     ^^^^^^^  
57 |     if (typeof gtag !== "function") {  
58 |         return;  
59 |     }
```

ERROR in core/enums/gtag/TrackSeller.ts:56:32

TS7006: Parameter 'shop_gateway' implicitly has an 'any' type.

```
54 |  
55 | // Event for adding shop payment  
> 56 | static onAddGateway(gateway, shop_gateway) {  
    |                                     ^^^^^^^^^^^^^^^  
57 |     if (typeof gtag !== "function") {  
58 |         return;  
59 |     }
```




ERROR in core/enums/gtag/TrackSeller.ts:57:16

TS2304: Cannot find name 'gtag'.

```
55 | // Event for adding shop payment  
56 | static onAddGateway(gateway, shop_gateway) {  
> 57 |     if (typeof gtag !== "function") {  
    |                                     ^^^^  
58 |         return;  
59 |     }  
60 |
```

ERROR in core/enums/gtag/TrackSeller.ts:61:5

TS2304: Cannot find name 'gtag'.

```
59 |     }  
60 |  
> 61 |     gtag("event", this.EVENT_ACTION_ADD_SHOP_GATEWAY, {  
    |     ^^^^  
62 |         event_category: this.EVENT_CATEGORY_SELLER, //  Category  
63 |         event_label: "Add Shop Gateway", //  Label  
64 |         value: 1, //  Value (should be a number)
```

ERROR in core/enums/gtag/TrackUser.ts:24:16

TS2304: Cannot find name 'gtag'.

```
22 |  
23 | static onClick(label: string) {  
> 24 |     if (typeof gtag !== "function") {  
    |                                     ^^^^
```

```
25 |     return;
26 |   }
27 |
```

ERROR in core/enums/gtag/TrackUser.ts:28:5

TS2304: Cannot find name 'gtag'.

```
26 |   }
27 |
> 28 |   gtag("event", this.EVENT_ACTION_CLICK, {
    |     ^^^^^
29 |     event_category: this.EVENT_CATEGORY_USER, // 📁 Category
30 |     event_label: label, // 🏷️ Label
31 |   });
```

ERROR in core/enums/logistic/LeadStatus.ts:20:15

TS7006: Parameter 'that' implicitly has an 'any' type.

```
18 |     min: 0,
19 |     max: 3,
> 20 |     title: (that, lead) => {
    |           ^^^^^
21 |         return that.$t("global.lead_status.physical_fast_delivery");
22 |     },
23 |     icon: require("./assets/delivery/physical-fast-delivery.svg")
```

ERROR in core/enums/logistic/LeadStatus.ts:20:21

TS7006: Parameter 'lead' implicitly has an 'any' type.

```
18 |     min: 0,
19 |     max: 3,
> 20 |     title: (that, lead) => {
    |           ^^^^^
21 |         return that.$t("global.lead_status.physical_fast_delivery");
22 |     },
23 |     icon: require("./assets/delivery/physical-fast-delivery.svg")
```

ERROR in core/enums/logistic/LeadStatus.ts:28:15

TS7006: Parameter 'that' implicitly has an 'any' type.

```
26 |     min: 3,
27 |     max: 24,
> 28 |     title: (that, lead) => {
    |           ^^^^^
29 |         return that.$t("global.lead_status.physical_under_24h_delivery", {
30 |             lead: Math.round(lead)
31 |         });
```

ERROR in core/enums/logistic/LeadStatus.ts:28:21

TS7006: Parameter 'lead' implicitly has an 'any' type.

```
26 |     min: 3,
27 |     max: 24,
```

```
> 28 |         title: (that, lead) => {
      |                               ^^^^
      |         return that.$t("global.lead_status.physical_under_24h_delivery", {
      |           lead: Math.round(lead)
      |         });
      |
```

ERROR in core/enums/logistic/LeadStatus.ts:38:15

TS7006: Parameter 'that' implicitly has an 'any' type.

```
      |         min: 24,
      |         max: 99999999,
> 38 |         title: (that, lead) => {
      |                               ^^^^
      |         return that.$t("global.lead_status.physical_over_24h_delivery", {
      |           days: Math.round(lead / 24)
      |         });
      |
```

ERROR in core/enums/logistic/LeadStatus.ts:38:21

TS7006: Parameter 'lead' implicitly has an 'any' type.

```
      |         min: 24,
      |         max: 99999999,
> 38 |         title: (that, lead) => {
      |                               ^^^^
      |         return that.$t("global.lead_status.physical_over_24h_delivery", {
      |           days: Math.round(lead / 24)
      |         });
      |
```

ERROR in core/enums/logistic/LeadStatus.ts:50:15

TS7006: Parameter 'that' implicitly has an 'any' type.

```
      |         min: 0,
      |         max: 3,
> 50 |         title: (that, lead) => {
      |                               ^^^^
      |         return that.$t("global.lead_status.virtual_fast_prepare");
      |       },
      |       icon: require("./assets/delivery/virtual-prepare-fast.svg")
      |
```

ERROR in core/enums/logistic/LeadStatus.ts:50:21

TS7006: Parameter 'lead' implicitly has an 'any' type.

```
      |         min: 0,
      |         max: 3,
> 50 |         title: (that, lead) => {
      |                               ^^^^
      |         return that.$t("global.lead_status.virtual_fast_prepare");
      |       },
      |       icon: require("./assets/delivery/virtual-prepare-fast.svg")
      |
```

ERROR in core/enums/logistic/LeadStatus.ts:58:15

TS7006: Parameter 'that' implicitly has an 'any' type.

```

56 |         min: 3,
57 |         max: 24,
> 58 |         title: (that, lead) => {
    |                               ^^^^^
59 |             return that.$t("global.lead_status.virtual_under_24h", {
60 |                 lead: Math.round(lead)
61 |             });

```

ERROR in core/enums/logistic/LeadStatus.ts:58:21

TS7006: Parameter 'lead' implicitly has an 'any' type.

```

56 |         min: 3,
57 |         max: 24,
> 58 |         title: (that, lead) => {
    |                               ^^^^^
59 |             return that.$t("global.lead_status.virtual_under_24h", {
60 |                 lead: Math.round(lead)
61 |             });

```

ERROR in core/enums/logistic/LeadStatus.ts:68:15

TS7006: Parameter 'that' implicitly has an 'any' type.

```

66 |         min: 24,
67 |         max: 99999999,
> 68 |         title: (that, lead) => {
    |                               ^^^^^
69 |             return that.$t("global.lead_status.virtual_over_24h", {
70 |                 days: Math.round(lead / 24)
71 |             });

```

ERROR in core/enums/logistic/LeadStatus.ts:68:21

TS7006: Parameter 'lead' implicitly has an 'any' type.

```

66 |         min: 24,
67 |         max: 99999999,
> 68 |         title: (that, lead) => {
    |                               ^^^^^
69 |             return that.$t("global.lead_status.virtual_over_24h", {
70 |                 days: Math.round(lead / 24)
71 |             });

```

ERROR in core/enums/product/ProductSection.ts:102:36

TS7006: Parameter 'code' implicitly has an 'any' type.

```

100 |     };
101 |     export default ProductSection;
> 102 |     export function ProductSectionFind(code) {
    |                                         ^^^^^
103 |         return Object.values(ProductSection).find((x) => x.code === code);
104 |     }
105 |

```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:18:29

TS7006: Parameter 'vue' implicitly has an 'any' type.

```
16 |  
17 | export class FileFormatConverterOnline {  
> 18 |   static VendorConvertToCsv(vue, vendor_id, file, success) {  
    |                               ^^^  
19 |     const url = window.VAPI.POST_MY_VENDOR_CONVERTER_EXCEL_CSV(vendor_id);  
20 |  
21 |     UploadHelper.UploadFile({
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:18:34

TS7006: Parameter 'vendor_id' implicitly has an 'any' type.

```
16 |  
17 | export class FileFormatConverterOnline {  
> 18 |   static VendorConvertToCsv(vue, vendor_id, file, success) {  
    |                               ^^^^^^^^^  
19 |     const url = window.VAPI.POST_MY_VENDOR_CONVERTER_EXCEL_CSV(vendor_id);  
20 |  
21 |     UploadHelper.UploadFile({
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:18:45

TS7006: Parameter 'file' implicitly has an 'any' type.

```
16 |  
17 | export class FileFormatConverterOnline {  
> 18 |   static VendorConvertToCsv(vue, vendor_id, file, success) {  
    |                               ^^^^^  
19 |     const url = window.VAPI.POST_MY_VENDOR_CONVERTER_EXCEL_CSV(vendor_id);  
20 |  
21 |     UploadHelper.UploadFile({
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:18:51

TS7006: Parameter 'success' implicitly has an 'any' type.

```
16 |  
17 | export class FileFormatConverterOnline {  
> 18 |   static VendorConvertToCsv(vue, vendor_id, file, success) {  
    |                                               ^^^^^^^^^  
19 |     const url = window.VAPI.POST_MY_VENDOR_CONVERTER_EXCEL_CSV(vendor_id);  
20 |  
21 |     UploadHelper.UploadFile({
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:23:7

TS2345: Argument of type 'null' is not assignable to parameter of type 'Element'.

```
21 |     UploadHelper.UploadFile({  
22 |       vue,  
> 23 |       null,  
    |       ^^^  
24 |       url,  
25 |       file.name,
```

26 | file,

ERROR in core/helper/converters/FileFormatConverterOnline.ts:41:23

TS7006: Parameter 'vue' implicitly has an 'any' type.

```
39 |   }  
40 |  
> 41 |   static ConvertToCsv(vue, shop_id, file, success) {  
    |                               ^^^  
42 |     const url = window.API.POST_CONVERTER_EXCEL_CSV(shop_id);  
43 |  
44 |     UploadHelper.UploadFile(  
    |
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:41:28

TS7006: Parameter 'shop_id' implicitly has an 'any' type.

```
39 |   }  
40 |  
> 41 |   static ConvertToCsv(vue, shop_id, file, success) {  
    |                               ^^^^^^^^  
42 |     const url = window.API.POST_CONVERTER_EXCEL_CSV(shop_id);  
43 |  
44 |     UploadHelper.UploadFile(  
    |
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:41:37

TS7006: Parameter 'file' implicitly has an 'any' type.

```
39 |   }  
40 |  
> 41 |   static ConvertToCsv(vue, shop_id, file, success) {  
    |                               ^^^^^  
42 |     const url = window.API.POST_CONVERTER_EXCEL_CSV(shop_id);  
43 |  
44 |     UploadHelper.UploadFile(  
    |
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:41:43

TS7006: Parameter 'success' implicitly has an 'any' type.

```
39 |   }  
40 |  
> 41 |   static ConvertToCsv(vue, shop_id, file, success) {  
    |                               ^^^^^^^^  
42 |     const url = window.API.POST_CONVERTER_EXCEL_CSV(shop_id);  
43 |  
44 |     UploadHelper.UploadFile(  
    |
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:42:24

TS2551: Property 'API' does not exist on type 'Window & typeof globalThis'. Did you mean 'XAPI'?

```
40 |  
41 |   static ConvertToCsv(vue, shop_id, file, success) {  
> 42 |     const url = window.API.POST_CONVERTER_EXCEL_CSV(shop_id);  
    |                               ^^^  
    |
```

```
43 |  
44 |     UploadHelper.UploadFile(  
45 |         vue,
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:46:7

TS2345: Argument of type 'null' is not assignable to parameter of type 'Element'.

```
44 |     UploadHelper.UploadFile(  
45 |         vue,  
> 46 |         null,  
    |         ^^^^^  
47 |         url,  
48 |         file.name,  
49 |         file,
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:64:28

TS7006: Parameter 'vue' implicitly has an 'any' type.

```
62 |     }  
63 |  
> 64 |     static ConvertWordToHtml(vue, url, file, success) {  
    |                               ^^^  
65 |         UploadHelper.UploadFile(  
66 |             vue,  
67 |             null,
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:64:33

TS7006: Parameter 'url' implicitly has an 'any' type.

```
62 |     }  
63 |  
> 64 |     static ConvertWordToHtml(vue, url, file, success) {  
    |                               ^^^  
65 |         UploadHelper.UploadFile(  
66 |             vue,  
67 |             null,
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:64:38

TS7006: Parameter 'file' implicitly has an 'any' type.

```
62 |     }  
63 |  
> 64 |     static ConvertWordToHtml(vue, url, file, success) {  
    |                               ^^^^^  
65 |         UploadHelper.UploadFile(  
66 |             vue,  
67 |             null,
```

ERROR in core/helper/converters/FileFormatConverterOnline.ts:64:44

TS7006: Parameter 'success' implicitly has an 'any' type.

```
62 |     }  
63 |
```


ERROR in core/helper/csv/InventoryCsvFormat.ts:222:7

TS2322: Type 'string' is not assignable to type 'null'.

```
220 |     });
221 |     if (_not_available_headers.length > 0) {
> 222 |         this.LastError = `${_not_available_headers.join(", ")} headers not found`;
      |         ^^^^^^^^^^^^^^^^^^^^^
223 |     }
224 |
225 |     return _not_available_headers.length === 0;
```

ERROR in core/helper/csv/product/ProductsCsvFormat.ts:567:25

TS7006: Parameter 'headers' implicitly has an 'any' type.

```
565 |     static LastError = null;
566 |
> 567 |     static CheckValidFile(headers) {
      |                                     ^^^^^^^^^
568 |         this.LastError = null;
569 |         if (!headers) return false;
570 |     }
```

ERROR in core/helper/csv/product/ProductsCsvFormat.ts:575:7

TS2322: Type 'string' is not assignable to type 'null'.

```
573 |     });
574 |     if (_not_available_headers.length > 0) {
> 575 |         this.LastError = `${_not_available_headers.join(", ")} headers not found`;
      |         ^^^^^^^^^^^^^^^^^^^^^
576 |     }
577 |
578 |     return _not_available_headers.length === 0;
```

ERROR in core/helper/currency/CurrencyHelper.ts:23:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupServic...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupServic...}' provides no match for the signature 'new (...args: any): any'.

```
21 | export class CurrencyHelper {
22 |     static SetUserSelectedCurrency(
> 23 |         that: InstanceType<typeof CoreMixin>,
      |                                     ^^^^^^^^^^^^^^^^^^^^^
24 |         currency: keyof typeof Currency,
25 |     ){
26 |         localStorage.setItem(
```

ERROR in core/helper/currency/CurrencyHelper.ts:38:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupServic...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
36 |
37 |     static GetUserSelectedCurrency(
> 38 |         that: InstanceType<typeof CoreMixin>,
    |                                     ^^^^^^^^^^^^^^^^^^^^^
39 |     ): ICurrency {
40 |         const user_currency = localStorage.getItem(
41 |             // @ts-ignore
```

ERROR in core/helper/currency/CurrencyHelper.ts:56:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupServic...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
54 |
55 |     static GetUserSelectedCurrencyFactor(
> 56 |         that: InstanceType<typeof CoreMixin>,
    |                                     ^^^^^^^^^^^^^^^^^^^^^
57 |         opt_currency: keyof typeof Currency | null = null,
58 |     ): number {
59 |         if (opt_currency)
```

ERROR in core/helper/currency/CurrencyHelper.ts:70:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupServic...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
68 |
69 |     static GetUserSelectedCurrencyName(
> 70 |         that: InstanceType<typeof CoreMixin>,
    |                                     ^^^^^^^^^^^^^^^^^^^^^
71 |         opt_currency: keyof typeof Currency | null = null,
72 |         unicode = false,
73 |     ): string {
```

ERROR in core/helper/currency/CurrencyHelper.ts:99:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupServic...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
97 |
98 |     static GetUserSelectedCurrencyFloats(
> 99 |         that: InstanceType<typeof CoreMixin>,
    |                                     ^^^^^^^^^^^^^^^^^^^^^
100 |         opt_currency: keyof typeof Currency | null = null,
```

```
101 |     ){
102 |         if (opt_currency) return Currency[opt_currency].floats;
```

ERROR in core/helper/currency/CurrencyHelper.ts:108:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupService...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
106 |
107 |     static GetUserSelectedCurrencyRoundFactor(
> 108 |         that: InstanceType<typeof CoreMixin>,
|                                     ^^^^^^^^^^^^^^^^^^^^^
109 |         opt_currency: keyof typeof Currency | null = null,
110 |     ){
111 |         if (opt_currency) return Currency[opt_currency].round_factor;
```

ERROR in core/helper/currency/CurrencyHelper.ts:117:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupService...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
115 |
116 |     static GetUserSelectedCurrencyFormat(
> 117 |         that: InstanceType<typeof CoreMixin>,
|                                     ^^^^^^^^^^^^^^^^^^^^^
118 |         opt_currency: keyof typeof Currency | null = null,
119 |     ){
120 |         if (opt_currency) return Currency[opt_currency].format;
```

ERROR in core/helper/currency/CurrencyHelper.ts:126:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupService...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
124 |
125 |     static GetUserSelectedCurrencyUnicode(
> 126 |         that: InstanceType<typeof CoreMixin>,
|                                     ^^^^^^^^^^^^^^^^^^^^^
127 |         opt_currency: keyof typeof Currency | null = null,
128 |     ){
129 |         if (opt_currency) return Currency[opt_currency].unicode;
```

ERROR in core/helper/currency/CurrencyHelper.ts:142:24

TS2344: Type '{ data(): { SaminColorLight: string; SaminColorDark: string; SaminColorDarkDeep: string; SaminInfoColor: string; EventBus: { \$emit: (event: string, ...args: any[]) => void; \$on: (event: string, callback: Callback) => void; \$off: (event: string, callback?: Callback | undefined) => void; }; ... 7 more ...; SetupService...}' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
140 |     */
```

```

141 |     static GetUserSelectedCurrencySignAtEnd(
> 142 |         that: InstanceType<typeof CoreMixin>,
      |                                     ^^^^^^^^^^^^^^^^^^^^^
143 |         opt_currency: keyof typeof Currency | null = null,
144 |     ){
145 |         if (opt_currency) return !!Currency[opt_currency].at_end;

```

ERROR in core/helper/domain/DomainsHelper.ts:19:37

TS7006: Parameter 'domains' implicitly has an 'any' type.

```

17 |
18 | export class DomainsHelper {
> 19 |     static GetShopDomains(shop: Shop, domains, contains_default_domains = true) {
      |                                     ^^^^^^^
20 |         let out = contains_default_domains
21 |             ? [
22 |                 {

```

ERROR in core/helper/domain/DomainsHelper.ts:47:22

TS7006: Parameter 'item' implicitly has an 'any' type.

```

45 |         : [];
46 |
> 47 |         domains.forEach((item) => {
      |                             ^^^^^
48 |             out.push({
49 |                 url: `https://${item.domain}`,
50 |                 site_map: `https://${item.domain}/sitemap`,

```

ERROR in core/helper/domain/DomainsHelper.ts:54:9

TS2353: Object literal may only specify known properties, and 'approved' does not exist in type '{ url: string; site_map: string; enable: boolean | undefined; indexed: boolean | undefined; primary: boolean | undefined; official: string; name: string; ssl: boolean; }'.

```

52 |             indexed: item.indexed,
53 |             primary: item.primary,
> 54 |             approved: item.approved,
      |             ^^^^^^^^^
55 |             domain: item,
56 |             name: item.domain,
57 |             affiliate_id: item.affiliate_id,

```

ERROR in core/helper/font/FontLoader.ts:16:27

TS7006: Parameter 'url' implicitly has an 'any' type.

```

14 |
15 | export class FontLoader {
> 16 |     static AddStylesheetURL(url) {
      |                               ^^^
17 |         const link = document.createElement("link");
18 |         link.rel = "stylesheet";
19 |         link.href = url;

```

ERROR in core/helper/html/HtmlHelper.ts:17:3

TS7006: Parameter 'message' implicitly has an 'any' type.

```
15 | //----- Global Rules
```

```
-----  
16 | export function SmartConvertTextToHtml(  
> 17 |   message,  
    |   ^^^^^^^  
18 |   remove_links = false,  
19 |   compile_markdown = false,  
20 |   ALLOW_TAGS=null // Auto
```

ERROR in core/helper/html/HtmlHelper.ts:31:20

TS7006: Parameter 'inputText' implicitly has an 'any' type.

```
29 |   message = message.replace(/&nbsp;/g, " ").trim();  
30 |  
> 31 |   function linkify(inputText, remove_links) {  
    |                       ^^^^^^^^^^^  
32 |       var replacedText, replacePattern1, replacePattern2, replacePattern3;  
33 |  
34 |       //URLs starting with   whitespace or newline or <br>   &   http://, https://, or  
ftp://
```

ERROR in core/helper/html/HtmlHelper.ts:31:31

TS7006: Parameter 'remove_links' implicitly has an 'any' type.

```
29 |   message = message.replace(/&nbsp;/g, " ").trim();  
30 |  
> 31 |   function linkify(inputText, remove_links) {  
    |                                           ^^^^^^^^^^^^^^^  
32 |       var replacedText, replacePattern1, replacePattern2, replacePattern3;  
33 |  
34 |       //URLs starting with   whitespace or newline or <br>   &   http://, https://, or  
ftp://
```

ERROR in core/helper/html/HtmlHelper.ts:64:34

TS2556: A spread argument must either have a tuple type or be passed to a rest parameter.

```
62 |   //message = message.replace(/<[>]*?>/gm, "");  
63 |   if(ALLOW_TAGS && Array.isArray(ALLOW_TAGS)){  
> 64 |     message = StripTags(message, ...ALLOW_TAGS);  
    |                                     ^^^^^^^^^^^^^^^  
65 |   }  
66 |  
67 |   else if (compile_markdown) {
```

ERROR in core/helper/html/HtmlHelper.ts:64:37

TS2488: Type 'never' must have a '[Symbol.iterator]()' method that returns an iterator.

```
62 |   //message = message.replace(/<[>]*?>/gm, "");  
63 |   if(ALLOW_TAGS && Array.isArray(ALLOW_TAGS)){
```

```
> 64 |     message = StripTags(message, ...ALLOW_TAGS);
      |                                     ^^^^^^^^^^^
      |
      | 65 | }
      |
      | 66 |
      | 67 | else if (compile_markdown) {
```

ERROR in core/helper/html/HtmlHelper.ts:70:7

TS2554: Expected 1 arguments, but got 26.

```
      | 68 |     message = StripTags(
      | 69 |         message,
> 70 |         "b",
      |         ^^^^
> 71 |         "p",
      |         ^^^^^^^^^^^
> 72 |         "i",
      |         ^^^^^^^^^^^
> 73 |         "a",
      |         ^^^^^^^^^^^
> 74 |         "hr",
      |         ^^^^^^^^^^^
> 75 |         "br",
      |         ^^^^^^^^^^^
> 76 |         "span",
      |         ^^^^^^^^^^^
> 77 |         "img",
      |         ^^^^^^^^^^^
> 78 |         "h1",
      |         ^^^^^^^^^^^
> 79 |         "h2",
      |         ^^^^^^^^^^^
> 80 |         "h3",
      |         ^^^^^^^^^^^
> 81 |         "h4",
      |         ^^^^^^^^^^^
> 82 |         "h5",
      |         ^^^^^^^^^^^
> 83 |         "pre",
      |         ^^^^^^^^^^^
> 84 |         "code",
      |         ^^^^^^^^^^^
> 85 |         "u",
      |         ^^^^^^^^^^^
> 86 |         "em",
      |         ^^^^^^^^^^^
> 87 |         "del",
      |         ^^^^^^^^^^^
> 88 |         "q",
      |         ^^^^^^^^^^^
```


TS7006: Parameter '_html' implicitly has an 'any' type.

```
119 |     return out;
120 | }
> 121 | export function StripTags(_html /*you can put each single tag per argument*/) {
    |                                     ^^^^^^
122 |     if (!_html) return _html;
123 |
124 |     let _tags = [],
```

ERROR in core/helper/html/HtmlHelper.ts:140:33

TS7006: Parameter 'message' implicitly has an 'any' type.

```
138 | }
139 |
> 140 | export function CompileMarkdown(message) {
    |                                     ^^^^^^^^
141 |     if (!message) return message;
142 |     return Landmark.render(message);
143 |
```

ERROR in core/helper/html/HtmlHelper.ts:142:10

TS2304: Cannot find name 'Landmark'.

```
140 | export function CompileMarkdown(message) {
141 |     if (!message) return message;
> 142 |     return Landmark.render(message);
    |             ^^^^^^^^
143 |
144 | }
145 |
```

ERROR in core/helper/html/HtmlHelper.ts:147:23

TS7006: Parameter 's' implicitly has an 'any' type.

```
145 |
146 | (function (w, libName) {
> 147 |     let esc = function (s) {
    |                                     ^
148 |         s = s.replace(/&/g, "&amp;");
149 |
150 |         let escChars = "#<>`*-~_=:\\'![]()nt",
```

ERROR in core/helper/html/HtmlHelper.ts:155:66

TS7006: Parameter 'm' implicitly has an 'any' type.

```
153 |         i;
154 |         for (i = 0; i < l; i++)
> 155 |             s = s.replace(RegExp("\\\\" + escChars[i], "g"), function (m) {
    |                                                                                                     ^
156 |                 return "&#" + m.charCodeAt(0) + ";";
157 |             });
158 |         return s;
```

ERROR in core/helper/html/HtmlHelper.ts:164:22

TS7006: Parameter 'm' implicitly has an 'any' type.

```
162 |     {
163 |         p: /\n\s*``\n(?:*?)\n\s*``\s*\n/g,
> 164 |         r: function (m, grp) {
      |                ^
165 |             return "<pre>" + esc(grp) + "</pre>";
166 |         },
167 |     },
```

ERROR in core/helper/html/HtmlHelper.ts:164:25

TS7006: Parameter 'grp' implicitly has an 'any' type.

```
162 |     {
163 |         p: /\n\s*``\n(?:*?)\n\s*``\s*\n/g,
> 164 |         r: function (m, grp) {
      |                                ^^^
165 |             return "<pre>" + esc(grp) + "</pre>";
166 |         },
167 |     },
```

ERROR in core/helper/html/HtmlHelper.ts:170:22

TS7006: Parameter 'm' implicitly has an 'any' type.

```
168 |     {
169 |         p: /^(.*?)/g,
> 170 |         r: function (m, grp) {
      |                ^
171 |             return "<code>" + esc(grp) + "</code>";
172 |         },
173 |     },
```

ERROR in core/helper/html/HtmlHelper.ts:170:25

TS7006: Parameter 'grp' implicitly has an 'any' type.

```
168 |     {
169 |         p: /^(.*?)/g,
> 170 |         r: function (m, grp) {
      |                                ^^^
171 |             return "<code>" + esc(grp) + "</code>";
172 |         },
173 |     },
```

ERROR in core/helper/html/HtmlHelper.ts:176:22

TS7006: Parameter 'm' implicitly has an 'any' type.

```
174 |     {
175 |         p: /\n\s*(#+)(.*)/g,
> 176 |         r: function (m, hset, hval) {
      |                ^
177 |             // console.log("===>", m, hset, hval);
```

```
178 |         m = hset.length;
179 |         return "<h" + m + ">" + hval.trim() + "</h" + m + ">";
```

ERROR in core/helper/html/HtmlHelper.ts:176:25

TS7006: Parameter 'hset' implicitly has an 'any' type.

```
174 |         {
175 |             p: /\n\s*(#+)(.*)/g,
> 176 |             r: function (m, hset, hval) {
      |                                     ^^^^^
177 |                 // console.log("===>", m, hset, hval);
178 |                 m = hset.length;
179 |                 return "<h" + m + ">" + hval.trim() + "</h" + m + ">";
```

ERROR in core/helper/html/HtmlHelper.ts:176:31

TS7006: Parameter 'hval' implicitly has an 'any' type.

```
174 |         {
175 |             p: /\n\s*(#+)(.*)/g,
> 176 |             r: function (m, hset, hval) {
      |                                     ^^^^^
177 |                 // console.log("===>", m, hset, hval);
178 |                 m = hset.length;
179 |                 return "<h" + m + ">" + hval.trim() + "</h" + m + ">";
```

ERROR in core/helper/html/HtmlHelper.ts:200:22

TS7006: Parameter 'm' implicitly has an 'any' type.

```
198 |         {
199 |             p: /\n([\n]+\n)/g,
> 200 |             r: function (m, grp) {
      |                                     ^
201 |                 grp = grp.trim();
202 |                 return /\^\<V?(ul|ol|bl|h\d|p).*/.test(grp.slice(0, 9))
203 |                 ? grp
```

ERROR in core/helper/html/HtmlHelper.ts:200:25

TS7006: Parameter 'grp' implicitly has an 'any' type.

```
198 |         {
199 |             p: /\n([\n]+\n)/g,
> 200 |             r: function (m, grp) {
      |                                     ^^^
201 |                 grp = grp.trim();
202 |                 return /\^\<V?(ul|ol|bl|h\d|p).*/.test(grp.slice(0, 9))
203 |                 ? grp
```

ERROR in core/helper/html/HtmlHelper.ts:212:5

TS7015: Element implicitly has an 'any' type because index expression is not of type 'number'.

```
210 |         i;
211 |
> 212 |         w[libName] = {
```

```

    |          ^^^^^^^
213 |     addRule: function (ruleString, replacement) {
214 |         rules.push({ p: RegExp(ruleString, "g"), r: replacement });
215 |     },

```

ERROR in core/helper/html/HtmlHelper.ts:213:24

TS7006: Parameter 'ruleString' implicitly has an 'any' type.

```

211 |
212 |     w[libName] = {
> 213 |         addRule: function (ruleString, replacement) {
    |                               ^^^^^^^^^^^^^
214 |             rules.push({ p: RegExp(ruleString, "g"), r: replacement });
215 |         },
216 |         render: function (text) {

```

ERROR in core/helper/html/HtmlHelper.ts:213:36

TS7006: Parameter 'replacement' implicitly has an 'any' type.

```

211 |
212 |     w[libName] = {
> 213 |         addRule: function (ruleString, replacement) {
    |                               ^^^^^^^^^^^^^
214 |             rules.push({ p: RegExp(ruleString, "g"), r: replacement });
215 |         },
216 |         render: function (text) {

```

ERROR in core/helper/html/HtmlHelper.ts:216:23

TS7006: Parameter 'text' implicitly has an 'any' type.

```

214 |         rules.push({ p: RegExp(ruleString, "g"), r: replacement });
215 |     },
> 216 |     render: function (text) {
    |                               ^^^^
217 |         if ((text = text || "")) {
218 |             text = text.replace(/<br\s*\V?>/mg, "\n"); // Replace <br> with \n ! to fix compile
markdown html mode.
219 |

```

ERROR in core/helper/logistic/LogesticHelper.ts:23:32

TS7006: Parameter 'basket' implicitly has an 'any' type.

```

21 |     //----- Logistic > Basket Helpers
-----
22 |
> 23 |     static calculateWeightBasket(basket) {
    |                                     ^^^^^^^
24 |         console.log("----->" + basket);
25 |         if (!basket) return -1;
26 |

```

ERROR in core/helper/logistic/LogesticHelper.ts:28:26

TS7006: Parameter 'item' implicitly has an 'any' type.

```
26 |  
27 |     let out = 0;  
> 28 |     basket.items.forEach(item => {  
    |                                     ^^^^^  
29 |         const weight =  
30 |             item.count *  
31 |             (item.variant && item.variant.extra && item.variant.extra.weight > 0
```

ERROR in core/helper/logistic/LogesticHelper.ts:42:32

TS7006: Parameter 'basket' implicitly has an 'any' type.

```
40 |     }  
41 |  
> 42 |     static calculateVolumeBasket(basket) {  
    |                                     ^^^^^^^  
43 |         let out = { width: -1, length: -1, height: -1 };  
44 |         if (!basket) return out;  
45 |         basket.items.forEach(item => {
```

ERROR in core/helper/logistic/LogesticHelper.ts:45:26

TS7006: Parameter 'item' implicitly has an 'any' type.

```
43 |         let out = { width: -1, length: -1, height: -1 };  
44 |         if (!basket) return out;  
> 45 |         basket.items.forEach(item => {  
    |                                     ^^^^^  
46 |             if (item.variant && item.variant.extra && item.variant.extra.width > 0) {  
47 |                 out.width = Math.max(out.width,item.variant.extra.width);  
48 |                 out.length = Math.max(out.length,item.variant.extra.length);
```

ERROR in core/helper/logistic/LogesticHelper.ts:64:34

TS7006: Parameter 'origin' implicitly has an 'any' type.

```
62 |     }  
63 |  
> 64 |     static calculateDistanceBasket(origin, target) {  
    |                                     ^^^^^^^  
65 |         if (!target || !origin) return -1; // Not define warehouse  
66 |  
67 |         let out = this.GPSCalculateDistance(  
    |
```

ERROR in core/helper/logistic/LogesticHelper.ts:64:42

TS7006: Parameter 'target' implicitly has an 'any' type.

```
62 |     }  
63 |  
> 64 |     static calculateDistanceBasket(origin, target) {  
    |                                     ^^^^^^^  
65 |         if (!target || !origin) return -1; // Not define warehouse  
66 |  
67 |         let out = this.GPSCalculateDistance(  
    |
```

ERROR in core/helper/logistic/LogesticHelper.ts:78:31

TS7006: Parameter 'lat1' implicitly has an 'any' type.

```
76 |   }
77 |
> 78 |   static GPSCalculateDistance(lat1, lon1, lat2, lon2) {
    |                                     ^^^^^
79 |       const R = 6371; // km (change this constant to get miles)
80 |       const dLat = ((lat2 - lat1) * Math.PI) / 180;
81 |       const dLon = ((lon2 - lon1) * Math.PI) / 180;
```

ERROR in core/helper/logistic/LogesticHelper.ts:78:37

TS7006: Parameter 'lon1' implicitly has an 'any' type.

```
76 |   }
77 |
> 78 |   static GPSCalculateDistance(lat1, lon1, lat2, lon2) {
    |                                     ^^^^^
79 |       const R = 6371; // km (change this constant to get miles)
80 |       const dLat = ((lat2 - lat1) * Math.PI) / 180;
81 |       const dLon = ((lon2 - lon1) * Math.PI) / 180;
```

ERROR in core/helper/logistic/LogesticHelper.ts:78:43

TS7006: Parameter 'lat2' implicitly has an 'any' type.

```
76 |   }
77 |
> 78 |   static GPSCalculateDistance(lat1, lon1, lat2, lon2) {
    |                                     ^^^^^
79 |       const R = 6371; // km (change this constant to get miles)
80 |       const dLat = ((lat2 - lat1) * Math.PI) / 180;
81 |       const dLon = ((lon2 - lon1) * Math.PI) / 180;
```

ERROR in core/helper/logistic/LogesticHelper.ts:78:49

TS7006: Parameter 'lon2' implicitly has an 'any' type.

```
76 |   }
77 |
> 78 |   static GPSCalculateDistance(lat1, lon1, lat2, lon2) {
    |                                     ^^^^^
79 |       const R = 6371; // km (change this constant to get miles)
80 |       const dLat = ((lat2 - lat1) * Math.PI) / 180;
81 |       const dLon = ((lon2 - lon1) * Math.PI) / 180;
```

ERROR in core/helper/number/NumberHelper.ts:20:33

TS2769: No overload matches this call.

The last overload gave the following error.

Argument of type '(t: string) => number' is not assignable to parameter of type '(substring: string, ...args: any[]) => string'.

Type 'number' is not assignable to type 'string'.

```
18 |     // convert persian digits [۰ ۱ ۲ ۳ ۴ ۵ ۶ ۷ ۸ ۹]
```

```

19 |     let e = ".".charCodeAt(0);
> 20 |     str = str.replace(/[\۰-۹]/g, function (t: string) {
    |                                     ^^^^^^^^^
21 |         return t.charCodeAt(0) - e;
22 |     });
23 |

```

ERROR in core/helper/number/NumberHelper.ts:26:33

TS2769: No overload matches this call.

The last overload gave the following error.

Argument of type '(t: string) => number' is not assignable to parameter of type '(substring: string, ...args: any[]) => string'.

Type 'number' is not assignable to type 'string'.

```

24 |     // convert arabic indic digits [۰۱۲۳۴۵۶۷۸۹]
25 |     e = ".".charCodeAt(0);
> 26 |     str = str.replace(/[\۹-۰]/g, function (t: string) {
    |                                     ^^^^^^^^^
27 |         return t.charCodeAt(0) - e;
28 |     });
29 |     return str;

```

ERROR in core/helper/rules/GlobalRules.ts:17:19

TS7006: Parameter 'value' implicitly has an 'any' type.

```

15 | //----- Global Rules
-----
16 | export default {
> 17 |     ValidateEmail(value){
    |                       ^^^^^
18 |         const pattern =
/^(?!(\^<>()[\]\.\,\;\:;\s@"]+)(\.[^<>()[\]\.\,\;\:;\s@"]+)*|(".*"))@((\[[0-9]{1,3}\. [0-9]{1,3}\. [0-9]{1,3}\. [0-9]{1,3}
)]|([a-zA-Z\۰-۹]+\.)+[a-zA-Z]{2,})$/
19 |         return pattern.test(value);
20 |     },

```

ERROR in core/helper/rules/GlobalRules.ts:21:20

TS7006: Parameter 'value' implicitly has an 'any' type.

```

19 |         return pattern.test(value);
20 |     },
> 21 |     ValidateDomain(value) {
    |                       ^^^^^
22 |         return
/^(?:[a-z0-9](?:[a-z0-9]{0,61}[a-z0-9])?\.)+[a-z0-9][a-z0-9]{0,61}[a-z0-9]$/.test(value)
23 |         // return
/^[a-zA-Z0-9][a-zA-Z0-9_]{0,61}[a-zA-Z0-9]{0,1}\.([a-zA-Z]{1,6}|[a-zA-Z0-9-]{1,30})\.[a-zA-Z]{2,})$/ .test(va
lue) // Not accept more than 4 parts! ex: shop.sqmarchitects.com.ddf
24 |         // return /^[a-zA-Z0-9][a-zA-Z0-9-]{1,61}[a-zA-Z0-9](?:\.[a-zA-Z]{2,})+$/ .test(value)
// Problem: can not accept domains with dash!

```

ERROR in core/helper/rules/GlobalRules.ts:27:15

TS7006: Parameter 'str' implicitly has an 'any' type.

```

25 |
26 |     },
> 27 |     ValidURL(str) {
    |               ^^^
28 |     const pattern = new RegExp('^(https?:\\|\\|)?' + // protocol
29 |     '(((([a-z\\d]([a-z\\d-]*[a-z\\d])*)\\|\\.)+[a-z]{2,})' + // domain name
30 |     '(((\\d{1,3}\\|\\.){3}\\d{1,3}))' + // OR ip (v4) address

```

ERROR in core/helper/rules/GlobalRules.ts:38:16

TS7006: Parameter 'value' implicitly has an 'any' type.

```

36 |
37 |     required() {
> 38 |         return value => (value && Array.isArray(value)?value.length>0 : !!value) ||
    |                               ^^^^^^
window.$i18n_global.t('global.notification.required')
39 |     },
40 |     counter(maxCount) {
41 |         return value => !value || value.length <= maxCount ||
window.$i18n_global.t('global.notification.invalid_max_chars',{maxCount:maxCount})

```

ERROR in core/helper/rules/GlobalRules.ts:40:13

TS7006: Parameter 'maxCount' implicitly has an 'any' type.

```

38 |         return value => (value && Array.isArray(value)?value.length>0 : !!value) ||
window.$i18n_global.t('global.notification.required')
39 |     },
> 40 |     counter(maxCount) {
    |               ^^^^^^^^^
41 |         return value => !value || value.length <= maxCount ||
window.$i18n_global.t('global.notification.invalid_max_chars',{maxCount:maxCount})
42 |     },
43 |     email() {

```

ERROR in core/helper/rules/GlobalRules.ts:41:16

TS7006: Parameter 'value' implicitly has an 'any' type.

```

39 |     },
40 |     counter(maxCount) {
> 41 |         return value => !value || value.length <= maxCount ||
    |                               ^^^^^^
window.$i18n_global.t('global.notification.invalid_max_chars',{maxCount:maxCount})
42 |     },
43 |     email() {
44 |         return value => {

```

ERROR in core/helper/rules/GlobalRules.ts:44:16

TS7006: Parameter 'value' implicitly has an 'any' type.

```

42 |     },

```



```

43 |     email() {
> 44 |         return value => {
    |                 ^^^^^
45 |             return (this.ValidateEmail(value) || !value) ||
window.$i18n_global.t('global.notification.invalid_email')
46 |         }
47 |     },

```

ERROR in core/helper/rules/GlobalRules.ts:49:16

TS7006: Parameter 'value' implicitly has an 'any' type.

```

47 |     },
48 |     domain() {
> 49 |         return value => {
    |                 ^^^^^
50 |             return this.ValidateDomain(value) ||
window.$i18n_global.t('global.notification.invalid_domain')
51 |         }
52 |     },

```

ERROR in core/helper/rules/GlobalRules.ts:53:15

TS7006: Parameter 'length' implicitly has an 'any' type.

```

51 |     }
52 | },
> 53 |     minLength(length) {
    |                 ^^^^^^
54 |         return value => {
55 |             return (value && value.length >= length) ||
window.$i18n_global.t(Array.isArray(value)?'global.notification.invalid_min_array_length':'global.notification.invalid_min_length',{length:length})
56 |         }

```

ERROR in core/helper/rules/GlobalRules.ts:54:16

TS7006: Parameter 'value' implicitly has an 'any' type.

```

52 |     },
53 |     minLength(length) {
> 54 |         return value => {
    |                 ^^^^^
55 |             return (value && value.length >= length) ||
window.$i18n_global.t(Array.isArray(value)?'global.notification.invalid_min_array_length':'global.notification.invalid_min_length',{length:length})
56 |         }
57 |     },

```

ERROR in core/helper/rules/GlobalRules.ts:61:16

TS7006: Parameter 'value' implicitly has an 'any' type.

```

59 |
60 |     url() {
> 61 |         return value => {

```


ERROR in core/helper/string/MD5.ts:97:24

TS7006: Parameter 'b' implicitly has an 'any' type.

```
95 |     }  
96 |  
> 97 |     function cmn(q, a, b, x, s, t) {  
    |                               ^  
98 |         a = add32(add32(a, q), add32(x, t));  
99 |         return add32((a << s) | (a >>> (32 - s)), b);  
100 |     }
```

ERROR in core/helper/string/MD5.ts:97:27

TS7006: Parameter 'x' implicitly has an 'any' type.

```
95 |     }  
96 |  
> 97 |     function cmn(q, a, b, x, s, t) {  
    |                               ^  
98 |         a = add32(add32(a, q), add32(x, t));  
99 |         return add32((a << s) | (a >>> (32 - s)), b);  
100 |     }
```

ERROR in core/helper/string/MD5.ts:97:30

TS7006: Parameter 's' implicitly has an 'any' type.

```
95 |     }  
96 |  
> 97 |     function cmn(q, a, b, x, s, t) {  
    |                               ^  
98 |         a = add32(add32(a, q), add32(x, t));  
99 |         return add32((a << s) | (a >>> (32 - s)), b);  
100 |     }
```

ERROR in core/helper/string/MD5.ts:97:33

TS7006: Parameter 't' implicitly has an 'any' type.

```
95 |     }  
96 |  
> 97 |     function cmn(q, a, b, x, s, t) {  
    |                               ^  
98 |         a = add32(add32(a, q), add32(x, t));  
99 |         return add32((a << s) | (a >>> (32 - s)), b);  
100 |     }
```

ERROR in core/helper/string/MD5.ts:102:17

TS7006: Parameter 'a' implicitly has an 'any' type.

```
100 |     }  
101 |  
> 102 |     function ff(a, b, c, d, x, s, t) {  
    |                ^  
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);
```

```
104 |     }  
105 |
```

ERROR in core/helper/string/MD5.ts:102:20

TS7006: Parameter 'b' implicitly has an 'any' type.

```
100 |     }  
101 |  
> 102 |     function ff(a, b, c, d, x, s, t) {  
    |           ^  
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);  
104 |     }  
105 |
```

ERROR in core/helper/string/MD5.ts:102:23

TS7006: Parameter 'c' implicitly has an 'any' type.

```
100 |     }  
101 |  
> 102 |     function ff(a, b, c, d, x, s, t) {  
    |           ^  
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);  
104 |     }  
105 |
```

ERROR in core/helper/string/MD5.ts:102:26

TS7006: Parameter 'd' implicitly has an 'any' type.

```
100 |     }  
101 |  
> 102 |     function ff(a, b, c, d, x, s, t) {  
    |           ^  
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);  
104 |     }  
105 |
```

ERROR in core/helper/string/MD5.ts:102:29

TS7006: Parameter 'x' implicitly has an 'any' type.

```
100 |     }  
101 |  
> 102 |     function ff(a, b, c, d, x, s, t) {  
    |           ^  
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);  
104 |     }  
105 |
```

ERROR in core/helper/string/MD5.ts:102:32

TS7006: Parameter 's' implicitly has an 'any' type.

```
100 |     }  
101 |  
> 102 |     function ff(a, b, c, d, x, s, t) {
```

```
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);
104 |     }
105 |
```

ERROR in core/helper/string/MD5.ts:102:35

TS7006: Parameter 't' implicitly has an 'any' type.

```
100 |     }
101 |
> 102 |     function ff(a, b, c, d, x, s, t) {
      |
103 |         return cmn((b & c) | (~b & d), a, b, x, s, t);
104 |     }
105 |
```

ERROR in core/helper/string/MD5.ts:106:17

TS7006: Parameter 'a' implicitly has an 'any' type.

```
104 |     }
105 |
> 106 |     function gg(a, b, c, d, x, s, t) {
      |
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);
108 |     }
109 |
```

ERROR in core/helper/string/MD5.ts:106:20

TS7006: Parameter 'b' implicitly has an 'any' type.

```
104 |     }
105 |
> 106 |     function gg(a, b, c, d, x, s, t) {
      |
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);
108 |     }
109 |
```

ERROR in core/helper/string/MD5.ts:106:23

TS7006: Parameter 'c' implicitly has an 'any' type.

```
104 |     }
105 |
> 106 |     function gg(a, b, c, d, x, s, t) {
      |
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);
108 |     }
109 |
```

ERROR in core/helper/string/MD5.ts:106:26

TS7006: Parameter 'd' implicitly has an 'any' type.

```
104 |     }
```

```
105 |  
> 106 |     function gg(a, b, c, d, x, s, t) {  
      |           |  
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);  
108 |     }  
109 |
```

ERROR in core/helper/string/MD5.ts:106:29

TS7006: Parameter 'x' implicitly has an 'any' type.

```
104 |     }  
105 |  
> 106 |     function gg(a, b, c, d, x, s, t) {  
      |           |  
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);  
108 |     }  
109 |
```

ERROR in core/helper/string/MD5.ts:106:32

TS7006: Parameter 's' implicitly has an 'any' type.

```
104 |     }  
105 |  
> 106 |     function gg(a, b, c, d, x, s, t) {  
      |           |  
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);  
108 |     }  
109 |
```

ERROR in core/helper/string/MD5.ts:106:35

TS7006: Parameter 't' implicitly has an 'any' type.

```
104 |     }  
105 |  
> 106 |     function gg(a, b, c, d, x, s, t) {  
      |           |  
107 |         return cmn((b & d) | (c & ~d), a, b, x, s, t);  
108 |     }  
109 |
```

ERROR in core/helper/string/MD5.ts:110:17

TS7006: Parameter 'a' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
      |           |  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```

ERROR in core/helper/string/MD5.ts:110:20

TS7006: Parameter 'b' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
      |           ^  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```

ERROR in core/helper/string/MD5.ts:110:23

TS7006: Parameter 'c' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
      |           ^  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```

ERROR in core/helper/string/MD5.ts:110:26

TS7006: Parameter 'd' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
      |           ^  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```

ERROR in core/helper/string/MD5.ts:110:29

TS7006: Parameter 'x' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
      |           ^  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```

ERROR in core/helper/string/MD5.ts:110:32

TS7006: Parameter 's' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
      |           ^  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```


ERROR in core/helper/string/MD5.ts:110:35

TS7006: Parameter 't' implicitly has an 'any' type.

```
108 |     }  
109 |  
> 110 |     function hh(a, b, c, d, x, s, t) {  
    |  
111 |         return cmn(b ^ c ^ d, a, b, x, s, t);  
112 |     }  
113 |
```

ERROR in core/helper/string/MD5.ts:114:17

TS7006: Parameter 'a' implicitly has an 'any' type.

```
112 |     }  
113 |  
> 114 |     function ii(a, b, c, d, x, s, t) {  
    |  
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);  
116 |     }  
117 |
```

ERROR in core/helper/string/MD5.ts:114:20

TS7006: Parameter 'b' implicitly has an 'any' type.

```
112 |     }  
113 |  
> 114 |     function ii(a, b, c, d, x, s, t) {  
    |  
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);  
116 |     }  
117 |
```

ERROR in core/helper/string/MD5.ts:114:23

TS7006: Parameter 'c' implicitly has an 'any' type.

```
112 |     }  
113 |  
> 114 |     function ii(a, b, c, d, x, s, t) {  
    |  
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);  
116 |     }  
117 |
```

ERROR in core/helper/string/MD5.ts:114:26

TS7006: Parameter 'd' implicitly has an 'any' type.

```
112 |     }  
113 |  
> 114 |     function ii(a, b, c, d, x, s, t) {  
    |  
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);
```

```
116 |     }
117 |
```

ERROR in core/helper/string/MD5.ts:114:29

TS7006: Parameter 'x' implicitly has an 'any' type.

```
112 |     }
113 |
> 114 |     function ii(a, b, c, d, x, s, t) {
      |                                     ^
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);
116 |     }
117 |
```

ERROR in core/helper/string/MD5.ts:114:32

TS7006: Parameter 's' implicitly has an 'any' type.

```
112 |     }
113 |
> 114 |     function ii(a, b, c, d, x, s, t) {
      |                                     ^
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);
116 |     }
117 |
```

ERROR in core/helper/string/MD5.ts:114:35

TS7006: Parameter 't' implicitly has an 'any' type.

```
112 |     }
113 |
> 114 |     function ii(a, b, c, d, x, s, t) {
      |                                     ^
115 |         return cmn(c ^ (b | ~d), a, b, x, s, t);
116 |     }
117 |
```

ERROR in core/helper/string/MD5.ts:118:19

TS7006: Parameter 's' implicitly has an 'any' type.

```
116 |     }
117 |
> 118 |     function md51(s) {
      |                   ^
119 |         const txt = "";
120 |         const n = s.length;
121 |         const state = [1732584193, -271733879, -1732584194, 271733878];
```

ERROR in core/helper/string/MD5.ts:140:21

TS7006: Parameter 's' implicitly has an 'any' type.

```
138 |     }
139 |
> 140 |     function md5blk(s) {
```

```
141 |         const md5blks = [];
142 |         let i;
143 |         for (i = 0; i < 64; i += 4) {
```

ERROR in core/helper/string/MD5.ts:153:19

TS7006: Parameter 'n' implicitly has an 'any' type.

```
151 |     }
152 |
> 153 |     function rhex(n) {
      |                   ^
154 |         let s = "",
155 |             j = 0;
156 |         for (; j < 4; j++)
```

ERROR in core/helper/string/MD5.ts:162:18

TS7006: Parameter 'x' implicitly has an 'any' type.

```
160 |     }
161 |
> 162 |     function hex(x) {
      |                   ^
163 |         for (let i = 0; i < x.length; i++) x[i] = rhex(x[i]);
164 |         return x.join("");
165 |     }
```

ERROR in core/helper/string/MD5.ts:167:29

TS7006: Parameter 'a' implicitly has an 'any' type.

```
165 |     }
166 |
> 167 |     const add32 = function (a, b) {
      |                               ^
168 |         return (a + b) & 0xffffffff;
169 |     };
170 |
```

ERROR in core/helper/string/MD5.ts:167:32

TS7006: Parameter 'b' implicitly has an 'any' type.

```
165 |     }
166 |
> 167 |     const add32 = function (a, b) {
      |                               ^
168 |         return (a + b) & 0xffffffff;
169 |     };
170 |
```

ERROR in core/helper/string/StringHelper.ts:15:31

TS7006: Parameter 'obj' implicitly has an 'any' type.

```
13 |     */
```

```

14 |
> 15 | export function ToQueryString(obj) {
    |                                     ^^^^
16 |   if (!obj) return "";
17 |   return Object.keys(obj)
18 |     .map((key) => {

```

ERROR in core/helper/string/StringHelper.ts:24:30

TS7006: Parameter 'length' implicitly has an 'any' type.

```

22 | }
23 |
> 24 | export function RandomString(length) {
    |                                     ^^^^^^^
25 |   let result = "";
26 |   const characters =
27 |     "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789";

```

ERROR in core/helper/style/FontSizeHelper.ts:32:23

TS7006: Parameter 'text' implicitly has an 'any' type.

```

30 |   * console.log(optimalFontSize); // Output: "20px" (example value)
31 |   */
> 32 |   static AutoSizeText(text, width, maxHeight, correct_factor = 0.7) {
    |                                     ^^^^
33 |     const tempElement = document.createElement("div");
34 |     tempElement.style.width = `${width}px`;
35 |     tempElement.style.position = "absolute";

```

ERROR in core/helper/style/FontSizeHelper.ts:32:29

TS7006: Parameter 'width' implicitly has an 'any' type.

```

30 |   * console.log(optimalFontSize); // Output: "20px" (example value)
31 |   */
> 32 |   static AutoSizeText(text, width, maxHeight, correct_factor = 0.7) {
    |                                     ^^^^^^
33 |     const tempElement = document.createElement("div");
34 |     tempElement.style.width = `${width}px`;
35 |     tempElement.style.position = "absolute";

```

ERROR in core/helper/style/FontSizeHelper.ts:32:36

TS7006: Parameter 'maxHeight' implicitly has an 'any' type.

```

30 |   * console.log(optimalFontSize); // Output: "20px" (example value)
31 |   */
> 32 |   static AutoSizeText(text, width, maxHeight, correct_factor = 0.7) {
    |                                     ^^^^^^^^^^^
33 |     const tempElement = document.createElement("div");
34 |     tempElement.style.width = `${width}px`;
35 |     tempElement.style.position = "absolute";

```

ERROR in core/helper/style/FontSizeHelper.ts:56:27

TS18048: 'fontSize' is possibly 'undefined'.

```
54 |     }
55 |   }
> 56 |     fontSize = Math.floor(fontSize * correct_factor); // Fix some outbound issues! (specially
for font family!)
    |
    |           ^^^^^^^^^
57 |     document.body.removeChild(tempElement);
58 |     return fontSize + "px";
59 |   }
```

ERROR in core/helper/url/URLHelper.ts:16:28

TS7006: Parameter 'url' implicitly has an 'any' type.

```
14 |
15 | export class URLHelper{
> 16 |     static OpenInNewWindow(url){
    |                               ^^^
17 |         const link = document.createElement("a");
18 |         link.href = url
19 |         link.target = "_blank"
```

ERROR in core/helper/video/VideoHelper.ts:16:18

TS7006: Parameter 'filePath' implicitly has an 'any' type.

```
14 |
15 | export class VideoHelper {
> 16 |     static GetMime(filePath) {
    |                               ^^^^^^^^^
17 |         if (!filePath) return "video/mp4";
18 |         // Split the filename by periods and get the last part
19 |         const extension = filePath.split(".").pop();
```

ERROR in core/lang/global/en.ts:726:5

TS1117: An object literal cannot have multiple properties with the same name.

```
724 |     web: "Web",
725 |     payout: "Payout",
> 726 |     company: 'Company',
    |           ^^^^^^^^^
727 |   },
728 |   difficulties: {
729 |     very_complicated: "Very complicated",
```

ERROR in core/lang/global/fa.ts:725:5

TS1117: An object literal cannot have multiple properties with the same name.

```
723 |     web: "وب",
724 |     payout: "پرداخت",
> 725 |     company: "شرکت",
    |           ^^^^^^^^^
726 |   },
727 |
```

728 | difficulties: {

ERROR in core/models/shop/blog/blog-category.model.ts:16:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
14 |  
15 | export class BlogCategory implements BlogCategory.IBlogCategory {  
> 16 |   id: number;  
    |     ^^  
17 |   shopId: number;  
18 |   category: number;  
19 |   description: string;
```

ERROR in core/models/shop/blog/blog-category.model.ts:17:3

TS2564: Property 'shopId' has no initializer and is not definitely assigned in the constructor.

```
15 | export class BlogCategory implements BlogCategory.IBlogCategory {  
16 |   id: number;  
> 17 |   shopId: number;  
    |     ^^^^^^^  
18 |   category: number;  
19 |   description: string;  
20 |   star: number;
```

ERROR in core/models/shop/blog/blog-category.model.ts:18:3

TS2564: Property 'category' has no initializer and is not definitely assigned in the constructor.

```
16 |   id: number;  
17 |   shopId: number;  
> 18 |   category: number;  
    |     ^^^^^^^^^  
19 |   description: string;  
20 |   star: number;  
21 |   visits: number;
```

ERROR in core/models/shop/blog/blog-category.model.ts:19:3

TS2564: Property 'description' has no initializer and is not definitely assigned in the constructor.

```
17 |   shopId: number;  
18 |   category: number;  
> 19 |   description: string;  
    |     ^^^^^^^^^^^^^  
20 |   star: number;  
21 |   visits: number;  
22 |   articles: number;
```

ERROR in core/models/shop/blog/blog-category.model.ts:20:3

TS2564: Property 'star' has no initializer and is not definitely assigned in the constructor.

```
18 |   category: number;  
19 |   description: string;  
> 20 |   star: number;  
    |     ^^^^^
```

```
21 | visits: number;
22 | articles: number;
23 | icon: string;
```

ERROR in core/models/shop/blog/blog-category.model.ts:21:3

TS2564: Property 'visits' has no initializer and is not definitely assigned in the constructor.

```
19 | description: string;
20 | star: number;
> 21 | visits: number;
    | ^^^^^^^
22 | articles: number;
23 | icon: string;
24 |
```

ERROR in core/models/shop/blog/blog-category.model.ts:22:3

TS2564: Property 'articles' has no initializer and is not definitely assigned in the constructor.

```
20 | star: number;
21 | visits: number;
> 22 | articles: number;
    | ^^^^^^^^^
23 | icon: string;
24 |
25 | constructor(
```

ERROR in core/models/shop/blog/blog-category.model.ts:23:3

TS2564: Property 'icon' has no initializer and is not definitely assigned in the constructor.

```
21 | visits: number;
22 | articles: number;
> 23 | icon: string;
    | ^^^^^
24 |
25 | constructor(
26 | data: {
```

ERROR in core/models/shop/category/category.model.ts:17:3

TS2416: Property 'id' in type 'Category' is not assignable to the same property in base type 'ICategory'.
Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
15 | export class Category implements Category.ICategory {
16 | // Define class properties
> 17 | id: number | null = null;
    | ^^
18 | shop_id: number | null = null;
19 | vendor_id: number | null = null;
20 | connect_id: number | null = null;
```

ERROR in core/models/shop/category/category.model.ts:18:3

TS2416: Property 'shop_id' in type 'Category' is not assignable to the same property in base type

'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
16 | // Define class properties
17 | id: number | null = null;
> 18 | shop_id: number | null = null;
    | ^^^^^^^
19 | vendor_id: number | null = null;
20 | connect_id: number | null = null;
21 | name: string | null = null;
```

ERROR in core/models/shop/category/category.model.ts:19:3

TS2416: Property 'vendor_id' in type 'Category' is not assignable to the same property in base type

'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
17 | id: number | null = null;
18 | shop_id: number | null = null;
> 19 | vendor_id: number | null = null;
    | ^^^^^^^^^
20 | connect_id: number | null = null;
21 | name: string | null = null;
22 | order: number | null = null;
```

ERROR in core/models/shop/category/category.model.ts:20:3

TS2416: Property 'connect_id' in type 'Category' is not assignable to the same property in base type

'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
18 | shop_id: number | null = null;
19 | vendor_id: number | null = null;
> 20 | connect_id: number | null = null;
    | ^^^^^^^^^
21 | name: string | null = null;
22 | order: number | null = null;
23 | title: string | null = null;
```

ERROR in core/models/shop/category/category.model.ts:21:3

TS2416: Property 'name' in type 'Category' is not assignable to the same property in base type

'ICategory'.

Type 'string | null' is not assignable to type 'string'.

Type 'null' is not assignable to type 'string'.

```
19 | vendor_id: number | null = null;
20 | connect_id: number | null = null;
> 21 | name: string | null = null;
    | ^^^^^
22 | order: number | null = null;
23 | title: string | null = null;
```



```
24 |   description: string | null = null;
```

ERROR in core/models/shop/category/category.model.ts:22:3

TS2416: Property 'order' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
20 |   connect_id: number | null = null;
21 |   name: string | null = null;
> 22 |   order: number | null = null;
    |         ^^^^^
23 |   title: string | null = null;
24 |   description: string | null = null;
25 |   icon: string | null = null;
```

ERROR in core/models/shop/category/category.model.ts:23:3

TS2416: Property 'title' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'string | null' is not assignable to type 'string'.

Type 'null' is not assignable to type 'string'.

```
21 |   name: string | null = null;
22 |   order: number | null = null;
> 23 |   title: string | null = null;
    |         ^^^^^
24 |   description: string | null = null;
25 |   icon: string | null = null;
26 |   star: boolean | null = null;
```

ERROR in core/models/shop/category/category.model.ts:24:3

TS2416: Property 'description' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'string | null' is not assignable to type 'string'.

Type 'null' is not assignable to type 'string'.

```
22 |   order: number | null = null;
23 |   title: string | null = null;
> 24 |   description: string | null = null;
    |               ^^^^^^^^^^^^^^^
25 |   icon: string | null = null;
26 |   star: boolean | null = null;
27 |   parent_id: number | null = null;
```

ERROR in core/models/shop/category/category.model.ts:25:3

TS2416: Property 'icon' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'string | null' is not assignable to type 'string'.

Type 'null' is not assignable to type 'string'.

```
23 |   title: string | null = null;
24 |   description: string | null = null;
> 25 |   icon: string | null = null;
    |         ^^^^^
```

```
26 |   star: boolean | null = null;
27 |   parent_id: number | null = null;
28 |   visits: number | null = null;
```

ERROR in core/models/shop/category/category.model.ts:26:3

TS2416: Property 'star' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'boolean | null' is not assignable to type 'boolean'.

Type 'null' is not assignable to type 'boolean'.

```
24 |   description: string | null = null;
25 |   icon: string | null = null;
> 26 |   star: boolean | null = null;
    |         ^^^^^
27 |   parent_id: number | null = null;
28 |   visits: number | null = null;
29 |   products: number | null = null;
```

ERROR in core/models/shop/category/category.model.ts:27:3

TS2416: Property 'parent_id' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
25 |   icon: string | null = null;
26 |   star: boolean | null = null;
> 27 |   parent_id: number | null = null;
    |         ^^^^^^^^^
28 |   visits: number | null = null;
29 |   products: number | null = null;
30 |   categories: number | null = null;
```

ERROR in core/models/shop/category/category.model.ts:28:3

TS2416: Property 'visits' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
26 |   star: boolean | null = null;
27 |   parent_id: number | null = null;
> 28 |   visits: number | null = null;
    |         ^^^^^
29 |   products: number | null = null;
30 |   categories: number | null = null;
31 |   filters: any[] | null = null; // Adjust the type if possible.
```

ERROR in core/models/shop/category/category.model.ts:29:3

TS2416: Property 'products' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```
27 |   parent_id: number | null = null;
```

```

28 |   visits: number | null = null;
> 29 |   products: number | null = null;
    |   ^^^^^^^^^
30 |   categories: number | null = null;
31 |   filters: any[] | null = null; // Adjust the type if possible.
32 |   note: {

```

ERROR in core/models/shop/category/category.model.ts:30:3

TS2416: Property 'categories' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'number | null' is not assignable to type 'number'.

Type 'null' is not assignable to type 'number'.

```

28 |   visits: number | null = null;
29 |   products: number | null = null;
> 30 |   categories: number | null = null;
    |   ^^^^^^^^^^^
31 |   filters: any[] | null = null; // Adjust the type if possible.
32 |   note: {
33 |     user_id: number;

```

ERROR in core/models/shop/category/category.model.ts:31:3

TS2416: Property 'filters' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type 'any[] | null' is not assignable to type 'any[]'.

Type 'null' is not assignable to type 'any[]'.

```

29 |   products: number | null = null;
30 |   categories: number | null = null;
> 31 |   filters: any[] | null = null; // Adjust the type if possible.
    |   ^^^^^^^
32 |   note: {
33 |     user_id: number;
34 |     user_name: string;

```

ERROR in core/models/shop/category/category.model.ts:32:3

TS2416: Property 'note' in type 'Category' is not assignable to the same property in base type 'ICategory'.

Type '{ user_id: number; user_name: string; body: string; date: Date; }[] | null' is not assignable to type '{ user_id: number; user_name: string; body: string; date: Date; }[]'.

Type 'null' is not assignable to type '{ user_id: number; user_name: string; body: string; date: Date; }[]'.

```

30 |   categories: number | null = null;
31 |   filters: any[] | null = null; // Adjust the type if possible.
> 32 |   note: {
    |   ^^^^^
33 |     user_id: number;
34 |     user_name: string;
35 |     body: string;

```

ERROR in core/models/shop/gateway/gateway.model.ts:16:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
14 |  
15 | export class Gateway implements Gateway.IGateway {  
> 16 |   id: number;  
    |     ^^  
17 |   currency: string;  
18 |   wage_percent: number;  
19 |   wage_min: number;
```

ERROR in core/models/shop/gateway/gateway.model.ts:17:3

TS2564: Property 'currency' has no initializer and is not definitely assigned in the constructor.

```
15 | export class Gateway implements Gateway.IGateway {  
16 |   id: number;  
> 17 |   currency: string;  
    |     ^^^^^^^^^  
18 |   wage_percent: number;  
19 |   wage_min: number;  
20 |   wage_max: number;
```

ERROR in core/models/shop/gateway/gateway.model.ts:18:3

TS2564: Property 'wage_percent' has no initializer and is not definitely assigned in the constructor.

```
16 |   id: number;  
17 |   currency: string;  
> 18 |   wage_percent: number;  
    |     ^^^^^^^^^^^^^^^  
19 |   wage_min: number;  
20 |   wage_max: number;  
21 |   min: number;
```

ERROR in core/models/shop/gateway/gateway.model.ts:19:3

TS2564: Property 'wage_min' has no initializer and is not definitely assigned in the constructor.

```
17 |   currency: string;  
18 |   wage_percent: number;  
> 19 |   wage_min: number;  
    |     ^^^^^^^^^  
20 |   wage_max: number;  
21 |   min: number;  
22 |   max: number;
```

ERROR in core/models/shop/gateway/gateway.model.ts:20:3

TS2564: Property 'wage_max' has no initializer and is not definitely assigned in the constructor.

```
18 |   wage_percent: number;  
19 |   wage_min: number;  
> 20 |   wage_max: number;  
    |     ^^^^^^^^^  
21 |   min: number;  
22 |   max: number;
```

```
23 |   enable: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:21:3

TS2564: Property 'min' has no initializer and is not definitely assigned in the constructor.

```
19 |   wage_min: number;  
20 |   wage_max: number;  
> 21 |   min: number;  
    |     ^^^  
22 |   max: number;  
23 |   enable: boolean;  
24 |   charge: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:22:3

TS2564: Property 'max' has no initializer and is not definitely assigned in the constructor.

```
20 |   wage_max: number;  
21 |   min: number;  
> 22 |   max: number;  
    |     ^^^  
23 |   enable: boolean;  
24 |   charge: boolean;  
25 |   pos: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:23:3

TS2564: Property 'enable' has no initializer and is not definitely assigned in the constructor.

```
21 |   min: number;  
22 |   max: number;  
> 23 |   enable: boolean;  
    |     ^^^^^^^  
24 |   charge: boolean;  
25 |   pos: boolean;  
26 |   cod: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:24:3

TS2564: Property 'charge' has no initializer and is not definitely assigned in the constructor.

```
22 |   max: number;  
23 |   enable: boolean;  
> 24 |   charge: boolean;  
    |     ^^^^^^^  
25 |   pos: boolean;  
26 |   cod: boolean;  
27 |   cash: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:25:3

TS2564: Property 'pos' has no initializer and is not definitely assigned in the constructor.

```
23 |   enable: boolean;  
24 |   charge: boolean;  
> 25 |   pos: boolean;  
    |     ^^^
```

```
26 |   cod: boolean;
27 |   cash: boolean;
28 |   dir: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:26:3

TS2564: Property 'cod' has no initializer and is not definitely assigned in the constructor.

```
24 |   charge: boolean;
25 |   pos: boolean;
> 26 |   cod: boolean;
    |     ^^^
27 |   cash: boolean;
28 |   dir: boolean;
29 |   blockchain: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:27:3

TS2564: Property 'cash' has no initializer and is not definitely assigned in the constructor.

```
25 |   pos: boolean;
26 |   cod: boolean;
> 27 |   cash: boolean;
    |     ^^^^^
28 |   dir: boolean;
29 |   blockchain: boolean;
30 |   subscription: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:28:3

TS2564: Property 'dir' has no initializer and is not definitely assigned in the constructor.

```
26 |   cod: boolean;
27 |   cash: boolean;
> 28 |   dir: boolean;
    |     ^^^
29 |   blockchain: boolean;
30 |   subscription: boolean;
31 |   debug: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:29:3

TS2564: Property 'blockchain' has no initializer and is not definitely assigned in the constructor.

```
27 |   cash: boolean;
28 |   dir: boolean;
> 29 |   blockchain: boolean;
    |     ^^^^^^^^^^^
30 |   subscription: boolean;
31 |   debug: boolean;
32 |   manual: boolean;
```

ERROR in core/models/shop/gateway/gateway.model.ts:30:3

TS2564: Property 'subscription' has no initializer and is not definitely assigned in the constructor.

```
28 |   dir: boolean;
29 |   blockchain: boolean;
```

```
> 30 | subscription: boolean;
      | ^^^^^^^^^^^^^^^
    31 | debug: boolean;
    32 | manual: boolean;
    33 | code: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:31:3

TS2564: Property 'debug' has no initializer and is not definitely assigned in the constructor.

```
    29 | blockchain: boolean;
    30 | subscription: boolean;
> 31 | debug: boolean;
      | ^^^^^
    32 | manual: boolean;
    33 | code: string;
    34 | name: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:32:3

TS2564: Property 'manual' has no initializer and is not definitely assigned in the constructor.

```
    30 | subscription: boolean;
    31 | debug: boolean;
> 32 | manual: boolean;
      | ^^^^^
    33 | code: string;
    34 | name: string;
    35 | description: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:33:3

TS2564: Property 'code' has no initializer and is not definitely assigned in the constructor.

```
    31 | debug: boolean;
    32 | manual: boolean;
> 33 | code: string;
      | ^^^^^
    34 | name: string;
    35 | description: string;
    36 | public: object;
```

ERROR in core/models/shop/gateway/gateway.model.ts:34:3

TS2564: Property 'name' has no initializer and is not definitely assigned in the constructor.

```
    32 | manual: boolean;
    33 | code: string;
> 34 | name: string;
      | ^^^^^
    35 | description: string;
    36 | public: object;
    37 | private: object;
```

ERROR in core/models/shop/gateway/gateway.model.ts:35:3

TS2564: Property 'description' has no initializer and is not definitely assigned in the constructor.

```
33 | code: string;
34 | name: string;
> 35 | description: string;
    | ^^^^^^^^^^^
36 | public: object;
37 | private: object;
38 | info: object;
```

ERROR in core/models/shop/gateway/gateway.model.ts:36:3

TS2564: Property 'public' has no initializer and is not definitely assigned in the constructor.

```
34 | name: string;
35 | description: string;
> 36 | public: object;
    | ^^^^^^
37 | private: object;
38 | info: object;
39 | logo: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:37:3

TS2564: Property 'private' has no initializer and is not definitely assigned in the constructor.

```
35 | description: string;
36 | public: object;
> 37 | private: object;
    | ^^^^^^
38 | info: object;
39 | logo: string;
40 | icon: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:38:3

TS2564: Property 'info' has no initializer and is not definitely assigned in the constructor.

```
36 | public: object;
37 | private: object;
> 38 | info: object;
    | ^^^^^
39 | logo: string;
40 | icon: string;
41 | video: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:39:3

TS2564: Property 'logo' has no initializer and is not definitely assigned in the constructor.

```
37 | private: object;
38 | info: object;
> 39 | logo: string;
    | ^^^^^
40 | icon: string;
41 | video: string;
42 | url: string;
```


ERROR in core/models/shop/gateway/gateway.model.ts:40:3

TS2564: Property 'icon' has no initializer and is not definitely assigned in the constructor.

```
38 |   info: object;
39 |   logo: string;
> 40 |   icon: string;
    |     ^^^^^
41 |   video: string;
42 |   url: string;
43 |   component: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:41:3

TS2564: Property 'video' has no initializer and is not definitely assigned in the constructor.

```
39 |   logo: string;
40 |   icon: string;
> 41 |   video: string;
    |     ^^^^^
42 |   url: string;
43 |   component: string;
44 |   timeout: number;
```

ERROR in core/models/shop/gateway/gateway.model.ts:42:3

TS2564: Property 'url' has no initializer and is not definitely assigned in the constructor.

```
40 |   icon: string;
41 |   video: string;
> 42 |   url: string;
    |     ^^^
43 |   component: string;
44 |   timeout: number;
45 |   network: GatewayNetworkStatus;
```

ERROR in core/models/shop/gateway/gateway.model.ts:43:3

TS2564: Property 'component' has no initializer and is not definitely assigned in the constructor.

```
41 |   video: string;
42 |   url: string;
> 43 |   component: string;
    |     ^^^^^^^^^
44 |   timeout: number;
45 |   network: GatewayNetworkStatus;
46 |   wallet: any[]; // assuming array of a certain type, replace 'any' with the specific type if
known
```

ERROR in core/models/shop/gateway/gateway.model.ts:44:3

TS2564: Property 'timeout' has no initializer and is not definitely assigned in the constructor.

```
42 |   url: string;
43 |   component: string;
> 44 |   timeout: number;
    |     ^^^^^
45 |   network: GatewayNetworkStatus;
```

```
46 |   wallet: any[]; // assuming array of a certain type, replace 'any' with the specific type if
known
47 |   script: string;
```

ERROR in core/models/shop/gateway/gateway.model.ts:45:12

TS2304: Cannot find name 'GatewayNetworkStatus'.

```
43 |   component: string;
44 |   timeout: number;
> 45 |   network: GatewayNetworkStatus;
      |           ^^^^^^^^^^^^^^^^^^^^^^^
46 |   wallet: any[]; // assuming array of a certain type, replace 'any' with the specific type if
known
47 |   script: string;
48 |
```

ERROR in core/models/shop/gateway/gateway.model.ts:46:3

TS2564: Property 'wallet' has no initializer and is not definitely assigned in the constructor.

```
44 |   timeout: number;
45 |   network: GatewayNetworkStatus;
> 46 |   wallet: any[]; // assuming array of a certain type, replace 'any' with the specific type if
known
      |   ^^^^^^^
47 |   script: string;
48 |
49 |   constructor{
```

ERROR in core/models/shop/gateway/gateway.model.ts:47:3

TS2564: Property 'script' has no initializer and is not definitely assigned in the constructor.

```
45 |   network: GatewayNetworkStatus;
46 |   wallet: any[]; // assuming array of a certain type, replace 'any' with the specific type if
known
> 47 |   script: string;
      |   ^^^^^^^
48 |
49 |   constructor{
50 |     data: {
```

ERROR in core/models/shop/gateway/gateway.model.ts:90:15

TS2304: Cannot find name 'GatewayNetworkStatus'.

```
88 |     component?: string;
89 |     timeout?: number;
> 90 |     network?: GatewayNetworkStatus; // Assuming GatewayNetworkStatus is defined
elsewhere
      |           ^^^^^^^^^^^^^^^^^^^^^^^
91 |     wallet?: any[]; // assuming array of a certain type, replace 'any' with the specific type if
known
92 |     script?: string;
93 |   }
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:16:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
14 |  
15 | export class ShopGateway implements ShopGateway.IShopGateway {  
> 16 |   id: number;  
    |     ^^  
17 |   shop_id: number;  
18 |   gateway_id: number;  
19 |   livemode: boolean;
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:17:3

TS2564: Property 'shop_id' has no initializer and is not definitely assigned in the constructor.

```
15 | export class ShopGateway implements ShopGateway.IShopGateway {  
16 |   id: number;  
> 17 |   shop_id: number;  
    |     ^^^^^^^  
18 |   gateway_id: number;  
19 |   livemode: boolean;  
20 |   public: any[];
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:18:3

TS2564: Property 'gateway_id' has no initializer and is not definitely assigned in the constructor.

```
16 |   id: number;  
17 |   shop_id: number;  
> 18 |   gateway_id: number;  
    |     ^^^^^^^^^^^  
19 |   livemode: boolean;  
20 |   public: any[];  
21 |   private: any[];
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:19:3

TS2564: Property 'livemode' has no initializer and is not definitely assigned in the constructor.

```
17 |   shop_id: number;  
18 |   gateway_id: number;  
> 19 |   livemode: boolean;  
    |     ^^^^^^^  
20 |   public: any[];  
21 |   private: any[];  
22 |   info: any[];
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:20:3

TS2564: Property 'public' has no initializer and is not definitely assigned in the constructor.

```
18 |   gateway_id: number;  
19 |   livemode: boolean;  
> 20 |   public: any[];  
    |     ^^^^^  
21 |   private: any[];
```

```
22 |   info: any[];
23 |   token: string;
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:21:3

TS2564: Property 'private' has no initializer and is not definitely assigned in the constructor.

```
19 |   livemode: boolean;
20 |   public: any[];
> 21 |   private: any[];
    |         ^^^^^^^
22 |   info: any[];
23 |   token: string;
24 |   enable: boolean;
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:22:3

TS2564: Property 'info' has no initializer and is not definitely assigned in the constructor.

```
20 |   public: any[];
21 |   private: any[];
> 22 |   info: any[];
    |     ^^^^^
23 |   token: string;
24 |   enable: boolean;
25 |   manual: boolean;
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:23:3

TS2564: Property 'token' has no initializer and is not definitely assigned in the constructor.

```
21 |   private: any[];
22 |   info: any[];
> 23 |   token: string;
    |     ^^^^^
24 |   enable: boolean;
25 |   manual: boolean;
26 |   caption: string;
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:24:3

TS2564: Property 'enable' has no initializer and is not definitely assigned in the constructor.

```
22 |   info: any[];
23 |   token: string;
> 24 |   enable: boolean;
    |     ^^^^^^^
25 |   manual: boolean;
26 |   caption: string;
27 |   config: any[];
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:25:3

TS2564: Property 'manual' has no initializer and is not definitely assigned in the constructor.

```
23 |   token: string;
24 |   enable: boolean;
> 25 |   manual: boolean;
```

```
    |      ^^^^^^
26 |   caption: string;
27 |   config: any[];
28 |   theme: any[];
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:26:3

TS2564: Property 'caption' has no initializer and is not definitely assigned in the constructor.

```
    24 |   enable: boolean;
    25 |   manual: boolean;
> 26 |   caption: string;
    |      ^^^^^^^^
    27 |   config: any[];
    28 |   theme: any[];
    29 |   meta: any[];
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:27:3

TS2564: Property 'config' has no initializer and is not definitely assigned in the constructor.

```
    25 |   manual: boolean;
    26 |   caption: string;
> 27 |   config: any[];
    |      ^^^^^^
    28 |   theme: any[];
    29 |   meta: any[];
    30 |
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:28:3

TS2564: Property 'theme' has no initializer and is not definitely assigned in the constructor.

```
    26 |   caption: string;
    27 |   config: any[];
> 28 |   theme: any[];
    |      ^^^^^^
    29 |   meta: any[];
    30 |
    31 |   constructor{
```

ERROR in core/models/shop/gateway/shop-gateway.model.ts:29:3

TS2564: Property 'meta' has no initializer and is not definitely assigned in the constructor.

```
    27 |   config: any[];
    28 |   theme: any[];
> 29 |   meta: any[];
    |      ^^^^^
    30 |
    31 |   constructor{
    32 |     data: {
```

ERROR in core/models/shop/importer/import-que-image.model.ts:16:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
    14 |
```

```
15 | export class ImportQueImage implements ImportQueImage.IImportQueImage {
> 16 |   id: number;
    |     ^^
17 |   shop_id: number;
18 |   vendor_id: number;
19 |   type: string;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:17:3

TS2564: Property 'shop_id' has no initializer and is not definitely assigned in the constructor.

```
15 | export class ImportQueImage implements ImportQueImage.IImportQueImage {
16 |   id: number;
> 17 |   shop_id: number;
    |     ^^^^^^^
18 |   vendor_id: number;
19 |   type: string;
20 |   product_id: number;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:18:3

TS2564: Property 'vendor_id' has no initializer and is not definitely assigned in the constructor.

```
16 |   id: number;
17 |   shop_id: number;
> 18 |   vendor_id: number;
    |     ^^^^^^^^^
19 |   type: string;
20 |   product_id: number;
21 |   variant_id: number;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:19:3

TS2564: Property 'type' has no initializer and is not definitely assigned in the constructor.

```
17 |   shop_id: number;
18 |   vendor_id: number;
> 19 |   type: string;
    |     ^^^
20 |   product_id: number;
21 |   variant_id: number;
22 |   category_id: number;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:20:3

TS2564: Property 'product_id' has no initializer and is not definitely assigned in the constructor.

```
18 |   vendor_id: number;
19 |   type: string;
> 20 |   product_id: number;
    |     ^^^^^^^^^
21 |   variant_id: number;
22 |   category_id: number;
23 |   url: string;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:21:3

TS2564: Property 'variant_id' has no initializer and is not definitely assigned in the constructor.

```
19 |   type: string;  
20 |   product_id: number;  
> 21 |   variant_id: number;  
    |   ^^^^^^^^^^^  
22 |   category_id: number;  
23 |   url: string;  
24 |   alt: string | null;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:22:3

TS2564: Property 'category_id' has no initializer and is not definitely assigned in the constructor.

```
20 |   product_id: number;  
21 |   variant_id: number;  
> 22 |   category_id: number;  
    |   ^^^^^^^^^^^  
23 |   url: string;  
24 |   alt: string | null;  
25 |   attempt: number;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:23:3

TS2564: Property 'url' has no initializer and is not definitely assigned in the constructor.

```
21 |   variant_id: number;  
22 |   category_id: number;  
> 23 |   url: string;  
    |   ^^^  
24 |   alt: string | null;  
25 |   attempt: number;  
26 |   error: string;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:24:3

TS2564: Property 'alt' has no initializer and is not definitely assigned in the constructor.

```
22 |   category_id: number;  
23 |   url: string;  
> 24 |   alt: string | null;  
    |   ^^^  
25 |   attempt: number;  
26 |   error: string;  
27 |   dispatched: boolean;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:25:3

TS2564: Property 'attempt' has no initializer and is not definitely assigned in the constructor.

```
23 |   url: string;  
24 |   alt: string | null;  
> 25 |   attempt: number;  
    |   ^^^^^^^  
26 |   error: string;  
27 |   dispatched: boolean;  
28 |   created_at: Date; // Assuming Carbon instances translate to Date in TypeScript
```

ERROR in core/models/shop/importer/import-que-image.model.ts:26:3

TS2564: Property 'error' has no initializer and is not definitely assigned in the constructor.

```
24 | alt: string | null;
25 | attempt: number;
> 26 | error: string;
    |     ^^^^^
27 | dispatched: boolean;
28 | created_at: Date; // Assuming Carbon instances translate to Date in TypeScript
29 | updated_at: Date;
```

ERROR in core/models/shop/importer/import-que-image.model.ts:27:3

TS2564: Property 'dispatched' has no initializer and is not definitely assigned in the constructor.

```
25 | attempt: number;
26 | error: string;
> 27 | dispatched: boolean;
    |     ^^^^^^^^^^^
28 | created_at: Date; // Assuming Carbon instances translate to Date in TypeScript
29 | updated_at: Date;
30 |
```

ERROR in core/models/shop/importer/import-que-image.model.ts:28:3

TS2564: Property 'created_at' has no initializer and is not definitely assigned in the constructor.

```
26 | error: string;
27 | dispatched: boolean;
> 28 | created_at: Date; // Assuming Carbon instances translate to Date in TypeScript
    |     ^^^^^^^^^^^
29 | updated_at: Date;
30 |
31 | constructor{
```

ERROR in core/models/shop/importer/import-que-image.model.ts:29:3

TS2564: Property 'updated_at' has no initializer and is not definitely assigned in the constructor.

```
27 | dispatched: boolean;
28 | created_at: Date; // Assuming Carbon instances translate to Date in TypeScript
> 29 | updated_at: Date;
    |     ^^^^^^^^^^^
30 |
31 | constructor{
32 |   data: {
```

ERROR in core/models/shop/importer/import-que-product.model.ts:16:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
14 |
15 | export class ImportQueProduct implements ImportQueProduct.IImportQueProduct {
> 16 |   id: number;
    |     ^^
17 |   shop_id: number;
```



```
18 |   vendor_id: number;
19 |   product_id: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:17:3

TS2564: Property 'shop_id' has no initializer and is not definitely assigned in the constructor.

```
15 | export class ImportQueProduct implements ImportQueProduct.IImportQueProduct {
16 |   id: number;
> 17 |   shop_id: number;
    |     ^^^^^^^
18 |   vendor_id: number;
19 |   product_id: number;
20 |   type: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:18:3

TS2564: Property 'vendor_id' has no initializer and is not definitely assigned in the constructor.

```
16 |   id: number;
17 |   shop_id: number;
> 18 |   vendor_id: number;
    |     ^^^^^^^^^^^
19 |   product_id: number;
20 |   type: string;
21 |   officer: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:19:3

TS2564: Property 'product_id' has no initializer and is not definitely assigned in the constructor.

```
17 |   shop_id: number;
18 |   vendor_id: number;
> 19 |   product_id: number;
    |     ^^^^^^^^^^^
20 |   type: string;
21 |   officer: number;
22 |   price: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:20:3

TS2564: Property 'type' has no initializer and is not definitely assigned in the constructor.

```
18 |   vendor_id: number;
19 |   product_id: number;
> 20 |   type: string;
    |     ^^^^^
21 |   officer: number;
22 |   price: number;
23 |   currency: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:21:3

TS2564: Property 'officer' has no initializer and is not definitely assigned in the constructor.

```
19 |   product_id: number;
20 |   type: string;
> 21 |   officer: number;
```

```
      | ^^^^^^^^
22 | price: number;
23 | currency: string;
24 | commission: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:22:3

TS2564: Property 'price' has no initializer and is not definitely assigned in the constructor.

```
20 | type: string;
21 | officer: number;
> 22 | price: number;
    | ^^^^^^
23 | currency: string;
24 | commission: number;
25 | discount: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:23:3

TS2564: Property 'currency' has no initializer and is not definitely assigned in the constructor.

```
21 | officer: number;
22 | price: number;
> 23 | currency: string;
    | ^^^^^^^^
24 | commission: number;
25 | discount: number;
26 | dis_start: Date;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:24:3

TS2564: Property 'commission' has no initializer and is not definitely assigned in the constructor.

```
22 | price: number;
23 | currency: string;
> 24 | commission: number;
    | ^^^^^^^^^^^^
25 | discount: number;
26 | dis_start: Date;
27 | dis_end: Date;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:25:3

TS2564: Property 'discount' has no initializer and is not definitely assigned in the constructor.

```
23 | currency: string;
24 | commission: number;
> 25 | discount: number;
    | ^^^^^^^^
26 | dis_start: Date;
27 | dis_end: Date;
28 | price_label: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:26:3

TS2564: Property 'dis_start' has no initializer and is not definitely assigned in the constructor.

```
24 | commission: number;
```

```
25 | discount: number;
> 26 | dis_start: Date;
    | ^^^^^^^^^^^
27 | dis_end: Date;
28 | price_label: string;
29 | unit: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:27:3

TS2564: Property 'dis_end' has no initializer and is not definitely assigned in the constructor.

```
25 | discount: number;
26 | dis_start: Date;
> 27 | dis_end: Date;
    | ^^^^^^^
28 | price_label: string;
29 | unit: string;
30 | price_input: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:28:3

TS2564: Property 'price_label' has no initializer and is not definitely assigned in the constructor.

```
26 | dis_start: Date;
27 | dis_end: Date;
> 28 | price_label: string;
    | ^^^^^^^^^^^^^^^
29 | unit: string;
30 | price_input: string;
31 | valuation_id: number | null;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:29:3

TS2564: Property 'unit' has no initializer and is not definitely assigned in the constructor.

```
27 | dis_end: Date;
28 | price_label: string;
> 29 | unit: string;
    | ^^^^^
30 | price_input: string;
31 | valuation_id: number | null;
32 | status: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:30:3

TS2564: Property 'price_input' has no initializer and is not definitely assigned in the constructor.

```
28 | price_label: string;
29 | unit: string;
> 30 | price_input: string;
    | ^^^^^^^^^^^^^^^
31 | valuation_id: number | null;
32 | status: string;
33 | title: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:31:3

TS2564: Property 'valuation_id' has no initializer and is not definitely assigned in the constructor.

```
29 |   unit: string;
30 |   price_input: string;
> 31 |   valuation_id: number | null;
    |   ^^^^^^^^^^^^^^^
32 |   status: string;
33 |   title: string;
34 |   title_en: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:32:3

TS2564: Property 'status' has no initializer and is not definitely assigned in the constructor.

```
30 |   price_input: string;
31 |   valuation_id: number | null;
> 32 |   status: string;
    |   ^^^^^^
33 |   title: string;
34 |   title_en: string;
35 |   sku: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:33:3

TS2564: Property 'title' has no initializer and is not definitely assigned in the constructor.

```
31 |   valuation_id: number | null;
32 |   status: string;
> 33 |   title: string;
    |   ^^^^^
34 |   title_en: string;
35 |   sku: string;
36 |   mpn: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:34:3

TS2564: Property 'title_en' has no initializer and is not definitely assigned in the constructor.

```
32 |   status: string;
33 |   title: string;
> 34 |   title_en: string;
    |   ^^^^^^^^^
35 |   sku: string;
36 |   mpn: string;
37 |   gtin: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:35:3

TS2564: Property 'sku' has no initializer and is not definitely assigned in the constructor.

```
33 |   title: string;
34 |   title_en: string;
> 35 |   sku: string;
    |   ^^^
36 |   mpn: string;
37 |   gtin: string;
38 |   gpc: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:36:3

TS2564: Property 'mpn' has no initializer and is not definitely assigned in the constructor.

```
34 |   title_en: string;
35 |   sku: string;
> 36 |   mpn: string;
    |     ^^^
37 |   gtin: string;
38 |   gpc: string;
39 |   condition: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:37:3

TS2564: Property 'gtin' has no initializer and is not definitely assigned in the constructor.

```
35 |   sku: string;
36 |   mpn: string;
> 37 |   gtin: string;
    |     ^^^^^
38 |   gpc: string;
39 |   condition: string;
40 |   brand: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:38:3

TS2564: Property 'gpc' has no initializer and is not definitely assigned in the constructor.

```
36 |   mpn: string;
37 |   gtin: string;
> 38 |   gpc: string;
    |     ^^^
39 |   condition: string;
40 |   brand: string;
41 |   warranty: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:39:3

TS2564: Property 'condition' has no initializer and is not definitely assigned in the constructor.

```
37 |   gtin: string;
38 |   gpc: string;
> 39 |   condition: string;
    |     ^^^^^^^^^^^
40 |   brand: string;
41 |   warranty: string;
42 |   spec: any[]; // Specify more precise type if possible
```

ERROR in core/models/shop/importer/import-que-product.model.ts:40:3

TS2564: Property 'brand' has no initializer and is not definitely assigned in the constructor.

```
38 |   gpc: string;
39 |   condition: string;
> 40 |   brand: string;
    |     ^^^^^
41 |   warranty: string;
```

```
42 |   spec: any[]; // Specify more precise type if possible
43 |   spec_order: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:41:3

TS2564: Property 'warranty' has no initializer and is not definitely assigned in the constructor.

```
39 |   condition: string;
40 |   brand: string;
> 41 |   warranty: string;
    |         ^^^^^^^^
42 |   spec: any[]; // Specify more precise type if possible
43 |   spec_order: any[];
44 |   pros: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:42:3

TS2564: Property 'spec' has no initializer and is not definitely assigned in the constructor.

```
40 |   brand: string;
41 |   warranty: string;
> 42 |   spec: any[]; // Specify more precise type if possible
    |         ^^^^^
43 |   spec_order: any[];
44 |   pros: any[];
45 |   cons: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:43:3

TS2564: Property 'spec_order' has no initializer and is not definitely assigned in the constructor.

```
41 |   warranty: string;
42 |   spec: any[]; // Specify more precise type if possible
> 43 |   spec_order: any[];
    |         ^^^^^^^^^^^
44 |   pros: any[];
45 |   cons: any[];
46 |   outputs: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:44:3

TS2564: Property 'pros' has no initializer and is not definitely assigned in the constructor.

```
42 |   spec: any[]; // Specify more precise type if possible
43 |   spec_order: any[];
> 44 |   pros: any[];
    |         ^^^^^
45 |   cons: any[];
46 |   outputs: any[];
47 |   inputs: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:45:3

TS2564: Property 'cons' has no initializer and is not definitely assigned in the constructor.

```
43 |   spec_order: any[];
44 |   pros: any[];
> 45 |   cons: any[];
```

```
    |      ^^^^
46 |   outputs: any[];
47 |   inputs: any[];
48 |   variants: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:46:3

TS2564: Property 'outputs' has no initializer and is not definitely assigned in the constructor.

```
    44 |   pros: any[];
    45 |   cons: any[];
> 46 |   outputs: any[];
    |     ^^^^^^^
    47 |   inputs: any[];
    48 |   variants: any[];
    49 |   quantity: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:47:3

TS2564: Property 'inputs' has no initializer and is not definitely assigned in the constructor.

```
    45 |   cons: any[];
    46 |   outputs: any[];
> 47 |   inputs: any[];
    |     ^^^^^^^
    48 |   variants: any[];
    49 |   quantity: number;
    50 |   limit_min: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:48:3

TS2564: Property 'variants' has no initializer and is not definitely assigned in the constructor.

```
    46 |   outputs: any[];
    47 |   inputs: any[];
> 48 |   variants: any[];
    |     ^^^^^^^
    49 |   quantity: number;
    50 |   limit_min: number;
    51 |   limit_max: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:49:3

TS2564: Property 'quantity' has no initializer and is not definitely assigned in the constructor.

```
    47 |   inputs: any[];
    48 |   variants: any[];
> 49 |   quantity: number;
    |     ^^^^^^^
    50 |   limit_min: number;
    51 |   limit_max: number;
    52 |   lead: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:50:3

TS2564: Property 'limit_min' has no initializer and is not definitely assigned in the constructor.

```
    48 |   variants: any[];
```

```
49 |   quantity: number;
> 50 |   limit_min: number;
    |   ^^^^^^^^^
51 |   limit_max: number;
52 |   lead: number;
53 |   extra: object;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:51:3

TS2564: Property 'limit_max' has no initializer and is not definitely assigned in the constructor.

```
49 |   quantity: number;
50 |   limit_min: number;
> 51 |   limit_max: number;
    |   ^^^^^^^^^
52 |   lead: number;
53 |   extra: object;
54 |   style: object;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:52:3

TS2564: Property 'lead' has no initializer and is not definitely assigned in the constructor.

```
50 |   limit_min: number;
51 |   limit_max: number;
> 52 |   lead: number;
    |   ^^^^^
53 |   extra: object;
54 |   style: object;
55 |   return_warranty: number;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:53:3

TS2564: Property 'extra' has no initializer and is not definitely assigned in the constructor.

```
51 |   limit_max: number;
52 |   lead: number;
> 53 |   extra: object;
    |   ^^^^^
54 |   style: object;
55 |   return_warranty: number;
56 |   original: boolean;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:54:3

TS2564: Property 'style' has no initializer and is not definitely assigned in the constructor.

```
52 |   lead: number;
53 |   extra: object;
> 54 |   style: object;
    |   ^^^^^
55 |   return_warranty: number;
56 |   original: boolean;
57 |   slug: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:55:3

TS2564: Property 'return_warranty' has no initializer and is not definitely assigned in the constructor.

```
53 |   extra: object;  
54 |   style: object;  
> 55 |   return_warranty: number;  
    |   ^^^^^^^^^^^^^^^^^^^  
56 |   original: boolean;  
57 |   slug: string;  
58 |   category: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:56:3

TS2564: Property 'original' has no initializer and is not definitely assigned in the constructor.

```
54 |   style: object;  
55 |   return_warranty: number;  
> 56 |   original: boolean;  
    |   ^^^^^^^  
57 |   slug: string;  
58 |   category: string;  
59 |   icon: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:57:3

TS2564: Property 'slug' has no initializer and is not definitely assigned in the constructor.

```
55 |   return_warranty: number;  
56 |   original: boolean;  
> 57 |   slug: string;  
    |   ^^^^  
58 |   category: string;  
59 |   icon: string;  
60 |   images: string[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:58:3

TS2564: Property 'category' has no initializer and is not definitely assigned in the constructor.

```
56 |   original: boolean;  
57 |   slug: string;  
> 58 |   category: string;  
    |   ^^^^^^^  
59 |   icon: string;  
60 |   images: string[];  
61 |   article_body: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:59:3

TS2564: Property 'icon' has no initializer and is not definitely assigned in the constructor.

```
57 |   slug: string;  
58 |   category: string;  
> 59 |   icon: string;  
    |   ^^^^  
60 |   images: string[];  
61 |   article_body: string;  
62 |   article_title: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:60:3

TS2564: Property 'images' has no initializer and is not definitely assigned in the constructor.

```
58 |   category: string;
59 |   icon: string;
> 60 |   images: string[];
    |         ^^^^^^^
61 |   article_body: string;
62 |   article_title: string;
63 |   article_description: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:61:3

TS2564: Property 'article_body' has no initializer and is not definitely assigned in the constructor.

```
59 |   icon: string;
60 |   images: string[];
> 61 |   article_body: string;
    |         ^^^^^^^^^^^^^^^
62 |   article_title: string;
63 |   article_description: string;
64 |   article_image: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:62:3

TS2564: Property 'article_title' has no initializer and is not definitely assigned in the constructor.

```
60 |   images: string[];
61 |   article_body: string;
> 62 |   article_title: string;
    |         ^^^^^^^^^^^^^^^
63 |   article_description: string;
64 |   article_image: string;
65 |   article_faq: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:63:3

TS2564: Property 'article_description' has no initializer and is not definitely assigned in the constructor.

```
61 |   article_body: string;
62 |   article_title: string;
> 63 |   article_description: string;
    |         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
64 |   article_image: string;
65 |   article_faq: any[];
66 |   article_structures: any[];
```

ERROR in core/models/shop/importer/import-que-product.model.ts:64:3

TS2564: Property 'article_image' has no initializer and is not definitely assigned in the constructor.

```
62 |   article_title: string;
63 |   article_description: string;
> 64 |   article_image: string;
    |         ^^^^^^^^^^^^^^^
65 |   article_faq: any[];
```

```
66 | article_structures: any[];
67 | error: string;
```

ERROR in core/models/shop/importer/import-que-product.model.ts:65:3

TS2564: Property 'article_faq' has no initializer and is not definitely assigned in the constructor.

```
63 | article_description: string;
64 | article_image: string;
> 65 | article_faq: any[];
    | ^^^^^^^^^^^^^^^
66 | article_structures: any[];
67 | error: string;
68 | extra_pricings: any[]; // Specify more precise type if possible
```

ERROR in core/models/shop/importer/import-que-product.model.ts:66:3

TS2564: Property 'article_structures' has no initializer and is not definitely assigned in the constructor.

```
64 | article_image: string;
65 | article_faq: any[];
> 66 | article_structures: any[];
    | ^^^^^^^^^^^^^^^^^^^^^^^
67 | error: string;
68 | extra_pricings: any[]; // Specify more precise type if possible
69 |
```

ERROR in core/models/shop/importer/import-que-product.model.ts:67:3

TS2564: Property 'error' has no initializer and is not definitely assigned in the constructor.

```
65 | article_faq: any[];
66 | article_structures: any[];
> 67 | error: string;
    | ^^^^^
68 | extra_pricings: any[]; // Specify more precise type if possible
69 |
70 | constructor(
```

ERROR in core/models/shop/importer/import-que-product.model.ts:68:3

TS2564: Property 'extra_pricings' has no initializer and is not definitely assigned in the constructor.

```
66 | article_structures: any[];
67 | error: string;
> 68 | extra_pricings: any[]; // Specify more precise type if possible
    | ^^^^^^^^^^^^^^^^^^^
69 |
70 | constructor(
71 |   data: {
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:17:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
15 |
16 | export class ImportQueVariant implements ImportQueVariant.IImportQueVariant {
> 17 |   id: number;
```

```
    |    ^^
18 |   product_id: number;
19 |   variant_id: number | null;
20 |   sku: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:18:3

TS2564: Property 'product_id' has no initializer and is not definitely assigned in the constructor.

```
16 | export class ImportQueVariant implements ImportQueVariant.IImportQueVariant {
17 |   id: number;
> 18 |   product_id: number;
    |         ^^^^^^^^^^^
19 |   variant_id: number | null;
20 |   sku: string;
21 |   mpn: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:19:3

TS2564: Property 'variant_id' has no initializer and is not definitely assigned in the constructor.

```
17 |   id: number;
18 |   product_id: number;
> 19 |   variant_id: number | null;
    |         ^^^^^^^^^^^
20 |   sku: string;
21 |   mpn: string;
22 |   gtin: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:20:3

TS2564: Property 'sku' has no initializer and is not definitely assigned in the constructor.

```
18 |   product_id: number;
19 |   variant_id: number | null;
> 20 |   sku: string;
    |         ^^^
21 |   mpn: string;
22 |   gtin: string;
23 |   color: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:21:3

TS2564: Property 'mpn' has no initializer and is not definitely assigned in the constructor.

```
19 |   variant_id: number | null;
20 |   sku: string;
> 21 |   mpn: string;
    |         ^^^
22 |   gtin: string;
23 |   color: string;
24 |   style: object;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:22:3

TS2564: Property 'gtin' has no initializer and is not definitely assigned in the constructor.

```
20 |   sku: string;
```

```
21 |   mpn: string;
> 22 |   gtin: string;
    |     ^^^^^
23 |   color: string;
24 |   style: object;
25 |   volume: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:23:3

TS2564: Property 'color' has no initializer and is not definitely assigned in the constructor.

```
21 |   mpn: string;
22 |   gtin: string;
> 23 |   color: string;
    |     ^^^^^
24 |   style: object;
25 |   volume: string;
26 |   weight: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:24:3

TS2564: Property 'style' has no initializer and is not definitely assigned in the constructor.

```
22 |   gtin: string;
23 |   color: string;
> 24 |   style: object;
    |     ^^^^^
25 |   volume: string;
26 |   weight: string;
27 |   pack: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:25:3

TS2564: Property 'volume' has no initializer and is not definitely assigned in the constructor.

```
23 |   color: string;
24 |   style: object;
> 25 |   volume: string;
    |     ^^^^^
26 |   weight: string;
27 |   pack: string;
28 |   type: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:26:3

TS2564: Property 'weight' has no initializer and is not definitely assigned in the constructor.

```
24 |   style: object;
25 |   volume: string;
> 26 |   weight: string;
    |     ^^^^^
27 |   pack: string;
28 |   type: string;
29 |   pricing: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:27:3

TS2564: Property 'pack' has no initializer and is not definitely assigned in the constructor.

```
25 |   volume: string;  
26 |   weight: string;  
> 27 |   pack: string;  
    |     ^^^^^  
28 |   type: string;  
29 |   pricing: string;  
30 |   price: number;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:28:3

TS2564: Property 'type' has no initializer and is not definitely assigned in the constructor.

```
26 |   weight: string;  
27 |   pack: string;  
> 28 |   type: string;  
    |     ^^^^^  
29 |   pricing: string;  
30 |   price: number;  
31 |   currency: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:29:3

TS2564: Property 'pricing' has no initializer and is not definitely assigned in the constructor.

```
27 |   pack: string;  
28 |   type: string;  
> 29 |   pricing: string;  
    |     ^^^^^^^  
30 |   price: number;  
31 |   currency: string;  
32 |   commission: number;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:30:3

TS2564: Property 'price' has no initializer and is not definitely assigned in the constructor.

```
28 |   type: string;  
29 |   pricing: string;  
> 30 |   price: number;  
    |     ^^^^^  
31 |   currency: string;  
32 |   commission: number;  
33 |   discount: number;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:31:3

TS2564: Property 'currency' has no initializer and is not definitely assigned in the constructor.

```
29 |   pricing: string;  
30 |   price: number;  
> 31 |   currency: string;  
    |     ^^^^^^^  
32 |   commission: number;  
33 |   discount: number;  
34 |   dis_start: Date; // Assuming Carbon instances are translated to Date in TypeScript
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:32:3

TS2564: Property 'commission' has no initializer and is not definitely assigned in the constructor.

```
30 | price: number;
31 | currency: string;
> 32 | commission: number;
    | ^^^^^^^^^^^
33 | discount: number;
34 | dis_start: Date; // Assuming Carbon instances are translated to Date in TypeScript
35 | dis_end: Date;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:33:3

TS2564: Property 'discount' has no initializer and is not definitely assigned in the constructor.

```
31 | currency: string;
32 | commission: number;
> 33 | discount: number;
    | ^^^^^^^^^
34 | dis_start: Date; // Assuming Carbon instances are translated to Date in TypeScript
35 | dis_end: Date;
36 | price_label: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:34:3

TS2564: Property 'dis_start' has no initializer and is not definitely assigned in the constructor.

```
32 | commission: number;
33 | discount: number;
> 34 | dis_start: Date; // Assuming Carbon instances are translated to Date in TypeScript
    | ^^^^^^^^^^^
35 | dis_end: Date;
36 | price_label: string;
37 | quantity: number;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:35:3

TS2564: Property 'dis_end' has no initializer and is not definitely assigned in the constructor.

```
33 | discount: number;
34 | dis_start: Date; // Assuming Carbon instances are translated to Date in TypeScript
> 35 | dis_end: Date;
    | ^^^^^^^^^
36 | price_label: string;
37 | quantity: number;
38 | image: string;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:36:3

TS2564: Property 'price_label' has no initializer and is not definitely assigned in the constructor.

```
34 | dis_start: Date; // Assuming Carbon instances are translated to Date in TypeScript
35 | dis_end: Date;
> 36 | price_label: string;
    | ^^^^^^^^^^^^^
37 | quantity: number;
```

```
38 |   image: string;
39 |   enable: boolean;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:37:3

TS2564: Property 'quantity' has no initializer and is not definitely assigned in the constructor.

```
35 |   dis_end: Date;
36 |   price_label: string;
> 37 |   quantity: number;
    |         ^^^^^^^^
38 |   image: string;
39 |   enable: boolean;
40 |   lead: number;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:38:3

TS2564: Property 'image' has no initializer and is not definitely assigned in the constructor.

```
36 |   price_label: string;
37 |   quantity: number;
> 38 |   image: string;
    |         ^^^^^^
39 |   enable: boolean;
40 |   lead: number;
41 |   extra: object;
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:39:3

TS2564: Property 'enable' has no initializer and is not definitely assigned in the constructor.

```
37 |   quantity: number;
38 |   image: string;
> 39 |   enable: boolean;
    |         ^^^^^^^^
40 |   lead: number;
41 |   extra: object;
42 |   images: string[];
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:40:3

TS2564: Property 'lead' has no initializer and is not definitely assigned in the constructor.

```
38 |   image: string;
39 |   enable: boolean;
> 40 |   lead: number;
    |         ^^^^^
41 |   extra: object;
42 |   images: string[];
43 |   extra_pricings: any[]; // Define the structure more precisely if possible
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:41:3

TS2564: Property 'extra' has no initializer and is not definitely assigned in the constructor.

```
39 |   enable: boolean;
40 |   lead: number;
> 41 |   extra: object;
```



```
    |      ^^^^^
42 |   images: string[];
43 |   extra_pricings: any[]; // Define the structure more precisely if possible
44 |   product: any; // Define the type for ImportQueProduct if possible
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:42:3

TS2564: Property 'images' has no initializer and is not definitely assigned in the constructor.

```
    40 |   lead: number;
    41 |   extra: object;
> 42 |   images: string[];
    |      ^^^^^^^
    43 |   extra_pricings: any[]; // Define the structure more precisely if possible
    44 |   product: any; // Define the type for ImportQueProduct if possible
    45 |
```

ERROR in core/models/shop/importer/import-que-variant.model.ts:43:3

TS2564: Property 'extra_pricings' has no initializer and is not definitely assigned in the constructor.

```
    41 |   extra: object;
    42 |   images: string[];
> 43 |   extra_pricings: any[]; // Define the structure more precisely if possible
    |      ^^^^^^^^^^^^^^^^^
    44 |   product: any; // Define the type for ImportQueProduct if possible
    45 |
    46 |   constructor(data: Partial<ImportQueVariant.ImportQueVariant>) {
```

ERROR in core/models/shop/logistic/profile/logistic-profile.model.ts:32:22

TS2304: Cannot find name 'LogisticProfileType'.

```
    30 |   shop_id: number;
    31 |   user_id: number | null;
> 32 |   type: keyof typeof LogisticProfileType;
    |                                     ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    33 |   name: string;
    34 |   info: LogisticInfo;
    35 |   created_at: Date;
```

ERROR in core/models/shop/logistic/profile/logistic-profile.model.ts:34:9

TS2304: Cannot find name 'LogisticInfo'.

```
    32 |   type: keyof typeof LogisticProfileType;
    33 |   name: string;
> 34 |   info: LogisticInfo;
    |      ^^^^^^^^^^^^^
    35 |   created_at: Date;
    36 |   updated_at: Date;
    37 | }
```

ERROR in core/models/shop/payment/gateway-que.model.ts:47:9

TS2304: Cannot find name 'User'.

```
    45 |
```

```
46 | /** Associated user who is making the transaction. */
> 47 | user: User;
    |         ^^^^^
48 | }
49 |
```

ERROR in core/models/shop/social/shop-social.model.ts:16:3

TS2564: Property 'id' has no initializer and is not definitely assigned in the constructor.

```
14 |
15 | export class ShopSocial implements ShopSocial.IShopSocial {
> 16 |   id: number;
    |     ^^
17 |   shop_id: number;
18 |   network: string;
19 |   url: string;
```

ERROR in core/models/shop/social/shop-social.model.ts:17:3

TS2564: Property 'shop_id' has no initializer and is not definitely assigned in the constructor.

```
15 | export class ShopSocial implements ShopSocial.IShopSocial {
16 |   id: number;
> 17 |   shop_id: number;
    |     ^^^^^^^
18 |   network: string;
19 |   url: string;
20 |   active: boolean;
```

ERROR in core/models/shop/social/shop-social.model.ts:18:3

TS2564: Property 'network' has no initializer and is not definitely assigned in the constructor.

```
16 |   id: number;
17 |   shop_id: number;
> 18 |   network: string;
    |     ^^^^^^^
19 |   url: string;
20 |   active: boolean;
21 |   validation_url: string;
```

ERROR in core/models/shop/social/shop-social.model.ts:19:3

TS2564: Property 'url' has no initializer and is not definitely assigned in the constructor.

```
17 |   shop_id: number;
18 |   network: string;
> 19 |   url: string;
    |     ^^^
20 |   active: boolean;
21 |   validation_url: string;
22 |
```

ERROR in core/models/shop/social/shop-social.model.ts:20:3

TS2564: Property 'active' has no initializer and is not definitely assigned in the constructor.

```

18 |   network: string;
19 |   url: string;
> 20 |   active: boolean;
    |   ^^^^^^
21 |   validation_url: string;
22 |
23 |   constructor(

```

ERROR in core/models/shop/social/shop-social.model.ts:21:3

TS2564: Property 'validation_url' has no initializer and is not definitely assigned in the constructor.

```

19 |   url: string;
20 |   active: boolean;
> 21 |   validation_url: string;
    |   ^^^^^^^^^^^^^^^^^^
22 |
23 |   constructor(
24 |     data: {

```

ERROR in core/server/APIAbstract.ts:512:19

TS2551: Property 'cache' does not exist on type 'Promise<any>'. Did you mean 'catch'?

```

510 |
511 | // Adding the cache method to the Promise prototype
> 512 | Promise.prototype.cache = function (
    |   ^^^^^
513 |   this: IExtendedPromiseWithCache<any>,
514 |   cacheResponse: (value: any) => void,
515 | ) {

```

ERROR in core/server/SetupService.ts:34:14

TS2339: Property 'selldone_config' does not exist on type 'Window & typeof globalThis'.

```

32 |
33 |   const dynamic_config_val =
> 34 |     window.selldone_config &&
    |     ^^^^^^^^^^^^^^^^^^
35 |     (window.selldone_config as Record<string, any>)[name];
36 |   return (
37 |     meta

```

ERROR in core/server/SetupService.ts:35:15

TS2339: Property 'selldone_config' does not exist on type 'Window & typeof globalThis'.

```

33 |   const dynamic_config_val =
34 |     window.selldone_config &&
> 35 |     (window.selldone_config as Record<string, any>)[name];
    |     ^^^^^^^^^^^^^^^^^^
36 |   return (
37 |     meta
38 |     ? meta.content

```



```
16 | import {ImportQueProduct} from
"@core/models/shop/importer/import-que-product.model";
17 |
18 | export default function apiProductImporterQueProductsGet(
```

ERROR in SDKs/vendor/product/importer/requests/vapi.products.importer.info.get.ts:15:34

TS2307: Cannot find module '@sdk-backoffice/product/importer/ApiProductImporter' or its corresponding type declarations.

```
13 | */
14 |
> 15 | import {ApiProductImporter} from "@sdk-backoffice/product/importer/ApiProductImporter";
    |
    ~~~~~~
16 |
17 | export default function apiProductImporterInfoGet(
18 |   this: ApiProductImporter,
```

ERROR in SDKs/vendor/product/vendor/requests/vapi.product.vendors.list.get.ts:15:32

TS2307: Cannot find module '@sdk-backoffice/product/vendor/ApiProductVendor' or its corresponding type declarations.

```
13 | */
14 |
> 15 | import {ApiProductVendor} from "@sdk-backoffice/product/vendor/ApiProductVendor";
    |
    ~~~~~~
16 |
17 | export default function vapiProductVendorsListGet(
18 |   this: ApiProductVendor,
```

ERROR in src/Applications/PageBuilder/components/x/uploader/XUploader.vue:607:38

TS7006: Parameter 'it' implicitly has an 'any' type.

```
605 |     if (!this.setting) return this.aspects[0];
606 |
> 607 |     const obj = this.aspects.find((it) => it.val === this.setting.aspect);
    |                                     ^^
608 |     return obj ? obj : this.aspects[0];
609 |   },
610 |   selected_float() {
```

ERROR in src/Applications/PageBuilder/components/x/uploader/XUploader.vue:613:37

TS7006: Parameter 'it' implicitly has an 'any' type.

```
611 |     if (!this.setting) return this.floats[0];
612 |
> 613 |     const obj = this.floats.find((it) => it.val === this.setting.float);
    |                                     ^^
614 |     return obj ? obj : this.floats[0];
615 |   },
616 |   /* hasDefaultSlot() {
```

ERROR in src/Applications/PageBuilder/components/x/uploader/XUploader.vue:683:15

TS7006: Parameter 'val' implicitly has an 'any' type.

```
681 |  
682 |     methods: {  
> 683 |         isPercent(val) {  
        |                 ^^^  
684 |             return this.isString(val) && val?.includes("%");  
685 |         },  
686 |     }
```

ERROR in src/Applications/PageBuilder/components/x/uploader/XUploader.vue:802:7

TS2304: Cannot find name 'axios'.

```
800 |  
801 |     let url = this.upload_bg_url;  
> 802 |     axios  
        |     ^^^^^  
803 |     .post(url, formData, {  
804 |         headers: {  
805 |             "Content-Type": "multipart/form-data",
```

ERROR in src/Applications/PageBuilder/components/x/uploader/XUploader.vue:808:16

TS7006: Parameter 'response' implicitly has an 'any' type.

```
806 |         },  
807 |     })  
> 808 |     .then((response) => {  
        |           ^^^^^^^^^^  
809 |         if (!response.data.error) {  
810 |             this.showSuccessAlert(null, `Image uploaded successfully.`);  
811 |         }
```

ERROR in src/Applications/PageBuilder/components/x/uploader/XUploader.vue:820:17

TS7006: Parameter 'error' implicitly has an 'any' type.

```
818 |     }  
819 | })  
> 820 |     .catch((error) => {  
        |           ^^^^^^  
821 |         this.showLaravelError(error);  
822 |     })  
823 |     .finally(() => {
```

ERROR in src/Applications/PageBuilder/index.ts:18:9

TS2339: Property 'version' does not exist on type 'typeof Builder'.

```
16 | import * as types from "@app-page-builder/src/types/types";  
17 |  
> 18 | Builder.version = "__VERSION__";  
    |           ^^^^^^^  
19 | Builder.types = types;
```

```
20 |  
21 | export default Builder;
```

ERROR in src/Applications/PageBuilder/index.ts:19:9

TS2339: Property 'types' does not exist on type 'typeof Builder'.

```
17 |  
18 | Builder.version = "__VERSION__";  
> 19 | Builder.types = types;  
    |           ^^^^^  
20 |  
21 | export default Builder;  
22 |
```

ERROR in src/Applications/PageBuilder/utls/classes/LUtilsClasses.ts:15:5

TS7034: Variable 'STANDARD_CLASSES' implicitly has type 'any' in some locations where its type cannot be determined.

```
13 | */  
14 |  
> 15 | let STANDARD_CLASSES = null;  
    |           ^^^^^^^^^^^^^^^^^  
16 |  
17 | const ANIMATION_CLASSES = [  
18 |   "blinker",
```

ERROR in src/Applications/PageBuilder/utls/classes/LUtilsClasses.ts:82:9

TS7005: Variable 'STANDARD_CLASSES' implicitly has an 'any' type.

```
80 |  
81 | static StandardClasses() {  
> 82 |   if (STANDARD_CLASSES) return STANDARD_CLASSES;  
    |           ^^^^^^^^^^^^^^^^^  
83 |  
84 |   const out = [];  
85 |
```

ERROR in src/Applications/PageBuilder/utls/classes/LUtilsClasses.ts:162:33

TS7006: Parameter 'prefix' implicitly has an 'any' type.

```
160 |   }  
161 |  
> 162 | static AutoGenerateResponsive(prefix, start, end) {  
    |           ^^^^^  
163 |   const out = [];  
164 |   [ "", "sm-", "md-", "lg-"].forEach((it) => {  
165 |     out.push(...this.AutoGenerate(prefix + it, start, end));
```

ERROR in src/Applications/PageBuilder/utls/classes/LUtilsClasses.ts:162:41

TS7006: Parameter 'start' implicitly has an 'any' type.

```
160 |   }  
161 |
```



```

> 162 |     static AutoGenerateResponsive(prefix, start, end) {
      |                                             ^^^^^^
163 |     const out = [];
164 |     [ "", "sm-", "md-", "lg-"].forEach((it) => {
165 |         out.push(...this.AutoGenerate(prefix + it, start, end));

```

ERROR in src/Applications/PageBuilder/utis/classes/LUtilsClasses.ts:162:48

TS7006: Parameter 'end' implicitly has an 'any' type.

```

160 |     }
161 |
> 162 |     static AutoGenerateResponsive(prefix, start, end) {
      |                                             ^^^
163 |     const out = [];
164 |     [ "", "sm-", "md-", "lg-"].forEach((it) => {
165 |         out.push(...this.AutoGenerate(prefix + it, start, end));

```

ERROR in src/Applications/PageBuilder/utis/classes/LUtilsClasses.ts:163:11

TS7034: Variable 'out' implicitly has type 'any[]' in some locations where its type cannot be determined.

```

161 |
162 |     static AutoGenerateResponsive(prefix, start, end) {
> 163 |         const out = [];
      |                 ^^^
164 |         [ "", "sm-", "md-", "lg-"].forEach((it) => {
165 |             out.push(...this.AutoGenerate(prefix + it, start, end));
166 |         });

```

ERROR in src/Applications/PageBuilder/utis/classes/LUtilsClasses.ts:168:12

TS7005: Variable 'out' implicitly has an 'any[]' type.

```

166 |         });
167 |
> 168 |         return out;
      |                 ^^^
169 |     }
170 |
171 |     static AutoGenerate(prefix, start, end) {

```

ERROR in src/Applications/PageBuilder/utis/classes/LUtilsClasses.ts:171:23

TS7006: Parameter 'prefix' implicitly has an 'any' type.

```

169 |     }
170 |
> 171 |     static AutoGenerate(prefix, start, end) {
      |                             ^^^^^^^^
172 |     const out = [];
173 |     for (let i = start; i < end; i++) {
174 |         out.push(prefix + (i < 0 ? "n" : "") + Math.abs(i));

```

ERROR in src/Applications/PageBuilder/utis/classes/LUtilsClasses.ts:171:31

TS7006: Parameter 'start' implicitly has an 'any' type.

```

169 |   }
170 |
> 171 |   static AutoGenerate(prefix, start, end) {
      |                                     ^^^^^^
172 |       const out = [];
173 |       for (let i = start; i < end; i++) {
174 |           out.push(prefix + (i < 0 ? "n" : "") + Math.abs(i));

```

ERROR in src/Applications/PageBuilder/utils/classes/LUtilsClasses.ts:171:38

TS7006: Parameter 'end' implicitly has an 'any' type.

```

169 |   }
170 |
> 171 |   static AutoGenerate(prefix, start, end) {
      |                                     ^^^
172 |       const out = [];
173 |       for (let i = start; i < end; i++) {
174 |           out.push(prefix + (i < 0 ? "n" : "") + Math.abs(i));

```

ERROR in src/Applications/PageBuilder/utils/classes/LUtilsClasses.ts:184:20

TS7006: Parameter 'classes' implicitly has an 'any' type.

```

182 |     * @constructor
183 |     */
> 184 |     static GetHovers(classes): string[] {
      |                               ^^^^^^^^
185 |         if (!classes || !Array.isArray(classes)) return [];
186 |
187 |         return classes

```

ERROR in src/Applications/PageBuilder/utils/classes/LUtilsClasses.ts:197:24

TS7006: Parameter 'classes' implicitly has an 'any' type.

```

195 |     * @constructor
196 |     */
> 197 |     static GetAnimations(classes): string[] {
      |                               ^^^^^^^^
198 |         if (!classes || !Array.isArray(classes)) return [];
199 |
200 |         return classes

```

ERROR in src/Applications/PageBuilder/utils/classes/LUtilsClasses.ts:211:23

TS7006: Parameter 'style' implicitly has an 'any' type.

```

209 |     */
210 |
> 211 |     static GetThreshold(style): number {
      |                               ^^^^^^
212 |         return style?.threshold;
213 |     }
214 | }

```



```
143 |     return this.ConvertToSixCharHex(  
144 |         style[`\plate_dark_` + index]  
145 |         ? style[`\plate_dark_` + index]
```

ERROR in src/Applications/PageBuilder/utis/colors/LUtilsColors.ts:142:30

TS7006: Parameter 'index' implicitly has an 'any' type.

```
140 |     }  
141 |  
> 142 |     static GetColorDark(style, index) {  
    |                                     ^^^^^^  
143 |         return this.ConvertToSixCharHex(  
144 |             style[`\plate_dark_` + index]  
145 |             ? style[`\plate_dark_` + index]
```

ERROR in src/Applications/PageBuilder/utis/colors/LUtilsColors.ts:146:11

TS7053: Element implicitly has an 'any' type because expression of type 'string' can't be used to index type 'typeof LUtilsColors'.

No index signature with a parameter of type 'string' was found on type 'typeof LUtilsColors'.

```
144 |         style[`\plate_dark_` + index]  
145 |         ? style[`\plate_dark_` + index]  
> 146 |         : this[`\PLATE_DARK_` + index],  
    |               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
147 |     );  
148 | }  
149 |
```

ERROR in src/Applications/PageBuilder/utis/colors/LUtilsColors.ts:150:30

TS7006: Parameter 'color' implicitly has an 'any' type.

```
148 |     }  
149 |  
> 150 |     static ConvertToSixCharHex(color) {  
    |                                     ^^^^^^  
151 |         if (color.length === 9) {  
152 |             // '#RRGGBBAA' format  
153 |             return "#" + color.slice(1, 7); // Slice from 1 to 7, removing the alpha channel
```

ERROR in src/Applications/PageBuilder/utis/filter/LUtilsFilter.ts:223:21

TS7006: Parameter 'filter' implicitly has an 'any' type.

```
221 |  
222 | export class LUtilsFilter {  
> 223 |     static CalcFilter(filter) {  
    |                               ^^^^^^  
224 |         if (!filter) return null;  
225 |  
226 |         let out = "";
```

ERROR in src/Applications/PageBuilder/utis/typo/LUtilsTypo.ts:24:28

TS7006: Parameter 'style' implicitly has an 'any' type.

```

22 |   static P_SIZE_DEFAULT = undefined;
23 |
> 24 |   static GenerateTypoStyle(style) {
    |                                     ^^^^^^
25 |       return {
26 |           "--base-font-size": style?.font_size ? style.font_size + "px" : "16px",
27 |

```

ERROR in src/Components/mixin/CoreMixin.ts:1873:16

TS2664: Invalid module name in augmentation, module 'vue/types/vue' cannot be found.

```

1871 |
//
1872 |
> 1873 | declare module "vue/types/vue" {
    |                                     ^^^^^^^^^^^^^^^^^^^^^
1874 |     interface Vue {
1875 |         EventBus: typeof EventBus;
1876 |     }

```

ERROR in src/Components/ui/youtube/helper/YoutubeHelper.ts:14:30

TS7006: Parameter 'url' implicitly has an 'any' type.

```

12 |   * Tread carefully, for you're treading on dreams.
13 |   */
> 14 |   export const getYoutubeId = (url, opts = { fuzzy: true }) => {
    |                                     ^^^
15 |       if (/youtu\.?be/.test(url)) {
16 |           const patterns = [
17 |               /youtu\.be\/(?:#\&\?){11}/, //youtu.be/<id>

```

ERROR in src/Components/ui/youtube/helper/YoutubeHelper.ts:26:16

TS2531: Object is possibly 'null'.

```

24 |       for (let i = 0; i < patterns.length; ++i) {
25 |           if (patterns[i].test(url)) {
> 26 |               return patterns[i].exec(url)[1];
    |                                     ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
27 |           }
28 |       }
29 |

```

ERROR in storefront.ts:44:34

TS2339: Property 'locale' does not exist on type 'I18n<{ en: { \$vuetify: { badge: string; open: string; close: string; confirmEdit: { ok: string; cancel: string; }; dataIterator: { noResultsText: string; loadingText: string; }; dataTable: { itemsPerPageText: string; ariaLabel: { ... }; sortBy: string; }; ... 13 more ...; infiniteScroll: { ...; }; }; ... 48 more'.
42 |
43 | // ----- Global Language -----
> 44 | window.\$language = Language[i18n.locale] ? Language[i18n.locale] : Language.en;

```

|
45 |
46 | //----- Multi languages support -----
47 | window.$i18n_global = i18n.global; // Important! used by styler!

```

ERROR in storefront.ts:44:58

TS2339: Property 'locale' does not exist on type 'I18n<{ en: { \$vuetify: { badge: string; open: string; close: string; confirmEdit: { ok: string; cancel: string; }; dataIterator: { noResultsText: string; loadingText: string; }; dataTable: { itemsPerPageText: string; ariaLabel: { ... }; sortBy: string; }; ... 13 more ...; infiniteScroll: { ...; }; }; ... 48 more!.

```

42 |
43 | // ----- Global Language -----
> 44 | window.$language = Language[i18n.locale] ? Language[i18n.locale] : Language.en;
|
45 |
46 | //----- Multi languages support -----
47 | window.$i18n_global = i18n.global; // Important! used by styler!

```

ERROR in storefront.ts:51:1

TS2739: Type 'Router' is missing the following properties from type 'VueRouter': app, mode, getMatchedComponents, onReady, addRoutes

```

49 | window.$global_store = store; // Important! used in page builder!
50 | //----- Globally keep route -----
> 51 | window.$global_router = router; // Important! used by styler!
|
52 | //----- Globally keep vuetify -----
53 | window.$global_vuetify = vuetify; // Important! used by page build dynamic component
generator! USE THIS NOW: vuetify=Vue.prototype.$vuetify
54 |

```

ERROR in storefront.ts:101:37

TS2344: Type '{ data(): { shop_name: string; }; computed: { isNative(): any; current_product_type_in_basket(): any; }; methods: { setPageTitle(title: string): void; getCurrentShopName(): string; \$localStorage_base_path(): string; ... 44 more ...; EnablePushNotification(): void; }; }' does not satisfy the constraint 'abstract new (...args: any) => any'.

Type '{ data(): { shop_name: string; }; computed: { isNative(): any; current_product_type_in_basket(): any; }; methods: { setPageTitle(title: string): void; getCurrentShopName(): string; \$localStorage_base_path(): string; ... 44 more ...; EnablePushNotification(): void; }; }' provides no match for the signature 'new (...args: any): any'.

```

99 | window.axios.defaults.headers.common["Authorization"] = "Bearer " + token;
100 |
> 101 | (storefrontVueApp as InstanceType<typeof StorefrontMixin>).UpdateUserInfo();
|
102 | (
103 | storefrontVueApp as InstanceType<typeof StorefrontMixin>
104 | ).fetchBasketAndShop();

```

ERROR in storefront.ts:103:38

TS2344: Type '{ data(): { shop_name: string; }; computed: { isNative(): any; current_product_type_in_basket(): any; }; methods: { setPageTitle(title: string): void; getCurrentShopName(): string; \$localStorage_base_path(): string; ... 44 more ...; EnablePushNotification(): void; }; }' does not satisfy the constraint 'abstract new (...args: any) => any'.

```
101 | (storefrontVueApp as InstanceType<typeof StorefrontMixin>).UpdateUserInfo();
102 | (
> 103 | storefrontVueApp as InstanceType<typeof StorefrontMixin>
      | ~~~~~~
104 | ).fetchBasketAndShop();
105 | };
106 |
```