

- Lumileds/Bridgelux SMD Chips, 130-190lm/W output, 2700K-6500K
- Moso/Philips/Meanwell/SUNCOM Driver 110/220^o-277VAC, 3/5 Years warranty.
- Available to be cord with AU UK Plug

GR-HB-A Series
Classic



Order Model	Power Watt	LED QTY PCS	CRI	Beam angle	IP Grade
GR-HB-100WA	100W	133pcs	>80	60/90/120°	IP65
GR-HB-150WA	150W	192pcs	>80	60/90/120°	IP65
GR-HB-200WA	200W	280pcs	>80	60/90/120°	IP65
GR-HB-240WA	240W	280pcs	>80	60/90/120°	IP65

GR-HB-B Series
Highest lumen 150-200lm/W



Bracket

Options

Emergency kits

DALI DIMMING

Power: 60%, 80%, 100%
CCT: 3000K, 4000K, 5000K

DIP Selectable Wattages+ 3 Color temp in 1 light

Order Model	Power Watt	Lumens lm	Beam angle	Input	IP Grade
GR-HB-100WB	100W	>16000lm	60/90/120°	100-277V	IP65
GR-HB-150WB	150W	>24000lm	60/90/120°	100-277V	IP65
GR-HB-200WB	200W	>32000lm	60/90/120°	100-277V	IP65

- Lumileds/Bridgelux SMD Chips, 130-190lm/W output, 2700K-6500K
- Moso/Philips/Meanwell/SUNCOM Driver 110/220-277VAC, 3/5 Years warranty.

GR-HB-E Series

100-265VAC or AC/DC12V 24V 36V 48V 60V optional



100W-200W

GR-HB-B-1 Series

Top level



400W 480W



100-265VAC Type



AC/DC12V 24V 36V 48V 60V Input with bracket





Order Model	Power Watt	Lumens	Diameter	Beam angle	IP Grade
GR-HB-100WB-1	100W	15000lm	Ø250	60/90/120°	IP65
GR-HB-150WB-1	150W	22500lm	Ø300	60/90/120°	IP65
GR-HB-200WB-1	200W	30000lm	Ø345	60/90/120°	IP65
GR-HB-400WB-1	400W	60000lm	Ø300	60/90/120°	IP54
GR-HB-480WB-1	480W	80000lm	Ø345	60/90/120°	IP54

Order Model	Power Watt	Lumens Im	IP Grade	Beam angle	Input voltage
GR-HB-100WE	100W	13000lm	IP65	90°	110/220VAC
GR-HB-150WE	150W	195000lm	IP65	90°	/
GR-HB-200WE	200W	26000lm	IP65	90°	DC12V/24V/36V/48V/60V
GR-HB-240WE	240W	32000lm	IP65	90°	

GR-HB-F Series

Square High Bay Light



Order Model	Power Watt	Lumens lm	Beam angle	Input	IP Grade
GR-HB-100WF	100W	16000lm	60/90/120°	100-277V	IP65
GR-HB-150WF	150W	24000lm	60/90/120°	100-277V	IP65
GR-HB-200WF	200W	32000lm	60/90/120°	100-277V	IP65

- Lumileds/Bridgelux SMD Chips, 130-190lm/W output, 2700K-6500K
- Moso/Philips/Meanwell/SUNCOM Driver 110/220-277VAC, 3/5 Years warranty.
- Motion sensor/ Low voltage input optional

GR-HB-L Series

Surface/Pendant



Order Model	Power Watt	Lumens PCS	Length mm	Beam angle	IP Grade
GR-SL-50WL	50W	6000lm	353mm	90°	IP65
GR-SL-100WL	100W	12000lm	557mm	90°	IP65
GR-SL-150WL	150W	18000lm	823mm	90°	IP65
GR-SL-200WL	200W	24000lm	1089mm	90°	IP65
GR-SL-250WL	250W	30000lm	1355mm	90°	IP65


GR-HB-M Series

Copper heat Channel



Feature

- Three different driver installation.
- Philips SMD LED Chips, 110-120lm/W output, 60/90°/120° beam angle.
- Meanwell/Philips/Isolated constant current led driver CE approval, 2/3/5Years warranty,



Order Model	Power Watt	LED QTY PCS	CRI	PF	IP Grade
GR-HB-100WM	100W	105pcs	>80	>0.95	IP65
GR-HB-150WM	150W	154pcs	>80	>0.95	IP65
GR-HB-200WM	200W	203pcs	>80	>0.95	IP65
GR-HB-250WM	250W	252pcs	>80	>0.95	IP65

GR-HB-N Series

Economy High Bay Lights
60/90/120° aluminum cover options



Order Model	Power Watt	Lumens lm	Beam angle °	PF	IP Grade
GR-HB-50WN	50W	5500lm	60/90/120°	>0.95	IP54
GR-HB-100WN	100W	11000lm	60/90/120°	>0.95	IP54
GR-HB-150WN	150W	16500lm	60/90/120°	>0.95	IP54
GR-HB-200WN	200W	22000lm	60/90/120°	>0.95	IP54
GR-HB-300WN	300W	33000lm	60/90/120°	>0.95	IP54