

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 February 2000 (10.02.2000)

PCT

(10) International Publication Number
WO 00/06403 A3

(51) International Patent Classification⁷: **B60J 7/05**

(21) International Application Number: PCT/NL99/00469

(22) International Filing Date: 20 July 1999 (20.07.1999)

(25) Filing Language: Dutch

(26) Publication Language: English

(30) Priority Data:
1009773 30 July 1998 (30.07.1998) NL
1011863 22 April 1999 (22.04.1999) NL

(71) Applicant (for all designated States except US): **INALFA INDUSTRIES B.V.** [NL/NL]; Maasheseweg 83, NL-5804 AB Venray (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MANDERS, Peter, Christiaan, Leonardus, Johannes** [NL/NL]; Van Bronckhorststr. 70, NL-5961 SM Horst (NL). **VAN ROOIJ, Theodorus, Gerardus, Fransiscus** [NL/NL]; St. Hubertuslaan 4, NL-5694 AS Son En Breugel (NL).

(74) Agent: **DE VRIES & METMAN B.V.**; Overschiestraat 180, NL-1062 XK Amsterdam (NL).

(81) Designated States (national): AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:


— with international search report

(88) Date of publication of the international search report:

11 October 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: OPEN ROOF CONSTRUCTION FOR A VEHICLE



(57) Abstract: An open roof construction for a vehicle having an opening (2) in the fixed roof (1) comprises a stationary part (3) for attachment to the roof, having stationary guide (5) rails on either side of the roof opening and slidable slides (6) with operating mechanisms therein. A closure means (4) supported by the operating mechanisms is adjustable between a closed position in which it closes the roof opening, and an open position in which it releases the roof opening at least partially. Each operating mechanism comprises a curve plate (11) attached to the closure means and having a guide track (10) with which a guide member (9) connected to the slide may engage. The slide (6) includes a height-adjustable part (7) which is equipped with the guide member (9) being in engagement with a further guide track (16) in a curve part (13) connected to the stationary part (3).



WO 00/06403 A3

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/NL 99/00469

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| DE 3908645 C | 13-06-1990 | CA 2010996 A,C | 16-09-1990 |
| | | ES 2020647 A | 16-08-1991 |
| | | FR 2644407 A | 21-09-1990 |
| | | GB 2231006 A,B | 07-11-1990 |
| | | IT 1240666 B | 17-12-1993 |
| | | JP 2279422 A | 15-11-1990 |
| | | JP 2680911 B | 19-11-1997 |
| | | KR 9512259 B | 16-10-1995 |
| | | MX 173099 B | 01-02-1994 |
| | | NL 9000496 A | 16-10-1990 |
| | | SE 469327 B | 21-06-1993 |
| | | SE 9000918 A | 17-09-1990 |
| | | US 5020849 A | 04-06-1991 |
