



(51) International Patent Classification:

G06F 3/0484 (2013.01) G06F 16/40 (2019.01)  
G06F 16/2453 (2019.01) G06F 16/78 (2019.01)  
G06F 16/2455 (2019.01) G06T 7/00 (2017.01)

(21) International Application Number:

PCT/US2021/037655

(22) International Filing Date:

16 June 2021 (16.06.2021)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

63/075,413 08 September 2020 (08.09.2020) US  
17/349,361 16 June 2021 (16.06.2021) US

(71) Applicant: MEDTRONIC, INC. [US/US]; 710 Medtronic Parkway NE, Minneapolis, Minnesota 55432-5604 (US).

(72) Inventors: PALMER, Mark; 3130 201st Lane NW, Oak Grove, Minnesota 55011 (US). PARMAN, Calvin; 6422 Garland Lane N, Maple Grove, Minnesota 55311 (US). LAHM, Ryan P.; 7975 Highland Drive, Lino Lakes, Minnesota 55014 (US). HARRIS, Megan L.; 837 140th Lane NW, Andover, Minnesota 55304 (US). VARAHOOR, Srinivasan; 8338 Vercelli Court, Windsor, 95492 (US). NAIR, Priya; 505 Harriet Avenue - Unit 1404, Shoreview, Minnesota 55126 (US). SPENCER, Julianne H.; 172 2nd Avenue SE, New Brighton, Minnesota 55112 (US). BAXTER, Walton W.; 6 Camino Silla, San Clemente, California 92673 (US). MYERS, Callie Cronin; 3904 30th Avenue S, Minneapolis, Minnesota 55406 (US).

(54) Title: IMAGING DISCOVERY UTILITY FOR AUGMENTING CLINICAL IMAGE MANAGEMENT




Fig. 1

(57) Abstract: Novel tools and techniques are provided for implementing an imaging discovery utility for augmenting clinical image management. In some embodiments, in response to receiving a request for a first medical image file(s) from a requesting device, a non-relational ("NoSQL") data management system ("DMS") may access a NoSQL database containing, *inter alia*, a plurality of medical image files that are mirrored copies of a plurality of medical image files stored in a relational ("SQL") database, the medical image files each being organized in an image-centric hierarchy with image data being at a top level and patient information associated with the image data being at a lower level. Based on a successful search of the NoSQL database based on search terms in the request, the NoSQL DMS may identify a corresponding second medical image(s) in the SQL database, and may retrieve and send (to the requesting device) the identified second medical image(s).



(74) **Agent: BRATSCHUN, Thomas D.** et al.; 8210 Southpark Terrace, Littleton, Colorado 80021 (US).

(81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, IT, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

**Published:**

— *with international search report (Art. 21(3))*

## **IMAGING DISCOVERY UTILITY FOR AUGMENTING CLINICAL IMAGE MANAGEMENT**

### **CROSS-REFERENCES TO RELATED APPLICATIONS**

**[0001]** This application claims priority to U.S. Patent Application Ser. No. 63/075,413 (the "'413 Application"), filed September 8, 2020 by Mark Palmer et al. (attorney docket no. A0003326US01), entitled, "Imaging Discovery Utility for Augmenting Clinical Image Management," and U.S. Patent Application Ser. No. 17/349,361 (the "'361 Application"), filed June 16, 2021 by Mark Palmer et al. (attorney docket no. A0003326US02), entitled, "Imaging Discovery Utility for Augmenting Clinical Image Management," which also claims priority to the '413 Application.

**[0002]** The respective disclosures of these applications/patents (which this document refers to collectively as the "Related Applications") are incorporated herein by reference in their entirety for all purposes.

### **COPYRIGHT STATEMENT**

**[0003]** A portion of the disclosure of this patent document contains material that is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

### **FIELD**

**[0004]** The present disclosure relates, in general, to methods, systems, and apparatuses for implementing image management, and, more particularly, to methods, systems, and apparatuses for implementing an imaging discovery utility for augmenting clinical image management.

## BACKGROUND

[0005] Clinical imaging represents approximately 80% of all clinical data collected in the United States. Conventional commercial clinical image management systems typically focus on secure patient-at-a-time access through specific record identifiers. The metadata regarding what is contained in the image system is stored in a separate repository such as an electronic health record or other database, with no direct link to the image. Some conventional systems also attach artifacts (or artifact files) as an embedded list, which makes it problematic to navigate through the attachments. Such implementations make it difficult (if not impossible) to label, mine, and associate derived artifacts (or artifact files) with the images.

[0006] Hence, there is a need for more robust and scalable solutions for implementing image management, and, more particularly, to methods, systems, and apparatuses for implementing an imaging discovery utility for augmenting clinical image management.

## BRIEF DESCRIPTION OF THE DRAWINGS

[0007] A further understanding of the nature and advantages of particular embodiments may be realized by reference to the remaining portions of the specification and the drawings, in which like reference numerals are used to refer to similar components. In some instances, a sub-label is associated with a reference numeral to denote one of multiple similar components. When reference is made to a reference numeral without specification to an existing sub-label, it is intended to refer to all such multiple similar components.

[0008] Fig. 1 is a schematic diagram illustrating a system for implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

[0009] Fig. 2 is a schematic diagram illustrating a non-limiting example of interactions amongst components of a system for implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

[0010] Figs. 3A-3D are schematic diagrams illustrating various non-limiting examples of image data library metadata that may be used when implementing an

imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

[0011] Figs. 4A-4L are schematic diagrams illustrating various non-limiting examples of user interfaces that may be used when implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

[0012] Figs. 5A-5D are flow diagrams illustrating a method for implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

[0013] Fig. 6 is a block diagram illustrating an exemplary computer or system hardware architecture, in accordance with various embodiments.

[0014] Fig. 7 is a block diagram illustrating a networked system of computers, computing systems, or system hardware architecture, which can be used in accordance with various embodiments.

## DETAILED DESCRIPTION OF CERTAIN EMBODIMENTS

[0015] Overview

[0016] Various embodiments provide tools and techniques for implementing image management, and, more particularly, to methods, systems, and apparatuses for implementing an imaging discovery utility for augmenting clinical image management.

[0017] In various embodiments, a non-relational ("NoSQL") data management system ("DMS") might receive, from a requesting device that is associated with a user, a request for at least one first medical image file, the request comprising one or more search terms. In some embodiments, the one or more search terms may include, without limitation, at least one of one or more search criteria, one or more keywords regarding at least one project description, one or more keywords regarding at least one source study name, one or more keywords regarding at least one anatomical region, one or more keywords regarding at least one characteristic of a class of patients, one or more keywords regarding at least one demographic of patients, one or more keywords regarding at least one physical characteristic of patients, one or more keywords regarding at least one characteristic of a disease, one or more keywords regarding at least one characteristic of one or more comorbidities, one or more

keywords regarding at least one characteristic of each medical image that satisfies the one or more search criteria, one or more keywords regarding at least one characteristic of at least one modality used to obtain one or more medical images that satisfy the one or more search criteria, one or more keywords regarding at least one characteristic of at least one imaging device used to obtain one or more medical images that satisfy the one or more search criteria, or one or more keywords regarding at least one additional parameter, and/or the like.

**[0018]** The NoSQL DMS might access a NoSQL database that is managed by the NoSQL DMS, and might perform a search of the NoSQL database, by searching for each of the one or more search terms in the plurality of metadata tags associated with each medical image file among the plurality of medical image files in the NoSQL database. Based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms, the NoSQL DMS might identify corresponding one or more second medical image files as stored in a relational ("SQL") database that is managed by a SQL DMS, where the search of the NoSQL database serves as an index search of the SQL database – due to the mirrored data being stored in the NoSQL and SQL databases. At least one of the NoSQL DMS and/or the SQL DMS might retrieve, from the SQL database, the one or more second medical image files, and might send the retrieved one or more second medical image files to the requesting device. In some instances, sending the retrieved one or more second medical image files to the requesting device may, alternatively or additionally, comprise sending, with the at least one of the NoSQL DMS or the SQL DMS, a list of relevant search results to the requesting device, the list of relevant search results comprising the retrieved one or more second medical image files, wherein the retrieved one or more second medical image files may include, but is not limited to, two or more medical image files that are associated with a plurality of different patients.

**[0019]** In some embodiments, a computing system might receive, from the requesting device, the request for the at least one first medical image file, and might query the NoSQL DMS for the requested at least one first medical image file, by relaying the request to the NoSQL DMS. In some cases, the computing system might present a user interface ("UI") via the requesting device. In such cases, the request might be received via the UI. In some instances, sending the retrieved one or more

second medical image files to the requesting device may comprise displaying the retrieved one or more second medical image files in the UI.

**[0020]** According to some embodiments, the computing system might convert the retrieved one or more second medical image files into one or more DICOM-compliant search results. In some cases, displaying the retrieved one or more second medical image files in the UI may comprise displaying the retrieved one or more second medical image files as the converted one or more DICOM-compliant search results in the UI. In some instances, based on a determination that a user's mouse cursor is hovering over a DICOM-compliant search result, the computing system might generate and display a pop-up display indicating specific information or values associated with the DICOM-compliant search result, based at least in part on the one or more search terms.

**[0021]** In some embodiments, the computing system might provide one or more task options for each of the displayed retrieved one or more second medical image files in the UI. In some cases, the one or more task options may include, without limitation, at least one of options to download particular one or more third medical image files among the one or more second medical image files, options to add particular one or more fourth medical image files among the one or more second medical image files to at least one project group folder, options to link together at least two fifth medical image files among the one or more second medical image files, options to export one or more sixth medical image files among the one or more second medical image files, options to share one or more seventh medical image files among the one or more second medical image files, options to upload one or more eighth medical image files, options to start a new search, options to save a current search, options to manage saved searches, options to view recent searches, options to export searches, options to open a new project folder, options to save a current project folder, options to manage project folders, options to complete a current project, options to view active projects, or options to export project folders, and/or the like.

**[0022]** According to some embodiments, a model generation system (which, in some cases, may be embodied in the computing system, or the like) might generate one or more three-dimensional ("3D") models based at least in part on at least one twelfth medical image file among the retrieved one or more second medical image files.

**[0023]** In some aspects, based on a determination that contents of one of the NoSQL database that is managed by the NoSQL DMS or the SQL database that is managed by the SQL DMS have changed, the system (i.e., at least one of the NoSQL DMS, the SQL DMS, or the computing system, or the like; also referred to herein as "image discovery utility" or the like) might autonomously mirror the changed contents in the other of the NoSQL database or the SQL database.

**[0024]** Importantly, the imaging discovery utility described with respect to the various embodiments addresses each of the challenges mentioned above with respect to the conventional commercial clinical image management systems (namely, challenges in terms of labelling, mining, and associating derived artifacts or artifact files with the clinical images), by enabling dynamic tagging of imaging records, enabling searching across all images under image management (regardless of which patient the images are associated with), and enabling linking of the images to data and artifacts (or artifact files) derived from the images.

**[0025]** The solution implements the coupling of a structured and unstructured database. The structured database may contain the minimum required data fields to make the image discoverable or searchable, while the unstructured database may provide the capability to dynamically enhance or enrich data fields based on user needs or as more information is derived from the image. The data structure also links artifacts to the image, such artifacts including, but not limited to, image processing analysis files, segmentation files, three-dimensional ("3D") print files, machine learning ("ML") algorithm files, and/or the like. Searches may be performed across the data fields as well as across the associated files and artifacts. An additional feature of the system is the ability to aggregate images into sets or collections based on search criteria. The system is able to search imaging assets and related artifacts, which can be organized in a project collection. The system also allows discoverability and reuse of information and artifacts that are costly to extract from the image. The reuse of imaging provides a larger volume of evidence for research and development applications and/or for regulatory applications, while improving research and development productivity and cost avoidance arising from purchasing duplicate imaging. The system provides a rapid response to regulatory or clinical questions, while providing knowledge capture and sharing across different business units, and provides the ability to identify and strategically fill imaging needs beyond one business unit or company. Applications include creating a focused set of data

with a set of common criteria on which to create or apply artificial intelligence ("AI") and/or ML methods, atlas-based segmentation methods, or other types of analytics, or the like.

**[0026]** These and other aspects of the imaging discovery utility for augmenting clinical image management are described in greater detail with respect to the figures.

**[0027]** The following detailed description illustrates a few exemplary embodiments in further detail to enable one of skill in the art to practice such embodiments. The described examples are provided for illustrative purposes and are not intended to limit the scope of the invention.

**[0028]** In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the described embodiments. It will be apparent to one skilled in the art, however, that other embodiments of the present invention may be practiced without some of these specific details. In other instances, certain structures and devices are shown in block diagram form. Several embodiments are described herein, and while various features are ascribed to different embodiments, it should be appreciated that the features described with respect to one embodiment may be incorporated with other embodiments as well. By the same token, however, no single feature or features of any described embodiment should be considered essential to every embodiment of the invention, as other embodiments of the invention may omit such features.

**[0029]** Unless otherwise indicated, all numbers used herein to express quantities, dimensions, and so forth used should be understood as being modified in all instances by the term "about." In this application, the use of the singular includes the plural unless specifically stated otherwise, and use of the terms "and" and "or" means "and/or" unless otherwise indicated. Moreover, the use of the term "including," as well as other forms, such as "includes" and "included," should be considered non-exclusive. Also, terms such as "element" or "component" encompass both elements and components comprising one unit and elements and components that comprise more than one unit, unless specifically stated otherwise.

**[0030]** Various embodiments described herein, while embodying (in some cases) software products, computer-performed methods, and/or computer systems, represent tangible, concrete improvements to existing technological areas, including, without limitation, image management technology, medical image management technology, medical image discovery technology, user interface technology, and/or the like. In

other aspects, certain embodiments, can improve the functioning of user equipment or systems themselves (e.g., image management system, medical image management system, medical image discovery system, user interface system, etc.), for example, by receiving, with a non-relational ("NoSQL") data management system ("DMS") and from a requesting device, a request for at least one first medical image file, the request comprising one or more search terms; accessing, with the NoSQL DMS, a NoSQL database that is managed by the NoSQL DMS, the NoSQL database containing a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, the NoSQL database containing mirrored copies of the plurality of medical image files that are stored in a relational ("SQL") database that is managed by a SQL DMS, wherein the plurality of medical image files contained in the NoSQL database and in the SQL database are each organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy; performing, with the NoSQL DMS, a search of the NoSQL database, by searching for each of the one or more search terms in the plurality of metadata tags associated with each medical image file among the plurality of medical image files in the NoSQL database; and based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms: identifying, with the NoSQL DMS, corresponding one or more second medical image files as stored in the SQL database, wherein the search of the NoSQL database serves as an index search of the SQL database; retrieving, with at least one of the NoSQL DMS or the SQL DMS and from the SQL database, the one or more second medical image files; and sending, with the at least one of the NoSQL DMS or the SQL DMS, the retrieved one or more second medical image files to the requesting device; and/or the like.

**[0031]** In particular, to the extent any abstract concepts are present in the various embodiments, those concepts can be implemented as described herein by devices, software, systems, and methods that involve specific novel functionality (e.g., steps or operations), such as, mirroring medical image data in the NoSQL database and SQL database; utilizing the NoSQL DMS and the NoSQL database to perform robust

indexing search functions for searching for mirrored medical image data stored in the SQL database; organizing the medical image data in an image-centric hierarchy within the NoSQL database and within the SQL database, with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy; and/or the like, to name a few examples, that extend beyond mere conventional computer processing operations. These functionalities can produce tangible results outside of the implementing computer system, including, merely by way of example, enabling dynamic tagging of imaging records, enabling searching across all images under image management (regardless of which patient the images are associated with), enabling linking of the images to data and artifacts (or artifact files) derived from the images, aggregating images into sets or collections based on search criteria, allowing discoverability and reuse of information and artifacts that are costly to extract from the image, providing a rapid response to regulatory or clinical questions, while providing knowledge capture and sharing across different business units, and providing the ability to identify and strategically fill imaging needs beyond one business unit or company, and/or the like, at least some of which may be observed or measured by users (e.g., healthcare professionals, researchers, etc.) and/or service providers.

**[0032]** In an aspect, a method may comprise receiving, with a non-relational ("NoSQL") data management system ("DMS") and from a requesting device, a request for at least one first medical image file, the request comprising one or more search terms; and accessing, with the NoSQL DMS, a NoSQL database that is managed by the NoSQL DMS, the NoSQL database containing a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files. The NoSQL database may contain mirrored copies of the plurality of medical image files that are stored in a relational ("SQL") database that is managed by a SQL DMS, wherein the plurality of medical image files contained in the NoSQL database and in the SQL database are each organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy. The method may also comprise performing, with the NoSQL DMS, a search of the NoSQL database, by searching for each of the one or more search

terms in the plurality of metadata tags associated with each medical image file among the plurality of medical image files in the NoSQL database. The method may further comprise, based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms: identifying, with the NoSQL DMS, corresponding one or more second medical image files as stored in the SQL database, wherein the search of the NoSQL database serves as an index search of the SQL database; retrieving, with at least one of the NoSQL DMS or the SQL DMS and from the SQL database, the one or more second medical image files; and sending, with the at least one of the NoSQL DMS or the SQL DMS, the retrieved one or more second medical image files to the requesting device.

**[0033]** In some embodiments, the method may further comprise receiving, with a computing system and from the requesting device, the request for the at least one first medical image file; and querying, with the computing system, the NoSQL DMS for the requested at least one first medical image file, by relaying the request to the NoSQL DMS. In some instances, the method may further comprise presenting, with the computing system, a user interface ("UI") via the requesting device; wherein the request is received via the UI; and wherein sending the retrieved one or more second medical image files to the requesting device may comprise displaying the retrieved one or more second medical image files in the UI. In some cases, the method may further comprise converting, with the computing system, the retrieved one or more second medical image files into one or more digital imaging and communications in medicine ("DICOM") -compliant search results; wherein displaying the retrieved one or more second medical image files in the UI may comprise displaying the retrieved one or more second medical image files as the converted one or more DICOM-compliant search results in the UI. In some instances, the method may further comprise, based on a determination that a user's mouse cursor is hovering over a DICOM-compliant search result, generating and displaying, with the computing system, a pop-up display indicating specific information or values associated with the DICOM-compliant search result, based at least in part on the one or more search terms.

**[0034]** According to some embodiments, the method may further comprise providing, with the computing system, one or more task options for each of the

displayed retrieved one or more second medical image files in the UI. In some cases, the one or more task options may comprise at least one of options to download particular one or more third medical image files among the one or more second medical image files, options to add particular one or more fourth medical image files among the one or more second medical image files to at least one project group folder, options to link together at least two fifth medical image files among the one or more second medical image files, options to export one or more sixth medical image files among the one or more second medical image files, options to share one or more seventh medical image files among the one or more second medical image files, options to upload one or more eighth medical image files, options to start a new search, options to save a current search, options to manage saved searches, options to view recent searches, options to export searches, options to open a new project folder, options to save a current project folder, options to manage project folders, options to complete a current project, options to view active projects, or options to export project folders, and/or the like. In some instances, two or more ninth medical image files among the one or more second medical image files that are obtained during a single imaging session may be grouped together as a single imaging asset with at least one of shared metadata, common metadata, or linked metadata, and/or the like. In some cases, the one or more task options may further comprise at least one of options to preview the two or more ninth medical image files together in the UI, options to download the two or more ninth medical image files as a single set of image files, options to export the two or more ninth medical image files as a single set of image files, options to share the two or more ninth medical image files as a single set of image files, or options to edit metadata associated with each of the two or more ninth medical image files individually or as a group, and/or the like. Alternatively, or additionally, the one or more task options may further comprise at least one of options to perform auto-segmentation for one or more tenth medical image files among the one or more second medical image files, or options to perform auto-measurements for one or more eleventh medical image files among the one or more second medical image files, and/or the like.

**[0035]** In some embodiments, the computing system may comprise at least one of a processor of a NoSQL DMS, a processor of a SQL DMS, a processor of a hybrid NoSQL/SQL DMS, a controller for both the NoSQL DMS and the SQL DMS, a server computer over a network, a cloud-based computing system over a network, or a

distributed computing system, and/or the like. In some cases, the requesting device may comprise at least one of a laptop computer, a desktop computer, a tablet computer, a smart phone, a mobile phone, or a web client, and/or the like. In some instances, the plurality of artifact files may comprise at least one of one or more raw image data files, one or more document files, one or more image processing analysis files, one or more segmentation files, one or more three-dimensional ("3D") print files, one or more stereolithography ("STL") files, one or more measurement files, one or more experiment files, one or more project files, one or more machine algorithm files, or one or more report files, and/or the like.

**[0036]** Merely by way of example, in some cases, the one or more search terms may comprise at least one of one or more search criteria, one or more keywords regarding at least one project description, one or more keywords regarding at least one source study name, one or more keywords regarding at least one anatomical region, one or more keywords regarding at least one characteristic of a class of patients, one or more keywords regarding at least one demographic of patients, one or more keywords regarding at least one physical characteristic of patients, one or more keywords regarding at least one characteristic of a disease, one or more keywords regarding at least one characteristic of one or more comorbidities, one or more keywords regarding at least one characteristic of each medical image that satisfies the one or more search criteria, one or more keywords regarding at least one characteristic of at least one modality used to obtain one or more medical images that satisfy the one or more search criteria, one or more keywords regarding at least one characteristic of at least one imaging device used to obtain one or more medical images that satisfy the one or more search criteria, or one or more keywords regarding at least one additional parameter, and/or the like.

**[0037]** According to some embodiments, the plurality of metadata tags may comprise flexible image tagging that is customizable to include one or more standard medical image metadata and one or more non-standard medical image metadata. In some cases, the one or more standard medical image metadata may comprise one or more digital imaging and communications in medicine ("DICOM") -compliant metadata. In some instances, the one or more non-standard medical image metadata may comprise at least one of contrast metadata, metadata associated with device attribute, metadata associated with implant technique, metadata regarding whether patient is healthy or not, metadata regarding quality of scan of image, metadata

associated with one or more specific parameters used by at least one medical specialty, or one or more customizable metadata, and/or the like.

**[0038]** In some embodiments, sending the retrieved one or more second medical image files to the requesting device may comprise sending, with the at least one of the NoSQL DMS or the SQL DMS, a list of relevant search results to the requesting device, the list of relevant search results comprising the retrieved one or more second medical image files, wherein the retrieved one or more second medical image files may comprise two or more twelfth medical image files that are associated with a plurality of different patients.

**[0039]** According to some embodiments, the method may further comprise generating, with a model generation system, one or more three-dimensional ("3D") models based at least in part on at least one thirteenth medical image file among the retrieved one or more second medical image files.

**[0040]** In another aspect, a system might comprise a relational ("SQL") database that is managed by a SQL data management system ("DMS"); the SQL DMS; a non-relational ("NoSQL") database that is managed by a NoSQL DMS; and the NoSQL DMS. The NoSQL database may contain a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, the NoSQL database containing mirrored copies of the plurality of medical image files that are stored in the SQL database that is managed by the SQL DMS, wherein the plurality of medical image files contained in the NoSQL database and in the SQL database are each organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy;

**[0041]** The NoSQL DMS might comprise at least one first processor and a first non-transitory computer readable medium communicatively coupled to the at least one first processor. The first non-transitory computer readable medium might have stored thereon computer software comprising a first set of instructions that, when executed by the at least one first processor, causes the NoSQL DMS to: receive, from a requesting device, a request for at least one first medical image file, the request comprising one or more search terms; access the NoSQL database that is managed by the NoSQL DMS; perform a search of the NoSQL database, by searching for each of the one or more search terms in the plurality of metadata tags associated with each

medical image file among the plurality of medical image files in the NoSQL database; and based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms: identify corresponding one or more second medical image files as stored in the SQL database, wherein the search of the NoSQL database serves as an index search of the SQL database; retrieve, from the SQL database, the one or more second medical image files; and send the retrieved one or more second medical image files to the requesting device.

**[0042]** In some embodiments, the system may further comprise a computing system, comprising: at least one second processor; and a second non-transitory computer readable medium communicatively coupled to the at least one second processor, the second non-transitory computer readable medium having stored thereon computer software comprising a second set of instructions that, when executed by the at least one second processor, causes the computing system to: receive, from the requesting device, the request for the at least one first medical image file; and query the NoSQL DMS for the requested first medical image file, by relaying the request to the NoSQL DMS.

**[0043]** In yet another aspect, a method may comprise, based on a determination that contents of one of a non-relational ("NoSQL") database that is managed by a NoSQL data management system ("DMS") or a relational ("SQL") database that is managed by a SQL DMS have changed, autonomously mirroring the changed contents in the other of the NoSQL database or the SQL database, the NoSQL database containing a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, the NoSQL database containing mirrored copies of the plurality of medical image files that are stored in the SQL database, wherein the plurality of medical image files contained in the NoSQL database and in the SQL database are each organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy.

**[0044]** In still another aspect, a method may comprise receiving, with one of a non-relational ("NoSQL") data management system ("DMS") or a relational ("SQL")

DMS and from a user device associated with a user, a request to modify metadata attributes associated with a medical image file that is stored and mirrored in each of a NoSQL database managed by the NoSQL DMS and a SQL database managed by the SQL DMS. The method may also comprise presenting, with the one of the NoSQL DMS or the SQL DMS, a user interface ("UI") with options for the user to dynamically modify metadata attributes associated with the medical image file, wherein the options to dynamically modify metadata attributes comprises at least one of dynamically adding group specific metadata attributes to metadata fields of the medical image file, dynamically modifying group specific metadata attributes in metadata fields of the medical image file, dynamically deleting group specific metadata attributes in metadata fields of the medical image file, dynamically defining new group specific metadata fields of the medical image file, dynamically modifying group specific metadata fields of the medical image file, dynamically deleting group specific metadata fields of the medical image file, or dynamically linking a metadata field with one or more artifact files, and/or the like. The method may further comprise, in response to receiving user input based on the presented options to dynamically modify metadata attributes associated with the medical image file, updating at least one of group specific metadata fields or group specific metadata attributes associated with the medical image file in one of the NoSQL database or the SQL database, and mirroring changes to the at least one of group specific metadata fields or group specific metadata attributes associated with the medical image file in the other of the NoSQL database or the SQL database.

**[0045]** In another aspect, a method may comprise receiving, with one of a non-relational ("NoSQL") data management system ("DMS") or a relational ("SQL") DMS and from a user device associated with a user, a request to associate one or more artifact files with a metadata attribute associated with a medical image file that is stored and mirrored in each of a NoSQL database managed by the NoSQL DMS and a SQL database managed by the SQL DMS. The method may also comprise presenting, with the one of the NoSQL DMS or the SQL DMS, a user interface ("UI") with options for the user to modify the metadata attribute associated with the medical image file to include a link between the metadata attribute with the one or more artifact files. The method may further comprise, in response to receiving user input based on the presented options to modify the metadata attribute associated with the medical image file, updating a metadata field associated with the metadata attribute in

one of the NoSQL database or the SQL database to include the link between the metadata attribute with the one or more artifact files, and mirroring changes to at least one of the metadata field or the metadata attribute in the other of the NoSQL database or the SQL database, wherein the link between the metadata attribute with the one or more artifact files comprises a relational map between the metadata attribute and each of the one or more artifact files.

**[0046]** In still another aspect, a method may comprise, in response to receiving a request for at least one first medical image file, performing, with a non-relational ("NoSQL") data management system ("DMS"), an index search of a NoSQL database for medical image files associated with a plurality of subjects, the NoSQL database containing a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, the NoSQL database containing mirrored copies of the plurality of medical image files that are stored in a relational ("SQL") database that is managed by a SQL DMS. The method may further comprise retrieving the requested at least one first medical image file from the SQL database, based on the index search of the NoSQL database. In some cases, performing the index search may comprise performing metadata search associated with the plurality of medical image files across the plurality of subjects based on attributes of medical image files and without searching based on patient data one subject at a time, each medical image file being defined as a root node of each data structure and each corresponding subject associated with a medical image file being defined as a subordinate node of the data structure.

**[0047]** Various modifications and additions can be made to the embodiments discussed without departing from the scope of the invention. For example, while the embodiments described above refer to particular features, the scope of this invention also includes embodiments having different combination of features and embodiments that do not include all of the above described features.

**[0048] Specific Exemplary Embodiments**

**[0049]** We now turn to the embodiments as illustrated by the drawings. Figs. 1-7 illustrate some of the features of the method, system, and apparatus for implementing image management, and, more particularly, to methods, systems, and apparatuses for

implementing an imaging discovery utility for augmenting clinical image management, as referred to above. The methods, systems, and apparatuses illustrated by Figs. 1-7 refer to examples of different embodiments that include various components and steps, which can be considered alternatives or which can be used in conjunction with one another in the various embodiments. The description of the illustrated methods, systems, and apparatuses shown in Figs. 1-7 is provided for purposes of illustration and should not be considered to limit the scope of the different embodiments.

**[0050]** With reference to the figures, Fig. 1 is a schematic diagram illustrating a system 100 for implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

**[0051]** In the non-limiting embodiment of Fig. 1, system 100 may comprise a non-relational ("NoSQL") data management system ("DMS") 105 and corresponding NoSQL database 110. In some embodiments, the NoSQL database 110 may contain medical image data 115, which may include, without limitation, a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, and/or the like. System 100 may further comprise a relational ("SQL") DMS 120 and corresponding SQL database 125. According to some embodiments, the SQL database 125 may contain medical image data 130, which may include, without limitation, a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, and/or the like. In some instances, the NoSQL database 110 may contain mirrored copies of the plurality of medical image files that are stored in the SQL database 125 that is managed by the SQL DMS 120 (denoted in Fig. 1 by symbols labelled "Mirrored Data"). The plurality of medical image files contained in the NoSQL database 110 and in the SQL database 125 may each be organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy, which is an improvement in terms of image discover and management over conventional data management systems, which are patient-centric, with the patient information being at a top level of the patient-centric hierarchy and image information associated with the patient data being at a level below the top level of the patient-centric hierarchy.

**[0052]** Herein, structured query language ("SQL") might refer to a standard language that is used for handling relational databases, which define relationships in the form of tables. On the other hand, NoSQL (which might stand for "not only SQL" or not SQL" or the like) might refer to a non-relational data management system ("DMS"), which uses a dynamic schema (instead of a fixed or predefined schema used by SQL databases), avoids joins, is easy to scale (as NoSQL can utilize common hardware and thus scale by increasing the database servers in a pool of resources to reduce load ("horizontally scalable"), whereas SQL requires specialized database hardware for better performance and thus scale by increasing performance of specialized equipment ("vertically scalable")), and can be at least one of document-based, key-value pair-based, column-based, or graph-based, and/or the like. While traditional relational database management systems use SQL syntax to store and retrieve data, a NoSQL database system encompasses a broad range of database technologies that may be used to store structured, semi-structured, unstructured, and/or polymorphic data.

**[0053]** In some cases, the plurality of artifact files may include, but is not limited to, at least one of one or more raw image data files, one or more document files, one or more image processing analysis files, one or more segmentation files, one or more three-dimensional ("3D") print files, one or more stereolithography ("STL") files, one or more measurement files, one or more experiment files, one or more project files, one or more machine algorithm files, or one or more report files, and/or the like. In some instances, the plurality of metadata tags may include, without limitation, flexible image tagging that is customizable to include one or more standard medical image metadata and one or more non-standard medical image metadata. In some cases, the one or more standard medical image metadata may comprise one or more digital imaging and communications in medicine ("DICOM") -compliant metadata. In some instances, the one or more non-standard medical image metadata may include, but are not limited to, at least one of contrast metadata, metadata associated with device attribute, metadata associated with implant technique, metadata regarding whether patient is healthy or not, metadata regarding quality of scan of image, metadata associated with one or more specific parameters used by at least one medical specialty, or one or more customizable metadata, and/or the like.

**[0054]** System 100 may further comprise one or more networks 135, a computing system 140 and corresponding database(s) 145, and web server(s) 150 and

corresponding database(s) 155, the computing system 140 and the web server(s) 150 may each communicatively couple with the NoSQL DMS 105 and/or the SQL DMS 120 via the one or more networks 135. In some embodiments, the computing system may include, without limitation, at least one of a processor of a NoSQL DMS, a processor of a SQL DMS, a processor of a hybrid NoSQL/SQL DMS, a controller for both the NoSQL DMS and the SQL DMS, a server computer over a network, a cloud-based computing system over a network, or a distributed computing system, and/or the like.

**[0055]** System 100 may further comprise one or more requesting devices 160a-160n (collectively, "requesting devices 160" or the like) associated with first through N<sup>th</sup> users 165a-165n (collectively, "users 165" or the like), respectively. In some instances, the one or more requesting devices may each include, but is not limited to, at least one of a laptop computer, a desktop computer, a tablet computer, a smart phone, a mobile phone, or a web client, and/or the like. The one or more requesting devices 160 may communicatively couple with at least one of the NoSQL DMS 105, the SQL DMS 120, the computing system 140, and/or the web server(s) 150 via the one or more networks 135 and one or more networks 170. System 100 may further comprise one or more user interfaces ("UIs") 175a-175n (collectively, "UIs 175" or the like), each being displayed in a corresponding requesting device 160 among the one or more requesting devices 160a-160n.

**[0056]** Merely by way of example, network(s) 135 and/or network(s) 170 might each include a local area network ("LAN"), including, without limitation, a fiber network, an Ethernet network, a Token-Ring™ network, and/or the like; a wide-area network ("WAN"); a wireless wide area network ("WWAN"); a virtual network, such as a virtual private network ("VPN"); the Internet; an intranet; an extranet; a public switched telephone network ("PSTN"); an infra-red network; a wireless network, including, without limitation, a network operating under any of the IEEE 802.11 suite of protocols, the Bluetooth™ protocol known in the art, and/or any other wireless protocol; and/or any combination of these and/or other networks. In a particular embodiment, network(s) 135 and/or network(s) 170 might each include an access network of an Internet service provider ("ISP"). In another embodiment, network(s) 135 and/or network(s) 170 might each include a core network of the ISP, and/or the Internet.

**[0057]** In operation, the NoSQL DMS 105 might receive, from a requesting device 160 that is associated with a user 165 (via networks 135 and 170, or the like), a request for at least one first medical image file, the request comprising one or more search terms. In some embodiments, the one or more search terms may include, without limitation, at least one of one or more search criteria, one or more keywords regarding at least one project description, one or more keywords regarding at least one source study name, one or more keywords regarding at least one anatomical region, one or more keywords regarding at least one characteristic of a class of patients, one or more keywords regarding at least one demographic of patients, one or more keywords regarding at least one physical characteristic of patients, one or more keywords regarding at least one characteristic of a disease, one or more keywords regarding at least one characteristic of one or more comorbidities, one or more keywords regarding at least one characteristic of each medical image that satisfies the one or more search criteria, one or more keywords regarding at least one characteristic of at least one modality used to obtain one or more medical images that satisfy the one or more search criteria, one or more keywords regarding at least one characteristic of at least one imaging device used to obtain one or more medical images that satisfy the one or more search criteria, or one or more keywords regarding at least one additional parameter, and/or the like.

**[0058]** The NoSQL DMS 105 might access NoSQL database(s) 110 that is managed by the NoSQL DMS 105, and might perform a search of the NoSQL database(s) 110, by searching for each of the one or more search terms in the plurality of metadata tags associated with each medical image file among the plurality of medical image files (i.e., medical image data 115, or the like) in the NoSQL database(s) 110. Based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms, the NoSQL DMS 105 might identify corresponding one or more second medical image files (i.e., medical image data 130, or the like) as stored in the SQL database(s) 125, where the search of the NoSQL database(s) 110 serves as an index search of the SQL database(s) 125 – due to the mirrored data 115 and 130 stored in the NoSQL and SQL databases 110 and 125. At least one of the NoSQL DMS 105 and/or the SQL DMS 120 might retrieve, from the SQL database(s) 125, the one or more second medical image files, and might send the retrieved one or

more second medical image files to the requesting device 160. In some instances, sending the retrieved one or more second medical image files to the requesting device may, alternatively or additionally, comprise sending, with the at least one of the NoSQL DMS 105 or the SQL DMS 120, a list of relevant search results to the requesting device, the list of relevant search results comprising the retrieved one or more second medical image files, wherein the retrieved one or more second medical image files may include, but is not limited to, two or more medical image files that are associated with a plurality of different patients.

**[0059]** In some embodiments, computing system 140 and/or web server(s) 150 (collectively, "computing system" or the like) might receive, from the requesting device 160, the request for the at least one first medical image file, and might query the NoSQL DMS 105 for the requested at least one first medical image file, by relaying the request to the NoSQL DMS 105. In some cases, the computing system might present the UI 175 via the requesting device 160. In such cases, the request might be received via the UI 175. In some instances, sending the retrieved one or more second medical image files to the requesting device may comprise displaying the retrieved one or more second medical image files in the UI 175.

**[0060]** According to some embodiments, the computing system might convert the retrieved one or more second medical image files into one or more DICOM-compliant search results. In some cases, displaying the retrieved one or more second medical image files in the UI 175 may comprise displaying the retrieved one or more second medical image files as the converted one or more DICOM-compliant search results in the UI 175. In some instances, based on a determination that a user's mouse cursor is hovering over a DICOM-compliant search result, the computing system might generate and display a pop-up display indicating specific information or values associated with the DICOM-compliant search result, based at least in part on the one or more search terms.

**[0061]** In some embodiments, the computing system might provide one or more task options for each of the displayed retrieved one or more second medical image files in the UI 175. In some cases, the one or more task options may include, without limitation, at least one of options to download particular one or more third medical image files among the one or more second medical image files, options to add particular one or more fourth medical image files among the one or more second medical image files to at least one project group folder, options to link together at

least two fifth medical image files among the one or more second medical image files, options to export one or more sixth medical image files among the one or more second medical image files, options to share one or more seventh medical image files among the one or more second medical image files, options to upload one or more eighth medical image files, options to start a new search, options to save a current search, options to manage saved searches, options to view recent searches, options to export searches, options to open a new project folder, options to save a current project folder, options to manage project folders, options to complete a current project, options to view active projects, or options to export project folders, and/or the like.

**[0062]** According to some embodiments, two or more ninth medical image files among the one or more second medical image files that are obtained during a single imaging session may be grouped together as a single imaging asset with at least one of shared metadata, common metadata, or linked metadata, and/or the like. For example, in the case that a plurality of image sets is collected in a single imaging session (e.g., to understand the dynamic interactions or operations of an anatomical structure, or the like), the image discovery utility may group this plurality of image sets so as to treat them as a single image asset or a single set of image assets. In so doing, the image discovery utility may present the plurality of image sets grouped together as an asset in the UI, and may present the user with options to select each image group separately for action (such as previewing or downloading, or the like). In a non-limiting example, a cardiac computerized tomography ("CT") scan might include 10 image sets (sometimes referred to as "multiphase scans" or "multiphase images" or the like) that are collected in a single imaging session to understand a patient's heartbeat. The user may be provided with the option to supply this group of 10 image sets to the imaging discovery utility so that they may be treated as one image asset. Alternatively, or additionally, the two or more ninth medical image files may be obtained during different imaging sessions. In some embodiments, the two or more ninth medical images may be either a collection of image sets of a single anatomical structure or a collection of image sets of two or more anatomical structures (in some cases, image sets of anatomical structures throughout the body of the subject), or the like. The benefit for such functionality is that all the metadata and artifacts (or artifact files) may be linked at the image asset level. However, when viewing the asset, the UI may allow the user to see that there are multiple sets of images (whether representing a single anatomical structure or multiple anatomical

structures, or the like, and/or whether obtained during a single session or multiple sessions, or the like) grouped together as the asset, and may allow the user to select each image group separately for action (e.g., for previewing or downloading, or the like).

**[0063]** In some cases, the one or more task options may further comprise at least one of options to preview the two or more ninth medical image files together in the UI, options to download the two or more ninth medical image files as a single set of image files, options to export the two or more ninth medical image files as a single set of image files, options to share the two or more ninth medical image files as a single set of image files, or options to edit metadata associated with each of the two or more ninth medical image files individually or as a group, and/or the like. In some instances, the one or more task options may further comprise at least one of options to perform auto-segmentation for one or more tenth medical image files among the one or more second medical image files, or options to perform auto-measurements for one or more eleventh medical image files among the one or more second medical image files, and/or the like.

**[0064]** In some embodiments, a model generation system (which, in some cases, might be embodied in the computing system, or the like) might generate one or more three-dimensional ("3D") models based at least in part on at least one twelfth medical image file among the retrieved one or more second medical image files.

**[0065]** In some aspects, based on a determination that contents of one of NoSQL database(s) 110 that is(are) managed by NoSQL DMS 105 or SQL database 125 that is managed by SQL DMS 120 have changed, the system (i.e., at least one of NoSQL DMS 105, SQL DMS 120, computing system 140, and/or web server(s) 150, or the like; also referred to herein as "image discovery utility" or the like) might autonomously mirror the changed contents in the other of the NoSQL database 110 or the SQL database 125.

**[0066]** Alternatively, or additionally, according to some aspects, the system (i.e., at least one of NoSQL DMS 105, SQL DMS 120, computing system 140, and/or web server(s) 150, or the like; also referred to herein as "image discovery utility" or the like) might receive a request to modify metadata attributes associated with a medical image file that is stored and mirrored in each of a NoSQL database managed by the NoSQL DMS and a SQL database managed by the SQL DMS. The system may present a UI with options for the user to dynamically modify metadata attributes

associated with the medical image file, wherein the options to dynamically modify metadata attributes may include, without limitation, at least one of dynamically adding group specific metadata attributes to metadata fields of the medical image file, dynamically modifying group specific metadata attributes in metadata fields of the medical image file, dynamically deleting group specific metadata attributes in metadata fields of the medical image file, dynamically defining new group specific metadata fields of the medical image file, dynamically modifying group specific metadata fields of the medical image file, dynamically deleting group specific metadata fields of the medical image file, or dynamically linking a metadata field with one or more artifact files, and/or the like. In response to receiving user input based on the presented options to dynamically modify metadata attributes associated with the medical image file, the system may update at least one of group specific metadata fields or group specific metadata attributes associated with the medical image file in one of the NoSQL database or the SQL database, and may mirror changes to the at least one of group specific metadata fields or group specific metadata attributes associated with the medical image file in the other of the NoSQL database or the SQL database.

**[0067]** Alternatively, or additionally, in some aspects, the system (i.e., at least one of NoSQL DMS 105, SQL DMS 120, computing system 140, and/or web server(s) 150, or the like; also referred to herein as "image discovery utility" or the like) might receive a request to associate one or more artifact files with a metadata attribute associated with a medical image file that is stored and mirrored in each of a NoSQL database managed by the NoSQL DMS and a SQL database managed by the SQL DMS. The system might present a UI with options for the user to modify the metadata attribute associated with the medical image file to include a link between the metadata attribute with the one or more artifact files. In response to receiving user input based on the presented options to modify the metadata attribute associated with the medical image file, the system might update a metadata field associated with the metadata attribute in one of the NoSQL database or the SQL database to include the link between the metadata attribute with the one or more artifact files, and might mirror changes to at least one of the metadata field or the metadata attribute in the other of the NoSQL database or the SQL database, wherein the link between the metadata attribute with the one or more artifact files comprises a relational map between the metadata attribute and each of the one or more artifact files.

**[0068]** Alternatively, or additionally, according to some aspects, in response to receiving a request for at least one first medical image file, the system (i.e., at least one of NoSQL DMS 105, SQL DMS 120, computing system 140, and/or web server(s) 150, or the like; also referred to herein as "image discovery utility" or the like) might perform an index search of a NoSQL database for medical image files associated with a plurality of subjects, the NoSQL database containing a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, the NoSQL database containing mirrored copies of the plurality of medical image files that are stored in a relational ("SQL") database that is managed by a SQL DMS. The system might retrieve the requested at least one first medical image file from the SQL database, based on the index search of the NoSQL database. In some cases, performing the index search may comprise performing metadata search associated with the plurality of medical image files across the plurality of subjects based on attributes of medical image files and without searching based on patient data one subject at a time, each medical image file being defined as a root node of each data structure and each corresponding subject associated with a medical image file being defined as a subordinate node of the data structure.

**[0069]** According to some aspects, the imaging discovery utility described with respect to the various embodiments addresses each of the challenges associated with conventional commercial clinical image management systems (namely, challenges in terms of labelling, mining, and associating derived artifacts or artifact files with the clinical images), by enabling dynamic tagging of imaging records, enabling searching across all images under image management (regardless of which patient the images are associated with), and enabling linking of the images to data and artifacts derived from the images. Further, some conventional commercial clinical image management systems may inherently be designed or configured to prevent cross-searching across the plurality of patients and their data as a measure to ensure compliance with privacy and security rules and protocols (such as, but not limited to, those under the Health Insurance Portability and Accountability Act of 1996 ("HIPAA"), or the like). As the imaging discovery utility, according to the various embodiments, is designed to be used primarily by healthcare professionals or medical researchers, authentication functionalities and features (such as shown and described below with respect to the authentication aspects of Fig. 2, or the like), cross-searching across the plurality of

patients within the image discovery utility remains in compliance with such privacy and security rules and protocols. Even if other users utilize the imaging discovery utility, authentication processes would still avoid non-compliance with these privacy and security rules and protocols.

**[0070]** The solution implements the coupling of a structured and unstructured database. The structured database may contain the minimum required data fields to make the image discoverable or searchable, while the unstructured database may provide the capability to dynamically enhance or enrich data fields based on user needs or as more information is derived from the image. The data structure also links artifacts to the image, such artifacts including, but not limited to, image processing analysis files, segmentation files, three-dimensional ("3D") print files, machine learning ("ML") algorithm files, and/or the like. Searches may be performed across the data fields as well as across the associated files and artifacts. An additional feature of the system is the ability to aggregate images into sets or collections based on search criteria. The system is able to search imaging assets and related artifacts, which can be organized in a project collection. The system also allows discoverability and reuse of information and artifacts that are costly to extract from the image. The reuse of imaging provides a larger volume of evidence for research and development applications and/or for regulatory applications, while improving research and development productivity and cost avoidance arising from purchasing duplicate imaging. The system provides a rapid response to regulatory or clinical questions, while providing knowledge capture and sharing across different business units, and provides the ability to identify and strategically fill imaging needs beyond one business unit or company. Applications include creating a focused set of data with a set of common criteria on which to create or apply artificial intelligence ("AI") and/or ML methods, atlas-based segmentation methods, or other types of analytics, or the like.

**[0071]** These and other functions of the system 100 (and its components) are described in greater detail below with respect to Figs. 2-5.

**[0072]** Fig. 2 is a schematic diagram illustrating a non-limiting example of interactions amongst components of a system 200 for implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

**[0073]** In the non-limiting embodiment of Fig. 2, system 200 may comprise an imaging discovery utility 205, which might comprise a user interface ("UI") system 210 and/or a web server(s) 215. System 200 may further comprise a requesting device 220 associated with a user 225.

**[0074]** In operation, the UI system 210 and/or the imaging discovery utility 205 might establish a web framework API 230, in some cases, using a web framework (such as AngularJS or other web framework systems, or the like) to generate and present a UI to the user 225, the web framework API 230 utilizing javascript ("JS"), hypertext markup language ("HTML"), and/or cascading style sheet ("CSS"), and/or the like.

**[0075]** The requesting device 220 might communicate (via at least one first communications link (denoted in Fig. 2 by double-headed arrow 235), or the like) with the web server(s) 215, by sending requests (e.g., a request for at least one first medical image file, or the like) to the web server(s) 215 and receiving system data (including, but not limited to, one or more medical image files, at least one metadata tag associated with each of the one or more medical image files, or at least one artifact file associated with each of the one or more medical image files, and/or the like), or the like.

**[0076]** The imaging discovery utility 205 might communicate (via at least one second communications link (denoted in Fig. 2 by double-headed arrow 245), or the like) with relational ("SQL") database(s) 240, by sending updates (for updating and/or maintaining functionalities of the SQL database(s) 240, or the like) to the SQL database(s) 240 and receiving data (including, but not limited to, one or more medical image files, at least one metadata tag associated with each of the one or more medical image files, or at least one artifact file associated with each of the one or more medical image files, and/or the like) stored in the SQL database(s) 240.

**[0077]** The imaging discovery utility 205 might communicate (via at least one third communications link (denoted in Fig. 2 by double-headed arrow 255), or the like) with non-relational ("NoSQL") database(s) 250, by sending a search request to the SQL database(s) 250 and receiving indexing data (including, but not limited to, indexing data for one or more medical image files, indexing data for at least one metadata tag associated with each of the one or more medical image files, or indexing data for at least one artifact file associated with each of the one or more medical image files, and/or the like) from the NoSQL database(s) 250. The NoSQL

database(s) 250, which may be managed by a NoSQL data management system ("DMS") (similar to NoSQL DMS 105 of Fig. 1, or the like) may contain mirrored copies of the plurality of medical image files that are stored in the SQL database(s) 240 that is managed by a SQL DMS (similar to SQL DMS 120 of Fig. 1, or the like).

**[0078]** The imaging discovery utility 205 might communicate (via at least one fourth communications link (denoted in Fig. 2 by double-headed arrow 265), or the like) with system file folder(s) 260, by saving and/or updating system data files to the system file folder(s) 260 and retrieving system data files from the system file folder(s) 260.

**[0079]** The imaging discovery utility 205 might communicate (via at least one fifth communications link (denoted in Fig. 2 by double-headed arrow 275), or the like) with lightweight directory access protocol ("LDAP") provider system 270, by exchanging authentication data with the LDAP provider system 270.

**[0080]** In response to receiving a request for at least one first medical image file from the requesting device 220 via the at least one first communications link, imaging discovery utility 205 might authenticate at least one of the requesting device 220, the user 225, and/or the request with the LDAP provider system 270 via the at least one fifth communications link. After authentication of the at least one of the requesting device 220, the user 225, and/or the request, the imaging discovery utility 205 might send a search request for the at least one first medical image file to the NoSQL database(s) 250 and might receive indexing data associated with the requested at least one first medical image file. As the NoSQL database(s) 250 contains mirrored copies of the plurality of medical image files that are stored in the SQL database(s) 240, the indexing data also provides information about indexing of data contained in the SQL database(s) 240. Importantly, as the NoSQL database(s) 250 provides more robust searching functionalities compared with the SQL database(s) 240, indexing of the at least one first medical image file stored in the NoSQL database(s) 250 results in effective indexing of the mirrored at least one first medical image file stored in the SQL database(s) 240. The imaging discovery utility 205 might subsequently retrieve the mirrored at least one first medical image file from the SQL database(s) 240 based on the indexing data. In response to retrieving the mirrored at least one first medical image file, the imaging discovery utility 205 might send or relay the requested at least one first medical image file to the requesting device 220 via the at least one first communications link 235.

**[0081]** System 200 might otherwise operate in a similar, if not identical, manner as system 100 of Fig. 1.

**[0082]** Figs. 3A-3D (collectively, "Fig. 3") are schematic diagrams illustrating various non-limiting examples 300, 300', 300", and 300''' of image data library metadata that may be used when implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments.

**[0083]** With reference to Fig. 3, the various image data library metadata might be embodied as spreadsheet data containing metadata tags for one or more medical image files, although the image data library metadata is not limited to such and can be embodied as any suitable data structure or in any suitable format or file. In some embodiments, the image data library metadata may include, without limitation, one or more instructions for entering metadata or metadata tags, one or more source library metadata, one or more subject library metadata, one or more scan library metadata, and/or one or more device library metadata, or the like. According to some embodiments, the image data library metadata might include, but is not limited to, required data points (denoted in Fig. 3 by dark gray highlighting of metadata label and white colored text, or the like), group specific optional data points (denoted in Fig. 3 by light gray highlighting of metadata label and black colored text, or the like), data mined from a DICOM header of the medical image file (denoted in Fig. 3 by mid-gray highlighting of metadata label and white colored text, or the like), and/or the like. Although particular colored highlighting and particular colored text are used in Fig. 3, the various embodiments are not so limited, and any suitable highlighting or color or the like may be used to highlight or distinguish among required data points, group specific optional data points, and/or data mined from the DICOM header of the medical image file, and/or the like. Alternatively, or additionally, a data field may be used to identify metadata as being required metadata points, group specific optional metadata points, or metadata points mined from a DICOM header of the medical image file, or the like.

**[0084]** In some embodiments, the one or more instructions may include, without limitation, a first step of preparing assets (in this case, medical images or medical image files) within the required file structure (with a note to point to or reference a supporting document(s)), a second step of adding the assets to the data library with a supporting description(s), a third step of completing all required and flexible metadata

points within the spreadsheet, and a fourth step of including any supporting file structures, and/or the like.

**[0085]** Fig. 3A depicts a non-limiting embodiment 300 of an example of common image data library metadata. According to some embodiments, the common image data library metadata (although not fully shown in Fig. 3A) may include, without limitation, one or more source library metadata fields, one or more subject library metadata fields, one or more scan library metadata fields, and/or one or more device library metadata (shown, e.g., in Fig. 3D), or the like.

**[0086]** In some instances, the one or more source library metadata fields may include, but are not limited to, a source institution metadata field (which is a text data type and is configured to contain information pertaining to a source from which the asset is received), a study code metadata field (which is a text data type and is configured to contain information pertaining to a reason for which the asset was collected), a study description metadata field (which is a text data type and is configured to contain information pertaining to a description of a reason for which the asset was collected), a source institution city metadata field (which is a text data type and is configured to contain information pertaining to a city where the source institution is geographically located), and a source geography metadata field (which is a text data type and is configured to contain information pertaining to a geographic location of the source institution), and/or the like.

**[0087]** In some cases, the one or more subject library metadata fields may include, without limitation, a study code metadata field (which is a text data type and is configured to contain information pertaining to a reason for which the asset was collected), a subject identification ("ID") metadata field (which is a text data type and is configured to contain information pertaining to an identifier for a scan subject), a species metadata field (which is a text data type and is configured to contain information pertaining to species of the scan subject), a gender metadata field (which is a text option data type and is configured to contain information pertaining to gender of the scan subject), a year of birth ("YOB") metadata field (which is a number data type and is configured to contain information pertaining to a year of birth of the scan subject (in some cases, expressed as a 4 digit number)), and a race metadata field (which is a text data type and is configured to contain information pertaining to race of the scan subject), and/or the like.

**[0088]** In some instances, the one or more scan library metadata fields may include, but are not limited to, a subject ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for a scan subject), a scan ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for the scan asset), a scan date metadata field (which is a date data type and is configured to contain information pertaining to a date the scan was collected (in some cases, expressed in terms of "mm/dd/yyyy" or any suitable date format, or the like)), a primary anatomical structure metadata field (which is a text data type and is configured to contain information pertaining to primary anatomy depicted in the scan), and an expected number of phases metadata field (which is a number data type and is configured to contain information pertaining to a number of phases that are expected or known to be reflected in the scan), and/or the like.

**[0089]** As shown in the Fig. 3A, the source institution metadata field, the study code metadata field, the study description metadata field, the subject ID metadata field, the species metadata field, the gender metadata field, the YOB metadata field, the race metadata field, the scan ID metadata field, the scan date metadata field, the primary anatomical structure metadata field, and the expected number of phases metadata field are marked or denoted as being required data point fields, while the source institution city metadata field and the source geography metadata field are marked or denoted as being group specific optional data point fields. Although particular metadata fields are shown in the data library as shown in Fig. 3A in particular sections (i.e., source library metadata section, subject library metadata section, scan library metadata section, etc.), the various embodiments are not so limited, and any suitable metadata fields may be used or included, and may be grouped (and in some cases, duplicated) in any suitable sections (not limited to those shown or described above with respect to Fig. 3A). Also, although particular metadata fields are marked or denoted as being one of required data point fields or group specific optional data point fields, the various embodiments are not so limited, and each metadata field may be suitably marked or denoted as any type of data point field or the like (not limited to required data point fields, group specific optional data point fields, data mined from DICOM header data point fields, and/or the like).

**[0090]** Fig. 3B depicts a non-limiting embodiment 300' of an example of image data library metadata for medical images or medical image files associated with

cardiac rhythm and heart failure ("CRHF") therapies and procedures. According to some embodiments, the image data library metadata for medical images or medical image files associated with CRHF therapies and procedures (although not fully shown in Fig. 3B) may include, without limitation, one or more source library metadata fields (shown, e.g., in Fig. 3A), one or more subject library metadata fields (shown, e.g., in Fig. 3A), one or more scan library metadata fields, and/or one or more device library metadata (shown, e.g., in Fig. 3D), or the like.

**[0091]** In some instances, the one or more scan library metadata fields may include, but are not limited to, a subject ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for a scan subject), a scan ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for the scan asset), a scan date metadata field (which is a date data type and is configured to contain information pertaining to a date the scan was collected (in some cases, expressed in terms of "mm/dd/yyyy" or any suitable date format, or the like)), a primary anatomical structure metadata field (which is a text data type and is configured to contain information pertaining to primary anatomy depicted in the scan), and an expected number of phases metadata field (which is a number data type and is configured to contain information pertaining to a number of phases that are expected or known to be reflected in the scan), and/or the like. Like in the example of Fig. 3A, the subject ID metadata field, the scan ID metadata field, the scan date metadata field, the primary anatomical structure metadata field, and the expected number of phases metadata field are marked or denoted as being required data point fields.

**[0092]** In some cases, the one or more scan library metadata fields may further include, without limitation, a subject weight metadata field(s) (which is a measurement data type and is configured to contain information pertaining to weight of the scan subject in pounds and/or kilograms at the time of scan (in some cases, with a note indicating that the user need only provide the weight measurement in pounds or kilograms, but not both)), a subject height metadata field(s) (which is a measurement data type and is configured to contain information pertaining to height of the scan subject in inches and/or centimeters at the time of scan (in some cases, with a note indicating that the user need only provide the height measurement in inches or centimeters, but not both)), a subject body mass index ("BMI") metadata field (which is a measurement data type and is configured to contain information pertaining to the

BMI of the scan subject at the time of scan), a subject scan age metadata field (which is a number data type and is configured to contain information pertaining to the age of the subject at the time of scan), a contrast metadata field (which is a text option data type and is configured to contain information pertaining to presence of contrast in the scan (in some cases, with option for yes ("Y") or no ("N"))), a quality metadata field (which is a text option data type and is configured to contain information pertaining to quality classification of the scan (in some cases, with option for high ("H"), medium ("M"), or low ("L"))), a subject healthy metadata field (which is a text option data type and is configured to contain information pertaining to subject consideration of whether the patient or scan subject is healthy at the time of scan (in some cases, with option for yes ("Y") or no ("N"))), a subject New York Heart Association ("NYHA") classification metadata field (which is a text option data type and is configured to contain information pertaining to NYHA classification of the scan subject at the time of scan), and a secondary anatomical structure(s) metadata field (which is a text list data type and is configured to contain information pertaining to a list (in some cases, a comma separated list, or the like) of secondary anatomies depicted in the scan (in some cases, with a note that the user can add multiple values within the single cell or field)), and/or the like. These metadata fields may be marked or denoted as being group specific optional data point fields (in this case, optional data point fields associated with a CRHF group).

**[0093]** In some instances, the one or more scan library metadata fields may include, but are not limited to, a cardiac cycle phase metadata field (which is a text data type and is configured to contain information pertaining to cardiac cycle phases (in some cases, with a note listing examples including, e.g., 10, 20, 30, multiphase, or the like)), a gated/ungated metadata field (which is a text option data type and is configured to contain information pertaining to whether a cardiac gated scan collection or a cardiac ungated scan collection was used (in some cases, with option for gated ("G") or ungated ("U"))), a comments metadata field (which is a text data type and is configured to contain information pertaining to open field comments from users or researchers), an operative interval metadata field (which is a text data type and is configured to contain information pertaining to post-operative follow-up timepoint), an indication metadata field (which is a text data type and is configured to contain information pertaining to a reason that the scan was collected), a left ventricular ejection fraction ("LVEF") metadata field (which is a measurement data

type and is configured to contain information pertaining to a LVEF value (in percent) (in some cases, with a note indicating that the field must be filled with a distinct value and that ranges must be calculated to an average value, or the like), a LVEF collection modality metadata field (which is a text option data type and is configured to contain information pertaining to what type of LVEF collection modality was used (in some cases, with option for echo ("E"), ultrasound ("U"), etc.)), a left ventricular (external) end-diastolic diameter ("LVEDD") metadata field (which is a measurement data type and is configured to contain information pertaining to the LVEDD value (in millimeters)), a chest circumference metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the circumference around the chest of the scan subject in inches and/or centimeters at the time of scan (in some cases, with a note indicating that the user need only provide the circumference measurement in inches or centimeters, but not both)), and an in plane pixel resolution metadata field (which is a measurement data type and is configured to contain information pertaining to in plane pixel resolution (in millimeters) (in some cases, with a note that this data will be mined from the DICOM header, unless overwritten in this field or spreadsheet as an optional data point)), and/or the like. Except for the last metadata field (which may be marked or denoted as being data mined from DICOM header data point fields), these metadata fields may be marked or denoted as being group specific optional data point fields (in this case, optional data point fields associated with a CRHF group).

**[0094]** Although particular metadata fields are shown in the data library as shown in Fig. 3B in particular sections (i.e., scan library metadata section, etc.), the various embodiments are not so limited, and any suitable metadata fields may be used or included, and may be grouped (and in some cases, duplicated) in any suitable sections (not limited to those shown or described above with respect to Fig. 3B). Also, although particular metadata fields are marked or denoted as being one of required data point fields, group specific optional data point fields, or data mined from DICOM header data point fields, the various embodiments are not so limited, and each metadata field may be suitably marked or denoted as any type of data point field or the like (not limited to required data point fields, group specific optional data point fields, data mined from DICOM header data point fields, and/or the like).

**[0095]** Fig. 3C depicts a non-limiting embodiment 300" of an example of image data library metadata for medical images or medical image files associated with

structural heart-related therapies and procedures. According to some embodiments, the image data library metadata for medical images or medical image files associated with structural heart-related therapies and procedures (although not fully shown in Fig. 3C) may include, without limitation, one or more source library metadata fields (shown, e.g., in Fig. 3A), one or more subject library metadata fields (shown, e.g., in Fig. 3A), one or more scan library metadata fields, and/or one or more device library metadata (shown, e.g., in Fig. 3D), or the like.

**[0096]** In some instances, the one or more scan library metadata fields may include, but are not limited to, a subject ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for a scan subject), a scan ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for the scan asset), a scan date metadata field (which is a date data type and is configured to contain information pertaining to a date the scan was collected (in some cases, expressed in terms of "mm/dd/yyyy" or any suitable date format, or the like)), a primary anatomical structure metadata field (which is a text data type and is configured to contain information pertaining to primary anatomy depicted in the scan), and an expected number of phases metadata field (which is a number data type and is configured to contain information pertaining to a number of phases that are expected or known to be reflected in the scan), and/or the like. Like in the example of Fig. 3A or Fig. 3B, the subject ID metadata field, the scan ID metadata field, the scan date metadata field, the primary anatomical structure metadata field, and the expected number of phases metadata field are marked or denoted as being required data point fields.

**[0097]** In some cases, the one or more scan library metadata fields may further include, without limitation, a subject weight metadata field(s) (which is a measurement data type and is configured to contain information pertaining to weight of the scan subject in pounds and/or kilograms at the time of scan (in some cases, with a note indicating that the user need only provide the weight measurement in pounds or kilograms, but not both)), a subject height metadata field(s) (which is a measurement data type and is configured to contain information pertaining to height of the scan subject in inches and/or centimeters at the time of scan (in some cases, with a note indicating that the user need only provide the height measurement in inches or centimeters, but not both)), a subject body mass index ("BMI") metadata field (which is a measurement data type and is configured to contain information pertaining to the

BMI of the scan subject at the time of scan), a subject scan age metadata field (which is a number data type and is configured to contain information pertaining to the age of the subject at the time of scan), a contrast metadata field (which is a text option data type and is configured to contain information pertaining to presence of contrast in the scan (in some cases, with option for yes ("Y") or no ("N"))), a quality metadata field (which is a text option data type and is configured to contain information pertaining to quality classification of the scan (in some cases, with option for high ("H"), medium ("M"), or low ("L"))), a subject New York Heart Association ("NYHA") classification metadata field (which is a text option data type and is configured to contain information pertaining to NYHA classification of the scan subject at the time of scan), and a secondary anatomical structure(s) metadata field (which is a text list data type and is configured to contain information pertaining to a list (in some cases, a comma separated list, or the like) of secondary anatomies depicted in the scan (in some cases, with a note that the user can add multiple values within the single cell or field), and/or the like. These metadata fields may be marked or denoted as being group specific optional data point fields (in this case, optional data point fields associated with a structural heart group).

**[0098]** In some instances, the one or more scan library metadata fields may include, but are not limited to, a cardiac cycle phase metadata field (which is a text data type and is configured to contain information pertaining to cardiac cycle phases (in some cases, with a note listing examples including, e.g., 10, 20, 30, multiphase, or the like)), a gated/ungated metadata field (which is a text option data type and is configured to contain information pertaining to whether a cardiac gated scan collection or a cardiac ungated scan collection was used (in some cases, with option for gated ("G") or ungated ("U"))), a comments metadata field (which is a text data type and is configured to contain information pertaining to open field comments from users or researchers), an operative interval metadata field (which is a text data type and is configured to contain information pertaining to post-operative follow-up timepoint), an indication metadata field (which is a text data type and is configured to contain information pertaining to a reason that the scan was collected), a left ventricular ejection fraction ("LVEF") metadata field (which is a measurement data type and is configured to contain information pertaining to a LVEF value (in percent) (in some cases, with a note indicating that the field must be filled with a distinct value and that ranges must be calculated to an average value, or the like), a LVEF collection

modality metadata field (which is a text option data type and is configured to contain information pertaining to what type of LVEF collection modality was used (in some cases, with option for echo ("E"), ultrasound ("U"), etc.)), and a left ventricular (external) end-diastolic diameter ("LVEDD") metadata field (which is a measurement data type and is configured to contain information pertaining to the LVEDD value (in millimeters)), and/or the like. These metadata fields may be marked or denoted as being group specific optional data point fields (in this case, optional data point fields associated with a structural heart group).

**[0099]** In some cases, the one or more scan library metadata fields may further include, without limitation, an aortic valve peak gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the peak pressure gradient (in mmHg) across the aortic valve), an aortic valve mean gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the mean pressure gradient (in mmHg) across the aortic valve), an aortic valve peak velocity metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the aortic valve peak or jet velocity (in m/s)), an aortic valve area metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the aortic valve area (in cm<sup>2</sup>)), an aortic regurgitation metadata field (which is a text data type and is configured to contain information pertaining to amount of aortic regurgitation), a mitral valve peak gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the peak pressure gradient (in mmHg) across the mitral valve), a mitral valve mean gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the mean pressure gradient (in mmHg) across the mitral valve), a mitral valve peak velocity metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the mitral valve peak or jet velocity (in m/s)), a mitral valve area metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the mitral valve area (in cm<sup>2</sup>)), a mitral regurgitation metadata field (which is a text data type and is configured to contain information pertaining to amount of mitral regurgitation), a pulmonary valve peak gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the peak pressure gradient (in mmHg) across the pulmonary valve), a pulmonary valve mean gradient metadata field(s) (which is a

measurement data type and is configured to contain information pertaining to the mean pressure gradient (in mmHg) across the pulmonary valve), a pulmonary valve peak velocity metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the pulmonary valve peak or jet velocity (in m/s)), a pulmonary valve area metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the pulmonary valve area (in  $\text{cm}^2$ )), a pulmonary regurgitation metadata field (which is a text data type and is configured to contain information pertaining to amount of pulmonary regurgitation), a tricuspid valve peak gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the peak pressure gradient (in mmHg) across the tricuspid valve), a tricuspid valve mean gradient metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the mean pressure gradient (in mmHg) across the tricuspid valve), a tricuspid valve peak velocity metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the tricuspid valve peak or jet velocity (in m/s)), a tricuspid valve area metadata field(s) (which is a measurement data type and is configured to contain information pertaining to the tricuspid valve area (in  $\text{cm}^2$ )), and a tricuspid regurgitation metadata field (which is a text data type and is configured to contain information pertaining to amount of tricuspid regurgitation), and/or the like. These metadata fields may be marked or denoted as being group specific optional data point fields (in this case, optional data point fields associated with a structural heart group).

**[0100]** Although particular metadata fields are shown in the data library as shown in Fig. 3C in particular sections (i.e., scan library metadata section, etc.), the various embodiments are not so limited, and any suitable metadata fields may be used or included, and may be grouped (and in some cases, duplicated) in any suitable sections (not limited to those shown or described above with respect to Fig. 3C). Also, although particular metadata fields are marked or denoted as being one of required data point fields or group specific optional data point fields, the various embodiments are not so limited, and each metadata field may be suitably marked or denoted as any type of data point field or the like (not limited to required data point fields, group specific optional data point fields, data mined from DICOM header data point fields, and/or the like).

**[0101]** Fig. 3D depicts a non-limiting embodiment 300" of an example of image data library metadata for medical images or medical image files associated with neurological therapies and procedures. According to some embodiments, the image data library metadata for medical images or medical image files associated with neurological therapies and procedures (although not fully shown in Fig. 3D) may include, without limitation, one or more source library metadata fields (shown, e.g., in Fig. 3A), one or more subject library metadata fields (shown, e.g., in Fig. 3A), one or more scan library metadata fields, and/or one or more device library metadata, or the like.

**[0102]** In some instances, the one or more scan library metadata fields may include, but are not limited to, a subject ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for a scan subject), a scan ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for the scan asset), a scan date metadata field (which is a date data type and is configured to contain information pertaining to a date the scan was collected (in some cases, expressed in terms of "mm/dd/yyyy" or any suitable date format, or the like)), a primary anatomical structure metadata field (which is a text data type and is configured to contain information pertaining to primary anatomy depicted in the scan), and an expected number of phases metadata field (which is a number data type and is configured to contain information pertaining to a number of phases that are expected or known to be reflected in the scan), and/or the like. Like in the example of Fig. 3A, Fig. 3B, or Fig. 3C, the subject ID metadata field, the scan ID metadata field, the scan date metadata field, the primary anatomical structure metadata field, and the expected number of phases metadata field are marked or denoted as being required data point fields.

**[0103]** In some cases, the one or more scan library metadata fields may further include, without limitation, a subject weight metadata field(s) (which is a measurement data type and is configured to contain information pertaining to weight of the scan subject in pounds and/or kilograms at the time of scan (in some cases, with a note indicating that the user need only provide the weight measurement in pounds or kilograms, but not both)), a subject height metadata field(s) (which is a measurement data type and is configured to contain information pertaining to height of the scan subject in inches and/or centimeters at the time of scan (in some cases, with a note indicating that the user need only provide the height measurement in inches or

centimeters, but not both)), a subject body mass index ("BMI") metadata field (which is a measurement data type and is configured to contain information pertaining to the BMI of the scan subject at the time of scan), a subject scan age metadata field (which is a number data type and is configured to contain information pertaining to the age of the subject at the time of scan), a contrast metadata field (which is a text option data type and is configured to contain information pertaining to presence of contrast in the scan (in some cases, with option for yes ("Y") or no ("N"))), a quality metadata field (which is a text option data type and is configured to contain information pertaining to quality classification of the scan (in some cases, with option for high ("H"), medium ("M"), or low ("L"))), and a subject healthy metadata field (which is a text option data type and is configured to contain information pertaining to subject consideration of whether the patient or scan subject is healthy at the time of scan (in some cases, with option for yes ("Y") or no ("N"))), and/or the like. These metadata fields may be marked or denoted as being group specific optional data point fields (in this case, optional data point fields associated with a neurological group).

**[0104]** In some instances, the one or more scan library metadata fields may include, but are not limited to, an in plane pixel resolution metadata field (which is a measurement data type and is configured to contain information pertaining to in plane pixel resolution (in millimeters)), a slice thickness metadata field (which is a measurement data type and is configured to contain information pertaining to slice thickness (in millimeters)), an increment metadata field (which is a measurement data type and is configured to contain information pertaining to increment), a modality metadata field (which is a text option data type and is configured to contain information pertaining to modality), a resolution metadata field (which is a number data type and is configured to contain information pertaining to resolution), a number of frames per slice metadata field (which is a number data type and is configured to contain information pertaining to the number of frames per slice), a source scanner metadata field (which is a text data type and is configured to contain information pertaining to the source scanner), and a number of frames metadata field (which is a number data type and is configured to contain information pertaining to the number of frames), and/or the like. These metadata fields may be marked or denoted as being data mined from DICOM header data point fields. In some cases, each of these metadata fields may include a note that the data in the corresponding field will be

mined from the DICOM header, unless overwritten in said field or spreadsheet as an optional data point, and/or the like.

**[0105]** In some cases, the one or more device library metadata fields may further include, without limitation, a subject ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for a scan subject), a scan ID metadata field (which is a text data type and is configured to contain information pertaining to an identifier for the scan asset), a scan date metadata field (which is a date data type and is configured to contain information pertaining to a date the scan was collected (in some cases, expressed in terms of "mm/dd/yyyy" or any suitable date format, or the like)), and/or the like. These metadata fields may be marked or denoted as being required data point fields.

**[0106]** Although particular metadata fields are shown in the data library as shown in Fig. 3D in particular sections (i.e., scan library metadata section, device library metadata section, etc.), the various embodiments are not so limited, and any suitable metadata fields may be used or included, and may be grouped (and in some cases, duplicated) in any suitable sections (not limited to those shown or described above with respect to Fig. 3D). Also, although particular metadata fields are marked or denoted as being one of required data point fields, group specific optional data point fields, or data mined from DICOM header data point fields the various embodiments are not so limited, and each metadata field may be suitably marked or denoted as any type of data point field or the like (not limited to required data point fields, group specific optional data point fields, data mined from DICOM header data point fields, and/or the like).

**[0107]** Figs. 4A-4L (collectively, "Fig. 4") are schematic diagrams illustrating various non-limiting examples 400 of user interfaces ("UIs") 405-460 that may be used when implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments. The UIs shown in Fig. 4 contain example subject information that are not associated with any actual or living patient or subject, but are merely provided to give context and to illustrate concepts that are part of the UIs.

**[0108]** According to some embodiments, the UIs may provide the user with options to search for assets (i.e., medical images or medical image files, etc.) in the image discovery utility (which may also be referred to herein as "Medtronic Online Sharing of Anatomical Imaging Collections" or "MOSAIC" or the like), by searching

by at least one of diseases, devices, anatomical regions, and/or additional parameters (including, but not limited to, source study description, project start date, secondary anatomical structure(s), source study or trial, source study ID, source study date, and/or clinical trial study center, etc.), and/or the like (such as shown in Figs. 4A, 4B, and 4K, or the like). The UIs may further provide the user with options to initiate the search based on the input parameters, to clear all fields, to export results, to save the search, to add the search or search results to a project, to manage saved searches, and/or the like (such as shown in Figs. 4A-4C, 4K, and 4L, or the like).

**[0109]** As shown in the non-limiting embodiment of Fig. 4C or Fig. 4L, because the assets (i.e., medical images or medical image files) are at the top of the hierarchy of the image-centric hierarchical system (as described above with respect to Fig. 1, or the like), the image discovery utility is able to search for related or similar images of anatomical structures (or the like) across a plurality of patients or subjects (which conventional data management systems because such conventional systems are patient-centric hierarchical systems that are inherently restricted into searching only patient information, with lower level images associated with each patient being difficult if not impossible to search, much less compile across a plurality of patients or subjects). In this manner, the image discovery utility and functionality described herein (and according to the various embodiments) enable robust and complete searching of related or similar images of anatomical structures or other image assets across a plurality of patients, thereby facilitating research and development of diagnoses, therapies, procedures, and/or pharmaceutical products, and/or the like.

**[0110]** As shown in the non-limiting example of UI 420 in Fig. 4D, the UI may display or otherwise present information about the asset (in this case, "Scan 1923," which is an image of a computerized tomography ("CT") scan of a torso of a subject or patient, in this case, the subject associated with anonymous alphanumeric code, "IU\_Code\_0697"). In some instances, the information that is presented in the UI (e.g., UI 420 of Fig. 4D, or the like) may include, without limitation, scan ID (in this case, "Scan 1923" or the like), study description (in this case, "CT – Torso" or the like), primary anatomical structure (in this case, "Torso" or the like), scan date (in this case, "2020-03-29" or the like), subject ID (in this case, "IU\_Code\_0697" or the like), species (in this case, "Human" or the like), gender (in this case, "Male" or the like), year of birth ("YOB"), race (in this case, "Caucasian" or the like), subject weight (in this case, "165.72 lbs" or the like), subject height (in this case, "5 foot, 11 inches" or

the like), subject BMI (in this case, "23.1" or the like), subject scan age (in this case, "34 years old" or the like), subject NYHA classification (in this case, blank or not applicable), study code (in this case, "IU\_CT\_Torso\_FY20Q1" or the like), source institution (in this case, "Center 2" or the like), division or group code (in this case, "Core Test Group" or the like), known diseases (in this case, none), and/or scanned devices (in this case, none), and/or the like.

**[0111]** As shown in the non-limiting example of UI 425 in Fig. 4E, the UI may display or otherwise present information about the asset. In some cases, the information that is presented in the UI (e.g., UI 425 of Fig. 4E, or the like) may include, but is not limited to, the asset(s) itself (i.e., medical image(s) or medical image file(s), or the like), quality (in this case, "High" or "H" or the like), contrast (in this case, "No" or "N" or the like), in-plane pixel resolution (in this case, "0.74 x 0.74" or the like), slice thickness, increment (in this case, "5" or the like), and/or expected number of phases (in this case, "1" or the like), and/or the like. In some instances, the UI may display or otherwise present at least one of a comments field for the user to input comments about the asset or subject, an option to add the asset(s) to a project(s), and/or an option to download the asset(s), and/or the like. According to some embodiments, the image discovery utility may group assets. For example, in the case that a plurality of image sets is collected in a single imaging session (e.g., to understand the dynamic interactions or operations of an anatomical structure, or the like; sometimes referred to as "multiphase scans" or "multiphase images" or the like), the image discovery utility may group this plurality of image sets so as to treat them as a single image asset or a single set of image assets. Alternatively, or additionally, the plurality of image sets may be obtained during different imaging sessions. In some embodiments, the plurality of image sets may be either a collection of image sets of a single anatomical structure or a collection of image sets of two or more anatomical structures (in some cases, image sets of anatomical structures throughout the body of the subject), or the like. In so doing, the image discovery utility may present the plurality of image sets (whether representing a single anatomical structure or multiple anatomical structures, or the like, and/or whether obtained during a single session or multiple sessions, or the like) grouped together as an asset in the UI, and may present the user with options to select each image group separately for action (such as previewing or downloading, or the like). As shown in Fig. 4E, the asset contains 143 frames or images of the anatomical structure.

**[0112]** As shown in the non-limiting example of UI 430 in Fig. 4F or UI 435 in Fig. 4G, the UI may display or otherwise present information, including, but not limited to, baseline DICOM translations (including, without limitation, .raw files, .txt files, .mcs files, etc.), or the like. The UI may also present at least one of options for the user to enter comments about the asset(s) or patient, options to add the asset(s) to a project(s), options to download the asset(s), options to upload new DICOM translations, options to add one or more DICOM translations to a project(s), and/or options to download one or more DICOM translations, and/or the like.

**[0113]** As shown in the non-limiting example of UI 440 in Fig. 4H, the UI may display or otherwise present information, including, but not limited to, Project Assets, or the like. The UI may also present at least one of options to upload new project assets, options to select project assets, options to clear selections, options to download all selected project assets, options to download all project assets, options to upload new assets within selected projects, and/or options to expand/collapse view of particular assets or project assets, and/or the like.

**[0114]** Figs. 4I-4L depict non-limiting examples of UIs 445-460 that display or otherwise present information for non-human scans or medical images (in this case, medical images or medical image files of pigs, although not limited to this particular species). For example, as shown in the non-limiting example of UI 445 in Fig. 4I, the UI may display or otherwise present information about the asset (in this case, "Scan 314," which is an image of a computerized tomography ("CT") scan of a subject or patient (in this instance, a pig), in this case, the subject associated with anonymous alphanumeric code, "Pig\_168470"). In some instances, the information that is presented in the UI (e.g., UI 445 of Fig. 4I, or the like) may include, without limitation, scan ID (in this case, "Scan 314" or the like), study description (in this case, "CT – Pig" or the like), primary anatomical structure (in this case, "Pig" or the like), scan date (in this case, "2019-12-31" or the like), subject ID (in this case, "Pig\_168470" or the like), species (in this case, "Pig" or the like), gender (in this case, "Male" or the like), year of birth ("YOB"), race (in this case, "Yorkshire" or the like), subject weight (in this case, "154 lbs" or the like), subject height (in this case, blank or the like), subject BMI (in this case, blank or the like), subject scan age (in this case, "17 weeks old" or the like), subject NYHA classification (in this case, blank or not applicable), study code (in this case, "Pig" or the like), source institution (in this case, "Center 3" or the like), division or group code (in this case, "Core Test Group" or the

like), known diseases (in this case, none), and/or scanned devices (in this case, none), and/or the like.

**[0115]** As shown in the non-limiting example of UI 450 in Fig. 4J, the UI may display or otherwise present information about the asset. In some cases, the information that is presented in the UI (e.g., UI 450 of Fig. 4J, or the like) may include, but is not limited to, the asset(s) itself (i.e., medical image(s) or medical image file(s), or the like), quality (in this case, "unknown" or the like), contrast (in this case, "unknown" or the like), in-plane pixel resolution (in this case, "0.38 x 0.38" or the like), slice thickness (in this case, "0.75" or the like), increment (in this case, blank or the like), and/or expected number of phases (in this case, "1" or the like), and/or the like. In some instances, the UI may display or otherwise present at least one of a comments field for the user to input comments about the asset or subject, an option to add the asset(s) to a project(s), and/or an option to download the asset(s), and/or the like. According to some embodiments, the image discovery utility may group assets. For example, in the case that a plurality of image sets is collected in a single imaging session (e.g., to understand the dynamic interactions or operations of an anatomical structure, or the like; sometimes referred to as "multiphase scans" or "multiphase images" or the like), the image discovery utility may group this plurality of image sets so as to treat them as a single image asset or a single set of image assets. Alternatively, or additionally, the plurality of image sets may be obtained during different imaging sessions. In some embodiments, the plurality of image sets may be either a collection of image sets of a single anatomical structure or a collection of image sets of two or more anatomical structures (in some cases, image sets of anatomical structures throughout the body of the subject), or the like. In so doing, the image discovery utility may present the plurality of image sets (whether representing a single anatomical structure or multiple anatomical structures, or the like, and/or whether obtained during a single session or multiple sessions, or the like) grouped together as an asset in the UI, and may present the user with options to select each image group separately for action (such as previewing or downloading, or the like). As shown in Fig. 4J, the asset contains 232 frames or images of the anatomical structure.

**[0116]** Figs. 5A-5D (collectively, "Fig. 5") are flow diagrams illustrating a method 500 for implementing an imaging discovery utility for augmenting clinical image management, in accordance with various embodiments. Method 500 of Fig.

5A continues onto Fig. 5B following the circular marker denoted, "A," continues onto Fig. 5C following the circular marker denoted, "B," and/or continues onto Fig. 5D following the circular marker denoted, "C."

**[0117]** While the techniques and procedures are depicted and/or described in a certain order for purposes of illustration, it should be appreciated that certain procedures may be reordered and/or omitted within the scope of various embodiments. Moreover, while the method 500 illustrated by Fig. 5 can be implemented by or with (and, in some cases, are described below with respect to) the systems, examples, or embodiments 100, 200, 300, 300', 300", 300"', and 400 of Figs. 1, 2, 3A, 3B, 3C, 3D, and 4A-4H, respectively (or components thereof), such methods may also be implemented using any suitable hardware (or software) implementation. Similarly, while each of the systems, examples, or embodiments 100, 200, 300, 300', 300", 300"', and 400 of Figs. 1, 2, 3A, 3B, 3C, 3D, and 4A-4H, respectively (or components thereof), can operate according to the method 500 illustrated by Fig. 5 (e.g., by executing instructions embodied on a computer readable medium), the systems, examples, or embodiments 100, 200, 300, 300', 300", 300"', and 400 of Figs. 1, 2, 3A, 3B, 3C, 3D, and 4A-4H can each also operate according to other modes of operation and/or perform other suitable procedures.

**[0118]** In the non-limiting embodiment of Fig. 5A, method 500, at optional block 505, may comprise presenting, with a computing system, a user interface ("UI") via a requesting device. Method 500 may further comprise receiving, with the computing system and from the requesting device, the request for the at least one first medical image file (optional block 510), the request comprising one or more search terms; and querying, with the computing system, a non-relational ("NoSQL") data management system ("DMS") for the requested at least one first medical image file, by relaying the request to the NoSQL DMS (optional block 515). In some cases, the request may be received via the UI.

**[0119]** According to some embodiments, the computing system may include, without limitation, at least one of a processor of a NoSQL DMS, a processor of a SQL DMS, a processor of a hybrid NoSQL/SQL DMS, a controller for both the NoSQL DMS and the SQL DMS, a server computer over a network, a cloud-based computing system over a network, or a distributed computing system, and/or the like. In some instances, the requesting device may include, but is not limited to, at least one of a

laptop computer, a desktop computer, a tablet computer, a smart phone, a mobile phone, or a web client, and/or the like.

**[0120]** In some embodiments, the one or more search terms may include, without limitation, at least one of one or more search criteria, one or more keywords regarding at least one project description, one or more keywords regarding at least one source study name, one or more keywords regarding at least one anatomical region, one or more keywords regarding at least one characteristic of a class of patients, one or more keywords regarding at least one demographic of patients, one or more keywords regarding at least one physical characteristic of patients, one or more keywords regarding at least one characteristic of a disease, one or more keywords regarding at least one characteristic of one or more comorbidities, one or more keywords regarding at least one characteristic of each medical image that satisfies the one or more search criteria, one or more keywords regarding at least one characteristic of at least one modality used to obtain one or more medical images that satisfy the one or more search criteria, one or more keywords regarding at least one characteristic of at least one imaging device used to obtain one or more medical images that satisfy the one or more search criteria, or one or more keywords regarding at least one additional parameter, and/or the like.

**[0121]** Method 500 may comprise, at block 520, receiving, with the NoSQL DMS and from the requesting device (in some cases, via the computing system and/or via the UI), the request for the at least one first medical image file. At block 525, method 500 may comprise accessing, with the NoSQL DMS, a NoSQL database that is managed by the NoSQL DMS, the NoSQL database containing a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, the NoSQL database containing mirrored copies of the plurality of medical image files that are stored in a relational ("SQL") database that is managed by a SQL DMS. In some embodiments, the plurality of medical image files contained in the NoSQL database and in the SQL database may each be organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy.

**[0122]** According to some embodiments, the plurality of artifact files may include, but is not limited to, at least one of one or more raw image data files, one or

more document files, one or more image processing analysis files, one or more segmentation files, one or more three-dimensional ("3D") print files, one or more stereolithography ("STL") files, one or more measurement files, one or more experiment files, one or more project files, one or more machine algorithm files, or one or more report files, and/or the like. In some cases, the plurality of metadata tags may include, without limitation, flexible image tagging that is customizable to include one or more standard medical image metadata and one or more non-standard medical image metadata. In some instances, the one or more standard medical image metadata may include, but are not limited to, one or more digital imaging and communications in medicine ("DICOM") -compliant metadata, or the like. In some cases, the one or more non-standard medical image metadata may include, without limitation, at least one of contrast metadata, metadata associated with device attribute, metadata associated with implant technique, metadata regarding whether patient is healthy or not, metadata regarding quality of scan of image, metadata associated with one or more specific parameters used by at least one medical specialty, or one or more customizable metadata, and/or the like.

**[0123]** Method 500 may further comprise, at block 530, performing, with the NoSQL DMS, a search of the NoSQL database, by searching for each of the one or more search terms in the plurality of metadata tags associated with each medical image file among the plurality of medical image files in the NoSQL database. Method 500, at block 535, may comprise, based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms: identifying, with the NoSQL DMS, corresponding one or more second medical image files as stored in the SQL database (block 540), wherein the search of the NoSQL database serves as an index search of the SQL database; retrieving, with at least one of the NoSQL DMS or the SQL DMS and from the SQL database, the one or more second medical image files (block 545); and sending, with the at least one of the NoSQL DMS or the SQL DMS, the retrieved one or more second medical image files to the requesting device (block 550). In some cases, sending the retrieved one or more second medical image files to the requesting device may comprise displaying the retrieved one or more second medical image files in the UI. Alternatively, or additionally, sending the retrieved one or more second medical image files to the requesting device may comprise sending,

with the at least one of the NoSQL DMS or the SQL DMS, a list of relevant search results to the requesting device, the list of relevant search results comprising the retrieved one or more second medical image files, wherein the retrieved one or more second medical image files may include, without limitation, two or more medical image files that are associated with a plurality of different patients.

**[0124]** Method 500 might continue onto the process at block 555 in Fig. 5B following the circular marker denoted, "A," might continue onto the process at block 565 in Fig. 5C following the circular marker denoted, "B," might continue onto the process at block 570 in Fig. 5D following the circular marker denoted, "C."

**[0125]** At block 555 in Fig. 5B (following the circular marker denoted, "A"), method 500 may comprise converting, with the computing system, the retrieved one or more second medical image files into one or more DICOM-compliant search results. In some cases, displaying the retrieved one or more second medical image files in the UI may comprise displaying the retrieved one or more second medical image files as the converted one or more DICOM-compliant search results in the UI.

**[0126]** Method 500 may further comprise, based on a determination that a user's mouse cursor is hovering over a DICOM-compliant search result, generating and displaying, with the computing system, a pop-up display indicating specific information or values associated with the DICOM-compliant search result, based at least in part on the one or more search terms (block 560).

**[0127]** At block 565 in Fig. 5C (following the circular marker denoted, "B," from Fig. 5A), method 500 may comprise providing, with the computing system, one or more task options for each of the displayed retrieved one or more second medical image files in the UI. In some embodiments, the one or more task options may include, without limitation, at least one of options to download particular one or more third medical image files among the one or more second medical image files, options to add particular one or more fourth medical image files among the one or more second medical image files to at least one project group folder, options to link together at least two fifth medical image files among the one or more second medical image files, options to export one or more sixth medical image files among the one or more second medical image files, options to share one or more seventh medical image files among the one or more second medical image files, options to upload one or more eighth medical image files, options to start a new search, options to save a current search, options to manage saved searches, options to view recent searches,

options to export searches, options to open a new project folder, options to save a current project folder, options to manage project folders, options to complete a current project, options to view active projects, or options to export project folders, and/or the like.

**[0128]** In some instances, two or more ninth medical image files among the one or more second medical image files that are obtained during a single imaging session may be grouped together as a single imaging asset with at least one of shared metadata, common metadata, or linked metadata, wherein the one or more task options may further comprise at least one of options to preview the two or more ninth medical image files together in the UI, options to download the two or more ninth medical image files as a single set of image files, options to export the two or more ninth medical image files as a single set of image files, options to share the two or more ninth medical image files as a single set of image files, or options to edit metadata associated with each of the two or more ninth medical image files individually or as a group, and/or the like. In some cases, the one or more task options may further comprise at least one of options to perform auto-segmentation for one or more tenth medical image files among the one or more second medical image files, or options to perform auto-measurements for one or more eleventh medical image files among the one or more second medical image files, and/or the like.

**[0129]** At block 570 in Fig. 5D (following the circular marker denoted, "C," from Fig. 5A), method 500 may comprise generating, with a model generation system, one or more three-dimensional ("3D") models based at least in part on at least one thirteenth medical image file among the retrieved one or more second medical image files.

**[0130] Exemplary System and Hardware Implementation**

**[0131]** Fig. 6 is a block diagram illustrating an exemplary computer or system hardware architecture, in accordance with various embodiments. Fig. 6 provides a schematic illustration of one embodiment of a computer system 600 of the service provider system hardware that can perform the methods provided by various other embodiments, as described herein, and/or can perform the functions of computer or hardware system (i.e., non-relational ("NoSQL") data management system ("DMS") 105, relational ("SQL") DMS 120, computing system 140, web servers 150 and 215, requesting devices 160a-160n and 220, imaging discover utility 205, and lightweight directory access protocol ("LDAP") provider system 270, etc.), as described above. It

should be noted that Fig. 6 is meant only to provide a generalized illustration of various components, of which one or more (or none) of each may be utilized as appropriate. Fig. 6, therefore, broadly illustrates how individual system elements may be implemented in a relatively separated or relatively more integrated manner.

**[0132]** The computer or hardware system 600 – which might represent an embodiment of the computer or hardware system (i.e., NoSQL DMS 105, SQL DMS 120, computing system 140, web servers 150 and 215, requesting devices 160a-160n and 220, imaging discover utility 205, and LDAP provider system 270, etc.), described above with respect to Figs. 1-5 – is shown comprising hardware elements that can be electrically coupled via a bus 605 (or may otherwise be in communication, as appropriate). The hardware elements may include one or more processors 610, including, without limitation, one or more general-purpose processors and/or one or more special-purpose processors (such as microprocessors, digital signal processing chips, graphics acceleration processors, and/or the like); one or more input devices 615, which can include, without limitation, a mouse, a keyboard, and/or the like; and one or more output devices 620, which can include, without limitation, a display device, a printer, and/or the like.

**[0133]** The computer or hardware system 600 may further include (and/or be in communication with) one or more storage devices 625, which can comprise, without limitation, local and/or network accessible storage, and/or can include, without limitation, a disk drive, a drive array, an optical storage device, solid-state storage device such as a random access memory ("RAM") and/or a read-only memory ("ROM"), which can be programmable, flash-updateable, and/or the like. Such storage devices may be configured to implement any appropriate data stores, including, without limitation, various file systems, database structures, and/or the like.

**[0134]** The computer or hardware system 600 might also include a communications subsystem 630, which can include, without limitation, a modem, a network card (wireless or wired), an infra-red communication device, a wireless communication device and/or chipset (such as a Bluetooth™ device, an 802.11 device, a WiFi device, a WiMax device, a WWAN device, cellular communication facilities, etc.), and/or the like. The communications subsystem 630 may permit data to be exchanged with a network (such as the network described below, to name one example), with other computer or hardware systems, and/or with any other devices

described herein. In many embodiments, the computer or hardware system 600 will further comprise a working memory 635, which can include a RAM or ROM device, as described above.

**[0135]** The computer or hardware system 600 also may comprise software elements, shown as being currently located within the working memory 635, including an operating system 640, device drivers, executable libraries, and/or other code, such as one or more application programs 645, which may comprise computer programs provided by various embodiments (including, without limitation, hypervisors, VMs, and the like), and/or may be designed to implement methods, and/or configure systems, provided by other embodiments, as described herein. Merely by way of example, one or more procedures described with respect to the method(s) discussed above might be implemented as code and/or instructions executable by a computer (and/or a processor within a computer); in an aspect, then, such code and/or instructions can be used to configure and/or adapt a general purpose computer (or other device) to perform one or more operations in accordance with the described methods.

**[0136]** A set of these instructions and/or code might be encoded and/or stored on a non-transitory computer readable storage medium, such as the storage device(s) 625 described above. In some cases, the storage medium might be incorporated within a computer system, such as the system 600. In other embodiments, the storage medium might be separate from a computer system (i.e., a removable medium, such as a compact disc, etc.), and/or provided in an installation package, such that the storage medium can be used to program, configure, and/or adapt a general purpose computer with the instructions/code stored thereon. These instructions might take the form of executable code, which is executable by the computer or hardware system 600 and/or might take the form of source and/or installable code, which, upon compilation and/or installation on the computer or hardware system 600 (e.g., using any of a variety of generally available compilers, installation programs, compression/decompression utilities, etc.) then takes the form of executable code.

**[0137]** It will be apparent to those skilled in the art that substantial variations may be made in accordance with specific requirements. For example, customized hardware (such as programmable logic controllers, field-programmable gate arrays, application-specific integrated circuits, and/or the like) might also be used, and/or particular elements might be implemented in hardware, software (including portable

software, such as applets, etc.), or both. Further, connection to other computing devices such as network input/output devices may be employed.

**[0138]** As mentioned above, in one aspect, some embodiments may employ a computer or hardware system (such as the computer or hardware system 600) to perform methods in accordance with various embodiments of the invention.

According to a set of embodiments, some or all of the procedures of such methods are performed by the computer or hardware system 600 in response to processor 610 executing one or more sequences of one or more instructions (which might be incorporated into the operating system 640 and/or other code, such as an application program 645) contained in the working memory 635. Such instructions may be read into the working memory 635 from another computer readable medium, such as one or more of the storage device(s) 625. Merely by way of example, execution of the sequences of instructions contained in the working memory 635 might cause the processor(s) 610 to perform one or more procedures of the methods described herein.

**[0139]** The terms "machine readable medium" and "computer readable medium," as used herein, refer to any medium that participates in providing data that causes a machine to operate in a specific fashion. In an embodiment implemented using the computer or hardware system 600, various computer readable media might be involved in providing instructions/code to processor(s) 610 for execution and/or might be used to store and/or carry such instructions/code (e.g., as signals). In many implementations, a computer readable medium is a non-transitory, physical, and/or tangible storage medium. In some embodiments, a computer readable medium may take many forms, including, but not limited to, non-volatile media, volatile media, or the like. Non-volatile media includes, for example, optical and/or magnetic disks, such as the storage device(s) 625. Volatile media includes, without limitation, dynamic memory, such as the working memory 635. In some alternative embodiments, a computer readable medium may take the form of transmission media, which includes, without limitation, coaxial cables, copper wire, and fiber optics, including the wires that comprise the bus 605, as well as the various components of the communication subsystem 630 (and/or the media by which the communications subsystem 630 provides communication with other devices). In an alternative set of embodiments, transmission media can also take the form of waves (including without limitation radio, acoustic, and/or light waves, such as those generated during radio-wave and infra-red data communications).

**[0140]** Common forms of physical and/or tangible computer readable media include, for example, a floppy disk, a flexible disk, a hard disk, magnetic tape, or any other magnetic medium, a CD-ROM, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, a RAM, a PROM, and EPROM, a FLASH-EPROM, any other memory chip or cartridge, a carrier wave as described hereinafter, or any other medium from which a computer can read instructions and/or code.

**[0141]** Various forms of computer readable media may be involved in carrying one or more sequences of one or more instructions to the processor(s) 610 for execution. Merely by way of example, the instructions may initially be carried on a magnetic disk and/or optical disc of a remote computer. A remote computer might load the instructions into its dynamic memory and send the instructions as signals over a transmission medium to be received and/or executed by the computer or hardware system 600. These signals, which might be in the form of electromagnetic signals, acoustic signals, optical signals, and/or the like, are all examples of carrier waves on which instructions can be encoded, in accordance with various embodiments of the invention.

**[0142]** The communications subsystem 630 (and/or components thereof) generally will receive the signals, and the bus 605 then might carry the signals (and/or the data, instructions, etc. carried by the signals) to the working memory 635, from which the processor(s) 605 retrieves and executes the instructions. The instructions received by the working memory 635 may optionally be stored on a storage device 625 either before or after execution by the processor(s) 610.

**[0143]** As noted above, a set of embodiments comprises methods and systems for implementing image management, and, more particularly, to methods, systems, and apparatuses for implementing an imaging discovery utility for augmenting clinical image management. Fig. 7 illustrates a schematic diagram of a system 700 that can be used in accordance with one set of embodiments. The system 700 can include one or more user computers, user devices, or customer devices 705. A user computer, user device, or customer device 705 can be a general purpose personal computer (including, merely by way of example, desktop computers, tablet computers, laptop computers, handheld computers, and the like, running any appropriate operating system, several of which are available from vendors such as Apple, Microsoft Corp., and the like), cloud computing devices, a server(s), and/or a workstation computer(s)

running any of a variety of commercially-available UNIX™ or UNIX-like operating systems. A user computer, user device, or customer device 705 can also have any of a variety of applications, including one or more applications configured to perform methods provided by various embodiments (as described above, for example), as well as one or more office applications, database client and/or server applications, and/or web browser applications. Alternatively, a user computer, user device, or customer device 705 can be any other electronic device, such as a thin-client computer, Internet-enabled mobile telephone, and/or personal digital assistant, capable of communicating via a network (e.g., the network(s) 710 described below) and/or of displaying and navigating web pages or other types of electronic documents. Although the exemplary system 700 is shown with two user computers, user devices, or customer devices 705, any number of user computers, user devices, or customer devices can be supported.

**[0144]** Certain embodiments operate in a networked environment, which can include a network(s) 710. The network(s) 710 can be any type of network familiar to those skilled in the art that can support data communications using any of a variety of commercially-available (and/or free or proprietary) protocols, including, without limitation, TCP/IP, SNA™, IPX™, AppleTalk™, and the like. Merely by way of example, the network(s) 710 (similar to network(s) 135 and/or 170 of Fig. 1, or the like) can each include a local area network ("LAN"), including, without limitation, a fiber network, an Ethernet network, a Token-Ring™ network, and/or the like; a wide-area network ("WAN"); a wireless wide area network ("WWAN"); a virtual network, such as a virtual private network ("VPN"); the Internet; an intranet; an extranet; a public switched telephone network ("PSTN"); an infra-red network; a wireless network, including, without limitation, a network operating under any of the IEEE 802.11 suite of protocols, the Bluetooth™ protocol known in the art, and/or any other wireless protocol; and/or any combination of these and/or other networks. In a particular embodiment, the network might include an access network of the service provider (e.g., an Internet service provider ("ISP")). In another embodiment, the network might include a core network of the service provider, and/or the Internet.

**[0145]** Embodiments can also include one or more server computers 715. Each of the server computers 715 may be configured with an operating system, including, without limitation, any of those discussed above, as well as any commercially (or

freely) available server operating systems. Each of the servers 715 may also be running one or more applications, which can be configured to provide services to one or more clients 705 and/or other servers 715.

**[0146]** Merely by way of example, one of the servers 715 might be a data server, a web server, a cloud computing device(s), or the like, as described above. The data server might include (or be in communication with) a web server, which can be used, merely by way of example, to process requests for web pages or other electronic documents from user computers 705. The web server can also run a variety of server applications, including HTTP servers, FTP servers, CGI servers, database servers, Java servers, and the like. In some embodiments of the invention, the web server may be configured to serve web pages that can be operated within a web browser on one or more of the user computers 705 to perform methods of the invention.

**[0147]** The server computers 715, in some embodiments, might include one or more application servers, which can be configured with one or more applications accessible by a client running on one or more of the client computers 705 and/or other servers 715. Merely by way of example, the server(s) 715 can be one or more general purpose computers capable of executing programs or scripts in response to the user computers 705 and/or other servers 715, including, without limitation, web applications (which might, in some cases, be configured to perform methods provided by various embodiments). Merely by way of example, a web application can be implemented as one or more scripts or programs written in any suitable programming language, such as Java™, C, C#™ or C++, and/or any scripting language, such as Perl, Python, or TCL, as well as combinations of any programming and/or scripting languages. The application server(s) can also include database servers, including, without limitation, those commercially available from Oracle™, Microsoft™, Sybase™, IBM™, and the like, which can process requests from clients (including, depending on the configuration, dedicated database clients, API clients, web browsers, etc.) running on a user computer, user device, or customer device 705 and/or another server 715. In some embodiments, an application server can perform one or more of the processes for implementing image management, and, more particularly, to methods, systems, and apparatuses for implementing an imaging discovery utility for augmenting clinical image management, as described in detail above. Data provided by an application server may be formatted as one or more web

pages (comprising HTML, JavaScript, etc., for example) and/or may be forwarded to a user computer 705 via a web server (as described above, for example). Similarly, a web server might receive web page requests and/or input data from a user computer 705 and/or forward the web page requests and/or input data to an application server. In some cases, a web server may be integrated with an application server.

**[0148]** In accordance with further embodiments, one or more servers 715 can function as a file server and/or can include one or more of the files (e.g., application code, data files, etc.) necessary to implement various disclosed methods, incorporated by an application running on a user computer 705 and/or another server 715. Alternatively, as those skilled in the art will appreciate, a file server can include all necessary files, allowing such an application to be invoked remotely by a user computer, user device, or customer device 705 and/or server 715.

**[0149]** It should be noted that the functions described with respect to various servers herein (e.g., application server, database server, web server, file server, etc.) can be performed by a single server and/or a plurality of specialized servers, depending on implementation-specific needs and parameters.

**[0150]** In certain embodiments, the system can include one or more databases 720a-720n (collectively, "databases 720"). The location of each of the databases 720 is discretionary: merely by way of example, a database 720a might reside on a storage medium local to (and/or resident in) a server 715a (and/or a user computer, user device, or customer device 705). Alternatively, a database 720n can be remote from any or all of the computers 705, 715, so long as it can be in communication (e.g., via the network 710) with one or more of these. In a particular set of embodiments, a database 720 can reside in a storage-area network ("SAN") familiar to those skilled in the art. (Likewise, any necessary files for performing the functions attributed to the computers 705, 715 can be stored locally on the respective computer and/or remotely, as appropriate.) In one set of embodiments, the database 720 can be a relational database, such as an Oracle database, that is adapted to store, update, and retrieve data in response to SQL-formatted commands. The database might be controlled and/or maintained by a database server, as described above, for example.

**[0151]** According to some embodiments, system 700 might further comprise computing system 725 and corresponding database(s) 730 (similar to computing system 140 and corresponding database(s) 145 in Fig. 1, or the like), a non-relational ("NoSQL") data management system ("DMS") 735 and corresponding NoSQL

database 740 (similar to NoSQL DMS 105 and corresponding database(s) 110 in Fig. 1, or the like). In some embodiments, the NoSQL database 740 may contain medical image data 745, which may include, without limitation, a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, and/or the like. System 700 may further comprise a relational ("SQL") DMS 750 and corresponding SQL database 755 (similar to SQL DMS 120 and corresponding database(s) 125 in Fig. 1, or the like). According to some embodiments, the SQL database 755 may contain medical image data 760, which may include, without limitation, a plurality of medical image files, a plurality of metadata tags associated with each medical image file, and a plurality of artifact files associated with two or more of the plurality of medical image files, and/or the like. In some instances, the NoSQL database 740 may contain mirrored copies of the plurality of medical image files that are stored in the SQL database 755 that is managed by the SQL DMS 750 (denoted in Fig. 7 by symbols labelled "Mirrored Data"). The plurality of medical image files contained in the NoSQL database 740 and in the SQL database 755 may each be organized in an image-centric hierarchy with image data being at a top level of the image-centric hierarchy and patient information associated with the image data being at a level below the top level of the image-centric hierarchy, which is an improvement in terms of image discover and management over conventional data management systems, which are patient-centric, with the patient information being at a top level of the patient-centric hierarchy and image information associated with the patient data being at a level below the top level of the patient-centric hierarchy. In some instances, the computing system 725 may include, but is not limited to, at least one of a processor of a NoSQL DMS, a processor of a SQL DMS, a processor of a hybrid NoSQL/SQL DMS, a controller for both the NoSQL DMS and the SQL DMS, a server computer over a network, a cloud-based computing system over a network, or a distributed computing system, and/or the like.

**[0152]** In some cases, the plurality of artifact files may include, but is not limited to, at least one of one or more raw image data files, one or more document files, one or more image processing analysis files, one or more segmentation files, one or more three-dimensional ("3D") print files, one or more stereolithography ("STL") files, one or more measurement files, one or more experiment files, one or more project files, one or more machine algorithm files, or one or more report files, and/or the like. In

some instances, the plurality of metadata tags may include, without limitation, flexible image tagging that is customizable to include one or more standard medical image metadata and one or more non-standard medical image metadata. In some cases, the one or more standard medical image metadata may comprise one or more digital imaging and communications in medicine ("DICOM") -compliant metadata. In some instances, the one or more non-standard medical image metadata may include, but are not limited to, at least one of contrast metadata, metadata associated with device attribute, metadata associated with implant technique, metadata regarding whether patient is healthy or not, metadata regarding quality of scan of image, metadata associated with one or more specific parameters used by at least one medical specialty, or one or more customizable metadata, and/or the like.

**[0153]** System 700 may further comprise web server(s) 765 and corresponding database(s) 770 (similar to web server(s) 150 and corresponding database(s) 155 in Fig. 1, or the like). System 700 may further comprise one or more requesting devices 775a-775n (collectively, "requesting devices 775" or the like; similar to requesting devices 160a-160n in Fig. 1, or the like) associated with first through N<sup>th</sup> users 780a-780n (collectively, "users 780" or the like; similar to users 165a-165n in Fig. 1, or the like), respectively. In some instances, the one or more requesting devices may each include, but is not limited to, at least one of a laptop computer, a desktop computer, a tablet computer, a smart phone, a mobile phone, or a web client, and/or the like. System 700 may further comprise one or more user interfaces ("UIs") 785a-785n (collectively, "UIs 785" or the like; similar to UIs 175a-175n in Fig. 1, or the like), each being displayed in a corresponding requesting device 775 among the one or more requesting devices 775a-775n or in user device 705a or 705b, or the like.

**[0154]** In operation, the NoSQL DMS 735 might receive, from a requesting device 775 that is associated with a user 780 (via network(s) 710, or the like), a request for at least one first medical image file, the request comprising one or more search terms. In some embodiments, the one or more search terms may include, without limitation, at least one of one or more search criteria, one or more keywords regarding at least one project description, one or more keywords regarding at least one source study name, one or more keywords regarding at least one anatomical region, one or more keywords regarding at least one characteristic of a class of patients, one or more keywords regarding at least one demographic of patients, one or more keywords regarding at least one physical characteristic of patients, one or more

keywords regarding at least one characteristic of a disease, one or more keywords regarding at least one characteristic of one or more comorbidities, one or more keywords regarding at least one characteristic of each medical image that satisfies the one or more search criteria, one or more keywords regarding at least one characteristic of at least one modality used to obtain one or more medical images that satisfy the one or more search criteria, one or more keywords regarding at least one characteristic of at least one imaging device used to obtain one or more medical images that satisfy the one or more search criteria, or one or more keywords regarding at least one additional parameter, and/or the like.

**[0155]** The NoSQL DMS 735 might access NoSQL database(s) 740 that is managed by the NoSQL DMS 735, and might perform a search of the NoSQL database(s) 740, by searching for each of the one or more search terms in the plurality of metadata tags associated with each medical image file among the plurality of medical image files (i.e., medical image data 745, or the like) in the NoSQL database(s) 740. Based on a determination that at least one metadata tag associated with one or more second medical image files among the plurality of medical image files contains keywords that correspond to or match at least one search term among the one or more search terms, the NoSQL DMS 735 might identify corresponding one or more second medical image files (i.e., medical image data 760, or the like) as stored in the SQL database(s) 755, where the search of the NoSQL database(s) 740 serves as an index search of the SQL database(s) 755 – due to the mirrored data 745 and 760 stored in the NoSQL and SQL databases 740 and 755. At least one of the NoSQL DMS 735 and/or the SQL DMS 750 might retrieve, from the SQL database(s) 755, the one or more second medical image files, and might send the retrieved one or more second medical image files to the requesting device 775. In some instances, sending the retrieved one or more second medical image files to the requesting device may comprise sending, with the at least one of the NoSQL DMS 735 or the SQL DMS 750, a list of relevant search results to the requesting device, the list of relevant search results comprising the retrieved one or more second medical image files, wherein the retrieved one or more second medical image files may include, but is not limited to, two or more medical image files that are associated with a plurality of different patients.

**[0156]** In some embodiments, computing system 725 and/or web server(s) 765 (collectively, "computing system" or the like) might receive, from the requesting

device 775, the request for the at least one first medical image file, and might query the NoSQL DMS 735 for the requested at least one first medical image file, by relaying the request to the NoSQL DMS 735. In some cases, the computing system might present the UI 785 via the requesting device 775. In such cases, the request might be received via the UI 785. In some instances, sending the retrieved one or more second medical image files to the requesting device may comprise displaying the retrieved one or more second medical image files in the UI 785.

**[0157]** According to some embodiments, the computing system might convert the retrieved one or more second medical image files into one or more DICOM-compliant search results. In some cases, displaying the retrieved one or more second medical image files in the UI 785 may comprise displaying the retrieved one or more second medical image files as the converted one or more DICOM-compliant search results in the UI 785. In some instances, based on a determination that a user's mouse cursor is hovering over a DICOM-compliant search result, the computing system might generate and display a pop-up display indicating specific information or values associated with the DICOM-compliant search result, based at least in part on the one or more search terms.

**[0158]** In some embodiments, the computing system might provide one or more task options for each of the displayed retrieved one or more second medical image files in the UI 785. In some cases, the one or more task options may include, without limitation, at least one of options to download particular one or more third medical image files among the one or more second medical image files, options to add particular one or more fourth medical image files among the one or more second medical image files to at least one project group folder, options to link together at least two fifth medical image files among the one or more second medical image files, options to export one or more sixth medical image files among the one or more second medical image files, options to share one or more seventh medical image files among the one or more second medical image files, options to upload one or more eighth medical image files, options to start a new search, options to save a current search, options to manage saved searches, options to view recent searches, options to export searches, options to open a new project folder, options to save a current project folder, options to manage project folders, options to complete a current project, options to view active projects, or options to export project folders, and/or the like.

[0159] These and other functions of the system 700 (and its components) are described in greater detail above with respect to Figs. 1-5.

[0160] While certain features and aspects have been described with respect to exemplary embodiments, one skilled in the art will recognize that numerous modifications are possible. For example, the methods and processes described herein may be implemented using hardware components, software components, and/or any combination thereof. Further, while various methods and processes described herein may be described with respect to particular structural and/or functional components for ease of description, methods provided by various embodiments are not limited to any particular structural and/or functional architecture but instead can be implemented on any suitable hardware, firmware and/or software configuration. Similarly, while certain functionality is ascribed to certain system components, unless the context dictates otherwise, this functionality can be distributed among various other system components in accordance with the several embodiments.

[0161] Moreover, while the procedures of the methods and processes described herein are described in a particular order for ease of description, unless the context dictates otherwise, various procedures may be reordered, added, and/or omitted in accordance with various embodiments. Moreover, the procedures described with respect to one method or process may be incorporated within other described methods or processes; likewise, system components described according to a particular structural architecture and/or with respect to one system may be organized in alternative structural architectures and/or incorporated within other described systems. Hence, while various embodiments are described with—or without—certain features for ease of description and to illustrate exemplary aspects of those embodiments, the various components and/or features described herein with respect to a particular embodiment can be substituted, added and/or subtracted from among other described embodiments, unless the context dictates otherwise. Consequently, although several exemplary embodiments are described above, it will be appreciated that the invention is intended to cover all modifications and equivalents within the scope of the following claims.

## WHAT IS CLAIMED IS:

- 1           1.       A method, comprising:
  - 2           receiving, with a non-relational ("NoSQL") data management system ("DMS")
  - 3           and from a requesting device, a request for at least one first medical image
  - 4           file, the request comprising one or more search terms;
  - 5           accessing, with the NoSQL DMS, a NoSQL database that is managed by the
  - 6           NoSQL DMS, the NoSQL database containing a plurality of medical
  - 7           image files, a plurality of metadata tags associated with each medical
  - 8           image file, and a plurality of artifact files associated with two or more of
  - 9           the plurality of medical image files, the NoSQL database containing
  - 10          mirrored copies of the plurality of medical image files that are stored in a
  - 11          relational ("SQL") database that is managed by a SQL DMS, wherein the
  - 12          plurality of medical image files contained in the NoSQL database and in
  - 13          the SQL database are each organized in an image-centric hierarchy with
  - 14          image data being at a top level of the image-centric hierarchy and patient
  - 15          information associated with the image data being at a level below the top
  - 16          level of the image-centric hierarchy;
  - 17          performing, with the NoSQL DMS, a search of the NoSQL database, by
  - 18          searching for each of the one or more search terms in the plurality of
  - 19          metadata tags associated with each medical image file among the plurality
  - 20          of medical image files in the NoSQL database; and
  - 21          based on a determination that at least one metadata tag associated with one or
  - 22          more second medical image files among the plurality of medical image
  - 23          files contains keywords that correspond to or match at least one search
  - 24          term among the one or more search terms:
    - 25                identifying, with the NoSQL DMS, corresponding one or more second
    - 26                medical image files as stored in the SQL database, wherein the
    - 27                search of the NoSQL database serves as an index search of the
    - 28                SQL database;
    - 29                retrieving, with at least one of the NoSQL DMS or the SQL DMS and
    - 30                from the SQL database, the one or more second medical image
    - 31                files; and

32 sending, with the at least one of the NoSQL DMS or the SQL DMS,  
33 the retrieved one or more second medical image files to the  
34 requesting device.

1 2. The method of claim 1, further comprising:  
2 receiving, with a computing system and from the requesting device, the  
3 request for the at least one first medical image file; and  
4 querying, with the computing system, the NoSQL DMS for the requested at  
5 least one first medical image file, by relaying the request to the NoSQL  
6 DMS.

1 3. The method of any of claims 1-2, further comprising:  
2 presenting, with the computing system, a user interface ("UI") via the  
3 requesting device;  
4 wherein the request is received via the UI; and  
5 wherein sending the retrieved one or more second medical image files to the  
6 requesting device comprises displaying the retrieved one or more second  
7 medical image files in the UI.

1 4. The method of claim 3, further comprising:  
2 converting, with the computing system, the retrieved one or more second  
3 medical image files into one or more digital imaging and communications  
4 in medicine ("DICOM") -compliant search results;  
5 wherein displaying the retrieved one or more second medical image files in the  
6 UI comprises displaying the retrieved one or more second medical image  
7 files as the converted one or more DICOM-compliant search results in the  
8 UI.

1 5. The method of claim 4, further comprising:  
2 based on a determination that a user's mouse cursor is hovering over a  
3 DICOM-compliant search result, generating and displaying, with the  
4 computing system, a pop-up display indicating specific information or  
5 values associated with the DICOM-compliant search result, based at least  
6 in part on the one or more search terms.

1 6. The method of any of claims 3-5, further comprising:

2 providing, with the computing system, one or more task options for each of  
3 the displayed retrieved one or more second medical image files in the UI;  
4 wherein the one or more task options comprise at least one of options to  
5 download particular one or more third medical image files among the one  
6 or more second medical image files, options to add particular one or more  
7 fourth medical image files among the one or more second medical image  
8 files to at least one project group folder, options to link together at least  
9 two fifth medical image files among the one or more second medical  
10 image files, options to export one or more sixth medical image files among  
11 the one or more second medical image files, options to share one or more  
12 seventh medical image files among the one or more second medical image  
13 files, options to upload one or more eighth medical image files, options to  
14 start a new search, options to save a current search, options to manage  
15 saved searches, options to view recent searches, options to export searches,  
16 options to open a new project folder, options to save a current project  
17 folder, options to manage project folders, options to complete a current  
18 project, options to view active projects, or options to export project  
19 folders.

1 7. The method of claim 6, wherein two or more ninth medical image files  
2 among the one or more second medical image files that are obtained during a single  
3 imaging session are grouped together as a single imaging asset with at least one of  
4 shared metadata, common metadata, or linked metadata, wherein the one or more task  
5 options further comprise at least one of options to preview the two or more ninth  
6 medical image files together in the UI, options to download the two or more ninth  
7 medical image files as a single set of image files, options to export the two or more  
8 ninth medical image files as a single set of image files, options to share the two or  
9 more ninth medical image files as a single set of image files, or options to edit  
10 metadata associated with each of the two or more ninth medical image files  
11 individually or as a group, wherein the one or more task options further comprise at  
12 least one of options to perform auto-segmentation for one or more tenth medical  
13 image files among the one or more second medical image files, or options to perform  
14 auto-measurements for one or more eleventh medical image files among the one or  
15 more second medical image files.

1           8.       The method of any of claims 2-7, wherein the computing system  
2 comprises at least one of a processor of a NoSQL DMS, a processor of a SQL DMS, a  
3 processor of a hybrid NoSQL/SQL DMS, a controller for both the NoSQL DMS and  
4 the SQL DMS, a server computer over a network, a cloud-based computing system  
5 over a network, or a distributed computing system.

1           9.       The method of any of claims 1-8, wherein the requesting device  
2 comprises at least one of a laptop computer, a desktop computer, a tablet computer, a  
3 smart phone, a mobile phone, or a web client.

1           10.      The method of any of claims 1-9, wherein the plurality of artifact files  
2 comprises at least one of one or more raw image data files, one or more document  
3 files, one or more image processing analysis files, one or more segmentation files, one  
4 or more three-dimensional ("3D") print files, one or more stereolithography ("STL")  
5 files, one or more measurement files, one or more experiment files, one or more  
6 project files, one or more machine algorithm files, or one or more report files.

1           11.      The method of any of claims 1-10, wherein the one or more search  
2 terms comprise at least one of one or more search criteria, one or more keywords  
3 regarding at least one project description, one or more keywords regarding at least one  
4 source study name, one or more keywords regarding at least one anatomical region,  
5 one or more keywords regarding at least one characteristic of a class of patients, one  
6 or more keywords regarding at least one demographic of patients, one or more  
7 keywords regarding at least one physical characteristic of patients, one or more  
8 keywords regarding at least one characteristic of a disease, one or more keywords  
9 regarding at least one characteristic of one or more comorbidities, one or more  
10 keywords regarding at least one characteristic of each medical image that satisfies the  
11 one or more search criteria, one or more keywords regarding at least one characteristic  
12 of at least one modality used to obtain one or more medical images that satisfy the one  
13 or more search criteria, one or more keywords regarding at least one characteristic of  
14 at least one imaging device used to obtain one or more medical images that satisfy the  
15 one or more search criteria, or one or more keywords regarding at least one additional  
16 parameter.

1           12.     The method of any of claims 1-11, wherein the plurality of metadata  
2 tags comprise flexible image tagging that is customizable to include one or more  
3 standard medical image metadata and one or more non-standard medical image  
4 metadata, wherein the one or more standard medical image metadata comprise one or  
5 more digital imaging and communications in medicine ("DICOM") -compliant  
6 metadata, wherein the one or more non-standard medical image metadata comprise at  
7 least one of contrast metadata, metadata associated with device attribute, metadata  
8 associated with implant technique, metadata regarding whether patient is healthy or  
9 not, metadata regarding quality of scan of image, metadata associated with one or  
10 more specific parameters used by at least one medical specialty, or one or more  
11 customizable metadata.

1           13.     The method of any of claims 1-12, wherein sending the retrieved one  
2 or more second medical image files to the requesting device comprises sending, with  
3 the at least one of the NoSQL DMS or the SQL DMS, a list of relevant search results  
4 to the requesting device, the list of relevant search results comprising the retrieved  
5 one or more second medical image files, wherein the retrieved one or more second  
6 medical image files comprise two or more twelfth medical image files that are  
7 associated with a plurality of different patients.

1           14.     The method of any of claims 1-13, further comprising:  
2           generating, with a model generation system, one or more three-dimensional  
3           ("3D") models based at least in part on at least one thirteenth medical  
4           image file among the retrieved one or more second medical image files.

1           15.     A system for performing the method according to any of claims 1-14,  
2 comprising:  
3           a relational ("SQL") database that is managed by a SQL data management  
4           system ("DMS");  
5           the SQL DMS;  
6           a non-relational ("NoSQL") database that is managed by a NoSQL DMS, the  
7           NoSQL database containing a plurality of medical image files, a plurality  
8           of metadata tags associated with each medical image file, and a plurality of  
9           artifact files associated with two or more of the plurality of medical image

10 files, the NoSQL database containing mirrored copies of the plurality of  
11 medical image files that are stored in the SQL database that is managed by  
12 the SQL DMS, wherein the plurality of medical image files contained in  
13 the NoSQL database and in the SQL database are each organized in an  
14 image-centric hierarchy with image data being at a top level of the image-  
15 centric hierarchy and patient information associated with the image data  
16 being at a level below the top level of the image-centric hierarchy;  
17 the NoSQL DMS, comprising:  
18 at least one first processor; and  
19 a first non-transitory computer readable medium communicatively  
20 coupled to the at least one first processor, the first non-transitory  
21 computer readable medium having stored thereon computer  
22 software comprising a first set of instructions that, when executed  
23 by the at least one first processor, causes the NoSQL DMS to:  
24 receive, from a requesting device, a request for at least one first  
25 medical image file, the request comprising one or more  
26 search terms;  
27 access the NoSQL database that is managed by the NoSQL  
28 DMS;  
29 perform a search of the NoSQL database, by searching for each  
30 of the one or more search terms in the plurality of metadata  
31 tags associated with each medical image file among the  
32 plurality of medical image files in the NoSQL database; and  
33 based on a determination that at least one metadata tag  
34 associated with one or more second medical image files  
35 among the plurality of medical image files contains  
36 keywords that correspond to or match at least one search  
37 term among the one or more search terms:  
38 identify corresponding one or more second medical  
39 image files as stored in the SQL database, wherein  
40 the search of the NoSQL database serves as an  
41 index search of the SQL database;  
42 retrieve, from the SQL database, the one or more  
43 second medical image files; and

44 send the retrieved one or more second medical image  
45 files to the requesting device.




Fig. 1




Fig. 2

200

Instructions		
<b>Step 1:</b> Prepare your assets within the required file structure (please point to a supporting document here)		
<b>Step 2:</b> Please add the assets to the data library below with a supporting description.		
<b>Step 3:</b> Complete all required and flexible metadata points within the spreadsheet.		
<b>Step 4:</b> Please include any supporting file structures.		
Data Library		
Required Data Points		
Group Specific Optional Data Points		
Metadata Label	Definition	Data Type
Source Library		
Source Institution	Source from which the asset is received	Text
Study Code	Reason for which the asset was collected	Text
Study Description	Description of reason for which the asset was collected	Text
Source Institution City	City where the source institution is geographically located	Text
Source Geography	Geographic location of the source institution	Text
Subject Library		
Study Code	Reason for which the asset was collected	Text
Subject ID	Identifier for scan subject	Text
Species	Species of scan subject	Text
Gender	Gender of scan subject	Text Option
YOB	4 digit year of birth for scan subject	Number
Race	Race of scan subject	Text
Scan Library		
Subject ID	Identifier for scan subject	Text
Scan ID	Identifier for scan asset	Text
Scan Date	Date scan was collected (mm/dd/yyyy)	Date
Primary Anatomical Structure	Primary anatomy depicted in the scan	Text
Expected Number of Phases	Number of phases expected/known to be reflected in the scan	Number
<span>Instructions &amp; Data Library</span>   <span>Source Data</span>   <span>Subject Data</span>   <span>Scan Data</span>   <span>Device Data</span>   <span>Database Data</span>   <span>+</span>		

4/22

Scan Library		
Subject ID	Identifier for scan subject	Text
Scan ID	Identifier for scan asset	Text
Scan Date	Date scan was collected (mm/dd/yyyy)	Date
Primary Anatomical Structure	Primary anatomy depicted in the scan	Text
Expected Number of Phases	Number of phases expected/known to be reflected in the scan	Number
Subject Weight (lbs)	Weight of scan subject in pounds at time of scan **Only need to provide lbs or kg, not both**	Measurement
Subject Weight (kg)	Weight of scan subject in kilograms at time of scan **Only need to provide lbs or kg, not both**	Measurement
Subject Height (inches)	Height of scan subject in inches at time of scan **Only need to provide inches or cm, not both**	Measurement
Subject Height (cm)	Height of scan subject in centimeters at time of scan **Only need to provide inches or cm, not both**	Measurement
Subject BMI (calculated)	BMI of subject at time of scan	Measurement
Subject Scan Age	Age of subject at time of scan	Number
Contrast	Y / N presence of contrast in scan	Text Option
Quality	High / Low / Medium quality classification of scan	Text Option
Subject Healthy	Is patient considered healthy at time of scan? Y/N	Text Option
Subject NYHA Classification	NYHA classification of subject at time of scan	Text Option
Secondary Anatomical Structure(s)	Comma separated list of secondary anatomies depicted in the scan (can add multiple values within a single cell)	Text List
Cardiac Cycle Phase	Ex: 10, 20, 30, multiphase	Text
Gated / Ungated	Was a cardiac gated scan collection used?	Text Option
Comments	Open field comments from researchers	Text
Operative Interval	Post operative followup timepoint	Text
Indication	Reason scan was collected	Text
LVEF (percent)	Left ventricular ejection fraction value (Percent) NOTE: Must be a distinct value; ranges must be calculated to an average	Measurement
LVEF Collection Modality	Left ventricular ejection fraction modality (Echo, Ultrasound)	Text Option
LVEDD (mm)	Left ventricular diastolic diameter (mm)	Measurement
Chest Circumference (in)	Circumference around the chest (in)	Measurement
Chest Circumference (cm)	Circumference around the chest (cm)	Measurement
Heart Rate (b/min)	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Measurement

300'

Fig. 3B

Scan Library		
Subject ID	Identifier for scan subject	Text
Scan ID	Identifier for scan asset	Text
Scan Date	Date scan was collected (mm/dd/yyyy)	Date
Primary Anatomical Structure	Primary anatomy depicted in the scan	Text
Expected Number of Phases	Number of phases expected/known to be reflected in the scan	Number
Subject Weight (lbs)	Weight of scan subject in pounds at time of scan **Only need to provide lbs or kg, not both**	Measurement
Subject Weight (kg)	Weight of scan subject in kilograms at time of scan **Only need to provide lbs or kg, not both**	Measurement
Subject Height (inches)	Height of scan subject in inches at time of scan **Only need to provide inches or cm, not both**	Measurement
Subject Height (cm)	Height of scan subject in centimeters at time of scan **Only need to provide inches or cm, not both**	Measurement
Subject BMI (calculated)	BMI of subject at time of scan	Measurement
Subject Scan Age	Age of subject at time of scan	Number
Contrast	Y / N presence of contrast in scan	Text Option
Quality	High / Low / Medium quality classification of scan	Text Option
Subject NYHA Classification	NYHA classification of subject at time of scan	Text Option
Secondary Anatomical Structure(s)	Comma separated list of secondary anatomies depicted in the scan (can add multiple values within a single cell) Ex. 10, 20, 30	Text List
Cardiac Cycle Phase	Ex. 10, 20, 30	Text
Gated / Ungated	Was a cardiac gated scan collection used?	Text Option
Comments	Open field comments from researchers	Text
Operative Interval	Post operative followup timepoint	Text
Indication	Reason scan was collected	Text
LVEF (percent)	Left ventricular ejection fraction value (Percent)	Measurement
LVEF Collection Modality	Left ventricular ejection fraction modality (Echo, Ultrasound,	Text Option
LVEDD (mm)	Left ventricular diastolic diameter (mm)	Measurement
Aortic valve peak gradient (mmHg)	Peak pressure gradient across aortic valve	Measurement
Aortic valve mean gradient (mmHg)	Mean pressure gradient across aortic valve	Measurement
Aortic valve peak velocity (m/s)	Aortic jet velocity (m/s)	Measurement
Aortic valve area (cm <sup>2</sup> )	Aortic valve area (cm <sup>2</sup> )	Measurement
Aortic regurgitation	Amount of aortic regurgitation	Text
Mitral valve peak gradient (mmHg)	Peak pressure gradient across mitral valve	Measurement
Mitral valve mean gradient (mmHg)	Mean pressure gradient across mitral valve	Measurement
Mitral valve peak velocity (m/s)	Mitral jet velocity (m/s)	Measurement
Mitral valve area (cm <sup>2</sup> )	Mitral valve area (cm <sup>2</sup> )	Measurement
Mitral regurgitation	Amount of mitral regurgitation	Text
Pulmonary valve peak gradient (mmHg)	Peak pressure gradient across pulmonary valve	Measurement
Pulmonary valve mean gradient (mmHg)	Mean pressure gradient across pulmonary valve	Measurement
Pulmonary valve peak velocity (m/s)	Pulmonary jet velocity (m/s)	Measurement
Pulmonary valve area (cm <sup>2</sup> )	Pulmonary valve area (cm <sup>2</sup> )	Measurement
Pulmonary regurgitation	Amount of pulmonic regurgitation	Text
Tricuspid valve peak gradient (mmHg)	Peak pressure gradient across tricuspid valve	Measurement
Tricuspid valve mean gradient (mmHg)	Mean pressure gradient across tricuspid valve	Measurement
Tricuspid valve peak velocity (m/s)	Tricuspid jet velocity (m/s)	Measurement
Tricuspid valve area (cm <sup>2</sup> )	Tricuspid valve area (cm <sup>2</sup> )	Measurement
Tricuspid regurgitation	Amount of tricuspid regurgitation	Text

300"

Fig. 3C

6/22

Scan Library		
Subject ID	Identifier for scan subject	Text
Scan ID	Identifier for scan asset	Text
Scan Date	Date scan was collected (mm/dd/yyyy)	Date
Primary Anatomical Structure	Primary anatomy depicted in the scan	Text
Expected Number of Phases	Number of phases expected/known to be reflected in the scan	Number
Subject Weight (lbs)	Weight of scan subject in pounds at time of scan **Only need to provide lbs or kg, not both**	Measurement
Subject Weight (kg)	Weight of scan subject in kilograms at time of scan **Only need to provide lbs or kg, not both**	Measurement
Subject Height (inches)	Height of scan subject in inches at time of scan **Only need to provide inches or cm, not both**	Measurement
Subject Height (cm)	Height of scan subject in centimeters at time of scan **Only need to provide inches or cm, not both**	Measurement
Subject BMI (calculated)	BMI of subject at time of scan	Measurement
Subject Scan Age	Age of subject at time of scan	Number
Contrast	Y / N presence of contrast in scan	Text Option
Quality	High / Low / Medium quality classification of scan	Text Option
Subject Healthy	Is patient considered healthy at time of scan? Y/N Option	Text Option
Pixel Size (mm)	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Measurement
Slice Thickness (mm)	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Measurement
Isometric	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Measurement
Movability	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Text Option
Resolution	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Number
# of Phases (Slices)	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Number
Scanned Scanner	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Text
Scan Series	This data will be mined from the DICOM header, unless overwritten in this spreadsheet as an optional data point	Number
Device Library		
Subject ID	Identifier for scan subject	Text
Scan ID	Identifier for scan asset	Text
Scan Date	Date scan was collected (mm/dd/yyyy)	Date
	Instructions & Data Library	
	Source Data	
	Subject Data	
	Scan Data	
	Device Data	
	Disease Data	

300"

Fig. 3D

7/22

405

MOSAIC System Directory Asset Management My Profile Logout

Home / Search Results

### Search Results

Search Focus: Assets

**Diseases**  
enter disease name

**Devices**  
enter device type

**Anatomical Regions**  
enter anatomical region

**Additional Parameters**  
Subject NYHA Classification enter value to search for

what parameter do you want to search?

*Examples: Subject Scan Age, Chest Circumference, Source Study, Modality*

Clear All Search

Sources: 1  
Subjects: 1  
Modalities: 1

Export Results  
Save Search  
Add to Project

Fig. 4A

400

8/22

410

MOSAIC System Directory Asset Management My Profile Logout

Home / Search Results

### Search the Repository

Search Focus: Assets

**Diseases**  
enter disease name

**Devices**  
enter device type

**Anatomical Regions**  
enter anatomical region

**Additional Parameters**

- si
- Source Study Description
- Project Start Date
- Secondary Anatomical Structure(s)
- Source Study / Trial
- Source Study Id
- Source Study Date
- Clinical Trial Study Center

Clear All Search

**Manage Searches** Manage Saved Searches

Asset / 77 results Last Run on 2020-Aug-23

Fig. 4B

400

9/22

415

Sources: 1  
Subjects: 38  
Modalities: 1

Export Results  
Save Search  
Add to Project

ASSETS (38) PROJECTS (0) SUBJECTS

<input type="checkbox"/>	Asset Detail	SOFT BY	Subject ID	Asset Source	Scan Year	Baseline Translations
<input type="checkbox"/>	CT – Thorax 20 Phases, 184 frames / 0.40 x 0.40 x 1		H1643	Center 1	2019	0
<input type="checkbox"/>	CT – Thorax 20 Phases, 248 frames / 0.43 x 0.43 x 1		H1644	Center 1	2019	0
<input type="checkbox"/>	CT – Thorax 20 Phases, 213 frames / 0.47 x 0.47 x 1		H1645	Center 1	2019	0
<input type="checkbox"/>	CT – Thorax 20 Phases, 153 frames / 0.42 x 0.42 x 1		H1646	Center 1	2019	0
<input type="checkbox"/>	CT – Thorax 20 Phases, 191 frames / 0.41 x 0.41 x 1		H1647	Center 1	2019	0
<input type="checkbox"/>	CT – Thorax 20 Phases, 179 frames / 0.38 x 0.38 x 1		H1648	Center 1	2020	0
<input type="checkbox"/>	CT – Thorax 20 Phases, 191 frames / 0.44 x 0.44 x 1		H1649	Center 1	2020	0
<input type="checkbox"/>	CT – Thorax 19 Phases, 207 frames / 0.36 x 0.36 x 1		H1650	Center 1	2020	0

Fig. 4C

400

10/22

Scan 1923

CT - Torso

2020-03-29

Subject ID: Code\_0697

Species: Human  
Sex: Male  
YOB: ...  
Race: Caucasian

NYHA

---

Weight	Height	BMI
165.72 lbs	5' 11"	23.1

Scan Age
34

Study

IU\_CT\_Torso\_FY20Q1

Institution

Center 2

Division

Core Test Group

Known Diseases

NO KNOWN DISEASES

0

Scanned Devices

0

NO KNOWN DISEASES

NO SCANNED DEVICES


420

Fig. 4D

400

11/22

425



Frame 1 of 143

Quality	H
Contrast	N
In-Plane Pixel Res	0.74 x 0.74
Slice Thickness	...
Increment	5
Expected # of Phases	1
Comments:	

Add to Project

Download

400

Fig. 4E

12/22

The screenshot displays a software interface for viewing DICOM files. On the left, a large dark area shows a medical image with a white curved line. Below the image is a circular play button icon and the text "Frame 1 of 131". To the right of the image is a "Comments:" section with a text input field and two buttons: "Add to Project" and "Download". Below this is a "Baseline DICOM Translations" section with a search icon. It contains a list of three items, each with a file icon, a name, and a date: "male\_p0697.mw 2020-May-12", "Medronic\_intensity\_labels.txt 2020-May-12", and "p0697\_of\_no\_order\_1601\_BE 2020-May-12". Each item has "Add to Project" and "Download" buttons. At the bottom right of the interface is an "Upload New" button. A dashed box labeled "400" encompasses the entire interface area.

430

400

Fig. 4F

435

Frame 1 of 186

Phase: Operated

GE MEDICAL SYSTEMS

Download

Upload New

### Baseline DICOM Translations

	Anat03_006_0_Clean.mrs 2020-Feb-19	Add to Project	Download
	Anat03_006_10_Clean.mrs 2020-Feb-19	Add to Project	Download
	Anat03_006_20_Clean.mrs 2020-Feb-19	Add to Project	Download
	Anat03_006_30_Clean.mrs 2020-Feb-19	Add to Project	Download
	Anat03_006_40_Clean.mrs 2020-Feb-19	Add to Project	Download
	Anat03_006_50_Clean.mrs 2020-Feb-19	Add to Project	Download

400

Fig. 4C

14/22

440

**Project Assets**

Upload New

Download All

Upload New

Clear Selections

<input type="checkbox"/>		IU Torso Dataset Description+Usage.pdf	1.123 MB	Calvin Parman	2020-Mar-18
<hr/>					
<b>CT -- Torso (Subject IU_Code_0697)</b>					
Dicom Stack -- 138 Slices -- Calvin Parman -- 2020-Mar-03					
<hr/>					
<b>CT -- Torso (Subject IU_Code_0635)</b>					
Dicom Stack -- 150 Slices -- Calvin Parman -- 2020-Mar-03					
<hr/>					
<b>CT -- Torso (Subject IU_Code_0617)</b>					
Dicom Stack -- 124 Slices -- Calvin Parman -- 2020-Mar-03					

400

Fig. 4H

445

Scan 314		CT - Pig		Subject Pig_168470	
2019-12-31				Species: Pig Sex: Male YOB: --- Race: Yorkshire	
Weight		Height		NYHA	
154 lbs		BMI		....	
		Scan Age		....	
		17 wks			
Study Pig		Institution Center 3		Division Core Test Group	
Known Diseases		0		Scanned Devices 0	
NO KNOWN DISEASES				NO SCANNED DEVICES	

400

Fig. 4I

450



Frame 1 of 232

SIEMENS

Quality	unknown
Contrast	unknown
In-Plane Pixel Res	0.36 x 0.38
Slice Thickness	0.75
Increment	---
Expected # of Phases	1
Comments:	

Add to Project

Download

400

Fig. 4J

17/22

455

MOSAIC System Directory Asset Management My Profile Logout

Home / Search Results

### Search Results

Search Focus: Assets

**Diseases**  
enter disease name

**Devices**  
enter device type

**Anatomical Regions**  
enter anatomical region

**Additional Parameters**

- Source Study / Trial
- enter value to search for
- Pkg

what parameter do you want to search?

*Examples: Subject Scan Age, Chest Circumference, Source Study, Modality*

Clear All Search

Sources: 1  
Subjects: 79  
Modalities: 1

Export Results  
Save Search  
Add to Project

Fig. 4K

400

460

Sources: 1  
 Subjects: 79  
 Modalities: 1


Export Results  
 Save Search  
 Add to Project

ASSETS (79) PROJECTS (0) SUBJECTS

<input type="checkbox"/>	Asset Detail <input type="text"/> SORT BY <input type="text"/>	Subject ID <input type="text"/>	Asset Source <input type="text"/>	Scan Year <input type="text"/>	Baseline Translations <input type="text"/>
<input type="checkbox"/>	CT - Pig 20 Phases, 232 frames / 0.38 x 0.38 x 0.75	Pig_168407	Center 3	2019	1
<input type="checkbox"/>	CT - Pig 20 Phases, 549 frames / 0.39 x 0.39 x 0.6	Pig_168438	Center 3	2019	1
<input type="checkbox"/>	CT - Pig 20 Phases, 384 frames / 0.41 x 0.41 x 0.93	Pig_168456	Center 3	2019	1
<input type="checkbox"/>	CT - Pig 20 Phases, 294 frames / 0.42 x 0.42 x 0.78	Pig_168481	Center 3	2020	1
<input type="checkbox"/>	CT - Pig 20 Phases, 137 frames / 0.43 x 0.43 x 0.46	Pig_168484	Center 3	2020	1
<input type="checkbox"/>	CT - Pig 20 Phases, 265 frames / 0.38 x 0.38 x 0.66	Pig_168498	Center 3	2020	1
<input type="checkbox"/>	CT - Pig 20 Phases, 168 frames / 0.46 x 0.46 x 0.85	Pig_168499	Center 3	2020	1
<input type="checkbox"/>	CT - Pig 19 Phases, 352 frames / 0.40 x 0.40 x 0.55	Pig_168530	Center 3	2020	1

Fig. 4L

400



500

Fig. 5A




Fig. 5B




Fig. 5C






Fig. 5D



600

Fig. 6



700

FIG. 7

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 21/37655

## A. CLASSIFICATION OF SUBJECT MATTER

IPC - G06F 3/0484, G06F 16/2453, G06F 16/2455, G06F 16/40, G06F 16/78, G06T 7/00 (2021.01)

CPC - G06F 16/2453, G06F 16/24532, G06F 16/2455, G06F 16/24564, G06F 16/24565, G06F 16/24568, G06F 16/2457, G06F 16/24573, G06F 16/24575, G06F 16/2471, G06F 16/2474, G06F 16/40, G06F 16/41, G06F 16/43, G06F 16/434, G06F 16/50, G06F 16/51, G06F 16/5866, G06F 16/683, G06F 16/686, G06F 16/78, G06F 16/7867, G06T 7/0012, G06T 2207/30004

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

See Search History document

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

See Search History document

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

See Search History document

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2019/0384764 A1 (Salesforce.com, Inc.) 19 December 2019 (19.12.2019), para [0016]-[0017], [0029], [0034], [0037], [0052], [0055], [0059], [0063], [0067], [0073], [0076], [0078]	1-5
A	US 2016/0350303 A1 (FISCHER et al.) 01 December 2016 (01.12.2016), para [0003], [0027], [0042], [0045], [0055], [0057], [0069]-[0072], [0121]	1-5
A	US 2016/0085774 A1 (BHAMDIPATI et al.) 24 March 2016 (24.03.2016), para [0009]-[0011], [0015]-[0016]	1-5
A	SILVA et al. "Medical imaging archiving: A comparison between several NoSQL solutions." IEEE EMBS International Conference on Information Technology Applications in Biomedicine (ITAB) [online], 2014 [Retrieved on 2021-08-12], Retrieved from the Internet: <URL: <a href="https://doi.org/10.1109/BHI.2014.6864305">https://doi.org/10.1109/BHI.2014.6864305</a> >, see entire document, especially pg 65, Abstract; pg 66, col 1, para 2-4	1-5
A	US 2002/0198891 A1 (LI et al.) 26 December 2002 (26.12.2002), para [0033]-[0034], [0076], [0100]-[0101], [0110], [0132], [0145]-[0146]	1-5

 Further documents are listed in the continuation of Box C. See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"D" document cited by the applicant in the international application

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

12 August 2021

Date of mailing of the international search report

**OCT 04 2021**

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents  
P.O. Box 1450, Alexandria, Virginia 22313-1450

Facsimile No. 571-273-8300

Authorized officer

Kari Rodriguez

Telephone No. PCT Helpdesk: 571-272-4300

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 21/37655

**Box No. II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)**

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1.  Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2.  Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
  
3.  Claims Nos.: 6-15  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box No. III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

1.  As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2.  As all searchable claims could be searched without effort justifying additional fees, this Authority did not invite payment of additional fees.
3.  As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
  
4.  No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

**Remark on Protest**

- The additional search fees were accompanied by the applicant's protest and, where applicable, the payment of a protest fee.
- The additional search fees were accompanied by the applicant's protest but the applicable protest fee was not paid within the time limit specified in the invitation.
- No protest accompanied the payment of additional search fees.