



US00D846158S

(12) **United States Design Patent**
Hassan

(10) **Patent No.:** **US D846,158 S**
(45) **Date of Patent:** **** Apr. 16, 2019**

- (54) **CROSS-RIBBED UNITARY SAFETY SURFACE TILE**
- (71) Applicant: **PLAYSAFER SURFACING, LLC, a division of RUBBERECYCLE, Lakewood, NJ (US)**
- (72) Inventor: **Morris Hassan, Lakewood, NJ (US)**
- (73) Assignee: **Playsafer Surfacing LLC a division of Rubberecycle, Lakewood, NJ (US)**
- (**) Term: **15 Years**
- (21) Appl. No.: **29/592,145**
- (22) Filed: **Jan. 27, 2017**
- (51) **LOC (11) Cl.** **25-01**
- (52) **U.S. Cl.**
USPC **D25/138**
- (58) **Field of Classification Search**
USPC D25/138, 139, 140, 141, 142, 143, 144, D25/157, 158, 159, 160, 161, 162, 163; 428/119, 120, 147, 158, 159, 163, 166, 428/167, 174, 178, 179, 183, 118, 180, 428/181, 182, 184, 185; D7/587; D9/424, 430, 456, 502, 750, 751, 757, D9/758; 52/386, 387, 389
CPC ... E04C 2/20; E04C 2/205; E04C 2/30; E04C 2002/3411-2002/3466; Y10T 428/24174; Y10T 428/24165; Y10T 428/24264; Y10T 428/24702; Y10T 428/24711; B32B 3/28; B32B 29/08; B65D 65/403; E01C 13/00; E01C 13/045; E01C 2013/006; E04F 15/185; E04F 15/22; E04F 15/225
See application file for complete search history.

3,011,602 A *	12/1961	Ensrud	E04C 2/32
				244/123.12
3,217,845 A *	11/1965	Koeller	B21D 13/10
				428/118
3,884,646 A *	5/1975	Kenney	B21D 22/02
				156/196
4,169,339 A *	10/1979	See	E01C 9/004
				428/131
D264,002 S *	4/1982	Hardigg	D25/142
4,757,665 A *	7/1988	Hardigg	B29C 45/26
				52/782.1
5,162,143 A *	11/1992	Porter	B29D 24/004
				359/883
5,609,942 A *	3/1997	Ray	B29D 24/00
				428/182
5,628,160 A *	5/1997	Kung	E01C 5/20
				403/11

(Continued)

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Kimberly Barnes
(74) *Attorney, Agent, or Firm* — Weiss & Arons LLP

(57) **CLAIM**



The ornamental design for a cross-ribbed unitary safety surface tile, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a cross-ribbed unitary safety surface tile showing my new design; FIG. 2 is a side elevation view thereof (views of all four sides being identical); FIG. 3 is a bottom plan view thereof; and, FIG. 4 is a top plan view thereof.
The broken lines in the drawings depict portions of the cross-ribbed unitary safety surface tile that form no part of the claimed design.

1 Claim, 4 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
2,813,652 A * 11/1957 Parsons B65D 85/322
217/26.5
2,950,726 A * 8/1960 Kuhl A01K 43/005
134/194



(56)

References Cited

U.S. PATENT DOCUMENTS

5,643,656 A * 7/1997 Lin B65D 81/127
108/51.3
D419,697 S * 1/2000 Kroesbergen D25/119
D587,116 S * 2/2009 Landry D9/456
7,571,573 B2 * 8/2009 Moller, Jr. E01C 5/20
472/92
7,955,025 B2 * 6/2011 Murphy E01C 5/20
404/35
8,426,010 B2 * 4/2013 Stadthagen-Gonzalez
E04C 2/326
428/116
8,726,602 B2 * 5/2014 DeLong E04F 15/02038
52/403.1
9,038,342 B2 * 5/2015 Hassan E01C 13/00
52/403.1
D754,884 S * 4/2016 Hassan D25/138
D756,539 S * 5/2016 Hassan D25/138
D799,070 S * 10/2017 Hassan D25/138
9,962,878 B2 * 5/2018 Hassan E04F 15/02038
D823,486 S * 7/2018 Hassan D25/138
2005/0016097 A1 * 1/2005 Janesky A01K 1/0151
52/384
2018/0080235 A1 * 3/2018 Downey B32B 3/30

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4