



US00D711871S

(12) **United States Design Patent**
Daniel

(10) **Patent No.:** **US D711,871 S**

(45) **Date of Patent:** **** Aug. 26, 2014**

(54) **FLEXIBLE ELECTRONIC TABLET**

(71) Applicant: **Isaac S. Daniel**, Miramar, FL (US)

(72) Inventor: **Isaac S. Daniel**, Miramar, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/444,568**

(22) Filed: **Jan. 31, 2013**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**

USPC **D14/341**

(58) **Field of Classification Search**

USPC D14/341-347, 137, 138 R, 138 AA,
D14/138 C, 138 G, 496, 203.1, 203.3, 203.4,
D14/203.7, 129, 130, 147, 218, 248, 389,
D14/388, 426, 420; D10/65, 104.1;
D18/6-7; D21/324, 329, 330;
455/556.1, 556.2, 566, 575.1, 90.3;
379/433.04, 433.01, 433.06, 916;
345/173, 901, 905; 361/679.26, 679.3,
361/679.55, 679.56

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D448,579 S *	10/2001	Prade	D6/314
D548,796 S *	8/2007	Sachnoff	D20/43
D576,683 S *	9/2008	Frey	D20/10
D600,690 S *	9/2009	Miyaji	D14/341
D604,715 S *	11/2009	Shimizu et al.	D14/203.7
D627,777 S *	11/2010	Akana et al.	D14/341
D635,136 S *	3/2011	Jiang et al.	D14/341
D637,596 S *	5/2011	Akana et al.	D14/341
D670,260 S *	11/2012	Kim et al.	D14/138 G
D673,560 S *	1/2013	Kim	D14/341
D675,203 S *	1/2013	Yang	D14/341
D692,422 S *	10/2013	Chung	D14/341
D692,423 S *	10/2013	Kim et al.	D14/341
D693,340 S *	11/2013	Ohshima	D14/341

D693,707 S *	11/2013	Stevens et al.	D10/65
D695,744 S *	12/2013	Weller et al.	D14/440
D696,246 S *	12/2013	Kim	D14/341
D696,662 S *	12/2013	Song et al.	D14/341
D696,664 S *	12/2013	Iida et al.	D14/342
D697,065 S *	1/2014	Kim et al.	D14/346
D698,356 S *	1/2014	Park	D14/345
D701,202 S *	3/2014	Choi	D14/341
2013/0307816 A1 *	11/2013	Lee et al.	345/174

* cited by examiner

Primary Examiner — Barbara Fox

(74) *Attorney, Agent, or Firm* — Carol N. Green, Esq.



(57) **CLAIM**

The ornamental design for a flexible electronic tablet, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a flexible electronic tablet showing the new design in a flat position.
 FIG. 2 is a rear perspective view thereof.
 FIG. 3 is a front elevation view thereof.
 FIG. 4 is a rear elevation view thereof.
 FIG. 5 is a left side view thereof.
 FIG. 6 is a right side view thereof.
 FIG. 7 is a top view thereof.
 FIG. 8 is a bottom view thereof.
 FIG. 9 is a front perspective view of the flexible electronic tablet of FIG. 1 shown in a flexed position.
 FIG. 10 is a front elevation view thereof.
 FIG. 11 is a rear elevation view thereof.
 FIG. 12 is a left side view thereof.
 FIG. 13 is a right side view thereof.
 FIG. 14 is a top view thereof.
 FIG. 15 is a bottom view thereof.
 FIG. 16 is a front perspective view of the flexible electronic table of FIG. 1 shown in a second flexed position; and,
 FIG. 17 is a bottom view thereof.

1 Claim, 13 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17