



US00D740346S

(12) **United States Design Patent**
Yoo

(10) **Patent No.:** **US D740,346 S**

(45) **Date of Patent:** **** Oct. 6, 2015**

(54) **EYEGLASS OR COMPONENTS THEREOF**

DESCRIPTION

(71) Applicant: **Oakley, Inc.**, Foothill Ranch, CA (US)

(72) Inventor: **George Yoo**, Aliso Viejo, CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/477,376**

(22) Filed: **Dec. 20, 2013**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**

USPC **D16/315**; D16/335

(58) **Field of Classification Search**

USPC D16/101, 300-342, 900; D29/109-110;
351/41, 44, 51-52, 62, 158, 92,
351/103-123, 140-153, 63, 59, 45-46;
2/426-432, 447-449, 441, 434-437,
2/13, 15; D21/483, 659-661; D14/372
CPC G02C 2200/08; G02C 1/06; G02C 5/14;
G01C 5/16

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D135,992 S 11/1942 Pomeranz

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1450633 9/2012

OTHER PUBLICATIONS

U.S. Appl. No. 29/470,923, Thixton.

(Continued)

Primary Examiner — Raphael Barkai

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP

(57) **CLAIM**

The ornamental design for an eyeglass or components thereof, as shown and described.

FIG. 1 is a front perspective view of an eyeglass or components thereof showing an embodiment of my new design in which the different shading techniques including the line shading in some areas and the different stippling effects in other areas of the eyeglass or components thereof do not represent a contrast in appearance and do not represent any specific color, texture and/or material. In other embodiments, the different shading techniques do represent a contrast in appearance, and are each intended to represent a specific color, texture and/or material. For example, the line shading along a posterior portion of the temples can denote a plastic material, the lower-density stippling effect along the eyeglass face and the length of the temples can denote a carbon fiber composite material, and the higher-density stippling effect at the hinges can denote a metal material (e.g., stainless steel or titanium);

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof, the right side elevational view being a minor image thereof;

FIG. 5 is a top plan view thereof; and

FIG. 6 is a bottom plan view thereof.

FIG. 7 is a front perspective view of an eyeglass or components thereof showing an embodiment of my new design in which the different shading techniques including the line shading in some areas and the different stippling effects in other areas of the eyeglass or components thereof do not represent a contrast in appearance and do not represent any specific color, texture and/or material. In other embodiments, the different shading techniques do represent a contrast in appearance, and are each intended to represent a specific color, texture and/or material. For example, the line shading along a posterior portion of the temples can denote a plastic material, the lower-density stippling effect along the length of the temples can denote a carbon fiber composite material, and the higher-density stippling effect at the hinges can denote a metal material (e.g., stainless steel or titanium);

FIG. 8 is a front elevational view thereof;

FIG. 9 is a rear elevational view thereof;


FIG. 10 is a left side elevational view thereof, the right side elevational view being a mirror image thereof;

FIG. 11 is a top plan view thereof; and

FIG. 12 is a bottom plan view thereof.

The broken lines in the Figures show portions of the eyeglass which form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2,388,687 A	11/1945	Hammon	D430,591 S	9/2000	Arnette	
2,397,243 A	3/1946	Cooper, Jr.	D464,669 S *	10/2002	Thixton et al.	D16/326
D145,288 S	7/1946	DiCicco	D469,459 S	1/2003	Moritz	
2,423,539 A	7/1947	Williams	D473,892 S	4/2003	Thixton et al.	
2,444,498 A	7/1948	Cochran	D474,223 S	5/2003	Chen	
2,472,731 A	6/1949	Splaine	D476,354 S	6/2003	Chen	
2,582,345 A	1/1952	Moeller	D483,392 S	12/2003	Chen	
D178,178 S	7/1956	Fleming	D483,791 S	12/2003	Thixton et al.	
3,066,573 A	12/1962	Moeller	D488,499 S	4/2004	Mage	
D196,000 S	8/1963	McNeill	D497,934 S	11/2004	Sheldon	
D202,130 S	8/1965	Mitchell	D505,150 S	5/2005	Yee et al.	
D204,417 S	4/1966	Shindler	D508,515 S	8/2005	Yee et al.	
D210,048 S	1/1968	Imperatrice	D511,540 S	11/2005	Hsu	
3,531,189 A	9/1970	Petito	D514,613 S	2/2006	Jannard et al.	
3,689,136 A	9/1972	Atamian	D529,066 S	9/2006	Matera	
D244,281 S	5/1977	Teufelhart	D534,573 S	1/2007	Mage	
4,405,214 A	9/1983	Bolle	D539,831 S	4/2007	Hsu	
D280,994 S	10/1985	Abate	D539,833 S	4/2007	Chuang	
4,563,065 A	1/1986	Kreissl	D543,572 S	5/2007	Yee et al.	
D289,301 S	4/1987	Jannard	D543,574 S	5/2007	Jannard et al.	
4,674,851 A	6/1987	Jannard	7,222,958 B1	5/2007	Chiou	
D293,450 S	12/1987	Jannard	D544,020 S *	6/2007	Thixton et al.	D16/330
4,730,915 A	3/1988	Jannard	D545,348 S	6/2007	Chen	
4,787,730 A	11/1988	Bristol	D545,868 S	7/2007	Chuang	
D300,226 S	3/1989	Ramp	D550,272 S	9/2007	Markovitz	
4,824,233 A	4/1989	Jannard	D553,173 S	10/2007	Baden et al.	
4,859,048 A	8/1989	Jannard	D553,177 S	10/2007	Chen	
4,867,550 A	9/1989	Jannard	D555,705 S	11/2007	Chuang	
4,951,322 A	8/1990	Lin	D556,239 S	11/2007	Yee	
D311,197 S	10/1990	Jannard	D561,811 S	2/2008	Fox et al.	
D314,780 S	2/1991	Ramp	D561,812 S	2/2008	Fox et al.	
D320,402 S	10/1991	Jannard et al.	D561,813 S	2/2008	Baden	
5,054,902 A	10/1991	King	D561,815 S	2/2008	Yee	
5,054,903 A	10/1991	Jannard et al.	D564,568 S	3/2008	Moritz	
D322,975 S	1/1992	Bolle	D564,571 S	3/2008	Jannard et al.	
D323,333 S	1/1992	Jannard et al.	7,347,545 B1	3/2008	Jannard et al.	
D323,665 S	2/1992	Simioni	D568,917 S	5/2008	Yee	
D324,394 S	3/1992	Jannard	D568,918 S	5/2008	Yee	
D324,528 S	3/1992	Jannard	D569,412 S	5/2008	Jannard et al.	
D325,040 S	3/1992	Jannard	D570,897 S	6/2008	Fuchs	
D328,468 S	8/1992	Jannard	D571,838 S	6/2008	Yee	
5,137,342 A	8/1992	Jannard et al.	D573,621 S	7/2008	Yee	
D329,442 S	9/1992	Jannard	D574,025 S	7/2008	Yee	
D329,445 S	9/1992	Jannard	D574,405 S	8/2008	Yee	
D330,035 S	10/1992	Jannard	D575,323 S	8/2008	Jannard et al.	
D330,716 S	11/1992	Jannard	D577,759 S	9/2008	Yee	
D330,903 S	11/1992	Jannard	D581,443 S	11/2008	Jannard et al.	
D331,587 S	12/1992	Jannard et al.	D581,444 S	11/2008	Jannard et al.	
D331,763 S	12/1992	Jannard	D581,446 S	11/2008	Yee	
D333,145 S	2/1993	Jannard	D581,447 S	11/2008	Yee	
D334,389 S	3/1993	Bolle	D581,449 S	11/2008	Yee	
D335,887 S	5/1993	Jannard	D583,405 S	12/2008	Chen	
5,208,614 A	5/1993	Jannard	D583,851 S	12/2008	Lane	
D336,908 S	6/1993	Jannard	D584,330 S	1/2009	Chen	
5,249,001 A	9/1993	Jannard	D585,475 S	1/2009	Yang	
D344,742 S	3/1994	Jannard	D586,379 S	2/2009	Thixton et al.	
D353,387 S	12/1994	Peters	7,497,569 B2	3/2009	Webb	
D354,501 S	1/1995	Jannard	D590,432 S	4/2009	Yee	
D354,968 S	1/1995	Jannard	D591,787 S	5/2009	Yee	
D358,600 S *	5/1995	Jannard	D595,333 S	6/2009	Markovitz et al.	
5,412,438 A	5/1995	Bolle	D599,836 S	9/2009	Rohrbach	
D369,375 S	4/1996	Jannard et al.	D599,838 S	9/2009	Rohrbach	
D371,383 S	7/1996	Goldman	D600,267 S *	9/2009	Mouclier	D16/315
D374,884 S	10/1996	Jannard	D600,269 S	9/2009	Masui	
D375,112 S	10/1996	Jannard	D601,613 S	10/2009	Yee	
5,638,145 A	6/1997	Jannard et al.	D603,443 S *	11/2009	Li	D16/314
D380,766 S	7/1997	Simioni	D604,756 S	11/2009	Shin et al.	
D384,364 S	9/1997	Yee	D604,758 S	11/2009	Rohrbach	
5,760,868 A	6/1998	Jannard et al.	D604,759 S	11/2009	Rohrbach	
D398,021 S	9/1998	Bolle	D606,578 S	12/2009	Markovitz et al.	
D399,519 S	10/1998	Yee	D607,040 S	12/2009	Rohrbach	
D399,866 S	10/1998	Yee	D610,603 S	2/2010	Thixton	
D410,484 S *	6/1999	Jannard et al.	D615,580 S	5/2010	Baden et al.	
D423,035 S	4/2000	Yee et al.	D616,485 S	5/2010	Thixton	
D425,927 S *	5/2000	Wang	D621,805 S *	8/2010	Travers et al.	D14/126
			D622,303 S	8/2010	Thixton	
			D622,755 S	8/2010	Yee	
			D623,683 S	9/2010	Rohrbach	
			D623,684 S	9/2010	Yee	

(56)

References Cited

U.S. PATENT DOCUMENTS

D629,830 S 12/2010 Markovitz et al.
D634,350 S * 3/2011 Yang D16/315
D640,725 S 6/2011 Moritz et al.
D640,726 S 6/2011 Leight
D640,727 S 6/2011 Moritz et al.
D646,708 S 10/2011 Moritz et al.
D648,771 S 11/2011 Rohrbach
D648,772 S 11/2011 Shin et al.
D648,773 S 11/2011 Thixton
D649,579 S 11/2011 Thixton
D653,697 S 2/2012 Taylor et al.
D653,698 S 2/2012 Taylor et al.
D653,699 S 2/2012 Shin
D654,529 S * 2/2012 Markovitz et al. D16/315

D654,947 S 2/2012 Shin et al.
D655,741 S 3/2012 Yee
D659,180 S 5/2012 Moritz
D661,339 S 6/2012 Thixton et al.
D662,536 S 6/2012 Shin
D675,664 S 2/2013 Moritz
D679,313 S * 4/2013 Bachelder D16/315
D681,095 S * 4/2013 Markovitz et al. D16/315
D687,481 S 8/2013 Moritz
D700,932 S * 3/2014 Yee et al. D16/325
2006/0238700 A1 10/2006 Del Vecchio

OTHER PUBLICATIONS

The International Design Magazine No. 5, vol. 45 (Jul. 31, 1998), p. 109 (HB10009341).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D740,346 S
APPLICATION NO. : 29/477376
DATED : October 6, 2015
INVENTOR(S) : George Yoo


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page

In column 2 (page 1, item 57) at line 21, Under Description, change “minor” to --mirror--.

Signed and Sealed this
Tenth Day of May, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office