



US00D556617S

(12) **United States Design Patent** (10) **Patent No.:** **US D556,617 S**  
**Darolfi et al.** (45) **Date of Patent:** **\*\* Dec. 4, 2007**

(54) **EMERGENCY SIGNALING SYSTEM**

(75) Inventors: **Rinaldo Darolfi**, Woodbridge (CA);  
**Masimo D. Tari**, Woodbridge (CA);  
**Alfredo Darolfi**, Woodbridge (CA)

(73) Assignee: **D & R Electronics Co., Ltd.**, Bolton,  
Ontario (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/236,335**

(22) Filed: **Aug. 15, 2005**

(51) **LOC (8) CL.** ..... **10-05**

(52) **U.S. CL.** ..... **D10/114**

(58) **Field of Classification Search** ..... D10/104-121;  
D3/294, 273, 204, 265; D9/430, 432; 40/610,  
40/591; D26/31, 86; 315/323  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D118,934 S *	2/1940	Goldin	.....	D3/265
3,579,184 A	5/1971	Forestal		
3,622,980 A *	11/1971	Elledge, Jr.	.....	315/323
3,783,267 A	1/1974	Thomas		
4,081,788 A	3/1978	Gaspar		
4,180,010 A	12/1979	McDermott et al.		
4,259,660 A	3/1981	Oliver		
4,489,306 A	12/1984	Scolari		
4,543,622 A	9/1985	Menke et al.		
4,630,029 A	12/1986	Hayward		
4,722,030 A	1/1988	Bowden		
4,835,515 A	5/1989	McDermott et al.		
5,433,026 A	7/1995	McDermott et al.		
D364,109 S *	11/1995	Stanuch et al.	.....	D10/114
D391,879 S *	3/1998	Lawton	.....	D10/109
D409,318 S *	5/1999	Hopkins et al.	.....	D26/31
6,037,866 A	3/2000	Leibowitz		
D422,524 S *	4/2000	Tam	.....	D10/114
6,067,012 A	5/2000	Harding		
6,115,951 A *	9/2000	Jing et al.	.....	40/610
D441,678 S *	5/2001	Lyons	.....	D10/114

6,412,203 B1 *	7/2002	Libhart et al.	.....	40/591
6,879,263 B2	4/2005	Pederson et al.		
D513,980 S *	1/2006	Connolly et al.	.....	D9/430
D527,182 S *	8/2006	Ham	.....	D3/294
D532,920 S *	11/2006	Echito	.....	D26/86
2002/0048174 A1	4/2002	Pederson		

\* cited by examiner

*Primary Examiner*—Robert M. Spear

*Assistant Examiner*—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Rankin, Hill, Porter & Clark LLP

(57) **CLAIM**

The ornamental design for an emergency signaling system, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, left perspective view of an emergency signaling system showing our new design;

FIG. 2 is a right, rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof, the left side being a mirror image thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top, left perspective view for our invention shown in an alternative configuration or use;


FIG. 9 is a front elevational view, the rear view being a mirror image thereof;

FIG. 10 is a right side elevational view the left side being a mirror image thereof; and,

FIG. 11 is a top plan view, it being understood that the bottom view is equivalent to FIG. 7.

The broken line showing environmental structure is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 11 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8





FIG. 9

FIG. 10






FIG. 11