



US00D417430S

United States Patent [19]
Ko

[11] **Patent Number: Des. 417,430**

[45] **Date of Patent: ** Dec. 7, 1999**

[54] **BATTERY CHARGER**

D. 400,164	10/1998	Lindahl	D13/108
D. 402,259	12/1998	Mason	D13/108
D. 402,957	12/1998	Kuwayama et al.	D13/108

[75] Inventor: **Chun-Min Ko**, Taipei Hsien, Taiwan

[73] Assignee: **Senao International Co., Ltd.**, Taiwan

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Brooks & Kushman P.C.

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/098,736**

The ornamental design for battery charger, as shown and described.

[22] Filed: **Jan. 5, 1999**

DESCRIPTION

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/107; D13/108**

[58] **Field of Search** D13/107, 108;
320/107, 110–115; D14/149, 251


FIG. 1 is a perspective view of battery charger showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 358,364	5/1995	Siddoway	D13/108
D. 361,979	9/1995	Shirakawa et al.	D13/108
D. 380,729	7/1997	Richards et al.	D13/108
D. 385,252	10/1997	Snyder et al.	D13/108

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7