



US00D872442S

(12) **United States Design Patent**
O'Connor

(10) **Patent No.:** **US D872,442 S**

(45) **Date of Patent:** **** Jan. 14, 2020**

- (54) **SHOE**
- (71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
- (72) Inventor: **Kelly A. O'Connor**, Beaverton, OR (US)
- (73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/649,091**
- (22) Filed: **May 25, 2018**
- (51) **LOC (12) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/959**; D2/951; D2/960
- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D80,929 S * 4/1930 Tucker D2/949
D92,352 S * 5/1934 Hindley D2/949
2,098,277 A * 11/1937 Conticchio A43B 21/06
36/35 B
D115,636 S * 7/1939 Sperry D2/959

- D137,439 S * 3/1944 Incardona D2/949
- D196,486 S * 10/1963 Papoutsy D2/954
- D260,196 S * 8/1981 Plagenhoef D2/947
- D281,459 S * 11/1985 Parker D2/959
- 4,642,917 A * 2/1987 Ungar A43C 15/162
36/59 C
- D302,352 S * 7/1989 Austin D2/959
- D371,893 S * 7/1996 Kayano D2/951
- D412,239 S * 7/1999 Sorofman D2/959
- D415,339 S * 10/1999 Rombis D2/951
- D439,395 S * 3/2001 Oberg D2/957
- D457,293 S * 5/2002 Maurer D2/947
- D463,901 S * 10/2002 Adams D2/951
- D483,934 S * 12/2003 Adams D2/957
- D496,778 S * 10/2004 Le D2/953
- D501,707 S * 2/2005 Nakano D2/953
- D545,534 S * 7/2007 McClaskie D2/953
- D547,533 S * 7/2007 McClaskie D2/953
- D555,339 S * 11/2007 Chang D2/957

(Continued)


Primary Examiner — T Chase Nelson
(74) *Attorney, Agent, or Firm* — Shook, Hardy and Bacon L.L.P.

(57) **CLAIM**
The ornamental design for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a shoe showing my design; FIG. 2 is a bottom, first side perspective view thereof; and, FIG. 3 is a bottom, second side perspective view thereof. The even-length broken lines are directed to environment, represent unclaimed subject matter, and form no part of the claimed design. The even-length broken lines are directed to environment, represent unclaimed subject matter, and form no part of the claimed design. The long and short broken lines form an unclaimed boundary around the claimed subject matter and form no part of the claim.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D566,941 S *	4/2008	Chang	D2/957	D783,971 S *	4/2017	Williams, Jr.	D2/951
D569,088 S *	5/2008	Poetsch	D2/949	D788,425 S *	6/2017	Anceresi	D2/951
D586,544 S *	2/2009	Fuerst	D2/951	D794,931 S *	8/2017	Anceresi	D2/951
D668,437 S *	10/2012	Mahoney	D2/908	D794,932 S *	8/2017	Parrett	D2/951
D683,118 S *	5/2013	Pauk	D2/951	D796,809 S *	9/2017	Williams, Jr.	D2/951
D689,275 S *	9/2013	Mahoney	D2/947	D801,657 S *	11/2017	Petrie	D2/959
D702,430 S *	4/2014	Nascimento	D2/951	D843,703 S *	3/2019	Hernandez	D2/959
D727,005 S *	4/2015	Portzline	A43B 13/181	D851,884 S *	6/2019	Link	D2/959
			D2/951	D855,958 S *	8/2019	Glancy	D2/959
D757,412 S *	5/2016	Haddock	A43B 13/141	D855,960 S *	8/2019	Gibson	D2/959
			D2/951	D858,066 S *	9/2019	Hatfield	D2/959
D769,596 S *	10/2016	Hardman	A43B 5/001	D860,614 S *	9/2019	Bishoff	D2/959
			D2/951	2010/0083535 A1 *	4/2010	Meschter	A43B 7/1495
D773,796 S *	12/2016	Hobgood	D2/959				36/88
D775,801 S *	1/2017	Kirschner	D2/951	2016/0302513 A1 *	10/2016	Bell	A43B 5/001
D778,562 S *	2/2017	Williams, Jr.	D2/951	2016/0324259 A1 *	11/2016	Berend	A43B 13/141
D783,970 S *	4/2017	Kanata	D2/951	2017/0042284 A1 *	2/2017	Lawless	A43B 3/0073
				2017/0042285 A1 *	2/2017	Lawless	A43B 13/181
				2017/0042288 A1 *	2/2017	Lawless	A43B 13/223
				2018/0303196 A1 *	10/2018	Chen	B29D 35/0054

* cited by examiner




FIG. 1




FIG. 2




FIG. 3