

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2017203690 C1**

(54) Title
File-level commenting

(51) International Patent Classification(s)
G06F 17/30 (2006.01)

(21) Application No: **2017203690**

(22) Date of Filing: **2017.06.01**

(43) Publication Date: **2017.06.15**

(43) Publication Journal Date: **2017.06.15**

(44) Accepted Journal Date: **2019.01.17**

(44) Amended Journal Date: **2019.05.02**

(62) Divisional of:
2014349154

(71) Applicant(s)
Dropbox, Inc.

(72) Inventor(s)
CARRIERO, Thomas; DELAMERE, Mark; RHA, Phil; VINCENT, Jon; JAYAKAR, Sujay

(74) Agent / Attorney
FPA Patent Attorneys Pty Ltd, ANZ Tower 161 Castlereagh Street, Sydney, NSW, 2000, AU

(56) Related Art
US 20130124638 A1

ABSTRACT

Various embodiments provide a commenting system for multiple users to provide and share comments to shared content items. For example, users can share a web link to a collection of content items, such as documents, spreadsheets, photos, and any other media, with other users stored in an online content management system. To enable such functionality, the online content management system can expose an application programming interface to enable third-party service providers to develop and attach a comment interface to content items. Accordingly, such a commenting system can provide a comment interface for concurrent display alongside a respective content item in which users can provide comments to shared content items or to use as notes for their personal content items.

FILE-LEVEL COMMENTING

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application claims priority to U.S. Non-Provisional Application No. 14/080,600, filed on November 14, 2013, which is expressly incorporated by reference herein in its entirety.

[0001a] Also incorporated herein by reference, in its entirety, is PCT/US2014/056071 (published as WO 2015/073113), filed on 17 September 2014.

TECHNICAL FIELD

[0002] The present technology pertains to editing shared content items, and more specifically pertains to enabling users viewing and/or editing shared content items to provide shared comments for other users to view.

BACKGROUND

[0003] Various applications allow users to view and/or edit the same file or content. In order to add comments or view changes to a document, however, users have been limited to embedding comments in the text of the document or by using a commenting or versioning feature of the native application used to create the file. Furthermore, if the user only has read access to the document, the user will have to download a copy of the file, add their respective comments and send it back to the owner, or send the owner comments through some other mechanism, such as email.

SUMMARY

[0003a] As used herein, except where the context requires otherwise, the term "comprise" and variations of the term, such as "comprising", "comprises" and "comprised", are not intended to exclude further additives, components, integers or steps.

[0003b] According to a first aspect of the invention there is provided a computer-implemented method comprising: providing a content item synchronized between computing devices associated with a content management system; providing a comment interface associated with the content item for concurrent display with the content item; receiving a

comment provided via the comment interface; and in response to the comment provided via the comment interface, synchronizing respective copies of the content item stored at the computing devices to attach a copy of the comment to the respective copies of the content item, the copy of the comment being attached to the respective copies of the content item without altering data contents of the respective copies of the content item.

[0003c] According to a second aspect of the invention there is provided a system comprising: means for providing a content item synchronized between computing devices associated with the system; means for providing a comment interface associated with the content item for concurrent display with the content item; means for receiving a comment provided via the comment interface; and means for, in response to the comment provided via the comment interface, synchronizing respective copies of the content item stored at the computing devices to attach a copy of the comment to the respective copies of the content item, the copy of the comment being attached to the respective copies of the content item without altering data contents of the respective copies of the content item.

[0003d] According to a third aspect of the invention there is provided a non-transitory computer-readable storage medium comprising: instructions which when executed by one or more processors, cause the one or more processors to: provide a content item synchronized between computing devices associated with a content management system; provide a comment interface associated with the content item for concurrent display with the content item; receive a comment provided via the comment interface; and in response to the comment provided via the comment interface, synchronize respective copies of the content item stored at the computing devices to attach a copy of the comment to the respective copies of the content item, the copy of the comment being attached to the respective copies of the content item without altering data contents of the respective copies of the content item.

[0004] Additional features and advantages of the disclosure will be set forth in the description which follows, and in part will be obvious from the description, or can be learned by practice of the herein disclosed principles. The features and advantages of the disclosure can be realized and obtained by means of the instruments and combinations particularly pointed out in the appended claims. These and other features of the disclosure will become

2017203690 19 Sep 2018

more fully apparent from the following description and appended claims, or can be learned by the practice of the principles set forth herein.

[0005] Disclosed are systems, methods, and non-transitory computer-readable storage media for providing a comment interface to enable users to add comments to content items. For example, a content item, such as a document or image, can be shared, viewed, and/or edited, by multiple users, each of whom can provide comments to a commenting interface to share their comments or thoughts with the other users.

[0006] A content management system, in accordance with various embodiments, can make a content item available for retrieval by providing the content item for display on, for example, a first computing device of a user through a network. The content item can include a comment interface displayable therewith, which can be viewable between the first computing device and at least one second computing device through an account with the content management system. Accordingly, the user can provide comments to the comment interface that can be viewed on both the first computing device and the second computing device. Further, the content item can be shared among other users through the online content management system and each user can provide comments to the comment interface to share their thoughts and comments with other users viewing and/or editing the content item.

[0007] In one example, the comment interface can be provided through an application, plug-in, or any other interface, associated with the content management system or other third party application other than the native application of the content item. Accordingly, the comment interface being unassociated with the native application of the content item enables comments to be attached to a content item in a manner that does not alter the data in the content item itself. This can enable commenting on content items that are shared between users using different sharing models (*e.g.*, read-only, read-write, *etc.*)

[0008] Further comments can be provided to a content item via metadata. In one example, the online content management system can expose metadata or some other functionality to third party developers through an Application Programming Interface (API). Accordingly, the third party developers, using the API, can attach a comment, a comment interface for the content item, or some other information to a content item, without modifying the raw file data.

[0009] The comments can be displayed in a variety of ways, such as in a comment interface alongside the content of the document. In some cases, the comments can scroll independently of the content in the document. Alternatively, the comments can be linked to a location in a document and the scrolling of the comments can be linked to the scrolling of the document such that corresponding comments are displayed. Further, the comments can be selectively displayable such that the user can choose whether to display the comment interface concurrently with the content item or whether to display the content item without the comment interface.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] The above-recited and other advantages and features of the disclosure will become apparent by reference to specific embodiments thereof which are illustrated in the appended drawings. Understanding that these drawings depict only exemplary embodiments of the disclosure and are not therefore to be considered to be limiting of its scope, the principles herein are described and explained with additional specificity and detail through the use of the accompanying drawings in which:

[0011] **FIG. 1** shows an exemplary content item with a comment interface in accordance with at least one embodiment;

[0012] **FIG. 2** shows an exemplary content item with a comment interface in accordance with at least one embodiment;

[0013] **FIG. 3** shows an example environment in which various embodiments can be implemented;

[0014] **FIG. 4** shows another example environment in which various embodiments can be implemented;

[0015] **FIG. 5** shows an example process in accordance with at least one embodiment;

[0016] **FIG. 6** shows an exemplary configuration of devices and a network in accordance with the invention;

[0017] **FIG. 7A** shows a conventional system bus computing system architecture; and

[0018] **FIG. 7B** shows a computer system having a chipset architecture.

DESCRIPTION

[0019] Various embodiments of the disclosure are discussed in detail below. While specific implementations are discussed, it should be understood that this is done for illustration purposes only. A person skilled in the art will recognize that other components and configurations may be used without departing from the spirit and scope of the disclosure.

[0020] The disclosed technology addresses the need in the art for enabling users to provide information, such as comments, metadata, or the like, to content items viewable by multiples users across multiple computing device, platform, and file types. In particular, users can provide comments to a comment interface associated with a content item, such as a document

or image, which is available for viewing and/or editing through an online content management system. In one example, the comment interface can be provided through an application, plug-in, or other interface, associated with the content management system and, in some instances, unassociated with the native application of the content item.

[0021] Further comments can be provided to a content item via metadata. In one example, the online content management system can expose metadata or some other functionality to third party developers through an Application Programming Interface (API). As used herein, an API is a set of programming instructions and standards for accessing Web-based software applications or tools. The online content management system, in this example, can release an API to the public so that software developers can design products that are powered by services provided by the online content management system. Accordingly, the third party developers, using the API, can attach a comment, a comment interface for the content item, or some other information or application to a content item, without modifying the raw file data.

[0022] FIG. 1 shows example document **100** displayed on browser **102**, in accordance with at least one embodiment. In various embodiments, document **100** is one of many content items or files available for retrieval from an online content management system that can offer services, such as cloud storage, file synchronization, and various other types of client software. For example, such a system may allow users to create a folder on each of their computing devices, such as their smartphone, tablet computer, desktop computer, laptop, and the like. The folder can be synchronized across all the devices so that the content of the folder, when changed or updated, appears the same when viewed across all devices, regardless of the device or platform type. Files placed in such a folder can be accessible through a website or mobile application associated with one or more of the devices and can also be shared with the devices of other users.

[0023] In accordance with at least one embodiment, the online content management system can expose functionality for enabling users to provide comments to content items. In one example a user can choose to provide comments to document **100** by selecting icon **104**, which, in one example, will expand comment interface or section **106**. In this example, comment section **106** can be an application provided by a third-party service provider that communicates or interfaces with the content item through metadata or an API provided by the online content management system. Accordingly, comment section **106** includes, in this

example, text field **108** for a user to provide their comment, a share icon **110** to share document **100** with other users, and settings icon **112** for changing user and account preferences.

[0024] In at least one embodiment, a user can provide one or more comments to text field **108** after, for example, editing document **100** and sharing the document with other users. Accordingly, document **100**, in this example, has been shared with and viewed by other users. In this example, there are three users and each has provided comments to an initial question posed by a first user at the top of section **106**. In this example, the first user has created document **100**, shared document **100** with a second and third user, asked the second and third user for their feedback, and the second and third user have provided their thoughts in section **106**.

[0025] In one example, each user could have provided edits to document **100** and explanations for their edits. In one example, each of the comments could be linked to a specific location in the document, such as to reword or add content to a specific paragraph. Alternatively, the comments could be general and about the document as a whole, such as about the background color of document **100**. Further, both linked comments and general comments could simultaneously be provided to comment section **106**. For example, comments to a specific location or section could be linked to the specific location in document **100**, such that when a user selects a respective comment, they are brought to the location in document **100** associated with the respective comment. Accordingly, the general comments, when selected, would not navigate the user to a location since they are not associated with any particular location.

[0026] Accordingly, after each user has provided their comments, which are received through the API, the file associated with document **100** can be synchronized across each of the user's computing devices in order for each user to have access to a most recent version of document **100**, including the most recent comments from all shared users. The synchronization can be performed as a "push," when a respective user saves or closes document **100**, thereby pushing the most recent version to each device associated with the users or as a "pull," when a respective user requests access to document **100** in order to ensure that changes to document **100** and/or comment section **106** are reflected across all associated computing devices.

[0027] Further, local peer-to-peer synchronization could also be utilized within the scope of various embodiments discussed herein. For example, devices associated with the same user or having access to the same shared folder can determine whether they are on the same local area network, and if so establish a secure connection (*e.g.*, via SSL) and effect synchronization through peer-to-peer transfer of files. The synchronized files may, typically, only be provided to computing devices associated with a user who provided the files. For example, if a particular user registers his tablet computer, laptop, and smartphone with the content management system, then those three devices will synchronize the files with those devices and otherwise make the file available to the user via the user's login (*e.g.*, via a web-based or app-based interface). Accordingly, the content management system will not by default make the files available to devices of other users or via logins other than that of the user who provided the files.

[0028] As discussed elsewhere herein, comment section **106** can be provided across devices, platforms, and file types. For example, the content management system can provide storage, retrieval, editing, and commenting service for content items such as word processing documents, spreadsheets, presentations, videos, streaming content, images, and any other content or file type. Accordingly, **FIG. 2** shows image **200** displayed on browser **202**, in accordance with at least one embodiment. In this example, image **200** could be part of a photo album shared among a user's friends and family, therefore, the user's friends and family could provide comments by typing a message in text field **208** of comment section **206** to be shared among the shared users, as described above with respect to **FIG. 1**. Additionally, the user could upload image **200** for private storage and safekeeping with the online content management system and provide comments to comment section **206** to jot down notes about particular memories, places, and the like, associated with image **200** or to a particular album in general.

[0029] In at least one embodiment, the comment section is provided on an interface different from a native application associated with a respective content item. For example, the comment section could be an application layer independent from, or layered on top of, the native application of a respective file type being displayed. In one example, the layer could be associated with an application provided by the third-party service provider or by a browser plug-in associated with the third-party service provider when viewed through a web browser. In one example, this could be achieved by adding metadata to each content item that is

readable by the application provided or the metadata could point to a location with comment data that is retrievable, from the third-party service provider, by the online content management system.

[0030] Accordingly, a second type of comment can be created by a user. For example, a user could pick a location in a file, such as a document, image, or presentation, for a comment and then add text to that particular location. For example, in file “commenting screenshot 1” a single comment could be attached to a respective slide (of the document, image, or presentation) at a point labeled A, along with the corresponding comment displayed in the comments section. A comment can also identify a particular user that left the comment along with the date and time the comment was provided.

[0031] FIG. 3 shows example environment 300 in which various embodiments can be implemented. In this example, online content management system 302 can store and make content items (304a, 304b, 304c, 304d) available for retrieval by providing the content items for display on first computing device 312 and second computing device 316 upon request through a network. In this example, online content management system 302 provides or exposes API 306 to enable third-party service provider or developer 308 to attach/provide information or additional functionality to content items (304a, 304b, 304c, 304d) that may not be available through a native application associated with one of content items (304a, 304b, 304c, 304d).

[0032] For example, developer 308 can develop a comment interface, such as discussed elsewhere herein, that enables user 310 and/or user 314 to provide comments to or alongside content items (304a, 304b, 304c, 304d). In this example, the comment interface communicates or interfaces with content items (304a, 304b, 304c, 304d) through API 306 and, since the comment interface is a layer on top of the native application associated with a respective content item (304a, 304b, 304c, 304d), a comment can be provided to the comment interface without modifying the raw file data of the respective content item (304a, 304b, 304c, 304d).

[0033] Accordingly, in this example, both user 310 and user 314 could each (or at least user 310) have an account with online content management system 302, which enables both users to upload a content item, such as content item (304a, 304b, 304c, 304d), for storage and retrieval. In this example, content item 304b could be a collaborative word processing

document, as discussed with respect to **FIG. 1**, which user **310** had originally uploaded through computing device **312**. In this example, user **310**, utilizing a comment interface provided by developer **308**, could insert one or more comments, for example, posing questions or explaining portions of content item **304b** to his coworkers (user **314**) to whom content item **304b** will eventually be presented to for feedback. In one example, the comment(s) are received through the comment interface and data for each comment is stored with online content management system **302** or, alternatively, the comments can be stored with developer **308** and data pointing to a location of a respective comment stored with developer **308** can be stored with online content management system **302**.

[0034] Accordingly, user **310** can share content item **304b** with user **314** by sending an invitation in the form of, for example, a link to content item **304b** available through an account associated with user **310**. User **314**, after accepting the invitation, can view content item **304b** on computing device **316** (or another device) and provide one or more comments to the comment interface. After user **314** provides their comment(s), online content management system **302** synchronizes the provided comment(s) and any changes made to content item **304b** via second computing device **316** (or another device) with a copy of content item **304b** stored with online content management system **302** and/or a copy stored locally on computing device **312** (and any other devices associated therewith). Accordingly, user **310**, after the synchronization is performed, can view the comment(s) provided by user **314** by accessing content item **304b** through computing device **312**.

[0035] **FIG. 4** shows example environment **400** in which various other embodiments can be implemented. In this example, online content management system **410**, as discussed above, can store and make content items (**406a**, **406b**, **406c**) available for retrieval by providing the same for display on first computing device **404** and second computing device **414** upon request through a network. In this example, online content management system **410** exposes API **412** to enable third-party service provider **408** to utilize or otherwise interface with content items (**406a**, **406b**, **406c**) in order to provide additional services that may not be available through a native application associated with one of content items (**406a**, **406b**, **406c**).

[0036] In this example, third-party service provider **408** could be a social network or file sharing application or website for which online content management system **410** exposes API **412** to enable user **414** to automatically share images, such as discussed with respect to **FIG.**

2 for example, that are uploaded to an album stored with online content management system 410. In one example, content item 406a could be an image and user 414 could share the same with user 402 by uploading the image to online content management system 410 via computing device 416, which is subsequently made available through third-party service provider 408. In this example, user 402 via computing device 404 could, for example, edit the image by applying filters, inserting text, drawing on the image using a paint feature, or the user could comment on the image and the like.

[0037] Accordingly, after user 402 edits and/or comments on the image (content item 406a), online content management system 410 can synchronize the same with a copy of content item 406a stored with online content management system 410 and/or a copy stored locally on computing device 416. Accordingly, user 414, after the synchronization is performed, can view the edits and/or comments provided by user 402 by accessing content item 406b through computing device 416.

[0038] FIG. 5 shows an example process 500 for enabling users to provide comments to shared documents through a content management system in accordance with various embodiments. It should be understood that, for any process discussed herein, there can be additional, fewer, or alternative steps performed in similar or alternative orders, or in parallel, within the scope of the various embodiments unless otherwise stated.

[0039] In this example, a content item uploaded to an account of an online content management system is received 502. The content item, in this example, can be a word processing document, a spreadsheet, a presentation file, a video, streaming content, an image, and the like digital content. The online content management system, in this example, exposes metadata of the content item to third-parties to provide a comment section for users to insert comments associated with the content item 504. In one example, the metadata is made available to third parties through an API, which can be different or the same for various applications associated with a respective content item. In this example, the content item is provided for display on a first computing device 506. Accordingly, a comment is received from a user of the first computing device to the comment section provided by the third party 508. Upon identifying a change to the content item or upon receiving a comment, the content item is synchronized with a copy of the content item stored with the online content management system and/or a second computing device 510. Accordingly, the content item and the comment can be provided for display on the second computing device 512.

[0040] An exemplary system configuration **600** for sharing documents and providing synchronized comments among users for the shared documents is shown in **FIG. 6**, wherein computing devices communicate via a network for purposes of exchanging content and other data. The system can be configured for use on a wide area network such as that illustrated in **FIG. 6**. However, the present principles are applicable to a wide variety of network configurations that facilitate the intercommunication of electronic devices. For example, each of the components of system **600** in **FIG. 6** can be implemented in a localized or distributed fashion in a network.

[0041] In system **600**, a user can interact with content management system **606** through computing devices **602₁**, **602₂**, ..., **602_n** (collectively “**602**”) connected to network **604** by direct and/or indirect communication. Content management system **606** can support connections from a variety of different computing devices, such as desktop computers; mobile computers; mobile communications devices, e.g. mobile phones, smart phones, tablets; smart televisions; set-top boxes; and/or any other network enabled computing devices. Computing devices **602** can be of varying type, capabilities, operating systems, etc. Furthermore, content management system **606** can concurrently accept connections from and interact with multiple computing devices **602**.

[0042] A user can interact with content management system **606** via a client-side application installed on computing device **602_i**. In some embodiments, the client-side application can include a content management system specific component. For example, the component can be a stand-alone application, one or more application plug-ins, and/or a browser extension. However, the user can also interact with content management system **606** via a third-party application, such as a web browser, that resides on computing device **602_i**; and is configured to communicate with content management system **606**. In either case, the client-side application can present a user interface (UI) for the user to interact with content management system **606**. For example, the user can interact with the content management system **606** via a client-side application integrated with the file system or via a webpage displayed using a web browser application.

[0043] Content management system **606** can make it possible for a user to store content, as well as perform a variety of content management tasks, such as retrieve, modify, browse, and/or share the content. Furthermore, content management system **606** can make it possible for a user to access the content from multiple computing devices **602**. For example,

computing device **602_i**; can upload content to content management system **606** via network **604**. The content can later be retrieved from content management system **606** using the same computing device **602_i**; or some other computing device **602_j**.

[0044] To facilitate the various content management services, a user can create an account with content management system **606**. The account information can be maintained in user account database **650**. User account database **650** can store profile information for registered users. In some cases, the only personal information in the user profile can be a username and/or email address. However, content management system **606** can also be configured to accept additional user information.

[0045] User account database **650** can also include account management information, such as account type, e.g. free or paid; usage information, e.g. file edit history; maximum storage space authorized; storage space used; content storage locations; security settings; personal configuration settings; content sharing data; etc. Account management module **624** can be configured to update and/or obtain user account details in user account database **650**. The account management module **624** can be configured to interact with any number of other modules in content management system **606**.

[0046] An account can be used to store content, such as digital data, documents, text files, audio files, video files, etc., from one or more computing devices **602** authorized on the account. The content can also include folders of various types with different behaviors, or other mechanisms of grouping content items together. For example, an account can include a public folder that is accessible to any user. The public folder can be assigned a web-accessible address. A link to the web-accessible address can be used to access the contents of the public folder. In another example, an account can include a photos folder that is intended for photos and that provides specific attributes and actions tailored for photos; an audio folder that provides the ability to play back audio files and perform other audio related actions; or other special purpose folders. An account can also include shared folders or group folders that are linked with and available to multiple user accounts. The permissions for multiple users may be different for a shared folder.

[0047] The content can be stored in content storage **660**. Content storage **660** can be a storage device, multiple storage devices, or a server. Alternatively, content storage **660** can be a cloud storage provider or network storage accessible via one or more communications

networks. Content management system **606** can hide the complexity and details from computing devices **602** so that computing devices **602** do not need to know exactly where the content items are being stored by content management system **606**. In one variation, content management system **606** can store the content items in the same folder hierarchy as they appear on computing device **602_i**. However, content management system **606** can store the content items in its own order, arrangement, or hierarchy. Content management system **606** can store the content items in a network accessible storage (SAN) device, in a redundant array of inexpensive disks (RAID), etc. Content storage **660** can store content items using one or more partition types, such as FAT, FAT32, NTFS, EXT2, EXT3, EXT4, ReiserFS, BTRFS, and so forth.

[0048] Content storage **660** can also store metadata describing content items, content item types, and the relationship of content items to various accounts, folders, or groups. The metadata for a content item can be stored as part of the content item or can be stored separately. In one variation, each content item stored in content storage **660** can be assigned a system-wide unique identifier.

[0049] Content storage **660** can decrease the amount of storage space required by identifying duplicate files or duplicate segments of files. Instead of storing multiple copies, content storage **660** can store a single copy and then use a pointer or other mechanism to link the duplicates to the single copy. Similarly, content storage **660** can store files more efficiently, as well as provide the ability to undo operations, by using a file version control that tracks changes to files, different versions of files (including diverging version trees), and a change history. The change history can include a set of changes that, when applied to the original file version, produce the changed file version.

[0050] Content management system **606** can be configured to support automatic synchronization of content from one or more computing devices **602**. The synchronization can be platform agnostic. That is, the content can be synchronized across multiple computing devices **602** of varying type, capabilities, operating systems, etc. For example, computing device **602_i** can include client software, which synchronizes, via a synchronization module **632** at content management system **606**, content in computing device **602_i**'s file system with the content in an associated user account. In some cases, the client software can synchronize any changes to content in a designated folder and its sub-folders, such as new, deleted, modified, copied, or moved files or folders. The client software can be a separate software

application, can integrate with an existing content management application in the operating system, or some combination thereof. In one example of client software that integrates with an existing content management application, a user can manipulate content directly in a local folder, while a background process monitors the local folder for changes and synchronizes those changes to content management system 606. Conversely, the background process can identify content that has been updated at content management system 606 and synchronize those changes to the local folder. The client software can provide notifications of synchronization operations, and can provide indications of content statuses directly within the content management application. Sometimes computing device 602_i may not have a network connection available. In this scenario, the client software can monitor the linked folder for file changes and queue those changes for later synchronization to content management system 606 when a network connection is available. Similarly, a user can manually stop or pause synchronization with content management system 606.

[0051] A user can also view or manipulate content via a web interface generated and served by user interface module 622. For example, the user can navigate in a web browser to a web address provided by content management system 606. Changes or updates to content in the content storage 660 made through the web interface, such as uploading a new version of a file, can be propagated back to other computing devices 602 associated with the user's account. For example, multiple computing devices 602, each with their own client software, can be associated with a single account and files in the account can be synchronized between each of the multiple computing devices 602.

[0052] Content management system 606 can include a communications interface 620 for interfacing with various computing devices 602, and can interact with other content and/or service providers 609₁, 609₂, ..., 609_n (collectively "609") via an Application Programming Interface (API). Certain software applications can access content storage 660 via an API on behalf of a user. For example, a software package, such as an app on a smartphone or tablet computing device, can programmatically make calls directly to content management system 606, when a user provides credentials, to read, write, create, delete, share, or otherwise manipulate content. Similarly, the API can allow users to access all or part of content storage 660 through a web site.

[0053] Content management system 606 can also include authenticator module 626, which can verify user credentials, security tokens, API calls, specific computing devices, and so

forth, to ensure only authorized clients and users can access files. Further, content management system **606** can include analytics module **634** module that can track and report on aggregate file operations, user actions, network usage, total storage space used, as well as other technology, usage, or business metrics. A privacy and/or security policy can prevent unauthorized access to user data stored with content management system **606**.

[0054] Content management system **606** can include sharing module **630** for managing sharing content publicly or privately. Sharing content publicly can include making the content item accessible from any computing device in network communication with content management system **606**. Sharing content privately can include linking a content item in content storage **660** with two or more user accounts so that each user account has access to the content item. The sharing can be performed in a platform agnostic manner. That is, the content can be shared across multiple computing devices **602** of varying type, capabilities, operating systems, etc. The content can also be shared across varying types of user accounts.

[0055] In some embodiments, content management system **606** can include a content item management module **628** for maintaining a content directory. The content directory can identify the location of each content item in content storage **660**. The content directory can include a unique content entry for each content item stored in the content storage.

[0056] A content entry can include a content path that can be used to identify the location of the content item in a content management system. For example, the content path can include the name of the content item and a folder hierarchy associated with the content item. For example, the content path can include a folder or path of folders in which the content item is placed as well as the name of the content item. Content management system **606** can use the content path to present the content items in the appropriate folder hierarchy.

[0057] A content entry can also include a content pointer that identifies the location of the content item in content storage **660**. For example, the content pointer can include the exact storage address of the content item in memory. In some embodiments, the content pointer can point to multiple locations, each of which contains a portion of the content item.

[0058] In addition to a content path and content pointer, a content entry can also include a user account identifier that identifies the user account that has access to the content item. In some embodiments, multiple user account identifiers can be associated with a single content entry indicating that the content item has shared access by the multiple user accounts.

[0059] To share a content item privately, sharing module **630** can be configured to add a user account identifier to the content entry associated with the content item, thus granting the added user account access to the content item. Sharing module **630** can also be configured to remove user account identifiers from a content entry to restrict a user account's access to the content item.

[0060] To share content publicly, sharing module **630** can be configured to generate a custom network address, such as a uniform resource locator (URL), which allows any web browser to access the content in content management system **606** without any authentication. To accomplish this, sharing module **630** can be configured to include content identification data in the generated URL, which can later be used to properly identify and return the requested content item. For example, sharing module **630** can be configured to include the user account identifier and the content path in the generated URL. Upon selection of the URL, the content identification data included in the URL can be transmitted to content management system **606** which can use the received content identification data to identify the appropriate content entry and return the content item associated with the content entry.

[0061] In addition to generating the URL, sharing module **630** can also be configured to record that a URL to the content item has been created. In some embodiments, the content entry associated with a content item can include a URL flag indicating whether a URL to the content item has been created. For example, the URL flag can be a Boolean value initially set to 0 or false to indicate that a URL to the content item has not been created. Sharing module **630** can be configured to change the value of the flag to 6 or true after generating a URL to the content item.

[0062] In some embodiments, sharing module **630** can also be configured to deactivate a generated URL. For example, each content entry can also include a URL active flag indicating whether the content should be returned in response to a request from the generated URL. For example, sharing module **630** can be configured to only return a content item requested by a generated link if the URL active flag is set to 6 or true. Thus, access to a content item for which a URL has been generated can be easily restricted by changing the value of the URL active flag. This allows a user to restrict access to the shared content item without having to move the content item or delete the generated URL. Likewise, sharing module **630** can reactivate the URL by again changing the value of the URL active flag to 6

or true. A user can thus easily restore access to the content item without the need to generate a new URL.

[0063] While content management system **606** is presented with specific components, it should be understood by one skilled in the art, that the architectural configuration of system **606** is simply one possible configuration and that other configurations with more or less components are also possible.

[0064] **FIG. 7A**, and **FIG. 7B** show exemplary possible system embodiments. The more appropriate embodiment will be apparent to those of ordinary skill in the art when practicing the present technology. Persons of ordinary skill in the art will also readily appreciate that other system embodiments are possible.

[0065] **FIG. 7A** shows a conventional system bus computing system architecture **700** wherein the components of the system are in electrical communication with each other using a bus **705**. Exemplary system **700** includes a processing unit (CPU or processor) **710** and a system bus **705** that couples various system components including the system memory **715**, such as read only memory (ROM) **720** and random access memory (RAM) **725**, to the processor **710**. The system **700** can include a cache of high-speed memory connected directly with, in close proximity to, or integrated as part of the processor **710**. The system **700** can copy data from the memory **715** and/or the storage device **730** to the cache **712** for quick access by the processor **710**. In this way, the cache can provide a performance boost that avoids processor **710** delays while waiting for data. These and other modules can control or be configured to control the processor **710** to perform various actions. Other system memory **715** may be available for use as well. The memory **715** can include multiple different types of memory with different performance characteristics. The processor **710** can include any general purpose processor and a hardware module or software module, such as module 1 **732**, module 2 **734**, and module 3 **736** stored in storage device **730**, configured to control the processor **710** as well as a special-purpose processor where software instructions are incorporated into the actual processor design. The processor **710** may essentially be a completely self-contained computing system, containing multiple cores or processors, a bus, memory controller, cache, etc. A multi-core processor may be symmetric or asymmetric.

[0066] To enable user interaction with the computing device **700**, an input device **745** can represent any number of input mechanisms, such as a microphone for speech, a touch-

sensitive screen for gesture or graphical input, keyboard, mouse, motion input, speech and so forth. An output device **735** can also be one or more of a number of output mechanisms known to those of skill in the art. In some instances, multimodal systems can enable a user to provide multiple types of input to communicate with the computing device **700**. The communications interface **740** can generally govern and manage the user input and system output. There is no restriction on operating on any particular hardware arrangement and therefore the basic features here may easily be substituted for improved hardware or firmware arrangements as they are developed.

[0067] Storage device **730** is a non-volatile memory and can be a hard disk or other types of computer readable media which can store data that are accessible by a computer, such as magnetic cassettes, flash memory cards, solid state memory devices, digital versatile disks, cartridges, random access memories (RAMs) **725**, read only memory (ROM) **720**, and hybrids thereof.

[0068] The storage device **730** can include software modules **732**, **734**, **736** for controlling the processor **710**. Other hardware or software modules are contemplated. The storage device **730** can be connected to the system bus **705**. In one aspect, a hardware module that performs a particular function can include the software component stored in a computer-readable medium in connection with the necessary hardware components, such as the processor **710**, bus **705**, display **735**, and so forth, to carry out the function.

[0069] **FIG. 7B** shows a computer system **750** having a chipset architecture that can be used in executing the described method and generating and displaying a graphical user interface (GUI). Computer system **750** is an example of computer hardware, software, and firmware that can be used to implement the disclosed technology. System **750** can include a processor **755**, representative of any number of physically and/or logically distinct resources capable of executing software, firmware, and hardware configured to perform identified computations. Processor **755** can communicate with a chipset **760** that can control input to and output from processor **755**. In this example, chipset **760** outputs information to output **765**, such as a display, and can read and write information to storage device **770**, which can include magnetic media, and solid state media, for example. Chipset **760** can also read data from and write data to RAM **775**. A bridge **780** for interfacing with a variety of user interface components **785** can be provided for interfacing with chipset **760**. Such user interface components **785** can include a keyboard, a microphone, touch detection and processing

circuitry, a pointing device, such as a mouse, and so on. In general, inputs to system 750 can come from any of a variety of sources, machine generated and/or human generated.

[0070] Chipset 760 can also interface with one or more communication interfaces 790 that can have different physical interfaces. Such communication interfaces can include interfaces for wired and wireless local area networks, for broadband wireless networks, as well as personal area networks. Some applications of the methods for generating, displaying, and using the GUI disclosed herein can include receiving ordered datasets over the physical interface or be generated by the machine itself by processor 755 analyzing data stored in storage 770 or 775. Further, the machine can receive inputs from a user via user interface components 785 and execute appropriate functions, such as browsing functions by interpreting these inputs using processor 755.

[0071] It can be appreciated that exemplary systems 700 and 750 can have more than one processor 710 or be part of a group or cluster of computing devices networked together to provide greater processing capability.

[0072] For clarity of explanation, in some instances the present technology may be presented as including individual functional blocks including functional blocks comprising devices, device components, steps or routines in a method embodied in software, or combinations of hardware and software.

[0073] In some embodiments the computer-readable storage devices, mediums, and memories can include a cable or wireless signal containing a bit stream and the like. However, when mentioned, non-transitory computer-readable storage media expressly exclude media such as energy, carrier signals, electromagnetic waves, and signals per se.

[0074] Methods according to the above-described examples can be implemented using computer-executable instructions that are stored or otherwise available from computer readable media. Such instructions can comprise, for example, instructions and data which cause or otherwise configure a general purpose computer, special purpose computer, or special purpose processing device to perform a certain function or group of functions. Portions of computer resources used can be accessible over a network. The computer executable instructions may be, for example, binaries, intermediate format instructions such as assembly language, firmware, or source code. Examples of computer-readable media that may be used to store instructions, information used, and/or information created during

methods according to described examples include magnetic or optical disks, flash memory, USB devices provided with non-volatile memory, networked storage devices, and so on.

[0075] Devices implementing methods according to these disclosures can comprise hardware, firmware and/or software, and can take any of a variety of form factors. Typical examples of such form factors include laptops, smart phones, small form factor personal computers, personal digital assistants, and so on. Functionality described herein also can be embodied in peripherals or add-in cards. Such functionality can also be implemented on a circuit board among different chips or different processes executing in a single device, by way of further example.

[0076] The instructions, media for conveying such instructions, computing resources for executing them, and other structures for supporting such computing resources are means for providing the functions described in these disclosures.

[0077] Although a variety of examples and other information was used to explain aspects within the scope of the appended claims, no limitation of the claims should be implied based on particular features or arrangements in such examples, as one of ordinary skill would be able to use these examples to derive a wide variety of implementations. Further and although some subject matter may have been described in language specific to examples of structural features and/or method steps, it is to be understood that the subject matter defined in the appended claims is not necessarily limited to these described features or acts. For example, such functionality can be distributed differently or performed in components other than those identified herein. Rather, the described features and steps are disclosed as examples of components of systems and methods within the scope of the appended claims.

Claims

1. A computer-implemented method comprising:
providing a content item synchronized between computing devices associated with a content management system;
providing a comment interface associated with the content item for concurrent display with the content item;
receiving a comment provided via the comment interface; and
in response to the comment provided via the comment interface, synchronizing respective copies of the content item stored at the computing devices to attach a copy of the comment to the respective copies of the content item, the copy of the comment being attached to the respective copies of the content item without altering data contents of the respective copies of the content item.
2. The computer-implemented method of claim 1, wherein the comment interface interfaces with the content item.
3. The computer-implemented method of claim 2, wherein the comment interface interfaces with the content item via an application programming interface associated with the content management system.
4. The computer-implemented method of claim 1, wherein the attaching of the copy of the comment to the respective copies of the content item without altering data contents of the respective copies comprises attaching the comment to one or more respective copies shared in read-only mode with one or more of the computing devices, the read-only mode providing the one or more of the computing devices read-only access to the one or more respective copies.
5. The computer-implemented method of claim 1, wherein synchronizing the respective copies of the content item comprises attaching the comment interface to the respective copies of the content item.

6. The computer-implemented method of claim 1, wherein the comment interface is separate from a native application of the content item.
7. The computer-implemented method of claim 1, wherein the comment is received by the comment interface via the application programming interface.
8. A system comprising:
 - means for providing a content item synchronized between computing devices associated with the system;
 - means for providing a comment interface associated with the content item for concurrent display with the content item;
 - means for receiving a comment provided via the comment interface; and
 - means for, in response to the comment provided via the comment interface, synchronizing respective copies of the content item stored at the computing devices to attach a copy of the comment to the respective copies of the content item, the copy of the comment being attached to the respective copies of the content item without altering data contents of the respective copies of the content item.
9. The system of claim 8, wherein the comment interface interfaces with the content item.
10. The system of claim 9, wherein the comment interface interfaces with the content item via an application programming interface associated with the system.
11. The system of claim 8, wherein the attaching of the copy of the comment to the respective copies of the content item without altering data contents of the respective copies comprises attaching the comment to one or more respective copies shared in read-only mode with one or more of the computing devices, the read-only mode providing the one or more of the computing devices read-only access to the one or more respective copies.

12. The system of claim 8, wherein synchronizing the respective copies of the content item comprises attaching the comment interface to the respective copies of the content item.
13. The system of claim 8, wherein the comment interface is separate from a native application of the content item.
14. The system of claim 8, wherein the comment is received by the comment interface via the application programming interface.
15. A non-transitory computer-readable storage medium comprising:
 - instructions which when executed by one or more processors, cause the one or more processors to:
 - provide a content item synchronized between computing devices associated with a content management system;
 - provide a comment interface associated with the content item for concurrent display with the content item;
 - receive a comment provided via the comment interface; and
 - in response to the comment provided via the comment interface, synchronize respective copies of the content item stored at the computing devices to attach a copy of the comment to the respective copies of the content item, the copy of the comment being attached to the respective copies of the content item without altering data contents of the respective copies of the content item.
16. The non-transitory computer-readable storage medium of claim 15, wherein the comment interface interfaces with the content item, wherein the comment interface interfaces with the content item via an application programming interface associated with the system.
17. The non-transitory computer-readable storage medium of claim 15, wherein the attaching of the copy of the comment to the respective copies of the content item without altering data contents of the respective copies comprises attaching the comment to one or more respective copies shared in read-only mode with one or more of the computing devices,

the read-only mode providing the one or more of the computing devices read-only access to the one or more respective copies.

18. The non-transitory computer-readable storage medium of claim 15, wherein synchronizing the respective copies of the content item comprises attaching the comment interface to the respective copies of the content item.

19. The non-transitory computer-readable storage medium of claim 15, wherein the comment interface is separate from a native application of the content item.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

500

5/7




FIG. 5




FIG. 6




FIG. 7A




FIG. 7B