



US0D1041446S

(12) **United States Design Patent**
Peng

(10) **Patent No.:** **US D1,041,446 S**

(45) **Date of Patent:** **** Sep. 10, 2024**

(54) **HEADPHONE**

(71) Applicant: **Shenzhen Srhythm Industry Co., Ltd.**, Shenzhen (CN)

(72) Inventor: **Jiao Peng**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/921,978**

(22) Filed: **Dec. 20, 2023**

(30) **Foreign Application Priority Data**

Oct. 24, 2023 (CN) 202330689053.9

(51) **LOC (14) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/205**

(58) **Field of Classification Search**

USPC D14/205, 188, 192; D29/112; 2/209;
381/380-381, 374, 74

CPC H04R 25/00; H04R 25/02; H04R 1/1066;
H04R 1/1016; H04R 5/033; H04R
5/0335; H04R 1/1041; H04R 1/1083;
H04R 1/1091

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D420,356 S *	2/2000	Suzuki	D14/205
6,654,966 B2 *	12/2003	Rolla	H04R 5/0335 D14/206
D512,708 S *	12/2005	Harris, Jr.	D14/205
D538,261 S *	3/2007	Taylor	D14/205
D573,581 S *	7/2008	Gondo	D14/205
D585,871 S *	2/2009	Lee	D14/205
D588,100 S *	3/2009	Densho	D14/205
D592,640 S *	5/2009	Tkachuk	D14/205
D593,995 S *	6/2009	Shimizu	D14/205
D594,847 S *	6/2009	Suzuki	D14/205

D600,674 S *	9/2009	Brennwald	D14/205
D602,467 S	10/2009	Oguro	
D625,705 S *	10/2010	Ohori	D14/223
D632,668 S *	2/2011	Brunner	D14/205
D639,776 S *	6/2011	Arimoto	D14/205
D662,080 S *	6/2012	Carr	D14/205
D673,136 S	12/2012	Kelly et al.	
8,325,962 B2 *	12/2012	Ishida	H04R 5/0335 381/384
D699,702 S *	2/2014	Chen	D14/205
8,774,420 B2 *	7/2014	Belafonte	H04R 1/2811 381/74
D719,136 S *	12/2014	Schaal	D14/206
D721,052 S *	1/2015	Carr	D14/205

(Continued)

FOREIGN PATENT DOCUMENTS

EM	008151245-0001	*	8/2020
EM	008731046-0001	*	10/2021

(Continued)

Primary Examiner — Paula Allen Greene

(74) *Attorney, Agent, or Firm* — Daniel M. Cohn;
Howard M. Cohn

(57) **CLAIM**

The ornamental design for a headphone, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headphone showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,002,026 B2 * 4/2015 Lin H04R 1/1008
 381/74
 D729,194 S * 5/2015 Boeckel D14/205
 D741,290 S * 10/2015 Schaal D14/205
 D742,357 S * 11/2015 Chung D14/205
 D811,365 S * 2/2018 Czaniecki D14/205
 D817,303 S * 5/2018 Tragatschnig D14/205
 10,015,580 B1 * 7/2018 Bruno H04R 1/1066
 10,154,335 B1 * 12/2018 Hoang H04R 1/1008
 D843,345 S * 3/2019 Brunner D14/205
 D850,406 S * 6/2019 Hembrey D14/205
 D851,627 S * 6/2019 ter Laag D14/205
 D852,163 S * 6/2019 Nagamine D14/205
 D856,303 S * 8/2019 Ando D14/205
 D867,324 S 11/2019 Degraye et al.
 D869,437 S * 12/2019 Hu D14/205
 D879,066 S * 3/2020 Chen D14/205
 D888,008 S * 6/2020 Yook D14/205
 D892,079 S * 8/2020 Wu D14/205
 D893,450 S * 8/2020 Matsubara D14/205
 D893,452 S * 8/2020 Yook D14/205
 D904,339 S * 12/2020 Wang D14/205
 D908,663 S * 1/2021 Tamamura D14/205
 D928,114 S * 8/2021 Terazaki D14/205

D929,958 S * 9/2021 Kobayashi D14/205
 D938,934 S * 12/2021 Tsubone D14/205
 D966,229 S * 10/2022 Liu D14/205
 D968,355 S * 11/2022 Wu D14/205
 D969,773 S * 11/2022 Brunner D14/206
 D970,468 S * 11/2022 Williamson D14/206
 D974,325 S * 1/2023 Xia D14/205
 D1,001,094 S * 10/2023 Tang D14/205
 D1,022,949 S * 4/2024 Tang D14/205
 2005/0238189 A1 * 10/2005 Tsai H04R 1/1075
 381/370
 2008/0069391 A1 * 3/2008 Steyn H04R 1/1091
 381/371
 2014/0363016 A1 * 12/2014 Blonder H03F 3/181
 381/74
 2019/0110122 A1 * 4/2019 Zelnick H04R 1/1066
 2019/0156814 A1 * 5/2019 Eguchi G10K 11/17853
 2021/0084401 A1 * 3/2021 Smiechowski H04R 1/1041
 2022/0014837 A1 * 1/2022 Kikuchi H04R 1/1066

FOREIGN PATENT DOCUMENTS

EM 008749808-0001 * 11/2021
 EM 008761589-0001 * 11/2021
 GB 9004112043-0001 * 7/2017
 GB 6211054 * 5/2022

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7



FIG. 8