

(19)
(12)

(KR)
(B1)

(51) 。 Int. Cl. ⁷
H01F 27/245
H01F 27/26

(45)
(11)
(24)

2002 07 25
10 - 0344626
2002 07 05

(21) 10 - 2000 - 0042676
(22) 2000 07 25

(65) 2002 - 0008682
(43) 2002 01 31

(73) 3 314

(72) 624 - 1101

(74)

:

(54)

가

3

1A,B

2

3

*

*

100... 110...

130... 200...

210... 230...

240...

(filtering)
(parasitic capacitance)

가

가

가

1A,B
(52)
(53)가

(52)
(51)

(51)
(55a)(55b)
(56)

(52) 가

(53)

가 가

(52)

가

(56)

가

2 , (100) (200) 3
 , (100) , (300) (110)
 , (100) (130) (100) (110)
 (100) (100) (300) (200) , (210) (300) (210)
 (100) (100) (200) (230) (110)
 (240)

2 가 4 , (300) (110)
 (110) (130) (130)
 (130) (100) (110) (100)
 (130)

(100) (110) (300)
 (110) 가 (100) (210) (300)
 (200) (200)

(200) (100) (230) , (200) (210)
 (200) (210) (210) (100)

(230) (200) (240)
 (230) (200)

(100) (200) (Ag) (dipping)

, (150) (200) 가 (100) (230) (100)

(200) (200) 가 (100) (210)

, (230) (110) 가 가 (100)

가 , 가 , 가 , 가 .

(57)

1.

(300) (110) (130) (100) (110)가
(200) (100) (230) (110) (200) (100)


2.

1 , (230) , (240) (200) (100)


3.

2 , (240) ,


1



(b)



2



3

