



Europäisches
Patentamt
European
Patent Office
Office européen
des brevets



(11)

EP 2 227 987 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
18.01.2012 Bulletin 2012/03

(51) Int Cl.:
A47C 13/00 (2006.01)

(21) Application number: **10002562.6**

(22) Date of filing: **11.03.2010**

(54) Modular furniture system

Modulares Möbelsystem

Système de meuble modulaire

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL
PT RO SE SI SK SM TR**

• **Eliyahu, Nisim**
Holon 58843 (IL)

(30) Priority: **11.03.2009 US 202544 P**

(74) Representative: **Minoja, Fabrizio**
Bianchetti Bracco Minoja S.r.l.
Via Plinio, 63
20129 Milano (IT)

(43) Date of publication of application:
15.09.2010 Bulletin 2010/37

(56) References cited:

GB-A- 1 356 125	US-A- 3 973 800
US-A- 4 140 065	US-A- 5 653 507
US-A1- 2003 038 516	

(73) Proprietor: **KETER PLASTIC LTD.**
Herzelyia 46852 (IL)

(72) Inventors:
• **Haimoff, Efraim**
Mevaseret Zion 90805 (IL)

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

FIELD OF THE INVENTION

[0001] This invention relates to furniture, and more particularly to modular furniture.

BACKGROUND OF THE INVENTION

[0002] It is known to provide modular furniture that can be assembled from pre-fabricated components. Modular furniture is more convenient and efficient to store and transport than non-modular furniture since the un-assembled components can be packed efficiently and shipped from the manufacturing facility to a store or home and then assembled, thereby reducing shipping costs. Also, some pieces of furniture are too heavy or are awkwardly-shaped to be conveniently moved through doorways, hallways or staircases. Modular furniture, on the other hand, can be delivered unassembled and then assembled in the room where it is to be used. Modular furniture is disclosed, for example, in US Patent No. 3,973,800 to Kogan, and GB1 356 125 A.

[0003] A sofa or armchair is typically constructed with a seat base (or deck) section, a left arm rest and a right armrest, and a seat back. The left and right armrests are usually mirror images of each other. Thus, the manufacture of a modular sofa or arm chair requires the manufacture of at least four distinct elements.

SUMMARY OF THE INVENTION

[0004] The present invention provides a modular furniture system. The modular furniture system of the present invention can be implemented by manufacturing two distinct elements. The system of the invention comprises two or more of a first structural component, referred to herein as a "deck-back". The system further comprises two or more of a second structural component, referred to herein as a "side-element". Various types of furniture can be assembled using these two components. For example, a chair can be assembled using a first deck-back as the deck of the chair, a second deck-back for the back of the chair, a first side-element for the left side of the chair, and a second side-element for the right side of the chair. The modular system of the invention can also be used, for example, to construct a couch, sofa, ottoman, or table.

[0005] The invention thus provides a modular furniture system according to claim 1:

[0006] In the modular furniture system of the invention each deck-back may comprise a panel and a frame. The panel may be integral with the frame of the deck-back. Similarly, each side-element may comprise a panel and a frame, and the panel may be integral with the frame. The panel of the deck-back may have dimensions essentially equal to the dimensions of a side-element panel. The panel and frame of a deck-back or of a side-element

may be produced in a single injection molding processes.

[0007] The modular furniture system of the invention may be adapted for the construction of any one of an armchair, sofa, ottoman, and table.

5

BRIEF DESCRIPTION OF THE DRAWINGS

[0008] In order to understand the invention and to see how it may be carried out in practice, embodiments will 10 now be described, by way of non-limiting example only, with reference to the accompanying drawings, in which:

Fig. 1 shows a modular furniture system in accordance with one embodiment of the invention;

Figs. 2a to Fig. 2n show assembly of the modular furniture system of **Fig. 1** into an arm chair;

Fig. 3 shows a modular furniture system in accordance with a second embodiment of the invention; and

Figs. 4a to Fig. 4r show assembly of the modular furniture system of **Fig. 3** into a sofa.

20

DETAILED DESCRIPTION OF EMBODIMENTS

[0009] **Fig. 1** shows a modular furniture system **1** in accordance with one embodiment of the invention. The modular furniture system **1** comprises one or more deck-backs **2** and one or more side-elements **4**. The deck-backs **2** and the side-elements **4** may be made of any material known to be used in the manufacture of furniture.

30 In a preferred embodiment, the deck-backs **2** and the side-elements **4** are made from plastic. Each deck-back comprises a panel **6** attached to a frame **8**. In a preferred embodiment, the panel **6** is integral with the frame **8**. The panel **6** and the frame **8** may be from plastic and produced, for example, in a single injection molding process.

Similarly, each side-element **4** comprises a panel **10** attached to a frame **12**, and the panel **10** and the frame **12** may be integral with each other. The frame **12** includes a plurality of notches **13** into which a nut retainer **15** may be inserted to retain a nut may, as explained below. In a preferred embodiment, the panel **6** is identical to the panel **10**.

[0010] The system **1** may further comprise one or more side cover panels **14** that are configured to be attached **45** to either the frame **8** of a deck-back **2** or the frame **12** of a side-element **4**, and a front panel **20**. The system **1** may also include one or more cushions **16**, **18** that can be incorporated into a piece of furniture assembled from the system. The system may also include various brackets, for example, the brackets **22**, and **24**, which can be used to attach an side cover panel **14** to either one of the frames **8** and **12**, or to provide structural reinforcement to a piece of furniture. The system my further comprise parts for assembling the deck-backs **2** and the side-elements **4** into a piece of furniture. Such parts may include,

for example, screws **26**, nuts **28**, clips **30**, and an assembly wrench **32**. Gliders **34** may also be provided for attachment to the underside of a piece of furniture in order **55**

to facilitate sliding of the piece over a floor.

[0011] Fig. 2 shows assembly of an armchair **36** from the system 1 (the assembled armchair is shown in Fig. 2n). First, as shown in Figs. 2a to 2c, a left-side frame **36** for the armchair **36** is assembled. One of the brackets **24** is snap-fitted onto the frames **12** of one of the side-elements **4** (Fig. 2a). Then a side cover panel **14** is attached as indicated by the arrows in Fig. 2b. Nut retainers **15** are inserted into the appropriate notches **13** and nuts **28** are inserted into the nut retainers **15** (Fig. 2c). The gliders **34** are then attached to the ends of the frame **12**. Now, as shown in Figs. 2d to 2f, a right-side frame **38** for the armchair **36** is assembled. Another one of the brackets **24** is snap-fitted onto the frame **12** of another one of the side-elements **4** (Fig. 2d). Then a side cover panel **14** is attached (Fig. 2e). Nuts **28** are then inserted into the nut retainers **15** and the gliders **34** are attached to the ends of the frame **12** (Fig. 2f).

[0012] Fig. 2g shows the assembly of a chair back **40** for the armchair **36**. A side cover panel **14** is screwed onto brackets **42** that are integral with a deck-back **2**. The brackets **42** are angled relative to the panel **6** of the deck-back, so that the side cover panel **14** is angled relative to the panel **6**. Figs. 2 h and i show the right-side frame **38**, the chair back **40** and the left-side frame **37**, being assembled together using the screws **26** and the wrench **32**.

[0013] Now, as shown in Fig. 2j, a chair deck **44** is assembled from another deck-back **2** and a front panel **20**. The front panel **20** of the chair deck **44** is attached at a right angle to the deck-back **2**. A clip **30** is then attached to each of the two lateral sides of the deck-back. The chair deck **44** is then assembled onto the assembly formed by the left and right side frames and the back (Figs. 2 k and l). One of the brackets **22** is then inserted into the underside of the chair, as shown in Fig. 2m, in order to enhance the sturdiness of the armchair. Cushions **16** and **18** may then be placed on the arm chair, as indicated in Fig. 2n, and assembly of the armchair **36** is complete.

[0014] Fig. 3 shows a modular furniture system **100** in accordance with another embodiment of the invention. The modular furniture system **100** has several components in common with the modular furniture system 1 shown in Fig. 1. Thus, the modular furniture system **100** comprises one or more deck-backs **2** and one or more side-elements **4**, where each side-element **4** comprises a panel **10** attached to a frame **12**, and each deck-back comprises a panel **6** attached to a frame **8**. The system **100** further comprises one or more side cover panels **14** that are configured to be attached to either the frame **8** of a deck-back **2** or the frame **12** of a side-element **4**, as shown below. The system **100** also includes front panels **20**, and one or more cushions **16,18** that can be incorporated into a piece of furniture assembled from the system. The system may also include various brackets, for example, the brackets **21, 22, 23, 24** and **29**, which can be used to attach a side cover panel **14** to either one of

the frames **8** and **12**, or to provide structural reinforcement to a piece of furniture. The system may further comprise parts for assembling the deck-backs **2** and the side-elements **4** into a piece of furniture. Such parts may include, for example, screws **26** and **27**, nuts **28**, and the wrench **32**, and connectors **17** and **19**. Gliders **34** may also be provided for attachment to the underside of a piece of furniture in order to facilitate sliding of the piece over a floor.

[0015] Fig. 4 shows assembly of a sofa **102** from the system **100** (the assembled sofa is shown in Fig. 4r). First, as shown in Figs. 4a to 4c, a left-side frame **136** for the sofa **102** is assembled. One of the brackets **24** is snap-fitted onto the frame **12** of one of the side-elements **4** (Fig. 4a). Then a side cover panel **14** is attached (Fig. 4b). Nut retainers **15** are inserted into the appropriate notches **13** and nuts **28** are inserted into the nut retainers **15** (Fig. 4c). The gliders **34** are then attached to the ends of the frame **12**. Now, as shown in Figs. 4d to 2f, a right-side frame **138** for the sofa **102** is assembled. Another one of the brackets **24** is snap-fitted onto the frame **12** of another one of the side-elements **4** (Fig. 4d). Then a side cover panel **14** is attached (Fig. 4c). Nut retainers **15** are inserted into the appropriate notches **13** and nuts **28** are inserted into the nut retainers **15**. The gliders **34** are then attached to the ends of the frame **12** (Fig. 4f).

[0016] Fig. 4g shows the assembly of a chair back **140** for the sofa **102**. A side cover panel **14** is screwed onto brackets **42** that are integral with a deck-back **2**. The brackets **42** are angled relative to the panel **6** of the deck-back, so that the side cover panel **14** is angled relative to the panel **6**. A second chair back **140** is then assembled, and then, as shown in Fig. 4h and i, the two chair backs **140** are joined together using one of the connectors **17** and the nuts **28**.

[0017] Figs. 4j and k shows assembly of a deck for the sofa **102** by joining together two deck-backs **2** using another one of the connectors **17** and the nuts **28**. In Fig. 4l, two front panels **20** are joined together using a connector **19**, nuts **28** and the bracket **23**. Then, as shown in Fig. 4m, the back assembly and the side frames are joined together. The deck of the sofa is then inserted (Fig. 4n), and secured with the bracket **29** (Fig. 4o). The two brackets **22** are then inserted into the underside of the sofa, as shown in Fig. 4p, in order to enhance the sturdiness of the sofa. The front panel assembly is then attached (Fig. 4q). Cushions **16** and **18** may then be placed on the arm chair, as indicated in Fig. 4n, and assembly of the sofa **102** is complete.

Claims

1. A modular furniture system (1) comprising:

- (a) one or more deck-backs (2), each deck-back (2) being configured for use as a deck of a chair and further being configured for use as a back

of a chair;

(b) one or more side-elements (4), each side-element (4) being configured for use as a right-side of a chair and further being configured for use as a left-side of a chair;

wherein, at least one of the one or more deck-backs (2) and the at least one of the one or more side elements (4) comprises a panel (10) and a frame (12), and one or more cover panels (14) fitted to the frame (12), spaced apart from the panel (10).

2. The modular furniture system according to Claim 1 wherein each deck-back comprises a panel and a frame.
3. The modular system according to Claim 2 wherein the panel of each deck-back is integral with the frame of the deck-back.
4. The modular furniture system according to Claim 1 wherein each side-element comprises a panel and a frame.
5. The modular system according to Claim 4 wherein the panel of each side-element is integral with the frame of the side-element.
6. The modular furniture system according to Claim 1 wherein each deck-back comprises a panel, each side-element comprises a panel, and the dimensions of a deck-back panel are essentially equal to the dimensions of a side-element panel.
7. The modular furniture system according to Claim 3 wherein the panel and frame of a deck-back are produced in a single injection molding processes.
8. The modular furniture system according to Claim 5 wherein the panel and frame of a side-element are produced in a single injection molding processes.
9. The modular furniture system according to any one of the previous claims adapted for the construction of any one of an armchair, sofa, ottoman, and table.
10. The system according to any one of the previous claims further comprising one or more side cover panels configured to be attached a frame of a deck-back and further configured to be attached to a frame of a side-element.
11. The system according to any one of the previous claims further comprising one or more front panels.
12. The system according to any one of the previous claims further comprising one or more cushions.

13. The system according to any one of the previous claims further comprising one or more brackets.

5 Patentansprüche

1. Ein modulares Möbelsystem (1) umfassend:
 - (a) ein oder mehr Flächen-Lehnen (2), wobei jede Flächen-Lehne (2) für die Benutzung als eine Sitzfläche eines Stuhles konfiguriert ist und weiter für die Benutzung als eine Rückenlehne eines Stuhles konfiguriert ist;
 - (b) ein oder mehr Seitenelemente (4), wobei jedes Seitenelement (4) für die Benutzung als eine rechte Seite eines Stuhles konfiguriert ist und weiter für die Benutzung als eine linke Seite eines Stuhles konfiguriert ist;
- 20 wobei mindestens eine der ein oder mehr Flächen-Lehnen (2) und das mindestens eine der ein oder mehr Seitenelemente (4) eine Platte (10) und einen Rahmen (12) umfasst und ein oder mehr Deckplatten (14) am Rahmen (12) getrennt von der Platte (10) angeordnet angebracht sind.
2. Das modulare Möbelsystem gemäß Anspruch 1, wobei jede Flächen-Lehne eine Platte und einen Rahmen umfasst.
- 30 3. Das modulare System gemäß Anspruch 2, wobei die Platte jeder Flächen-Lehne mit dem Rahmen der Flächen-Lehne integriert ist.
- 35 4. Das modulare Möbelsystem gemäß Anspruch 1, wobei jedes Seitenelement eine Platte und einen Rahmen umfasst.
- 40 5. Das modulare System gemäß Anspruch 4, wobei die Platte jedes Seitenelement mit dem Rahmen des Seitenelements integriert ist.
- 45 6. Das modulare Möbelsystem gemäß Anspruch 1, wobei jede Flächen-Lehne eine Platte umfasst, jedes Seitenelement eine Platte umfasst und die Abmessungen einer Flächen-Lehnen-Platte im Wesentlichen gleich sind zu den Abmessungen einer Seitenelement-Platte.
- 50 7. Das modulare Möbelsystem gemäß Anspruch 3, wobei die Platte und der Rahmen einer Flächen-Lehne in einem einzigen Spritzgießverfahren hergestellt werden.
- 55 8. Das modulare Möbelsystem gemäß Anspruch 5, wobei die Platte und der Rahmen eines Seitenelements in einem einzigen Spritzgießverfahren hergestellt werden.

9. Das modulare Möbelsystem gemäß irgendeinem der vorherigen Ansprüche angepasst zum Aufbau von irgendeinem aus einem Sessel, einem Sofa, einer Ottomane und einem Tisch.
10. Das System gemäß irgendeinem der vorherigen Ansprüche weiter umfassend ein oder mehr Seitenabdeckplatten konfiguriert für das Anbringen am Rahmen einer Flächen-Lehne und weiter konfiguriert für das Anbringen am Rahmen eines Seitenelements.
11. Das System gemäß irgendeinen der vorherigen Ansprüche weitet umfassend ein oder mehr Frontplatten.
12. Das System gemäß irgendeinem der vorherigen Ansprüche weiter umfassend ein oder mehr Kissen.
13. Das System gemäß irgendeinem der vorherigen Ansprüche weiter umfassend ein oder mehr Kammern.

Revendications

1. Système de meuble modulaire (1), comprenant :
- (a) un ou plusieurs éléments structurels formant assise-dossier (2), chaque élément structurel formant assise-dossier (2) étant configuré pour une utilisation en tant qu'assise d'un fauteuil et étant en outre configuré pour une utilisation en tant que dossier d'un fauteuil ;
 - (b) un ou plusieurs éléments latéraux (4), chaque élément latéral (4) étant configuré pour une utilisation en tant que côté droit d'un fauteuil et étant en outre configuré pour une utilisation en tant que côté gauche d'un fauteuil ;
- dans lequel, au moins l'un du ou des plusieurs éléments structurels formant assise-dossier (2) et au moins l'un du ou des plusieurs éléments latéraux (4) comprennent un panneau (10) et un bâti (12), et un ou plusieurs panneaux de recouvrement (14) montés sur le bâti (12), espacés du panneau (10).
2. Système de meuble modulaire selon la revendication 1, dans lequel chaque élément structurel formant assise-dossier comprend un panneau et un bâti.
3. Système modulaire selon la revendication 2, dans lequel le panneau de chaque élément structurel formant assise-dossier est d'un seul tenant avec le bâti de l'élément structurel formant assise-dossier.
4. Système de meuble modulaire selon la revendication 1, dans lequel chaque élément latéral comprend un panneau et un bâti.
5. Système modulaire selon la revendication 4, dans lequel le panneau de chaque élément latéral est d'un seul tenant avec le bâti de l'élément latéral.
- 5 6. Système de meuble modulaire selon la revendication 1, dans lequel chaque élément structurel formant assise-dossier comprend un panneau, chaque élément latéral comprend un panneau, et les dimensions d'un panneau d'élément structurel formant assise-dossier sont essentiellement égales aux dimensions d'un panneau d'élément latéral.
- 10 7. Système de meuble modulaire selon la revendication 3, dans lequel le panneau et le bâti d'un élément structurel formant assise-dossier sont fabriqués selon des traitements de moulage par injection unique.
- 15 8. Système de meuble modulaire selon la revendication 5, dans lequel le panneau et le bâti d'un élément latéral sont fabriqués selon des traitements de moulage par injection unique.
- 20 9. Système de meuble modulaire selon l'une quelconque des revendications précédentes, conçu pour la fabrication de l'un quelconque d'un fauteuil, d'un canapé, d'une ottomane et d'une table.
- 25 10. Système selon l'une quelconque des revendications précédentes, comprenant en outre un ou plusieurs panneaux latéraux de recouvrement configurés pour être assujettis à un bâti d'un élément structurel formant assise-dossier et configurés en outre pour être assujettis à un bâti d'un élément latéral.
- 30 35 11. Système selon l'une quelconque des revendications précédentes, comprenant en outre un ou plusieurs panneaux avant.
- 40 12. Système selon l'une quelconque des revendications précédentes, comprenant en outre un ou plusieurs coussins.
- 45 13. Système selon l'une quelconque des revendications précédentes, comprenant en outre une ou plusieurs fixations.
- 50
- 55




FIG 1

Figure 2 (continued on sheet 3/17)




Figure 2 (continues from sheet 2/17)






Figure 2 (continues from sheet 3/17)







Figure 2 (continues from sheet 4/17)



(i)



(ii)

Figure 2 (continues from sheet 5/17)







Figure 2 (continues from sheet 6/17)



(m)



(n)




FIG. 3

Figure 4 (continued on sheet 10/17)





Figure 4 (continues from sheet 9/17)





Figure 4 (continues from sheet 10/17)





Figure 4 (continues from sheet 11/17)





Figure 4 (continues from sheet 12/17)





Figure 4 (continues from sheet 13/17)





Figure 4 (continues from sheet 14/17)





Figure 4 (continues from sheet 15/17)






Figure 4 (continues from sheet 16/17)



REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 3973800 A, Kogan [0002]
- GB 1356125 A [0002]