



(12) **United States Design Patent**  
**Nakamura**

(10) **Patent No.:** **US D906,950 S**  
(45) **Date of Patent:** **\*\* Jan. 5, 2021**

- (54) **TIRE SIDEWALL**
- (71) Applicant: **BRIDGESTONE CORPORATION**,  
Tokyo (JP)
- (72) Inventor: **Takamitsu Nakamura**, Tokyo (JP)
- (73) Assignee: **BRIDGESTONE CORPORATION**,  
Tokyo (JP)

D647,474 S *	10/2011	Takahashi	.....	D12/605
D668,603 S *	10/2012	Iwabuchi	.....	D12/605
D735,125 S	7/2015	Rittweger		
D738,300 S *	9/2015	Frappart	.....	D12/605
D749,498 S *	2/2016	Ropars	.....	D12/605
D750,555 S *	3/2016	Iwabuchi	.....	D12/605
D778,815 S *	2/2017	Emorine	.....	D12/605
D779,424 S *	2/2017	Emorine	.....	D12/605
D789,879 S *	6/2017	Itoi	.....	D12/605

(Continued)

(\*\*) Term: **15 Years**

**FOREIGN PATENT DOCUMENTS**

(21) Appl. No.: **29/704,337**

CN	304203447 S	7/2017
JP	1349428 S	1/2009

(Continued)

(22) Filed: **Sep. 4, 2019**

(30) **Foreign Application Priority Data**

*Primary Examiner* — Michelle E. Wilson  
*Assistant Examiner* — Clese Moore, Jr.  
 (74) *Attorney, Agent, or Firm* — Kenja IP Law PC

Jun. 11, 2019 (JP) ..... 2019-012837

- (51) **LOC (13) CL.** ..... **12-15**
- (52) **U.S. CL.**  
USPC ..... **D12/605**
- (58) **Field of Classification Search**  
USPC ..... D12/604, 605  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a tire sidewall showing my new design;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a top view thereof;  
 FIG. 4 is a right side view thereof;  
 FIG. 5 is a rear view thereof;  
 FIG. 6 is a fragmentary enlarged view showing the details of the sidewall portion in the area defined by lines 6-6 in FIG. 2; and,  
 FIG. 7 is a fragmentary enlarged view taken along lines 7-7 between 7-7 in FIG. 6.  
 The broken lines are used to show portions of the tire sidewall that are not being claimed, and thus form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D264,575 S *	5/1982	Aston	.....	D12/605
D556,127 S *	11/2007	Iwabuchi	.....	D12/605
D565,503 S *	4/2008	Tanaka	.....	D12/605
D565,504 S *	4/2008	Tanaka	.....	D12/605
D568,236 S	5/2008	Holden et al.		
D569,791 S *	5/2008	Iwabuchi	.....	D12/605
D576,544 S *	9/2008	Onoe	.....	D12/605
D598,371 S *	8/2009	Misumi	.....	D12/605
D599,285 S *	9/2009	Misumi	.....	D12/605
D605,583 S	12/2009	Scheifele		
D606,014 S *	12/2009	Kujime	.....	D12/605
D606,015 S *	12/2009	Kujime	.....	D12/605
D608,275 S	1/2010	Maxwell		

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS


D792,842	S	*	7/2017	Itoi .....	D12/605
D834,513	S	*	11/2018	Sakamoto .....	D12/605
D843,928	S	*	3/2019	Whitaker .....	D12/605
D848,356	S		5/2019	Maxwell	

FOREIGN PATENT DOCUMENTS


KR		300781872	S	1/2015
KR		300969725	S	8/2018
WO		DM/080539		10/2013

\* cited by examiner

*FIG. 1*



*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*





*FIG. 7*

