

**(12) PATENT**  
**(19) AUSTRALIAN PATENT OFFICE**

**(11) Application No. AU 200156010 B2**  
**(10) Patent No. 782745**

(54) Title  
**A doll**

(51)<sup>7</sup> International Patent Classification(s)  
**A63H 003/36**

(21) Application No: **200156010**

(22) Application Date: **2001.05.14**

(87) WIPO No: **WO01/87443**

(30) Priority Data

(31) Number	(32) Date	(33) Country
<b>PQ8824</b>	<b>2000.05.18</b>	<b>AU</b>

(43) Publication Date : **2001.11.26**

(43) Publication Journal Date : **2002.02.14**

(44) Accepted Journal Date : **2005.08.25**

(71) Applicant(s)  
**Jacqui Dancer**

(72) Inventor(s)  
**Jacqui Dancer**

(74) Agent/Attorney  
**Griffith Hack,GPO Box 4164,SYDNEY NSW 2001**

(56) Related Art  
**GB 488434**  
**US 5376040**  
**US 2019516**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
22 November 2001 (22.11.2001)

PCT

(10) International Publication Number  
WO 01/87443 A1

(51) International Patent Classification<sup>7</sup>: A63H 3/36  
(21) International Application Number: PCT/AU01/00548  
(22) International Filing Date: 14 May 2001 (14.05.2001)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
PQ 8824 18 May 2000 (18.05.2000) AU


(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.  
(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NI, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant and  
(72) Inventor: DANCER, Jacqui [AU/AU]; 14 Lombard Street, GLEBE, New South Wales 2037 (AU).  
(74) Agent: GRIFFITH HACK; GPO Box 4164, Sydney, NSW 2001 (AU).

Published:  
— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A DOLL



(57) Abstract: A doll including a head (12), a torso and limbs in the form of arms and legs. The doll includes a face (18) having particular facial elements such as eyes (20), a mouth (22) and a pair of antennae (24). Each eye (20) includes an eyeball (26) and an eye rim (28). The eye rim (28) is formed from an elongate member of an endless loop configuration. The eye rim (28) is stitched to the face (18) at four locations and is constructed from a core material about which a decorative liner is disposed. The core material may be a light gauge rod of a plastically deformable material such as wire. Thus the eye rims (28) and other facial features can be manipulated by hand to vary their shapes and thus the facial expression of the doll.



WO 01/87443 A1

**A DOLL**

FIELD OF THE INVENTION

The present invention relates generally to a doll and  
5 relates particularly, though not exclusively, to a doll  
including facial features which can be manipulated to vary  
its expression.

BACKGROUND OF THE INVENTION

10 US Patent No. 5,215,493 describes a stuffed toy in the  
configuration of a pickle. The stuffed toy has changeable  
facial expressions in relation to the eyes and mouth. The  
eyes and mouth are formed from a stud which pierces the  
stuffed toy and is held in position via a washer. The  
15 remainder of the eyes or mouth are formed from a vinyl  
panel cut out in a crescent-shape and rotationally mounted  
to the stuffed toy via the stud and washer arrangement.  
The expression of the stuffed toy may be changed by  
rotating the eyes and/or mouth panels which are made of a  
20 stiff material such as vinyl.

US Patent Nos. 5,376,040 and 5,800,242 also disclose dolls  
or toys including facial features which can be manipulated  
to, for example, selectively achieve a wide variety of  
25 moods or expressions. US 5,376,040 describes a doll  
including a mouth in the form of an elastic band which is  
resilient wherein the mouth is temporarily deformed using  
a pair of fingers and thereafter the mouth returns to its  
undeformed configuration. US 5,800,242 describes a toy  
30 including a skeleton structure of a plastically deformable  
material, the reinforcing frame of the skeleton structure  
being embedded in the material such as the rubber  
moulding.

35 SUMMARY OF THE INVENTION

According to the present invention there is provided a

doll comprising a face having facial elements, each of the facial elements being representative of a facial feature of an eye or a mouth and being elongate and of an endless loop configuration which is stitched or otherwise adhered to at least two opposite and distant locations to an exposed surface of the face, each of the facial elements being constructed of a plastically deformable material which is manipulable from a first position to a second position in three-dimensional space, the facial element being capable of being moved outwardly relative to the face of the doll, wherein, upon manipulation, the facial element remains in the second position, thereby retaining the changed shape of the facial feature and thus the facial expression of the doll.

15

Preferably each of the facial elements includes an elongate member of an endless loop configuration. More preferably, the elongate member is in the form of the facial feature of a mouth or an eye's rim.

20

Typically the facial element is stitched or otherwise adhered to the surface of the face. More typically the facial element of the endless loop configuration is stitched or otherwise adhered at two opposite and distant locations to the surface of the face thereby fixing said element whilst maximising the forms into which the facial feature can be manipulated.

25

Preferably the elongate member of the facial element includes a relatively light gauge rod of a plastically deformable material such as a wire or plastic material. More preferably the light gauge rod is a core material about which a decorative liner is disposed.

30

Generally the face is fabricated from a pliable fabric such as velour.


35

BRIEF DESCRIPTION OF THE DRAWINGS

In order to achieve a better understanding of the nature of the present invention a preferred embodiment of a doll will now be described, by way of example only, with  
5 reference to the accompanying drawings in which:

Figure 1 is a front view of two variants of a doll;

Figure 2 is an enlarged view of a face of one of the



WO 01/87443

PCT/AU01/00548

- 3 -

dolls of Figure 1; and

Figure 3 is the face of Figure 2 shown with various facial expressions.

5 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

As shown in Figure 1 there are two forms of a doll both designated generally as 10 including a head 12, a torso 14 and limbs 16 in the form of arms and legs. The doll 10 of this embodiment is fabricated as a stuffed doll and  
10 generally represents a distinctive looking alien.

As best shown in Figures 2 and 3 the head 12 of the doll 10 includes a face 18 having particular facial elements. In this embodiment the facial elements include its eyes  
15 shown generally as 20, a mouth 22, and a pair of antenna such as 24. Thus, each of the facial elements is representative of a facial feature of the doll 10.

Each of the eyes such as 20 includes an eyeball 26 which  
20 is in the form of a button fixed to the head 12, and an eye rim 28. The eye rim 28 is formed from an elongate member of an endless loop configuration. The eye rim 28 is in this example stitched to the face 18 at four (4) spaced apart location. The eye rim 28 is constructed from  
25 a core material about which a decorative liner is disposed. The core material is in this example a relatively light gauge rod of a plastically deformable material such as a wire or plastic material. The decorative liner is of a satin or other appropriate  
30 decorative fabric.

The eye rims such as 28 can thus be manipulated by hand to vary the shape of this particular facial feature and thus the facial expression of the doll 10. The plastically  
35 deformable material from which the eye rims 28 are constructed together with their spaced apart fixing to the face 18 permit this varied manipulation of the facial

WO 01/87443

PCT/AU01/00548

- 4 -

feature.

The mouth 22 is similarly constructed of an elongate member of an endless loop configuration. The mouth 22 is initially shaped in its curved configuration of Figure 2 and stitched to the face 18 at two (2) opposite and distant locations. Thus, the mouth 22 which is also constructed from the plastically deformable material can be manipulated into a variety of shapes and forms indicative of a particular facial expression.

The alien doll 10 of this embodiment includes the pair of antenna such as 24 fixed to and protruding from the head 12. Each of the antenna such as 24 is formed of the same material as the mouth 22 and eye rims 28. However, the antenna 24 are anchored or otherwise fixed to the head 12 at one end only with a free end allowing the antenna 24 to be manipulated into a variety of positions. Additionally, the antenna 24 may be twisted, spiralled or straightened depending on the general "mood" or facial expression which is to be conveyed by the doll 10.

The stuffed doll 10 of this embodiment is lined in a soft fabric such as velour. This soft and pliable fabric tends to "move" together with the facial features so as to increase the range of configurations in which the facial features may be manipulated. Particular features, such as the mouth 22, may also be manipulated 3-dimensionally with, for example, a lower lip of the mouth being raised outwardly and upwardly to overlap the upper lip. Otherwise, the face 18 of the doll 10 can be manipulated into a variety of shapes and corresponding facial expressions. Figure 3 indicates some of the possible configurations and expressions of the doll 10 of this embodiment of the invention.

Now that a preferred embodiment of the present invention

WO 01/87443

PCT/AU01/00548

- 5 -

has been described in some detail, it will be apparent to those skilled in the art that the doll has at least the following advantages:

the facial expression of the doll can be varied by

5 manipulating and thus deforming one or more of its facial features;

(i) the facial expression of the doll can be varied by manipulating and thus deforming one or more of its facial features;

10 (ii) the doll is relatively simple in construction where, for example, the facial features are merely fixed to the face of the doll; and

(iii) the doll is relatively versatile and adaptable for use by both children and adults as a toy for stress

15 relief.

Those skilled in the art will appreciate that the invention described herein is susceptible to variations and modifications other than those specifically described.

20 For example, the facial features may be constructed of practically any material which can be plastically deformed to vary and retain its shape, such as a deformable plastic material possibly in the form of a foam. The facial feature may be fixed to the face via an adhesive or  
25 fastener although the stitching described is preferable.

All such variations and modifications are to be considered within the scope of the present invention the nature of which is to be determined from the foregoing description.

30

It is to be understood that, if any prior art information is referred to herein, such reference does not constitute an admission that the information forms a part of the common general knowledge in the art, in Australia or any

35 other country.



THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A doll comprising a face having facial elements, each of the facial elements being representative of a facial  
5 feature of an eye or a mouth and being elongate and of an endless loop configuration which is stitched or otherwise adhered to at least two opposite and distant locations to an exposed surface of the face, each of the facial  
10 elements being constructed of a plastically deformable material which is manipulable from a first position to a second position in three-dimensional space, the facial element being capable of being moved outwardly relative to the face of the doll, wherein, upon manipulation, the facial element remains in the second position, thereby  
15 retaining the changed shape of the facial feature and thus the facial expression of the doll.

2. A doll as defined in Claim 1, wherein the elongate member is in the form of the facial feature of a mouth or  
20 an eye's rim.

3. A doll as defined in Claim 1, wherein the elongated member of the facial elements include a relatively light gauge rod of a plastically deformable material.  
25

4. A doll as defined in Claim 3, further including a decorative liner which is disposed about the light gauge rod.  
30

5. A doll substantially as herein described with reference to the accompanying drawings.

DATED this 23<sup>rd</sup> Day of June 2005  
JACQUI DANCER

35

By their Patent Attorneys  
GRIFFITH HACK

WO 01/87443

PCT/AU01/00548

1/3




FIG. 1

WO 01/87443

PCT/AU01/00548

2/3




FIG. 2

WO 01/87443

PCT/AU01/00548

3/3




FIG. 3