

(12) **United States Design Patent** (10) **Patent No.:** **US D986,719 S**
Yin (45) **Date of Patent:** **** May 23, 2023**

(54) **HOOK**

(71) Applicant: **Shenzhen Aichong Industry Co., Ltd,**
Shenzhen (CN)

(72) Inventor: **Aicheng Yin,** Changning (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/886,121**

(22) Filed: **Mar. 6, 2023**

(51) **LOC (14) Cl.** **08-11**

(52) **U.S. Cl.** **D8/367**

(58) **Field of Classification Search**
 USPC D8/367, 354, 349, 373; D6/323
 CPC A47G 1/00; A47G 25/00; A47G 25/0614;
 B25H 3/04; B25H 3/06; B25H 3/003
 See application file for complete search history.

8,899,541 B2 * 12/2014 Bixler A47G 1/164
 40/748

D742,726 S * 11/2015 Glass D8/367

D746,127 S * 12/2015 Cohen D8/367

9,500,315 B2 * 11/2016 Ajello E05C 19/02

10,299,614 B2 * 5/2019 Adams G09F 7/18

D859,132 S * 9/2019 Abeel D8/367

D864,698 S * 10/2019 Wilson A45F 5/00
 D8/367

D900,597 S * 11/2020 Lee D8/367

11,009,308 B2 * 5/2021 Ochs F41B 5/1453

11,248,741 B1 * 2/2022 Parniani A01G 5/04

D977,958 S * 2/2023 Huang D8/372

D982,419 * 4/2023 Chun D8/367

(Continued)

Primary Examiner — Cynthia R Underwood
 (74) *Attorney, Agent, or Firm* — Daniel M. Cohn;
 Howard M. Cohn

(57) **CLAIM**
 The ornamental design for a hook, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D302,318 S	6/1989	O'Donnell	
D305,299 S *	1/1990	Freeman	D8/371
5,368,267 A *	11/1994	Howard	A47G 7/044
			248/274.1
7,234,671 B2 *	6/2007	Avinger	A01G 5/04
			248/339
D549,565 S *	8/2007	Cox	D8/394
D558,034 S	12/2007	Ernst et al.	
D568,727 S *	5/2008	Walker	D8/380
D584,939 S *	1/2009	Snell	D8/367
7,887,017 B2 *	2/2011	Moran	B44C 5/00
			248/339
7,992,833 B1 *	8/2011	Goodman	A47G 25/0614
			248/339
D668,938 S *	10/2012	Morales	D8/367
D697,785 S *	1/2014	Davis	D8/367
8,888,152 B1 *	11/2014	Coakley	B25B 9/00
			224/267

DESCRIPTION

FIG. 1 is a perspective view of a hook showing my new design;
 FIG. 2 is another perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a back view thereof;
 FIG. 5 is a left view thereof;
 FIG. 6 is a right view thereof;
 FIG. 7 is a top plan view thereof;
 FIG. 8 is bottom plan view of a hook as shown;
 FIG. 9 is another perspective view thereof shown in an alternative configuration of use; and,
 FIG. 10 is another perspective view thereof, shown in a second alternative configuration of use.
 The broken lines depict portions of the hook and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0173483	A1*	9/2003	Yeh	A47G 7/045 248/228.3
2006/0108498	A1*	5/2006	Jackson	G09F 7/18 248/690
2011/0253757	A1*	10/2011	May, Jr.	A45F 3/08 224/268
2015/0150389	A1*	6/2015	Nilsson	A47F 5/0823 248/220.42
2015/0238027	A1*	8/2015	Yeh	A47G 1/1653 248/307

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10