



US00D795202S

(12) **United States Design Patent** (10) **Patent No.:** US D795,202 S
Dimberg et al. (45) **Date of Patent:** ** Aug. 22, 2017

(54) **TABLETOP REMOTE LOAD CONTROL DEVICE**(71) Applicant: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)(72) Inventors: **Chris Dimberg**, Easton, PA (US);
Elliot G. Jacoby, Glenside, PA (US);
Jason C. Killo, Emmaus, PA (US);
Brad M. Kreschollek, Bethlehem, PA (US);
Matthew P. McDonald,
Phoenixville, PA (US)(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)(**) Term: **15 Years**(21) Appl. No.: **29/575,110**(22) Filed: **Aug. 22, 2016****Related U.S. Application Data**

(62) Division of application No. 29/512,028, filed on Dec. 16, 2014, now Pat. No. Des. 767,508.

(51) **LOC (10) Cl.** 14-03(52) **U.S. Cl.**USPC **D13/168**(58) **Field of Classification Search**USPC D13/164, 168; D10/104.12, 106.1;
D14/218

CPC H03J 1/0025; H03J 9/00; H03J 9/02; H03J 9/04; H03J 9/06; H01H 2009/187; H01H 9/02; H01H 9/0214; H01H 9/0242; H01H 9/18; H05B 37/02; H05B 37/0272; H05B

39/088; G08C 17/00; G08C 17/02; G08C 19/28; G08C 23/02; G08C 23/04
See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|---------------|--------|---------------|------------|
| 4,199,883 A * | 4/1980 | Cross | A47G 1/141 |
| | | | 40/735 |
| D259,184 S * | 5/1981 | Francis | D10/15 |
| 4,496,127 A * | 1/1985 | Nelson | A47B 19/10 |
| | | | 211/43 |
| D278,109 S * | 3/1985 | Leeds | D19/91 |
| D329,609 S * | 9/1992 | Wolff | D10/15 |
| D348,481 S * | 7/1994 | Grant | D19/21 |
| D367,647 S * | 3/1996 | Faggard | D14/387 |
| D370,355 S * | 6/1996 | Kenney | D6/310 |

(Continued)

Primary Examiner — Selina Sikder(74) *Attorney, Agent, or Firm* — Philip N. Smith; Mark E. Rose; Glen R. Farbanish

(57)

CLAIM

We claim the ornamental design for a tabletop remote load control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tabletop remote load control device according to our new design.

FIG. 2 is a top view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a front view thereof.


FIG. 6 is a rear view thereof.

FIG. 7 is a bottom view thereof.

FIG. 8 is an alternate view thereof taken in a direction that is normal to the front surface of the angled portion of the tabletop remote load control device; and,

FIGS. 9-14 are enlarged views of the buttons of the tabletop remote load control taken in a direction that is normal to the front surface of the angled portion.

(Continued)



The broken lines showing portions of the tabletop remote load control device are for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 10 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | |
|--------------|---------|------------------|
| 5,876,106 A | 3/1999 | Kordecki |
| D416,284 S * | 11/1999 | O'Malley |
| 6,120,262 A | 9/2000 | McDonough et al. |
| D440,542 S * | 4/2001 | Hawkins |
| D496,335 S | 9/2004 | Spira |
| D511,110 S * | 11/2005 | Rodela |
| D537,046 S | 2/2007 | Blair et al. |
| 7,312,695 B2 | 12/2007 | Lehmer et al. |
| D559,559 S * | 1/2008 | Butcher |
| D576,564 S | 9/2008 | Hewson et al. |
| D626,092 S | 10/2010 | Clymer et al. |

| | | |
|-------------------|---------|--------------------|
| D627,307 S | 11/2010 | Petrillo et al. |
| D631,855 S | 2/2011 | Blair et al. |
| D633,874 S | 3/2011 | Feldstein et al. |
| D636,739 S | 4/2011 | Petrillo et al. |
| D647,066 S | 10/2011 | Jacoby et al. |
| D649,123 S | 11/2011 | Jacoby et al. |
| D658,594 S | 5/2012 | Felegy et al. |
| D661,266 S * | 6/2012 | Laube |
| D666,619 S * | 9/2012 | May |
| D669,038 S | 10/2012 | Felegy, Jr. et al. |
| 8,469,204 B1 | 6/2013 | Bradshaw |
| D694,197 S | 11/2013 | Felegy, Jr. et al. |
| D704,151 S | 5/2014 | Jacoby et al. |
| D712,867 S * | 9/2014 | Vats |
| D718,724 S | 12/2014 | Clymer et al. |
| D733,667 S | 7/2015 | Jacoby et al. |
| D749,564 S * | 2/2016 | Cho |
| D760,214 S * | 6/2016 | Kemper |
| D767,508 S * | 9/2016 | Dimberg |
| 2002/0135974 A1 * | 9/2002 | Bell |
| | | A47G 1/142 |
| | | 361/679.41 |
| 2012/0013450 A1 | 1/2012 | Lee et al. |

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14