

(12) United States Design Patent (10) Patent No.:

US D951,693 S

(45) **Date of Patent:** ** May 17, 2022

(54) **HEADREST**

Primary Examiner — Mimosa De

(71) Applicant: Seungil An, Seoul (KR)

(72) Inventor: Seungil An, Seoul (KR)

(**) Term: 15 Years

(21) Appl. No.: 29/721,293

(22) Filed: Jan. 20, 2020

(52) U.S. Cl.

USPC **D6/716.5**

(58)Field of Classification Search

> USPC ... D6/334–336, 356, 367, 716, 716.1, 716.4, D6/716.5

> CPC .. A47C 7/38; A47C 7/386; B60N 2/00; B60N 2/20; B60N 2/58; B60N 2/64; B60N

2/646; B60N 2/686; B60N 2/80; B60N 2/803; B60N 2/806

See application file for complete search history.

(56) **References Cited**

D550 215 G # 10/2000 H/

U.S. PATENT DOCUMENTS

D578,315	S *	10/2008	Wyszogrod D6/356
9,688,170	B2 *	6/2017	Wroblewski B60N 2/64
D798,094		9/2017	Albert D6/716.5
9,789,826	B2 *	10/2017	Itou B60N 2/06
D830,713	S *	10/2018	Iida D6/356
10,155,456	B2 *	12/2018	Luther B60N 2/686
D846,903	S *	4/2019	Tomasson D6/356

^{*} cited by examiner

(57)**CLAIM**

The ornamental design for a headrest, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headrest showing my new

FIG. 2 is another perspective view thereof.

FIG. 3 is a front view thereof.

FIG. 4 is a rear view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is a right view thereof.

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The surfaces include stitching and are made of a flexible material. By way of example, the flexible material may be selected from natural leather, artificial leather, a polyurethane sponge, plastic, and/or the like. The bottom surface includes a fastener, which may be a velcro, by way of example.

More generally, the design pertains to an ornamental design for an article of manufacture. In one embodiment, the article of manufacture is a headrest. In another embodiment, the article of manufacture is a vehicle headrest.

1 Claim, 8 Drawing Sheets





FIG. 1



FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8

