



US00D437938S

(12) **United States Design Patent** (10) **Patent No.:** **US D437,938 S**  
**Ko et al.** (45) **Date of Patent:** **\*\* Feb. 20, 2001**

(54) **ELECTRONIC ACUPUNCTURE DEVICE**

4,267,838 \* 5/1981 McCall ..... 606/204  
4,966,164 \* 10/1990 Colson et al. .... 607/72  
5,012,816 \* 5/1991 Lederer ..... 128/735

(76) Inventors: **Ming-Shien Ko**, No.14-5, Ta Chih Rd.,  
ChangHua City, ChangHua Hsien (TW);  
**Ping-Kun Hsueh**, 840 Glenwick Ave.,  
Walnut, CA (US) 91789

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Stella Reid

(74) *Attorney, Agent, or Firm*—Dougherty & Troxell

(21) Appl. No.: **29/123,695**

(57) **CLAIM**

(22) Filed: **May 24, 2000**

The ornamental design for a “electronic acupuncture device”, as shown and described.

(51) **LOC (7) Cl.** ..... **24-04**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D24/200**

(58) **Field of Search** ..... D24/200; 128/907;  
600/548; 606/32, 189, 204; 607/72; D14/191,  
192

FIG. 1 is a perspective view of a “ electronic acupuncture device ” showing my design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,


FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 299,748 \* 2/1989 Robertson ..... D24/144  
D. 324,916 \* 3/1992 Shalvi ..... D24/214  
D. 428,994 \* 8/2000 Thauer et al. .... D24/200

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7