

US00D439392S

(12) United States Design Patent (10) Patent No.:

Kauffman et al.

(10) Patent No.: US D439,392 S

(45) Date of Patent: ** *Mar. 27, 2001

(54) 3-SECTION FILLED FOOD PRODUCT

(75) Inventors: Hillis Kauffman; Decai Zhang;
Michael N. Bauman; Doyle
Tankersley; Nancy Esterline, all of
Battle Creek, MI (US); Gerry I.
Johnson, Newmarket (CA)

73) Assignee: Kellogg Company, Battle Creek, MI

(03

Notice: This patent is subject to a terminal dis-

claimer.

(**) Term: 14 Years

(21) Appl. No.: 29/094,778(22) Filed: Oct. 9, 1998

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/091,167, filed on Aug. 3, 1998.

(51) LOC (7) Cl. 01-01

(56) References Cited

U.S. PATENT DOCUMENTS

D. 90,688	*	9/1933	Sherrill	 D1/121
D. 99,994	*	6/1936	Brooks	 D1/121

(List continued on next page.)

OTHER PUBLICATIONS

Hershey's 1934 Cookbook, Smithmark Publishers Inc., New York, NY., chocolate cream eclairs shown on p. 70, 1993.*

Primary Examiner—Marcus A. Jackson Assistant Examiner—Linda Brooks (74) Attorney, Agent, or Firm—Howard & Howard

(57) CLAIM

The ornamental design for a 3-section filled food product, as shown and described.

DESCRIPTION

FIG. 1 is as perspective view of an embodiment of the 3-section filled food product.

FIG. 2 is a front view of the 3-section filled food product of FIG. 1.

FIG. 3 is a left view of the 3-section filled food product of FIG. 2.

FIG. 4 is a back view of the 3-section filled food product shown in FIG. 2.

FIG. 5 is a right view of the 3-section filled food product shown in FIG. 2.

FIG. 6 is a top end view of the 3-section filled food product shown in FIG. 2.

FIG. 7 is a bottom end view of the 3-section filled food product shown in FIG. 2.

FIG. 8 is a plan view of an alternative embodiment of the 3-section filled food product of FIG. 1. In this embodiment, frosting is deposited on the top surface of the 3-section filled product.

FIG. 9 is a right side view of the embodiment of FIG. 8.

FIG. 10 is a left side view of the embodiment of FIG. 8.

FIG. 11 is a top end view of the embodiment of FIG. 8.

FIG. 12 is a bottom end view of the embodiment of FIG. 8. FIG. 13 is a plan view of a further embodiment of the 3-section filled food product of FIG. 1. In this embodiment, a coarse granular edible topping, is deposited on the top

surface of the 3-section filled food product.

FIG. 14 is a right side view of the embodiment of FIG. 13.

FIG. 15 is a left side view of the embodiment of FIG. 13. FIG. 16 is a top end view of the embodiment of FIG. 13.

FIG. 17 is a bottom end view of the embodiment of FIG. 13.

FIG. 18 is a plan view of an alternative embodiment of the 3-section filled food product of FIG. 1 having a fine granular topping, applied to the top surface thereof.


FIG. 19 is a right side view of the embodiment of FIG. 18.


FIG. 20 is a left side view of the embodiment of FIG. 18.

FIG. 21 is a top end view of the embodiment of FIG. 18; and,

FIG. 22 is bottom end view of the embodiment of FIG. 18. The back view of embodiments 2, 3, and 4 is identical to the back view of embodiment 1.

1 Claim, 5 Drawing Sheets





US D439,392 S

Page 2

U.S. PATENT DOCUMENTS	D. 404,887 * 2/1999 Prins
D. 148,602 * 2/1948 Bemis	2,246,770 * 6/1941 Wessel
D. 231,417 * 4/1974 Maiola	* cited by examiner




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7



FIG. 8





FIG. 9 FIG. 10






FIG. 11



FIG. 12



FIG. 13




FIG. 14 FIG. 15







FIG. 16



FIG. 17



FIG. 18










FIG. 21



FIG. 22

