



US00D810674S

(12) **United States Design Patent** (10) **Patent No.:** US D810,674 S  
(45) **Date of Patent:** \*\* Feb. 20, 2018

(54) **TIRE SIDEWALL**(71) Applicant: **BRIDGESTONE CORPORATION,**  
Tokyo (JP)(72) Inventor: **Dyta Itoi**, Tokyo (JP)(73) Assignee: **BRIDGESTONE CORPORATION,**  
Tokyo (JP)(\*\*) Term: **15 Years**(21) Appl. No.: **29/598,008**(22) Filed: **Mar. 22, 2017**(30) **Foreign Application Priority Data**

Sep. 23, 2016 (JP) ..... 2016-020492

(51) LOC (11) Cl. ..... **12-15**

(52) U.S. Cl.

USPC ..... **D12/605**(58) **Field of Classification Search**

USPC ..... D12/604, 605

CPC ..... B60C 13/00; B60C 1/00

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

D475,345 S *	6/2003	Endo	.....	D12/605
D479,190 S *	9/2003	Maxwell	.....	D12/605
D481,988 S *	11/2003	Wachendorf	.....	D12/500
D575,222 S *	8/2008	Fujita	.....	D12/605
D577,330 S *	9/2008	Miyasaka	.....	D12/605
D592,591 S *	5/2009	Kuwano	.....	D12/605
D593,486 S *	6/2009	Yonetsu	.....	D12/605
D596,116 S *	7/2009	Fujita	.....	D12/605
D611,894 S *	3/2010	Scheifele	.....	D12/605
D627,714 S *	11/2010	Miyazaki	.....	D12/605
D627,716 S *	11/2010	Harvey	.....	D12/605
D639,727 S *	6/2011	Tokizaki	.....	D12/605
D640,188 S *	6/2011	Strader	.....	D12/605
D648,268 S *	11/2011	Shondel	.....	D12/605

D669,845 S \* 10/2012 Iwabuchi ..... D12/605  
D670,644 S \* 11/2012 Miyazak ..... D12/605  
D674,745 S \* 1/2013 Miyazaki ..... D12/605  
D757,644 S \* 5/2016 Wieland ..... D12/605  
D768,565 S \* 10/2016 Yasunaga ..... D12/605

(Continued)

## FOREIGN PATENT DOCUMENTS

JP	1072008 S	5/2000
JP	1072009 S	5/2000
KR	30-0684033 S	3/2013

## OTHER PUBLICATIONS

Office Action of Japanese Patent Application No. 2016-020492,  
dated Jan. 17, 2017.

*Primary Examiner* — George D. Kirschbaum

*Assistant Examiner* — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of a tire sidewall showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a fragmentary enlarged view showing the details of the sidewall defined by cross-section by lines 6-6 and 6-6 in FIG. 2; and,

FIG. 7 is a section view taken along line 7-7 between 7-7 in FIG. 6.

The broken lines are used to show portions of the tire that are not being claimed, and thus form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)


**References Cited**


U.S. PATENT DOCUMENTS

D770,373 S \* 11/2016 Krier ..... D12/605  
D771,558 S \* 11/2016 Krier ..... D12/605  
D772,155 S \* 11/2016 Krier ..... D12/605  
D772,798 S \* 11/2016 Krier ..... D12/605

\* cited by examiner

*FIG. 1*




*FIG. 2*


*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*

*FIG. 7*

