

(19)
(12)

(KR)
(B1)

(51) 。 Int. Cl.⁷
G03H 1/04

(45)
(11)
(24)

2004 02 26
10-0419989
2004 02 11

(21) 10-2001-0061948
(22) 2001 10 08

(65)
(43)

10-2003-0030150
2003 04 18

(73) 282 101-104

(72) 282 101-104

(74)

:

(54)

0.2-0.4mm , 100 0.05-0.15mm, 5.
0-5.5cm , 80-88 ° ,
100% 가 20-30% ,
5-15 (MEARL GLITTER) 5-15 100 ,

1

, , ,

1
2
3

* *

10:
11:

12:
13:

174100 ()

OPP

0.002mm

2000-21290

0.002 * 0.002mm ?? 0.002 * 0.004mm

15??30 %

가 가

5-15

(MEARL GLITTER) 5-15

100

가

가

100

5-15

1995-9547

97 %

3 %

50
(MEARL GLITTER)

(MEARL GLITTER) 가 100 가 5-15 가 .
 LITTER) 가 (MEARL G
 ARL GLITTER) 1:0.5-2.0 가 100% , (ME
 18 100 (10) 0.05-0.15mm, 0.2-0.4mm
 (12) 80-88 ° (10) (11) (12) 5.0-5.5cm
 5-15 100% 가 20-30% 100 ,
 (MEARL GLITTER) 5-15
 가 100 , 가
 60 0.05-0.15mm, 0.2-0.4mm
 2 3 (10) (11)
 가 (12) (13) 가 2
 (11) (12) 3.9cm 3 (11)
 (12) 5.0-5.5cm (12)
 0-30% 100% 가 2
 (12) 80-88 ° 45 ° , 2
 1 3
 100cmx114cm 60 (UIANO QFX)
 2-3 10-20 4-5 ,
 0.1mm, 0.3mm
 15
 UV (157HA) 3349g 296g(HOLO FLAKE HEX CUT 50 ,)
 (MEARL GLITTER) 368g(MEARL GLITTER HEX CUT 18 ,)
 (12) 85 ° (12) (12) (11) 5.2cm
 25%
 1
 가 가 가

(57)

1.

L GLITTER) 5-15 100 , 5-15 (MEAR

2.

1 (10) 100 (10) 0.05-0.15mm,
 0.2-0.4mm

3.

1 (11) (12) 5.0-5.5cmm

4.
1
(12)
가

3

(12)

80-88 °
100%


가

20-30%

1



2



3

