



US00D878192S

(12) **United States Design Patent**  
**Markusic et al.**

(10) **Patent No.:** **US D878,192 S**

(45) **Date of Patent:** **\*\* Mar. 17, 2020**

- (54) **HANGER**
- (71) Applicant: **Ohio Wire Form & Spring Co.,**  
Columbus, OH (US)
- (72) Inventors: **Frank Richard Markusic,** Galloway,  
OH (US); **Mark Daniel Smith,** Grove  
City, OH (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/641,390**
- (22) Filed: **Mar. 21, 2018**
- (51) **LOC (12) Cl.** ..... **08-08**
- (52) **U.S. Cl.**  
USPC ..... **D8/395; D8/396**
- (58) **Field of Classification Search**  
USPC ..... D8/349, 354, 356, 396, 370, 373;  
D13/154–157, 184  
CPC .... A62C 13/78; A47K 10/14; A47G 25/0657;  
A47G 1/21; E05C 19/145; B63B 19/24;  
F16L 33/12; F16L 33/08; F16L 33/02  
See application file for complete search history.

- 2,636,704 A \* 4/1953 Norberg ..... D06F 39/12  
248/79
- 4,237,587 A \* 12/1980 Hsiao ..... B42F 1/08  
24/555
- D297,813 S \* 9/1988 Marx ..... D32/65
- 4,923,234 A \* 5/1990 Fairley ..... A47G 21/10  
294/5
- 5,996,955 A \* 12/1999 Chen ..... F16B 12/32  
248/249
- D423,916 S \* 5/2000 Kalat ..... D8/370
- D476,847 S \* 7/2003 Kingsley ..... D7/388
- D487,561 S \* 3/2004 Nguyen ..... D8/370
- D499,956 S \* 12/2004 Wall ..... D8/370
- D515,827 S \* 2/2006 Steendyk ..... D6/317

(Continued)

*Primary Examiner* — John Windmuller

(74) *Attorney, Agent, or Firm* — Miracle IP; Bryce D. Miracle



(57) **CLAIM**

The ornamental design for a hanger, as shown and described.

**DESCRIPTION**

FIG. 1 is a left front perspective view of a hanger showing the new design;  
 FIG. 2 is another front perspective view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a front elevation view thereof;  
 FIG. 6 is a rear elevation view thereof;  
 FIG. 7 is a left side elevation view thereof;  
 FIG. 8 is a right side elevation view thereof;  
 FIG. 9 is an illustrative left front perspective view showing operation of the hanger; and,  
 FIG. 10 is an illustrative top plan view showing operation of the hanger.  
 The broken lines shown in the drawings represent environmental matter and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

## U.S. PATENT DOCUMENTS

7,025,309	B2 *	4/2006	Goodwin	.....	F16L 3/1233	
						248/62
D566,538	S *	4/2008	Wrase	.....	D8/395	
D604,517	S *	11/2009	Scott	.....	D6/317	
D619,814	S *	7/2010	Goodman	.....	D6/323	
D669,767	S *	10/2012	Burley	.....	D8/370	
D707,112	S *	6/2014	Schraufnagel	.....	D8/367	
D710,680	S *	8/2014	Chen	.....	D8/370	
D757,527	S *	5/2016	Rawls-Meehan	.....	D8/349	
D767,978	S *	10/2016	Kusmirek	.....	D8/370	
D796,307	S *	9/2017	Smith	.....	D8/394	
D806,240	S *	12/2017	Smith	.....	D24/128	
D826,399	S *	8/2018	Smith	.....	D24/128	
D830,156	S *	10/2018	Kuhns	.....	D8/367	
2002/0000504	A1 *	1/2002	Bayne	.....	F21V 21/088	
						248/302
2010/0283023	A1 *	11/2010	Thompson	.....	E04H 17/04	
						256/35

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8





FIG. 9



**FIG. 10**