

US00D467917S

(12) United States Design Patent (10) Patent No.:

Tischer (45) Date of Patent:

361/680-686

US D467,917 S ** Dec. 31, 2002

(54) WIRELESS COMMUNICATION DEVICE

(75) Inventor: Steven Neil Tischer, Atlanta, GA (US)

(73) Assignee: BellSouth Intellectual Property

Corporation, Wilmington, DE (US)

(**) Term: 14 Years

(21) Appl. No.: 29/160,835

(22) Filed: May 16, 2002

Related U.S. Application Data

(62) Division of application No. 29/146,778, filed on Aug. 15, 2001

(51) LOC (7) Cl. 14-02

(52) U.S. Cl. D14/345

(56) References Cited

U.S. PATENT DOCUMENTS

D333,298	\mathbf{S}	*	2/1993	Raslowsky et al	D14/345
D354,742	\mathbf{S}	*	1/1995	Hamilton	D14/339
D355,165	\mathbf{S}		2/1995	Sakaguchi et al	D14/345
D372,898	\mathbf{S}	*	8/1996	Shan	D14/345
D377,786	S	*	2/1997	Jones et al	D14/345
D432,099	\mathbf{S}		10/2000	Loh et al	D14/345
D448,763	S		10/2001	Ikenaga	D14/345
D459,343	S		6/2002	Tischer	D14/230

OTHER PUBLICATIONS

Copy of Technical Specifications Sheet of Research In Motion (RIM) Wireless Handheld devices—downloaded from Internet on Jun. 12, 2001.

Primary Examiner—Freda Nunn

(74) Attorney, Agent, or Firm—Kirkpatrick & Lockhart LLP

(57) CLAIM

The ornamental design for the wireless communication device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the wireless communication device of the present invention with a portion thereof in a first position:

FIG. 2 is a top view of the wireless communication device of FIG. 1;

FIG. 3 is a bottom view of the wireless communication device of FIGS. 1 and 2;

FIG. 4 is a front view of the wireless communication device of FIGS. 1–3;

FIG. 5 is a rear view of the wireless communication device of FIGS. 1–4;

FIG. 6 is a right side view of the wireless communication device of FIGS. 1–5;

FIG. 7 is a left side view of the wireless communication device of FIGS. 1–6;

FIG. 8 is a perspective view of the wireless communication device of FIG. 1 with the portion thereof in a second position;

FIG. 9 is a top view of the wireless communication device of FIG. 8;

FIG. 10 is a bottom view of the wireless communication device of FIGS. 8 and 9;


FIG. 11 is a front view of the wireless communication device of FIGS. 8–10;

FIG. 12 is a rear view of the wireless communication device of FIGS. 8–11;

FIG. 13 is a right side view of the wireless communication device of FIGS. 8–12; and,

FIG. 14 is a left side view of the wireless communication device of FIGS. 8–13.

1 Claim, 8 Drawing Sheets



^{*} cited by examiner




Fig.1




Fig.2




Fig.3




Fig.4



Fig.5






Fig.6




Fig.7



Fig.8

Dec. 31, 2002




Fig.9




Fig.10

Dec. 31, 2002




Fig.11




Fig.12






Fig.13




Fig.14