United States Patent [19]

Forrest

[56]

[54] COMBINED ADJUSTABLE JAM NUT AND WEB SLING FOR CLIMBERS

- [75] Inventor: William E. Forrest, Denver, Colo.
- [73] Assignce: Forrest Mountaineering, Ltd., Denver, Colo.
- [**] Term: 14 Years
- [21] Appl. No.: 604,634
- [22] Filed: Apr. 27, 1984
- [52]
 U.S. Cl.
 D2/380
 D2/380
 S81–385,
 D2/27; D21/244–246; 24/639, 642, 265 AL,
 D2/27; AL,
 D2/27; D21/244–246; 24/639, 642, 265 AL,
 D2/27; D21/244–246; D21/244–246; D21/244–246; D21/244–246; D21/244–246; D21
 - 265 C, 115 H, 115 K, 193, 197, 198, 200; 224/205, 206, 208; 2/44, 45; 242/96

References Cited

U.S. PATENT DOCUMENTS

3,377,007 4/1968 Gayler, Jr. 224/205 3,920,166 11/1975 Hogensen, Jr. 224/205 X

Primary Examiner-Bernard Ansher

[11] Patent Number: Des. 284,229

[45] Date of Patent: ****** Jun. 17, 1986

Assistant Examiner—Timothy M. Smith Attorney, Agent, or Firm—Edwin L. Spangler, Jr.

[57] CLAIM

The ornamental design for a combined adjustable jam nut and web sling for climbers, substantially as shown.

DESCRIPTION

FIG. 1 is a left side elevation of a combined adjustable jam nut and web sling for climbers showing my new design in fully unwound condition;

FIG. 2 is a front elevational view thereof in fully unwound condition;


FIG. 3 is a right side elevation thereof in fully wound condition;


FIG. 4 is a top plan view thereof in fully wound condition;

FIG. 5 is a rear elevational view thereof in fully wound condition;

FIG. 6 is a front elevation thereof in fully wound condition; and,

FIG. 7 is a bottom plan view thereof in fully wound condition.







•7

