

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 November 2004 (18.11.2004)

PCT

(10) International Publication Number
WO 2004/100521 A1

(51) International Patent Classification⁷: H04M 17/00

(21) International Application Number:
PCT/IB2004/001445

(22) International Filing Date: 7 May 2004 (07.05.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2003/3551 8 May 2003 (08.05.2003) ZA

(71) Applicant and

(72) Inventor: KAHN, Ari [ZA/ZA]; 41 22nd Street Parkhurst,
2193 Johannesburg (ZA).

(74) Agent: DONALD, Heather, June; Spoor & Fisher, PO
Box 41312, 2024 Craighall (ZA).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,

CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CALL MANAGEMENT PROTOCOL FOR INSUFFICIENT CREDIT



(57) Abstract: A method and system for operating a telephony service are disclosed, in which callers with insufficient credit or network airtime are able to contact a call recipient. The network monitors call attempts from callers to identify call attempts from callers with insufficient credit or airtime to make a call. When such a call attempt is detected, a call request is transmitted to the intended recipient of the call, to notify the recipient of the call attempt. The notification may take the form of an in-call notification if the call recipient is on-line, or an SMS or voicemail message if the recipient is off-line. The method and system permit individuals who otherwise would not be able to access the network to indicate to a call recipient that they have attempted to contact the call recipient. The call recipient can then contact the would be caller at his/her discretion.

WO 2004/100521 A1

Call Management Protocol for Insufficient Credit

BACKGROUND OF THE INVENTION

THIS invention relates to a method and system for operating a telephony service, and in particular to a call management protocol on a telephony network.

A substantial number of users of modern telephone networks make use of prepayment mechanisms to pay for their calls on a network. For example, users of a conventional fixed-line telephone network who use public telephones will typically use prepayment cards which store a credit value which is reduced according to the cost of calls made. Users of mobile networks who make use of prepaid airtime typically purchase an airtime recharge voucher which has a unique code. The user contacts the network and enters the code, and the balance of the user's prepaid airtime is increased accordingly. As the user makes calls, the balance is reduced accordingly.

In either case, once the credit value or prepaid airtime is exhausted, the user is prevented from making further use of the network and in particular making telephone calls until a new prepayment card is obtained (or the existing card is replenished with a further credit value) or further prepaid airtime is "loaded" on the network.

With the advent of modern telephone networks and, more recently, cellular networks with enhanced functionality, it is now possible to modify existing network call management protocols to deal with calls from callers having no airtime or insufficient airtime to make a call.

- 2 -

SUMMARY OF THE INVENTION

According to the invention there is provided a method of operating a telephony service, the method comprising:

monitoring call attempts from callers on the network to identify call attempts originating from callers who have insufficient credit or airtime to make a call to an intended recipient; and

transmitting a call request to the intended recipient of the call such that the recipient's handset notifies the recipient of such a call attempt, without necessarily establishing a conventional call.

Typically, the caller is a prepaid caller on the network who has insufficient credit or airtime remaining on the prepayment mechanism that is being used to make the call.

The prepayment mechanism may be a prepaid telephone card or prepaid network airtime, for example.

Alternatively, the caller may be a subscriber to the network who has insufficient credit with the network operator to make the call.

Preferably, the method includes generating a notification to at least the call recipient that the call request is originating from a subscriber who has insufficient credit to make the call.

Preferably the method includes generating a notification to the caller that they have insufficient credit or airtime to place the call and that a call request has been submitted to the call recipient.

The call request may be presented to the call recipient as an in-call notification, typically if the call recipient is on-line.

- 3 -

Alternatively, the call request may be presented to the call recipient as a message such as an SMS message and/or a voicemail message, typically if the call recipient is off-line.

Further according to the invention there is provided a system for operating a telephony service, the system comprising:

a telephony network with a plurality of users; and

a network node having call screening logic arranged to:

- i) monitor call attempts from users who have insufficient credit to make a call to the intended recipient; and
- ii) transmit a call request to the intended recipient of the call such that the recipient's handset notifies the recipient of such a call attempt, without necessarily establishing a conventional call.

The system may include a database containing details of the credit/airtime status of network subscribers, the network being arranged to establish the credit/airtime status of a caller automatically and to generate the call request if the credit/airtime available to the caller is insufficient to make a call.

BRIEF DESCRIPTION OF THE DRAWING

The single drawing is a simplified diagrammatic illustration of a call management system according to the invention.

DESCRIPTION OF AN EMBODIMENT

The drawing shows, in a highly simplified schematic form, the architecture of a part of a modern GSM mobile telephone network. The diagram does not purport to be comprehensive but merely illustrative. The network will typically embody intelligent network (IN) functionality, but this is not essential for implementation of the invention.

In the illustrated network, a mobile telephone 10 of a caller communicates with a first base station 12 which in turn communicates with a mobile switching center (MSC) 14. The base station 12 comprises a base station controller (BSC) and a base transceiver station (BTS) with associated antenna (not shown). Associated with the mobile switching center 14 is a visited location register (VLR) 16.

A call recipient has a mobile telephone 18 which communicates with a second base station 20. The base station 20 is connected to a further mobile switching center (MSC) 22 with its own associated visited location register 24. (In some cases, the two base stations could be connected to the same MSC.) The respective mobile switching centers 14 and 22 and the respective visited location registers 16 and 24 are interconnected as shown. The visited location registers are also connected to a home location register (HLR) 26 and to a billing center 28. The MSCs 14 and 22 are also connected to the billing center. The HLR is a central database containing data relating to the account status and predetermined network settings of subscribers. The VLRs are decentralized databases which are updated with data from the HLR relating to a particular subscriber when that subscriber's telephone connects to the MSC in question.

Connected to the MSC 14 are a service control point (SCP) 30, a service data point (SDP) 32 and a service switching point (SSP) 34.

The SCP of the MSC 22 servicing the call recipient has terminating screening logic which is invoked when calls are set to route to the call

- 5 -

recipient. The SDP is a database associated with the SCP containing data associated with the call recipient and in the context of this invention defining one or more groups of callers and their respective phone numbers.

The SSP is an optional intelligent network component forming part of a switching subsystem which essentially defines a network layer associated with switching services.

If the caller using the mobile telephone 10 has exhausted his/her prepaid airtime (or, in the case of a person using prepayment telephone cards, the user has depleted the credit value on the prepayment card) or does not have credit with the network operator, he/she will not be able to make calls normally. At best, emergency calls to certain predetermined numbers may be permitted by mobile networks, or calls to an operator may be permitted on a conventional network. The present invention proposes utilising the enhanced functionality of modern networks to monitor calls made on the network in order to identify call attempts made by callers with no or insufficient credit/airtime.

In the present example, when the caller utilising the telephone 10 attempts to make a call to the call recipient 18, the mobile switching center (MSC) 14 accesses the visited location register (VLR) 16 (and, if required, the billing center 28) and establishes that the caller does not have sufficient credit/airtime to make a call. Instead of routing a conventional call setup request via the MSC 22 to the telephone 18 of the call recipient, in the simplest form of the invention, the call request can be presented to the call recipient as a single ring ("ring once and disconnect") when the call recipient is online and available to the network. This is sufficient to generate a missed call message on the mobile telephone 18 of the call recipient, alerting him/her to the fact that the caller wishes to make contact. The call recipient can then return the call at his/her discretion.

Preferably, if the call recipient's mobile telephone is on-line, a prerecorded in-call message is presented to the call recipient, indicating that a call

- 6 -

request from a caller without credit/airtime has been received. In the case of the call recipient using a conventional telephone on a fixed-line network, a distinctive ringing tone can be presented.

Preferably, if the call recipient's mobile telephone is off-line or out of coverage, the network submits a notification which is stored and forwarded to the mobile telephone when it becomes available. Here the MSC 22 automatically transmits a signal to a short message service center (SMSC) 36, instructing the SMSC to transmit an SMS message to the call recipient in a predetermined format, requesting the call recipient to contact the caller. Preferably, the SMS message contains the caller's telephone number, extracted by caller line identification (CLI) and can take the following format, for example:

084 4432100 Please ring me

Optionally, the message can include an indication that the caller has no credit or airtime, for example:

084 4432100 Please ring me – no airtime

Alternatively, or in addition, a prerecorded voicemail message can be deposited in the voice mailbox of the call recipient, with a conventional notification being sent to the call recipient to alert them to the existence of the SMS and/or voicemail messages. The voicemail message could be entirely computer synthesized, including the caller's telephone number, or could include a recording of the caller's name, recorded previously, in a message requesting the call recipient to respond to the caller's message.

Compared with alternative proposals for transmitting messages to call recipients, a significant feature of the present invention is that it is not necessary for the caller to construct, address and send an SMS message from their own handset, or to prefix the telephone number of the call recipient with a special code in order to send a message to the call

- 7 -

recipient. Instead, the network itself establishes that the caller does not have credit/airtime and automatically transmits a call request and/or message to the call recipient, requesting the call recipient to contact the caller. The very one and same telephone number is dialed and the network now takes the most appropriate and intelligent action.

It will be appreciated that variations of the above described example are possible. For example, a more personalized service could be provided in which the network actually establishes a call to the call recipient and, on answering of the call by the call recipient, plays a prerecorded announcement requesting the call recipient to call the caller back, for example by pressing a predetermined button on the telephone. In this way, the caller and the call recipient could be connected reverse charged (the called party assuming the cost of the call) without having to re-establish the call routing and call path, since the caller may be kept actively engaged on the call all the while.

The described method and system have a number of advantages. Firstly, a caller is able to make contact with a selected call recipient even if the caller is out of credit/airtime on the network. This can include an implicit or explicit request for the call recipient to return the call.

It is envisaged that the described method and system will increase revenue from subscribers making use of the service, as callers such as children who have insufficient prepaid airtime to make a conventional call are able nevertheless to request a parent or family member to call them back, at the parent or family member's expense. Currently, using existing telephone network operating protocols, such a caller would not be able to establish a call to the person in question.

A further benefit is that the method and system operate by detecting callers with no or insufficient credit/airtime and allowing them to send call requests via the network, but callers with adequate airtime who simply choose to

send a message requesting a call recipient to call them back need not be accommodated.

CLAIMS


1. A method of operating a telephony service, the method comprising:

monitoring call attempts from callers on the network to identify call attempts originating from callers who have insufficient credit or airtime to make a call to an intended recipient; and

transmitting a call request to the intended recipient of the call such that the recipient's handset notifies the recipient of such a call attempt, without necessarily establishing a conventional call.
2. A method according to claim 1 wherein the caller is a prepaid subscriber to the network who has insufficient credit or airtime remaining on the prepayment mechanism that is being used to make the call.
3. A method according to claim 2 wherein the prepayment mechanism is a prepaid telephone card or prepaid network airtime.
4. A method according to claim 1 wherein the caller is a subscriber to the network who has insufficient credit with the network operator to make the call.
5. A method according to any one of claims 1 to 4 including generating a notification to at least the call recipient that the call request is originating from a subscriber who has insufficient credit or airtime to make the call.

- 10 -

6. A method according to any one of claims 1 to 5 including generating a notification to the caller that they have insufficient credit or airtime to place the call and that a call request has been submitted to the call recipient.
7. A method according to any one of claims 1 to 6 wherein the call request is presented to the call recipient as an in-call notification.
8. A method according to any one of claims 1 to 6 wherein the call request is presented to the call recipient as a message such as an SMS message and/or a voicemail message.
9. A system for operating a telephony service, the system comprising:
 - a telephony network with a plurality of users; and
 - a network node having call screening logic arranged to:
 - i) monitor call attempts from users who have insufficient credit or airtime to make a call to an intended recipient; and
 - ii) transmit a call request to the intended recipient of the call such that the recipient's handset notifies the recipient of such a call attempt, without necessarily establishing a conventional call.
10. A system according to claim 9 including a database containing details of the credit/airtime status of network subscribers, the network being arranged to establish the credit/airtime status of a caller automatically and to generate the call request if the credit/airtime available to the caller is insufficient to make a call.



INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB2004/001445A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04M17/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04M H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data, INSPEC

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2001/009849 A1 (HANSON DANIEL A) 26 July 2001 (2001-07-26) paragraph '0008! - paragraph '0010! paragraph '0024! - paragraph '0025! paragraph '0029! - paragraph '0039! -----	1-10
A	EP 1 180 895 A (LUCENT TECHNOLOGIES INC) 20 February 2002 (2002-02-20) paragraph '0010! - paragraph '0012! paragraph '0042! -----	1-10
A	EP 1 271 911 A (HEWLETT PACKARD CO) 2 January 2003 (2003-01-02) paragraph '0009! - paragraph '0031! paragraph '0035! - paragraph '0036! ----- -/--	1-10



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

° Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

7 September 2004

Date of mailing of the international search report

14/09/2004

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Patlaka, E.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB2004/001445

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 01/63897 A (TELECOMM SYSTEMS INC) 30 August 2001 (2001-08-30) page 10, line 28 - page 13, last line page 15, line 18 - last line figures 1,2,8,9 -----	1-10
A	US 2002/061092 A1 (BREZINSKI DAVID D ET AL) 23 May 2002 (2002-05-23) paragraph '0013! paragraph '0027! claim 1 -----	1-10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/IB2004/001445

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2001009849 A1	26-07-2001	US 6208851 B1	27-03-2001
		US 6058300 A	02-05-2000
		US 2004098293 A1	20-05-2004
		AU 6142498 A	25-08-1998
		CA 2250845 A1	06-08-1998
		WO 9834393 A2	06-08-1998
		US 6029062 A	22-02-2000
EP 1180895 A	20-02-2002	BR 0103347 A	23-04-2002
		CA 2350995 A1	18-02-2002
		CN 1346207 A	24-04-2002
		EP 1180895 A1	20-02-2002
		JP 2002125076 A	26-04-2002
EP 1271911 A	02-01-2003	EP 1271911 A1	02-01-2003
WO 0163897 A	30-08-2001	AU 3983101 A	03-09-2001
		AU 4322501 A	03-09-2001
		EP 1266321 A2	18-12-2002
		WO 0163897 A1	30-08-2001
		WO 0163883 A2	30-08-2001
		US 2002029189 A1	07-03-2002
US 2002061092 A1	23-05-2002	AU 8006500 A	23-04-2001
		WO 0128220 A1	19-04-2001
		US 2004062371 A1	01-04-2004
		US 6785372 B1	31-08-2004