



US00D532659S

(12) **United States Design Patent**  
**Britt et al.**

(10) **Patent No.:** **US D532,659 S**

(45) **Date of Patent:** **\*\* Nov. 28, 2006**

(54) **COOKING DEVICE**

(75) Inventors: **Gary Earl Britt**, Berlin, MD (US);  
**David Wilbur Nickson**, Belgrade, MT  
(US)

(73) Assignee: **Gary Britt**, Berlin, MD (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/230,714**

(22) Filed: **May 25, 2005**

(51) **LOC (8) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D7/669**; D7/683

(58) **Field of Classification Search** ..... D7/669,  
D7/368, 683, 601; D8/14, 16; 99/415-419,  
99/345, 426, 421 R, 425, 421 V

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,344,915 A	6/1920	Love	
3,026,400 A	6/1962	Van Sciver	
3,053,169 A	9/1962	Rappaport	
4,420,493 A	12/1983	Greck et al.	
4,450,759 A	5/1984	Steibel	
4,458,585 A	* 7/1984	Erbach	99/419
4,481,874 A	* 11/1984	Greck	99/419
4,557,188 A	* 12/1985	Spanek	99/415
D282,323 S	* 1/1986	Fetty	D7/601
4,735,135 A	4/1988	Walker	
4,738,192 A	* 4/1988	Odom, Jr.	99/419
4,924,768 A	* 5/1990	Jay	99/425
D311,651 S	* 10/1990	Fetty	D7/601
5,069,117 A	12/1991	Schlessel	
5,106,642 A	4/1992	Ciofalo	
5,301,602 A	4/1994	Ryczek	

5,826,497 A	10/1998	Basso
5,842,409 A	12/1998	Löffler et al.
5,981,926 A	11/1999	Kim
6,125,739 A	10/2000	Jernigan
6,192,792 B1	2/2001	Gremillion
6,349,632 B1	2/2002	Beck, Jr.
6,487,964 B1	12/2002	Snoke et al.
6,502,501 B1	1/2003	Simon
6,622,616 B1	9/2003	Measom

\* cited by examiner

*Primary Examiner*—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design of a cooking device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of a cooking device.

FIG. 2 is a side view of the device of FIG. 1.

FIG. 3 is another perspective view of the device of FIG. 1.

FIG. 4 is a side view of the device of FIG. 1.

FIG. 5 is a top view of the device of FIG. 1.

FIG. 6 is a perspective view of another embodiment of a cooking device.

FIG. 7 is a side view of the device of FIG. 6.

FIG. 8 is a top view of the device of FIG. 6.


FIG. 9 is a perspective view of another embodiment of a cooking device.

FIG. 10 is a side view of the device of FIG. 9; and,

FIG. 11 is a top view of the device of FIG. 9.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11