



US00D401552S

United States Patent [19]

[11] Patent Number: Des. 401,552

Tanaka et al.

[45] Date of Patent: **Nov. 24, 1998

[54] BATTERY CHARGER

FOREIGN PATENT DOCUMENTS

[75] Inventors: **Yosuke Tanaka**, Hyogo; **Kazuo Takaka**, Nara, both of Japan

910138 10/1994 Japan .

[73] Assignee: **Sanyo Electric Co., Ltd.**, Osaka, Japan

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Loeb & Loeb LLP

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **56,777**

The ornamental design for a battery charger, as shown and described.

[22] Filed: **Jul. 9, 1996**

DESCRIPTION

[30] **Foreign Application Priority Data**

Jan. 16, 1996 [JP] Japan 8-801

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/107**

[58] **Field of Search** D13/107, 108;
320/2, 3, 4, 15

FIG. 1 is a perspective view of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left elevational view thereof; and, FIG. 7 is a right elevational view thereof.

The broken line showing in FIG. 1 is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 359,474 6/1995 Palatov D13/108
D. 375,936 11/1996 Palatov D13/108

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

