



US00D860748S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,748 S**
Patterson (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **BUFFING PAD WITH COLLAPSED CELL STRUCTURE**

7,691,167 B2 * 4/2010 Tokumaru B01D 46/2418
264/628

D628,267 S * 11/2010 Dittmann D23/209
7,906,051 B2 3/2011 McLain

(Continued)

(71) Applicant: **Lake Country Manufacturing Inc.,**
Oconomowoc, WI (US)

Primary Examiner — Darlington Ly

(72) Inventor: **David Patterson,** Waukesha, WI (US)

(74) *Attorney, Agent, or Firm* — Harness, Dickey &
Pierce, P.L.C.

(73) Assignee: **Lake Country Manufacturing, Inc.,**
Oconomowoc, WI (US)

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design for a buffing pad with collapsed cell structure, substantially, as shown and described.

(21) Appl. No.: **29/624,227**

DESCRIPTION

(22) Filed: **Oct. 31, 2017**

(51) **LOC (12) Cl.** **08-05**

FIG. 1 is a top perspective view of a buffing pad with collapsed cell structure showing my new design in accordance to a first embodiment;

(52) **U.S. Cl.**

USPC **D8/70**

FIG. 2 is a top plan view thereof;

(58) **Field of Classification Search**

USPC D8/20, 61, 62, 63, 70; D15/5, 124, 125,
D15/126, 132, 138, 139, 140; D23/209,
D23/341, 364, 365, 354, 358, 363, 386;
D32/31

FIG. 3 is a bottom plan view thereof;

CPC B24D 9/08; B24B 55/102

FIG. 4 is a front elevation view thereof;

See application file for complete search history.

FIG. 5 is a side elevation view thereof; and
FIG. 6 is a cross-sectional view thereof taken along line 6-6 in FIG. 2.

(56) **References Cited**


U.S. PATENT DOCUMENTS

3,466,986	A *	9/1969	Theodor	E01C 9/083 404/41
D255,153	S *	5/1980	Meurer	D23/209
D414,281	S *	9/1999	Sassenberg	D25/152
D442,704	S *	5/2001	Lee	E01C 9/004 D25/118
D501,566	S *	2/2005	Yang	D25/139
6,972,045	B2 *	12/2005	Itoh	B01J 35/04 264/177.12
D553,932	S *	10/2007	Boler, Jr.	D8/70
D554,813	S *	11/2007	Boler, Jr.	D32/25
7,648,549	B2 *	1/2010	Gargano	B01D 46/0086 55/385.3

FIG. 7 is a top perspective view of a buffing pad with collapsed cell structure showing my new design in accordance to a second embodiment;
FIG. 8 is a top plan view thereof;
FIG. 9 is a bottom plan view thereof;
FIG. 10 is a front elevation view thereof;
FIG. 11 is a side elevation view thereof; and,
FIG. 12 is a cross-sectional view thereof taken along line 12-12 in FIG. 8.

The even broken lines in the drawings illustrate portions of the buffing pad with collapsed cell structure that form no part of the claimed design. The short dash-long dash broken lines in the drawings illustrate boundaries between portions of the buffing pad that form part and do not form part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D669,647	S	*	10/2012	Arnold	D32/25
D684,611	S	*	6/2013	Umbrell	D15/126
D684,739	S	*	6/2013	Arnold	D32/25
D685,924	S	*	7/2013	Lee	D25/118
D732,650	S	*	6/2015	Yamada	D23/365
D733,277	S	*	6/2015	Yamada	D23/365
D738,998	S	*	9/2015	Laver	D23/365
D740,405	S	*	10/2015	Yamaguchi	D23/355
D742,491	S	*	11/2015	Yamaguchi	D23/355
D763,427	S	*	8/2016	Miyairi	F01N 3/035 D23/365
D763,428	S	*	8/2016	Uesaka	D23/365
D763,429	S	*	8/2016	Mori	D23/365
D764,040	S	*	8/2016	Cho	D23/365
D772,389	S	*	11/2016	Ogata	D23/365
D803,651	S	*	11/2017	Umbrell	D8/70
D803,652	S	*	11/2017	Umbrell	D8/70
D804,923	S	*	12/2017	Umbrell	D8/70
D804,925	S	*	12/2017	Umbrell	D8/70
9,987,582	B2	*	6/2018	Mori	B01D 46/2455
10,118,121	B2	*	11/2018	Mori	B01D 46/2455
D837,419	S	*	1/2019	Martin	B44F 7/00 D25/158
D840,206	S	*	2/2019	Umbrell	D8/70
D844,272	S	*	3/2019	Anderson	D32/40
2010/0068981	A1		3/2010	McLain		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11



FIG. 12