



US00D676746S

(12) **United States Design Patent**
Shaffer et al.

(10) **Patent No.:** **US D676,746 S**

(45) **Date of Patent:** **** Feb. 26, 2013**

(54) **STRETCHABLE CAN CLOSURE DEVICE**

(76) Inventors: **Debra Shaffer**, Springfield, OH (US);
Carl J. Shaffer, Springfield, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/394,923**

(22) Filed: **Jun. 23, 2011**

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/443; D9/454**

(58) **Field of Classification Search** D9/772,
D9/763, 746, 529, 504, 454, 443, 435, 434,
D9/428, 424; D7/392.1; D34/11; D27/183-193;
220/711-717, 685, 658, 4.24, 4.23, 377,
220/309.1, 296, 284, 260, 258.5, 203.09;
215/347, 321, 307; 138/96 R

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,789,607	A	*	4/1957	Tupper	220/780
D182,779	S	*	5/1958	Tupper	D9/503
D296,525	S	*	7/1988	Siegel	D9/443
4,795,052	A		1/1989	Hayes, Jr.		
4,961,510	A		10/1990	Dvoracek		
D315,872	S		4/1991	Bixler		
5,102,002	A		4/1992	Whitley		
5,363,983	A		11/1994	Proshan		
5,366,109	A		11/1994	Proshan		
D359,905	S	*	7/1995	Molo	D9/447
D371,485	S	*	7/1996	Hickey	D7/392.1
D398,485	S	*	9/1998	Landauer et al.	D7/629
6,073,797	A		6/2000	Barous		
6,296,137	B1		10/2001	Bjornsen		
D475,573	S	*	6/2003	Jalet et al.	D7/392.1
D478,469	S	*	8/2003	Roth et al.	D7/392.1

D527,254	S	*	8/2006	Antonelli	D9/436
D528,359	S	*	9/2006	Laib	D7/392.1
D543,111	S	*	5/2007	Hoglund	D9/504
D587,136	S	*	2/2009	Friebe et al.	D9/772
D591,507	S	*	5/2009	Mowe et al.	D3/269
D610,006	S	*	2/2010	Ortell	D9/454
D614,439	S	*	4/2010	Olivari	D7/392.1
D621,705	S	*	8/2010	Breckan	D9/443
D621,951	S	*	8/2010	Bucholtz et al.	D24/224
2004/0000551	A1		1/2004	Flink et al.		
2006/0016820	A1		1/2006	Himes et al.		

* cited by examiner

Primary Examiner — Susan Bennett Hattan

(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design LLC


(57) **CLAIM**

The ornamental design for a stretchable can closure device, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a stretchable can closure device depicted as attached to a can, showing our new design; FIG. 2 is a top perspective view of the stretchable can closure device; FIG. 3 is a bottom perspective view thereof; FIG. 4 is a front view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a left side view thereof with a right side view being a mirror image; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof. The broken line showing of a can in FIG. 1 is for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8