

(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum

Internationales Büro

(43) Internationales Veröffentlichungsdatum
6. Juni 2013 (06.06.2013)



(10) Internationale Veröffentlichungsnummer
WO 2013/079139 A3


- (51) Internationale Patentklassifikation: **G01C 19/5776** (2012.01)
- (21) Internationales Aktenzeichen: PCT/EP2012/004307
- (22) Internationales Anmeldedatum: 15. Oktober 2012 (15.10.2012)
- (25) Einreichungssprache: Deutsch
- (26) Veröffentlichungssprache: Deutsch
- (30) Angaben zur Priorität: 10 2011 119 949.0
1. Dezember 2011 (01.12.2011) DE
- (71) Anmelder: **NORTHROP GRUMMAN LITEF GMBH** [DE/DE]; Lörracher Strasse 18, 79115 Freiburg (DE).
- (72) Erfinder; und
- (71) Anmelder (nur für US): **RUF, Markus** [DE/DE]; Am Güller 16, 79183 Waldkirch (DE).
- (74) Anwalt: **ZINKE, Thomas**; Müller · Hoffmann & Partner, Innere Wiener Straße 17, 81667 München (DE).
- (81) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare nationale Schutzrechtsart): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare regionale Schutzrechtsart): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), eurasisches (AM, AZ, BY, KG, KZ, RU, TJ, TM), europäisches (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Fortsetzung auf der nächsten Seite]

(54) Title: REGULATING DEVICE, ROTATION RATE SENSOR AND METHOD FOR OPERATING A REGULATING DEVICE WITH HARMONIC DESIRED VALUE SIGNAL

(54) Bezeichnung : REGELUNGSVORRICHTUNG, DREHRATENSOR UND VERFAHREN ZUM BETRIEB EINER REGELUNGSVORRICHTUNG MIT HARMONISCHEM SOLLWERTSIGNAL

Fig. 1



(57) Abstract: The invention relates to a regulating device, comprising a sensor unit (170) that emits a measurement signal which maps a deflection of an oscillator (190) along an excitation direction. A regulator main unit (200) derives a control signal for an actuator unit from the measurement signal and a harmonic desired value signal, such that the actuator unit (180) counteracts a deviation of the deflection of the oscillator (190) from a desired amplitude of a harmonic resonant oscillation. If the actuator unit (180) switched off, a regulator expansion unit (600) estimates the actual phase and actual amplitude of a residual oscillation of the oscillator (190) and synchronises the harmonic desired value signal with the residual oscillation. The residual energy contained in the residual oscillation is utilised in order to achieve a defined operating state of the oscillator quickly.

(57) Zusammenfassung: Eine Regelungsvorrichtung umfasst eine Sensoreinheit (170), die ein Messsignal ausgibt, welches eine Auslenkung eines Schwingers (190) entlang einer Anregungsrichtung abbildet. Eine Regler-Haupteinheit (200) leitet aus dem Messsignal und einem harmonischen Sollwertsignal ein Steuersignal für eine Aktuatoreinheit ab, so dass die Aktuatoreinheit (180) einer Abweichung der Auslenkung des Schwingers (190) von

[Fortsetzung auf der nächsten Seite]

WO 2013/079139 A3

**Veröffentlicht:**

- *mit internationalem Recherchenbericht (Artikel 21 Absatz 3)*
- *vor Ablauf der für Änderungen der Ansprüche geltenden Frist; Veröffentlichung wird wiederholt, falls Änderungen eingehen (Regel 48 Absatz 2 Buchstabe h)*

**(88) Veröffentlichungsdatum des internationalen
Recherchenberichts:**

25. Juli 2013

einer Soll-Amplitude einer harmonischen Resonanzschwingung entgegen wirkt. Eine Regler-Erweiterungseinheit (600) schätzt bei abgeschalteter Aktuatoreinheit (180) Ist-Phase und Ist-Amplitude einer Restschwingung des Schwingers (190) und synchronisiert das harmonische Sollwertsignal auf die Restschwingung auf. Die in der Restschwingung enthaltene Restenergie wird ausgenutzt, um schneller einen definierten Betriebszustand des Schwingers zu erreichen.

Control Device, Rotation Rate Sensor and Method for Operating a Control Device with Harmonic Set Point Signal

5

Description

The invention refers to a control unit, in particular to a rotation rate sensor device with harmonic command variables or harmonic set point signals. The invention further refers to a method for operating a control device with
10 harmonic command variables.

Conventional control methods are tailored to control problems with constant or only slowly changing command variables, wherein the value of a controlled process variable affected from a disturbance is kept close to a predetermined set point, or respectively is updated as close as possible to a
15 changing set point. Some applications as for example micromechanical rotation rate sensors for analysis of a Coriolis force provide an excitation of an oscillator with its resonance frequency and with a defined oscillation amplitude by a control loop. In this process, a controller controls the force signal
20 generated by it such that the difference between a predetermined harmonic set point signal and a measured oscillator movement vanishes.

In this process, typically a measurement signal which reflects the movement of an oscillator along a direction of excitation is at first fed to a demodulator. The demodulator multiplies the measurement signal with a harmonic
25 signal of the angular frequency ω_d , which corresponds to the resonance angular frequency ω_0 of the oscillator. The control itself is performed with a set point signal in the baseband being constant or in any case independent from the resonance angular frequency. The output signal of the controller gets
30 then re-modulated in a modulator on a harmonic signal with an angular frequency ω_m , which corresponds to the resonance frequency ω_0 of the oscillator. The modulation product is then compared with the predetermined set signal. The difference between the two signals controls finally an actuator, which performs based on the controller signal a force to the oscillator such
35 that the oscillator oscillates according to the predetermined set oscillation. As the control is performed in baseband, a low pass filter filters the frequen-

cy conversion products, in particular at the double resonance frequency, by which process, however, the bandwidth of the controller and hence its reaction speed to changes of the deflection is limited.

5 At the application date not yet published German patent application DE 102010055631.9 a control with a harmonic set point signal in the frequency band of the resonance angular frequency ω_0 of the oscillator is described.

10 In many fields of application the oscillator oscillates after deactivating of the drive with a decaying amplitude. Is the control activated during a decay phase of the oscillator the activation time depends on the phase and amplitude difference between the decaying oscillation and the set point signal.

15 Object of the invention is a control concept for improving the switch-on behaviour of a control device for a harmonic command variable. The object is solved by the subject-matter of the independent claims. Further embodiments are given in the corresponding dependent claims.

20 In the following embodiments of the invention, their functioning as well as their advantages will be described based on the Figures. Elements of the embodiments may be combined with each other, insofar they do not exclude each other.

25 Figure 1 illustrates a schematic block diagram of a device with a control device according to an embodiment of the invention, which comprises a controller main unit for controlling a harmonic oscillation based on a harmonic set point signal and a controller extension unit for synchronizing the harmonic set point signal.

30

Figure 2A illustrates a simplified block diagram with details of the controller extension unit of Figure 1 according to another embodiment.

35 Figure 2B illustrates a block diagram with further details of the controller extension unit of Figure 2A according to another embodiment.

Figure 3A illustrates a schematic block diagram of a device with a control device according to an embodiment, which refers to a controller main unit

with a continuous PI controller for harmonic set point signals and a dead time element.

5 Figure 3B illustrates schematically the transfer function of the PI controller according to Figure 3A.

10 Figure 4A illustrates a schematic block diagram of a device with a control device according to an embodiment which refers to a controller main unit with a discrete PI controller for harmonic set point signals and a dead time element.

Figure 4B illustrates schematically the transfer function of the controller main unit of Figure 4A.

15 Figure 5A illustrates a schematic block diagram of a device with a control device according to an embodiment, which refers to a controller main unit with a discrete PI controller for harmonic set point signals and a controller extension working similarly to band pass.

20 Figure 5B illustrates schematically the transfer function of the controller extension of Figure 5A.

25 Figure 6A is a schematic top view of the micromechanical part of a rotation rate sensor according to another embodiment of the invention.

Figure 6B is a schematic cross-sectional view of the micromechanical part of the rotation rate sensor of Figure 6A.

30 Figure 6C is a schematic block diagram of the rotation rate sensor according to Figures 6A and 6B.

Figure 7 is a schematic top view of the micromechanical part of a rotation rate sensor according to another embodiment of the invention.

35 Figure 8 illustrates a simplified process flow for a method for operating a control device.

The device 100 as shown in Figure 1 comprises an oscillator 190 and a control device with a controller main unit 200 and a controller extension unit

600. The oscillator 190 is a mass, which is moveably suspended along a direction of excitation and is capable to oscillate along the direction of excitation with a resonance frequency ω_0 . In the stationary case the oscillator 190 performs a translational or rotational oscillation with the resonance angular frequency ω_0 . According to an embodiment the oscillator 190 is an excitation unit, a Coriolis unit or a detection unit of a rotation rate sensor. The rotation rate sensor may be for example formed as an MEMS (microelectromechanical system).

10 The sensor 170 captures the movements of the oscillator 190 and outputs a measurement signal, which reflects the whole deflection of the oscillator 190 along a direction of excitation. The measurement signal corresponds to a controller input signal for the controller main unit 200. The controller main unit 200 compares the controller input signal with a harmonic set point signal output from the controller extension unit 600 and generates based on
15 the signal difference a controller output signal, which is output to an actuator unit 180. The controller main unit 200 determines the controller output signal such that the actuator unit 180 generates a force signal such that the difference between the predetermined harmonic set signal and the measured
20 movement of the oscillator 190 vanishes.

According to an embodiment the controller extension unit 600 comprises an actuator activation unit 695 by which the actuator unit 180 can be activated. In the block diagram of Figure 1 the actuator activation unit 695 is illustrated as a switch in the supply of the controller output signal to the actuator unit 180, wherein the switch is controllable by the output signal of the controller extension unit 600.

The controller extension unit 600 is activated by the control device, for example by switching on an operation voltage. The actuator unit 180 stays deactivated at first. Depending on the previous history, the oscillator 190 is addressed or performs a residual oscillation if the actuator unit 180 is deactivated. The controller extension unit 600 determines while the actuator unit 180 is still deactivated from the measurement signal an actual-phase and an actual-amplitude of such a residual oscillation of the oscillator 190 and supplies a synchronized set point signal adapted to the actual phase and the actual amplitude to the controller main unit. As soon as the harmonic set point signal or the synchronized control signal deduced therefrom is available, the controller extension unit 600 activates the actuator unit 180 via the

actuator activation unit 695 such that the amplitude of the residual oscillation of the oscillator 190 is phase synchronously amplified to the set amplitude and such that in this process the energy contained in the residual oscillation is used.

5

The controller extension unit 600 allows to set the oscillator starting from all considerable initial states in very short time to its set amplitude and to maintain it there. A residual oscillation occurs in particular then if the oscillator 190 is to be brought to oscillate with the set amplitude after deactivating the drive or the actuator unit 180 at an arbitrary time within the decay time.

According to an embodiment the control devices 200, 600 and the oscillator 190 are constituents of a rotation rate sensor of a navigation instrument, in particular of a navigation instrument for an aircraft which has to be transferred into an undisturbed operation state after a short time power breakdown in a time as short as possible. The controller extension unit 600 estimates amplitude and phasing of the present decaying residual oscillation of the oscillator 190.

20

According to an embodiment the controller extension unit 600 comprises a Kalman filter for estimating the amplitude and phasing. From the amplitude and phasing of the residual oscillation an initial phase as well as an initial amplitude for a phase and amplitude correct switch-on of the harmonic set point signal are deduced under consideration of internal signal runtimes. The present residual oscillation is used such that the period of recommissioning after switch-off for a short time is reduced. The larger the amplitude of the present residual oscillation, the less time is necessary in order to let the oscillator oscillate with the set amplitude again. Hence, in particular after short breakdowns of the power supply recommissioning time (ramp up time) of a system comprising the control device 200, 600 is reduced.

According to the embodiment illustrated in Figure 1 the controller extension unit 600 comprises a capturing unit 610 and a synchronization unit 620. The capturing unit 610 determines from the measurement signal the actual phase and the actual amplitude of the residual oscillation of the oscillator 190 at least in an activation phase of the device 100, for example after switching on the operation voltage again. From the actual phase and the actual amplitude as well as further system parameters, e.g. signal runtimes and signal retardation times, the

capturing unit 610 determines synchronisation information, which indicates the phase and amplitude of the harmonic set point signal generated by the synchronisation unit 620. The synchronisation unit 620 receives the synchronisation information and transfers the harmonic set point signal determined by the synchronisation information to the controller main unit 200. For example, the controller main unit 200 comprises a summation unit 221 which forms from the harmonic set point signal output from the synchronisation unit 620 and the measurement signal a difference signal.

According to an embodiment the resonance angular frequency ω_r of the harmonic set point signal is predetermined by the resonance angular frequency ω_0 of the oscillator 190, wherein this frequency is also integrated as initial value in the estimation for the actual phase and the actual amplitude. According to another embodiment the controller extension unit 600 comprises a temperature capturing unit, wherein the capturing unit 610 bases the estimation of the actual phase and actual amplitude on a temperature corrected resonance angular frequency of the oscillator 190, and wherein the harmonic set point signal oscillates with the temperature corrected resonance angular frequency.

According to the embodiment illustrated in Figure 1 the controller extension unit 600 comprises a frequency storage unit 630, which stores frequency information describing the current oscillation frequency of the oscillator 190 in temporal intervals. According to an embodiment the frequency storage unit 630 stores the current resonance angular frequency periodically in a non-volatile storage. For example, the update frequency is chosen such that application typical temperature changes may be followed. According to an embodiment the update frequency is in a range from 1 Hz to 100 Hz, for example around 10 Hz.

The controller extension unit 600 retrieves the frequency information for estimating the actual phase and the actual amplitude of the residual oscillation of the oscillator 190 and/or uses the frequency information stored there for generating the harmonic set point signal, for example for controlling of an oscillator generating the set point signal. In the relevant time periods for recommissioning, this means within the decay time of the oscillation of the oscillator 190, the temperature and therefore the resonance angular frequency of the oscillator 190 hardly changes such that the value for the driving frequency stored last during ongoing operation in a non-volatile storage

represents after a restart a sufficiently good approximate value for the actual resonance angular frequency oscillator 190 and may be used as the initial value for the control. For example, oscillators in micromechanical rotation rate sensors have time constants in a range of 10 s. After deactivating the force transmission, for example after loss of an operation voltage, the oscillator oscillates after about 30 s still with about 5 % of the set amplitude.

According to an embodiment a sequence control of the capturing unit 610 controls the actuator activation unit 695 such that the actuator unit 180 is only activated then if the controller extension unit 600 outputs a phase and amplitude synchronous harmonic set point signal. According to an embodiment the actuator activation unit 695 is a switching device, for example a digital switch, which supplies the actuator unit 180 with the controller output signal of the controller main unit 200 only then if a phase and amplitude correct harmonic set point signal is available to the controller main unit 200.

According to another embodiment the capturing unit 610 deactivates at least after determining the synchronisation information such partial units of the controller extension unit 600 which are not needed anymore.

Figure 2A illustrates details of the capturing unit 610. According to an embodiment the capturing unit 610 comprises a filter unit 612. For example, an analogue measurement signal is sampled with a sampling time T and converted into a digital measurement signal in this process. The filtering unit 612 estimates from the sampling values of the measurement signal, from an estimation value for the variance of a measurement noise contained in the measurement signal, and from an estimation value for a constant amplitude offset of the measurement signal estimation values for a variation in time of the residual oscillation, for example the estimated zero points. According to an embodiment the filter unit 612 uses in this process frequency information which is for example read out from the frequency storage unit 630. A control unit 616 determines from the estimation values of the variation in time of the residual oscillation the synchronisation information based on the actual-phase and the actual-amplitude. In this process the control unit 616 takes the retardation resulting from the filtering, the required calculations and transient oscillation retardations into account. The control unit 616 calculates the initial phase φ_0 and the initial value A_s for the amplitude of the harmonic set point signal and the time t_0 at which the harmonic

set point signal calculated in this way is in phase with the actual oscillation of the oscillator 190.

5 The synchronisation unit 620 comprises for example a controllable oscillation circuit 622, whose phase is controllable. According to an embodiment also the frequency of the oscillator is controllable. For example, the frequency of the oscillator is temperature-controlled such that a temperature-dependent change of the harmonic resonance angular frequency of the oscillator 190 may be followed. According to another embodiment the resonance
10 angular frequency ω_r of the oscillator circuit 622 is determined by the last entry into the frequency storage unit 630. The information about the last stored frequency may be supplied to the oscillator circuit 622 directly from the frequency storage unit 630 or via the control unit 616.

15 The amplitude of the harmonic set point signal is controlled such that it is ramped up according to a time function $r(t)$ based on an initial amplitude value A_s corresponding to the estimated actual-amplitude of the oscillation of the oscillator 190 to the set value of the amplitude of the harmonic oscillation of the oscillator 190. For example the control unit 616 outputs in this
20 process a ramp signal with the initial value of the estimated actual amplitude and the end value of the set point amplitude, whose variation in time and/or whose time constant is adapted to the actual phase.

A multiplier unit 626 multiplies the amplitude signal $A_s \cdot r(t)$ with the
25 output signal of the oscillator circuit 622. At the summation point 221 the difference between the harmonic set point signal and the measurement signal is formed. According to an embodiment the control unit 616 deactivates the filter unit 612 once their results are transmitted to the control unit 616. The deactivation of the filter unit 612 reduces for example the power consumption. In addition in a realization in a microprocessor the computation
30 capacity needed for the estimation may be made free for the computation operations necessary during normal operation of the device. According to another embodiment, the control unit 616 controls the actuator activation unit 695 of Figure 1 such that the actuator unit 180 is switched on at time
35 t_0 .

According to an embodiment the controller extension unit 600 comprises a pre-stage unit 640. The pre-stage unit 640 determines from the measurement signal whether the amplitude A of the residual oscillation falls below a

minimal threshold A_{xmin} . If this is the case it is to be assumed that the oscillator does not perform any significant residual movements anymore and that the oscillator may be started without problems from its resting state. According to an embodiment the harmonic set point signal starts then with the
 5 initial amplitude $A_s = A_{xmin}$. The phasing during start from the state of rest is arbitrary and the frequency of the harmonic set point signal may be determined for example from the knowledge of the temperature and a linear temperature model for the oscillator 190 or may be read out from the frequency storage unit 630. According to an embodiment the pre-stage unit 640 deter-
 10 mines a maximal value A_{max} from several oscillation periods and a minimal value A_{min} and calculates from the values A_{max} and A_{min} rough values for the current oscillation amplitude A and a current oscillation offset A_0 according to equations 1 and 2:

$$15 \quad (1) \quad A = \frac{A_{max} - A_{min}}{2}$$

$$(2) \quad A_0 = \frac{A_{max} + A_{min}}{2}$$

The controller extension unit 600 is for example realized as a digital circuit, for example as ASIC (application specific integrated circuit), DSP (digital signal processor) or FPGA (field programmable gate array). Controller extension unit 600 and controller main unit 200 may be formed in the same or in different components. According to a further embodiment the controller extension unit 600 and the controller main unit 200 are completely or partly
 25 programs, which are performed from a computer or a microprocessor.

According to an embodiment the filter unit 612 is a Kalman-filter. The estimation of values for amplitude and phase is performed in comparison to the decay time constant of the oscillator several magnitudes faster. According to
 30 an embodiment the movement y_0 of the oscillator is therefore assumed to be an undamped harmonic oscillation:

$$(3) \quad y_0(t) = A \cdot \sin(\omega_{0M} \cdot t)$$

35 The measurement signal $y^*(t)$ contains beside the actual oscillator movement y_0 also the unavoidable measurement noise w and the a constant offset A_0 .

$$(4) \quad y^* = y + A_0 = y_0 + w + A_0$$

The oscillator movement $y_0(t)$ is considered as the solution of the differential equation system with the equations (5) to (10):

$$(5) \quad \dot{y}_0 = A \cdot \omega_{0M} \cdot \cos(\omega_{0M} \cdot t)$$

$$(6) \quad \ddot{y}_0 = -A \cdot \omega_{0M}^2 \cdot \sin(\omega_{0M} \cdot t)$$

$$(7) \quad x_1 = y_0$$

10

$$(8) \quad x_2 = \dot{y}_0$$

$$(9) \quad \dot{x}_1 = x_2$$

15

$$(10) \quad \dot{x}_2 = -\omega_{0M}^2 \cdot x_1$$

The description of state of this system can be represented by using matrix notation as follows with equation (11):

$$(11) \quad \dot{\underline{x}} = \begin{bmatrix} 0 & 1 \\ -\omega_{0M}^2 & 0 \end{bmatrix} \cdot \underline{x} = \underline{A} \cdot \underline{x}$$

20

In order to obtain a difference equation system, the above system is discretized with respect to the used sampling T of the measurement signal. This is represented by means of the Laplace transformation:

25

$$(12) \quad \underline{\phi}(s) = [s \cdot \underline{I} - \underline{A}]^{-1}$$

$$(13) \quad \underline{\phi}(s) = \begin{bmatrix} s & -1 \\ \omega_{0M}^2 & s \end{bmatrix}^{-1} = \begin{bmatrix} \frac{s}{s^2 + \omega_{0M}^2} & \frac{1}{s^2 + \omega_{0M}^2} \\ \frac{-\omega_{0M}^2}{s^2 + \omega_{0M}^2} & \frac{s}{s^2 + \omega_{0M}^2} \end{bmatrix}$$

30

$$(14) \quad \underline{\phi}(t) = \begin{bmatrix} \cos(\omega_{0M} \cdot t) & \frac{1}{\omega_{0M}} \cdot \sin(\omega_{0M} \cdot t) \\ -\omega_{0M} \cdot \sin(\omega_{0M} \cdot t) & \cos(\omega_{0M} \cdot t) \end{bmatrix}$$

$$(15) \quad \underline{\phi}(T) = \begin{bmatrix} \cos(\omega_{0M} \cdot T) & \frac{1}{\omega_{0M}} \cdot \sin(\omega_{0M} \cdot T) \\ -\omega_{0M} \cdot \sin(\omega_{0M} \cdot T) & \cos(\omega_{0M} \cdot T) \end{bmatrix}$$

Element for element the difference equation system may be represented as follows:

5

$$(16) \quad x_1(k+1) = \cos(\omega_{0M} \cdot T) \cdot x_1(k) + \frac{1}{\omega_{0M}} \cdot \sin(\omega_{0M} \cdot T) \cdot x_2'(k)$$

$$(17) \quad x_2'(k+1) = -\omega_{0M} \cdot \sin(\omega_{0M} \cdot T) \cdot x_1(k) + \cos(\omega_{0M} \cdot T) \cdot x_2'(k)$$

10 In order to simplify the calculation and implementation, it is preferable to normalize the state variables x_2' with ω_{0M} as follows:

$$(18) \quad x_1(k+1) = \cos(\omega_{0M} \cdot T) \cdot x_1(k) + \sin(\omega_{0M} \cdot T) \cdot \frac{x_2'(k)}{\omega_{0M}}$$

$$15 \quad (19) \quad \frac{x_2'(k+1)}{\omega_{0M}} = -\sin(\omega_{0M} \cdot T) \cdot x_1(k) + \cos(\omega_{0M} \cdot T) \cdot \frac{x_2'(k)}{\omega_{0M}}$$

With the new state variable

$$(20) \quad x_2 = \frac{x_2'}{\omega_{0M}}$$

20 the description of state of the discretized system may be represented as follows:

$$(21) \quad \underline{x}(k+1) = \underline{\phi}(T) \cdot \underline{x}(k) = \begin{bmatrix} \cos(\omega_{0M} \cdot T) & \sin(\omega_{0M} \cdot T) \\ -\sin(\omega_{0M} \cdot T) & \cos(\omega_{0M} \cdot T) \end{bmatrix} \cdot \underline{x}(k)$$

$$25 \quad (22) \quad y(k) = \underline{c}^T \cdot \underline{x}(k) + w(k) = [1 \quad 0] \cdot \underline{x}(k) + w(k)$$

For the variance of the measurement noise w the symbol R is used in what follows.

30 Based on the noisy measurement values y^* according to an embodiment a Kalman-filter is used in order to gain an estimation value \hat{x} of the actual

system state \underline{x} . The Kalman filter may be described by the following set of equations:

$$(23) \quad \underline{P}^*(0) = \begin{bmatrix} 1/2 & 0 \\ 0 & 1/2 \end{bmatrix} \underline{x}^*(0) = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

5

$$(24) \quad \underline{k}(k) = \underline{P}^*(k) \cdot \underline{c} \cdot \left\{ \underline{c}^T \cdot \underline{P}^*(k) \cdot \underline{c} + R \right\}^{-1}$$

$$(25) \quad \tilde{\underline{P}}(k) = \underline{P}^*(k) - \underline{k}(k) \cdot \underline{c}^T \cdot \underline{P}^*(k)$$

$$10 \quad (26) \quad \underline{P}^*(k+1) = \underline{\phi} \cdot \tilde{\underline{P}}(k) \cdot \underline{\phi}^T$$

$$(27) \quad y(k) = y^*(k) - A_0$$

$$(28) \quad \hat{\underline{x}}(k) = \underline{x}^*(k) + \underline{k}(k) \cdot \left\{ y(k) - \underline{c}^T \cdot \underline{x}^*(k) \right\}$$

15

$$(29) \quad \underline{x}^*(k+1) = \underline{\phi} \cdot \hat{\underline{x}}(k)$$

By considering element by element the Kalman filter equations may be represented by equations (30) to (42) as follows. Here, the symmetry of the matrices \underline{P}^* and $\tilde{\underline{P}}$ has been used:

20

$$(30) \quad k_1(k) = \frac{P_{11}^*(k)}{P_{11}^*(k) + R}$$

$$(31) \quad k_2(k) = \frac{P_{12}^*(k)}{P_{11}^*(k) + R}$$

25

$$(32) \quad \tilde{P}_{11}(k) = P_{11}^*(k) - P_{11}^*(k) \cdot k_1(k)$$

$$(33) \quad \tilde{P}_{12}(k) = P_{12}^*(k) - P_{11}^*(k) \cdot k_2(k)$$

30

$$(34) \quad \tilde{P}_{22}(k) = P_{22}^*(k) - P_{12}^*(k) \cdot k_2(k)$$

(35)

$$P_{11}^*(k+1) = \cos^2(\omega_{0M} \cdot T) \cdot \tilde{P}_{11}(k) + 2 \cdot \cos(\omega_{0M} \cdot T) \cdot \sin(\omega_{0M} \cdot T) \cdot \tilde{P}_{12}(k) + \sin^2(\omega_{0M} \cdot T) \cdot \tilde{P}_{22}(k)$$

35

(36)

$$P_{12}^*(k+1) = -\cos(\omega_{0M} \cdot T) \cdot \sin(\omega_{0M} \cdot T) \cdot \tilde{P}_{11}(k) + (\cos^2(\omega_{0M} \cdot T) - \sin^2(\omega_{0M} \cdot T)) \cdot \tilde{P}_{12}(k) \\ + \cos(\omega_{0M} \cdot T) \cdot \sin(\omega_{0M} \cdot T) \cdot \tilde{P}_{22}(k)$$

5 (37)

$$P_{22}^*(k+1) = \sin^2(\omega_{0M} \cdot T) \cdot \tilde{P}_{11}(k) - 2 \cdot \cos(\omega_{0M} \cdot T) \cdot \sin(\omega_{0M} \cdot T) \cdot \tilde{P}_{12}(k) + \cos^2(\omega_{0M} \cdot T) \cdot \tilde{P}_{22}(k)$$

$$(38) \quad y(k) = y^*(k) - A_0$$

10

$$(39) \quad \hat{x}_1(k) = x_1^*(k) + k_1(k) \cdot (y(k) - x_1^*(k))$$

$$(40) \quad \hat{x}_2(k) = x_2^*(k) + k_2(k) \cdot (y(k) - x_1^*(k))$$

15

$$(41) \quad x_1^*(k+1) = \cos(\omega_{0M} \cdot T) \cdot \hat{x}_1(k) + \sin(\omega_{0M} \cdot T) \cdot \hat{x}_2(k)$$

$$(42) \quad x_2^*(k+1) = -\sin(\omega_{0M} \cdot T) \cdot \hat{x}_1(k) + \cos(\omega_{0M} \cdot T) \cdot \hat{x}_2(k)$$

20

The zero crossing from negative to positive values of the estimated signals \hat{x}_1 is used to start the set signal of the amplitude control in proper phase. The time zero is chosen such that it coincides with the detected zero crossing. The estimated signal is then proportional to $\sin(\omega_{0M} \cdot T \cdot k)$.

25

The set point signal of the amplitude control should start exactly in the zero crossing of the estimated signal with the initial phase 0. But as only sampling values with a temporal resolution of T are available, the zero crossing may not be met exactly in general. According to an embodiment for this reason a phase $\Delta\varphi_0$ to be taken into account additionally is determined from the sampling value $\hat{x}_{1,0}$ previous to zero crossing and the sampling value $\hat{x}_{1,1}$ after the zero crossing by linear interpolation according to equation (43):

30

$$(43) \quad \Delta\varphi_0 = \frac{\hat{x}_{1,1}}{\hat{x}_{1,1} - \hat{x}_{1,0}} \cdot \omega_{0M} \cdot T$$

35

This phase becomes effective only in the following cycle, which leads to a retardation to be considered additionally. Moreover, further retardations depending on realisation have to be considered during signal processing (e.g.

during capturing of measurement values). These further retardations in multiples of the sampling time are assumed to be n_{osc} . The necessary initial phase φ_0 is then according to equation (44):

$$(44) \quad \varphi_0 = \Delta\varphi_0 + (n_{osc} + 1) \cdot \omega_{0M} \cdot T = \frac{\hat{x}_{1,1}}{\hat{x}_{1,1} - \hat{x}_{1,0}} \cdot \omega_{0M} \cdot T + (n_{osc} + 1) \cdot \omega_{0M} \cdot T$$

Figure 2B illustrates details of a Kalman-filter as filter unit 612 of a control device.

10 If the system consists of several oscillators and the drives of the oscillators have to be started together because of a common electronic (e.g. in an inertial measurement unit (IMU) consisting of three rotation rate sensors) the zero crossings of the oscillators do not have to happen within the same sampling cycle necessarily. For this reason the starting phase for those oscillators, which have already had their zero crossings is increased by $\omega_{0M} \cdot T$ for each additional sampling cycle. This is performed until also the last oscillator has had its zero crossing.

For example, as soon as the synchronisation condition (the zero crossing of the measured oscillator signal) has been detected for at least one of these sensors, the drive of this sensor is started according to the above-described method. The switch-on of the remaining sensors may then be performed as soon as also their individual synchronisation conditions are satisfied. The time for switching on the drive is chosen for all sensors individually in this process. According to another embodiment with a common electronic for which only a common switch-on time of the drive is possible, it is waited until the synchronisation conditions for all sensors are detected. As the synchronisation conditions per sampling cycle can be evaluated once, for each sensor, whose synchronisation condition was already obtained, the phase $\omega_{0M} \cdot T$ corresponding to the sampling cycle is added to the start phase for each additional sampling cycle.

The embodiment illustrated in Figure 3A describes in order to clarify the mode of operation of the principle on which the controller main unit 200 is based an analogue embodiment of the controller main unit 200 within a device 100. The controller main unit 200 comprises a PI controller 225 for harmonic command variables or harmonic set point signals with an integrating transfer element 222 with an integral action coefficient K_i and a propor-

tional transfer element 224 with an amplification factor K_p . The PI controller 225 for harmonic command variables generates from a harmonic oscillation of constant amplitude at the controller input a harmonic oscillation with the same frequency and time proportional amplitude at the controller output.

5

Figure 3B illustrates the transformation of a sine wave modulated step function signal $x_d(t)$ into a harmonic output signal $u(t)$ with time proportional amplitude by the transfer function $G_{R0}(s)$ of the PI-controller 225. The described behavior of the PI-controller requires a dimensioning of the controller parameters K_i , K_p as described subsequently. Equation (45) gives the relation between the controller output signal $u(t)$ and the controller input signal $x_d(t)$ for $x_d(t) = \sigma(t)$:

10

$$(45) \quad u(t) = (K_p + K_i \cdot t) \cdot \sin(\omega_0 \cdot t) \cdot \sigma(t).$$

15

The Laplace-transform of the controller output signal $u(t)$ and controller input signal $x_d(t)$ result from equations (46a) and (46b):

$$(46a) \quad X_d(s) = \frac{\omega_0}{s^2 + \omega_0^2}$$

20

$$(46b) \quad U(s) = K_p \cdot \frac{\omega_0}{s^2 + \omega_0^2} + K_i \cdot \frac{2 \cdot \omega_0 \cdot s}{(s^2 + \omega_0^2)^2}.$$

The transfer function $G_{R0}(s)$ of the PI-controller 225 for harmonic set point signals results thus from equation (47):

25

$$(47) \quad G_{R0}(s) = \frac{U(s)}{X_d(s)} = K_p \cdot \frac{s^2 + 2 \cdot \frac{K_i}{K_p} \cdot s + \omega_0^2}{s^2 + \omega_0^2}$$

Characteristically for the continuous PI-controller 225 is a conjugate complex pole at $s = \pm j\omega_0$ resulting from the generalized integral component. With a harmonic oscillation of the frequency ω_0 at the controller input, the PI-controller 225 generates no phase shift at the controller output. For adjusting of an arbitrary phase the controller main unit 200 includes therefore additionally a dead time element 226 with the controller dead time T_R in series to the PI-controller 225. The controller transfer function $G_R(s)$ of the controller main unit 200 results thus from equation (48):

30

$$(48) \quad G_R(s) = G_{R0}(s) \cdot e^{-T_R \cdot s} = K_P \frac{s^2 + 2 \cdot \frac{K_I}{K_P} \cdot s + \omega_0^2}{s^2 + \omega_0^2} \cdot e^{-T_R \cdot s}$$

The controller parameters K_i , K_p are chosen such that the controller zeros in the controller transfer functions according to equation (48) compensate the conjugate complex system pole in the system transfer functions according to equation (49).

$$(49) \quad G(s) = \frac{A}{(s + s_0)^2 + \omega_0^2} \cdot e^{-T_S \cdot s} = G_o(s) \cdot e^{-T_S \cdot s}$$

By equating the coefficients of equations (48) and (49) for the determination of the controller parameters K_i , K_p the equations (50a) and (50b) result:

$$(50a) \quad 2 \cdot \frac{K_I}{K_P} = 2 \cdot s_0$$

$$(50b) \quad \omega_0^2 = \omega_0^2 + s_0^2.$$

According to one embodiment the damping s_0 and the resonance angular frequency ω_0 of the oscillator 190 are chosen such that $s_0 \ll \omega_0$ is satisfied and that hence equation (50b) is satisfied in very good approximation. From equation (50a) equation (50c) results as dimensioning rule for the ratio of the integral action coefficient K_i to the amplification factor K_p :

$$(50c) \quad \frac{K_I}{K_P} = s_0.$$

The transfer function $G_k(s)$ of the corrected open loop results from the product of the system transfer function $G_s(s)$ and the controller transfer function $G_R(s)$. As the expression for the conjugate complex system pole and the conjugate complex controller zeros cancel away by appropriate dimensioning according to equations (50b), (50c), the transfer function $G_k(s)$ of the corrected open loop results from equation (51):

$$(51) \quad G_k(s) = G_S(s) \cdot G_R(s) = A \cdot K_P \cdot \frac{1}{s^2 + \omega_0^2} \cdot e^{-(T_S + T_R) \cdot s}$$

By feedback control with a conventional PI-controller a phase jump from $+90^\circ$ to -90° occurs in the phase frequency response of the corrected open loop at the frequency $\omega = 0$. In contrast in the PI-controller 225 designed for

harmonic command variables a 180° phase jump occurs at the frequency ω_0 , which is however not necessarily between $+90^\circ$ and -90° . According to one embodiment the controller dead time T_R is therefore chosen such that the 180° phase jump occurs as much as possible exactly at ω_0 , for example by dimensioning the controller parameters according to equation (52a):

$$(52a) \quad (T_S + T_R) \cdot \omega_0 = \frac{3}{2} \cdot \pi$$

Is the phase shift produced by the system dead time T_S alone at ω_0 smaller than 90° , then the phase ratio of 180° can also be generated by an inverting controller. In this case the phases produced by the controller dead time T_R and the system dead time T_S at ω_0 , respectively, have to add merely to $\pi/2$. The dimensioning rule for the controller dead time T_R is then:

$$(52b) \quad (T_S + T_R) \cdot \omega_0 = \frac{\pi}{2}$$

From the frequency response of the corrected open loop the stability properties of the closed loop can be deduced via the Nyquist criterion. The corrected open loop consists of the generalized integrator and the combination of system dead time T_S and controller dead time T_R . By appropriate dimensioning of the controller dead time T_R according to equations (52a) or (52b) the phase characteristics at the frequency ω_0 has a 180° jump between $+90^\circ$ for lower frequencies $\omega < \omega_0$ to -90° to higher frequencies $\omega > \omega_0$. The transfer function $G_w(s)$ of the closed loop results from the one of the corrected open loop $G_k(s)$.

$$(53) \quad G_w(s) = \frac{G_k(s)}{1 + G_k(s)}$$

When the controller dead time T_R is determined according to equation (52a) the closed loop is exactly then stable when the locus of the corrected open loop neither encloses nor runs through the point -1 for $0 \leq \omega < \omega_0$.

When in contrast the controller dead time T_R is determined according to equation (52b) and when the PI-controller generates a 180° phase the closed loop is exactly then stable when the locus of the corrected open loop at a negative real axis starts at a value larger than -1.

In the interval $0 \leq \omega < \omega_0$ the absolute value characteristic intersects the 0 dB line at the gain crossover frequency, wherein the frequency distance to ω_0 at the gain crossover frequency determines the bandwidth of the closed loop. Via the amplification factor K_p the absolute value frequency response and hence the gain crossover frequency can be shifted along the ordinate such that the resulting bandwidth of the closed loop is adjustable. According to one embodiment the amplification factor K_p is chosen such that the bandwidth is maximal within the limits given by the stability criteria.

10 In summary, the controller main unit 200 comprises a PI-controller 225 for harmonic command variables, which is supplied with a harmonic set point signal and which comprises a proportional transfer element 224 with amplification factor K_p and an integrating transfer element 222 with an integral action coefficient K_I . The integral action coefficient K_I and the amplification factor K_p are chosen such that in the s-plane the zero of the controller transfer function of the PI-controller 225 and the conjugated complex pole of the oscillator 190 describing the system transfer function compensate.

20 According to one embodiment the damping s_0 of the oscillator 190 with respect to the deflection in the direction of excitation is very much smaller than the resonance angular frequency ω_0 of the oscillator 190 and the ratio of the integral action coefficient K_I to the amplification factor K_p in sec^{-1} corresponds approximately to the damping s_0 . Moreover, the amplification factor K_p can be chosen such that the resulting bandwidth is as high as possible for the respective stability requirements. The integral action coefficient K_I is then chosen in dependence from the damping s_0 and the amplification factor K_p according to equation (12c).

30 According to one embodiment the system formed from the actuator 180, the oscillator 190 and the sensor unit 170 has a system dead time T_s and the controller main unit 200 has a dead time element 226 with the controller dead time T_R acting serially to the PI-controller 225. The controller dead time T_R is chosen in dependence of the resonance frequency ω_0 of the oscillator 190 and the system dead time T_s is chosen such that the phase frequency response of the corrected open loop at the frequency ω_0 has a phase jump from $+90^\circ$ to -90° towards higher frequencies.

According to a first variant of this embodiment the PI-controller for harmonic command variables does not flip the sign and the controller dead time T_R

is chosen such that the product of the resonance angular frequency ω_0 and the sum of system dead time T_S and controller dead time T_R has $3\pi/2$ as a result. According to another variant of this embodiment the PI-controller 225 inverts the sign, respectively shifts the phase about 180° , and the phase effected by the controller dead time T_R and the system dead time T_S at the resonance angular frequency ω_0 merely adds to $\pi/2$ such that the product of the resonance angular frequency ω_0 and the sum of system dead time T_S and controller dead time T_R has $\pi/2$ as a result.

As the controller main unit 200 provides no baseband transformation, which requires a low pass filter for damping of higher frequency conversion products, the controller main unit 200 can be formed with a considerable broader band. The controller main unit 200 reacts faster to disturbances than comparative controllers which provide a baseband transformation.

Figures 4A and 4B refer to one embodiment at which the controller main unit 200 has a discrete PI-controller 325 for harmonic set point signals with a discrete proportional transfer element 324 with the amplification factor K_p and a discrete integrating transfer element 322 with the integral action coefficient K_I . According to an embodiment the analog measurement signal output by the sensor unit 170 is sampled with a sampling time T by a sampling unit 321 and converted into a digital input signal for the discrete PI-controller 325. According to another embodiment the sensor unit outputs already a digital measurement signal.

According to an embodiment at which the system including the actuator 180, the oscillator 190 and the sensor unit 170 has a system dead time T_S , the controller main unit 200 includes a dead time element 326 arranged in series to the discrete PI-controller 325 with a controller dead time T_R . In what follows the system dead time T_S as well as the controller dead time T_R are expressed as multiplies of the sampling time T according to the equations (54a) and (54b):

$$(54a), (54b) \quad T_S = \beta_S \cdot T \quad \text{and} \quad T_R = \beta_D \cdot T.$$

In this process the controller dead time T_R is determined such that the corrected open loop has a phase jump at the resonance angular frequency ω_0 from $+90^\circ$ and -90° towards higher frequencies.

According to one embodiment the ratio of the integral action coefficient K_I to the amplification factor K_P is adjusted such that the controller zero of the controller transfer function compensates the conjugate complex system pole of the system transfer function in the s-plane. According to another
 5 embodiment the controller parameters are chosen such that the transfer function of the closed loop of an equivalent baseband system has a double real eigenvalue. The controller main unit 200 is for example realized as a digital circuit, for example as ASIC (application specific integrated circuit), DSP (digital signal processor) or FPGA (Field Programmable Gate Array) or as
 10 a program for a computer or micorprocessor.

Figure 4B illustrates the z-transfer function $G_{R0}(z)$ of the discrete PI-controller 325 for harmonic command variables according to Figure 4A. The transfer function $G_{R0}(z)$ is determined such that the PI-controller 325 gener-
 15 ates from an input signal $x_d(k)$ including a harmonic oscillation modulated with the step function $\sigma(k)$ a harmonic oscillation of the same frequency with a time proportional amplitude as controller output signal $u(k)$ as expressed by equation (55):

$$20 \quad (55) \quad u(k) = (K_P + K_I \cdot T \cdot k) \cdot \sin(\omega_0 \cdot T \cdot k) \cdot \sigma(k)$$

The input function $X_d(z)$ and the output function $U(z)$ result from z-transformations according to equations (56a) and (56b):

$$25 \quad (56a) \quad X_d(z) = \frac{z \cdot \sin(\omega_0 \cdot T)}{z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1}$$

$$(56b) \quad U(z) = K_P \cdot \frac{z \cdot \sin(\omega_0 \cdot T)}{z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1} + K_I \cdot \frac{T \cdot z^3 \cdot \sin(\omega_0 \cdot T) - T \cdot z \cdot \sin(\omega_0 \cdot T)}{(z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1)^2}$$

30 The transfer function $G_{R0}(z)$ of the discrete PI-controller 325 for harmonic command variables is then resulting from equation (56c):

$$(56c) \quad G_{R0}(z) = \frac{U(z)}{X_d(z)} = \frac{(K_P + K_I \cdot T) \cdot z^2 - 2 \cdot K_P \cdot \cos(\omega_0 \cdot T) \cdot z + K_P - K_I \cdot T}{z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1}$$

35

Because of the generalized integral portion such a discrete PI-controller has a pole at $z = e^{\pm j \cdot \omega_0 \cdot T}$ and generates with a harmonic oscillation of the frequency ω_0 at the input no phase shift at the output. To be able to nevertheless adjust an arbitrary phase, the controller main unit 200 is provided with a dead time element 326 with the retardation β_D according to one embodiment. The controller transfer function $G_R(z)$ of the controller main unit 200 with the dead time element 326 and the discrete PI-controller 325 result then from the equation (57):

$$(57) \quad G_R(z) = G_{R0}(z) \cdot z^{-\beta_D} = \frac{(K_P + K_I \cdot T) \cdot z^2 - 2 \cdot K_P \cdot \cos(\omega_0 \cdot T) \cdot z + K_P - K_I \cdot T}{z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1} \cdot z^{-\beta_D}$$

The model of the continuous controlled system according to equation (49) has to be discretized accordingly. To this end in the transfer function $G(s)$ of the controlled system according to equation (49) the system dead time T_s is at first expressed as a multiple of the sampling time T according to equation (54a):

$$(58) \quad G(s) = \frac{A}{(s + s_0)^2 + \omega_0^2} \cdot e^{-\beta_S \cdot T_s} = G_0(s) \cdot e^{-\beta_S T_s}$$

Generally a step transfer function $G(z)$ of a discretized model of a continuous controlled system with the transfer function $G(s)$ can be calculated according to equation (59):

$$(59) \quad G(z) = \frac{z-1}{z} \cdot Z \left\{ \frac{G(s)}{s} \right\}$$

With the following abbreviations according to equations (59a) to (59e)

$$(59a) \quad K_S = \frac{A}{s_0^2 + \omega_0^2}$$

$$(59b) \quad b_1 = 1 - e^{-s_0 \cdot T} \cdot \cos(\omega_0 \cdot T) - \frac{s_0}{\omega_0} \cdot e^{-s_0 \cdot T} \cdot \sin(\omega_0 \cdot T)$$

$$(59c) \quad b_2 = e^{-2 \cdot s_0 \cdot T} - e^{-s_0 \cdot T} \cdot \cos(\omega_0 \cdot T) + \frac{s_0}{\omega_0} \cdot e^{-s_0 \cdot T} \cdot \sin(\omega_0 \cdot T)$$

$$(59d) \quad a_1 = 2 \cdot e^{-s_0 \cdot T} \cdot \cos(\omega_0 \cdot T)$$

$$(59e) \quad a_2 = -e^{-2 \cdot s_0 \cdot T}$$

the step transfer function $G(z)$ for the oscillator 190 result from the equations (58) and (59) according to equation (60):

$$(60) \quad G(z) = K_S \cdot \frac{b_1 \cdot z + b_2}{z^2 - a_1 \cdot z - a_2} \cdot \frac{1}{z^{\beta_S}} = G_0(z) \cdot \frac{1}{z^{\beta_S}}$$

According to one embodiment of the invention the controller dead time T_R is determined such that the phase frequency response of the corrected open loop has a phase jump from $+90^\circ$ to -90° towards higher frequencies at the resonance angular frequency ω_0 . The z-transfer function for the corrected open loop results in analogy to equation (51) from the multiplication of the system transfer function $G(z)$ according to equation (58) with the controller transfer function $G_R(z)$ according to equation (57):

$$(61) \quad G_K(z) = G_0(z) \cdot G_{R0}(z) \cdot z^{-(\beta_S + \beta_D)}$$

Analog to the equations (52a) and (52b) the controller parameter β_D is chosen such that the transfer function of the corrected open loop $G_k(z)$ has a phase jump from $+90^\circ$ to -90° at the resonance angular frequency ω_0 :

$$(62a) \quad (\beta_S + \beta_D + \frac{1}{2}) \cdot \omega_0 \cdot T = \frac{3}{2} \cdot \pi$$

In comparison with equation (52a) one finds an additional part of $\frac{1}{2}\omega_0 T$ with respect to the continuous controller, which expresses a retardation, which can be traced back to the discretizing of an additional half sampling cycle. As in the case of the continuous controller a phase jump of 180° can be generated by a minus sign in the controller, provided that the phase shift generated by the system dead time $\beta_S \cdot T$ and the discretization, respectively, are smaller than 90° at the resonance angular frequency ω_0 such that the phases generated by the discretization, the controller dead time $\beta_D \cdot T$ and the system dead time $\beta_S \cdot T$, need merely to add up to $\pi/2$. Accordingly, the dimensioning rule for β_D results in this case from equation (62b):

$$(62b) \quad (\beta_S + \beta_D + \frac{1}{2}) \cdot \omega_0 \cdot T = \frac{\pi}{2}$$

35

The equations (62a) and (62b) lead normally to a non-integral value for β_D . Generally, the controller parameter β_D has an integral part n_D and a rest $1/a_D$ with $a_D > 1$ according to equation (63):

$$(63) \quad \beta_D = n_D + \frac{1}{a_D}$$

According to one embodiment the integral part n_D can be approximated by a retardation chain in accordance with the length denoted by n_D and the fraction $1/a_D$ of a sampling cycle can be approximated by an all-pass filter of first order according to equation (64):

$$(64) \quad z^{-\frac{1}{a_D}} \approx \frac{\alpha_D \cdot z + 1}{z + \alpha_D}$$

According to one embodiment the parameter α_D of the all-pass filter is chosen such that the phase of the exact transfer function $z^{-\frac{1}{a_D}}$ and the phase of the all-pass approximation according to equation (64) coincide at the resonance angular frequency ω_0 as far as possible. From these conditions equation (65) results as a conditional equation for the parameter α_D of the all-pass filter:

$$(65) \quad -\frac{\omega_0 \cdot T}{a_D} = \arctan\left(\frac{\alpha_D \cdot \sin(\omega_0 \cdot T)}{\alpha_D \cdot \cos(\omega_0 \cdot T) + 1}\right) - \arctan\left(\frac{\sin(\omega_0 \cdot T)}{\cos(\omega_0 \cdot T) + \alpha_D}\right)$$

According to one embodiment α_D is determined such that via nested intervals the zeros of the function according to equation (66) are determined:

$$(66) \quad f(\alpha_D) = \arctan\left(\frac{\alpha_D \cdot \sin(\omega_0 \cdot T)}{\alpha_D \cdot \cos(\omega_0 \cdot T) + 1}\right) - \arctan\left(\frac{\sin(\omega_0 \cdot T)}{\cos(\omega_0 \cdot T) + \alpha_D}\right) + \frac{\omega_0 \cdot T}{a_D}$$

The determination of n_D and a_D according to equations (63) and (66) is independent from the way of determining the further controller parameters K_p and K_I .

According to one embodiment of a method for manufacturing a controller unit which includes the dimensioning of the discrete PI-controller according to Figure 4A, the amplification factor K_p and the integral action coefficient K_I of the discrete PI-controller are chosen such that the controller zeros in the controller transfer function $G_R(z)$ according to equation (57) compensate the conjugate complex system pole of the system transfer func-

tion $G(z)$ according to equation (60). Equating coefficients of equations (57) and (60) with respect to z^1 leads to the dimensioning rule according to equation (67):

$$(67) \quad K_P = K_I \cdot T \cdot \frac{e^{-s_0 \cdot T}}{1 - e^{-s_0 \cdot T}}.$$

Equating coefficients with respect to z^0 leads to the dimensioning rule according to equation (68):

$$(68) \quad K_P = K_I \cdot T \cdot \frac{1 + e^{-2 \cdot s_0 \cdot T}}{1 - e^{-2 \cdot s_0 \cdot T}}.$$

According to one embodiment the damping s_0 of the oscillator 190 and the sampling time T are chosen such that $s_0 \cdot T \ll 1$ holds such that the approximations according to (69a) and (69b) are sufficiently exact:

$$(69a) \quad e^{-s_0 \cdot T} \approx 1 - s_0 \cdot T$$

$$(69b) \quad e^{-2 \cdot s_0 \cdot T} \approx 1 - 2 \cdot s_0 \cdot T$$

With the approximations according to equations (69a) and (69b) the two independent dimensioning rules according to equations (67) and (68) can be approximated by a single dimensioning rule according to equation (70):

$$(70) \quad K_P = K_I \cdot T \cdot \frac{1 - s_0 \cdot T}{s_0 \cdot T}, \text{ respectively } K_I \cdot T = K_P \cdot s_0 \cdot T.$$

According to one embodiment the ratio of the integral action coefficient K_I to the amplification factor K_P is set equal or nearly equal to the damping s_0 of the oscillator. The dimensioning of the discrete PI-controller 325 according to the described method which includes the compensation of the system pole by the controller zero, leads to a good reference action of the closed loop.

Figures 5A and 5B refer to one embodiment at which the controller main unit 200 has a controller extension 328, which is arranged in series to the PI-controller 325 and the dead time element 326 according to Figure 4A. In the following the structure of the controller extension 328 is deduced from an analogue controller extension for the baseband.

For example the oscillator 190 can have further resonances beside the resonance angular frequency at ω_0 , such as mechanic structure resonances above or below the resonance angular frequency ω_0 . The controller extension 328 is formed such that these further resonances are damped more strongly.

5 To this end a retardation element of first order (PT₁-element) with a further pole at the kink frequency beyond the desired bandwidth would be added to a conventional PI-controller in the baseband. This additional controller pole effects that the controller is not any longer acting as a proportional element for high frequencies, but that its absolute value frequency drops down with
10 20 db/decade. The step response $y(k)$ of such an extension in the baseband results from the step function $\sigma(k)$ as input signal $u(k)$ according to equation (71):

$$(71) \quad y(k) = (1 - e^{-\frac{kT}{T_1}}) \cdot \sigma(k)$$

15

The z transform $U(z)$ of the input signal $u(k)$ corresponds to the z transform of the step signal:

$$(72a) \quad U(z) = \frac{z}{z-1}$$

20

The z transform $Y(z)$ of the output signal $y(k)$ results from equation (72b):

$$(72b) \quad Y(z) = \frac{z}{z-1} - \frac{z}{z - e^{-\frac{T}{T_1}}}$$

25 Analog to equation (47) for the transfer function $G_{RE0}(z)$ of such a controller extension in the baseband results thus:

$$(73) \quad G_{RE0}(z) = \frac{1 - e^{-\frac{T}{T_1}}}{z - e^{-\frac{T}{T_1}}}$$

30 According to one embodiment the controller extension 328 in the bandpass band is configured now in analogy to the controller extension in the baseband such that the controller extension 328 responds to an admission with a harmonic oscillation of a resonance angular frequency ω_0 modulated by the step function with a harmonic oscillation of the same frequency, wherein the

step response of the baseband extension defines the envelope as it is illustrated on the right side of Figure 5B.

Figure 5B illustrates the transformation of a sign modulated step function $u(k)$ onto an output signal with a sign oscillation whose envelope results from the step response according to the transfer function $G_{RE0}(z)$ of the discrete controller extension in the bandpass band. The input signal of the controller extension 328 in the bandpass band with the transfer function $G_{RE}(z)$ results from equation (74):

10

$$(74) \quad u(k) = \sin(\omega_0 \cdot T \cdot k) \cdot \sigma(k)$$

15

The controller output signal $y(k)$ is a harmonic oscillation whose envelope corresponds to the step response of the PT_1 -controller extension in the baseband:

$$(75) \quad y(k) = (1 - e^{-\frac{k \cdot T}{T_1}}) \cdot \sin(\omega_0 \cdot T \cdot k) \cdot \sigma(k)$$

20

The z-transform $U(z)$ and $Y(z)$ result from equations (76a) and (76b):

$$(76a) \quad U(z) = \frac{z \cdot \sin(\omega_0 \cdot T)}{z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1}$$

$$(76b) \quad Y(z) = z \cdot \frac{\sin(\omega_0 \cdot T)}{z^2 - 2 \cdot \cos(\omega_0 \cdot T) \cdot z + 1} - z \cdot \frac{e^{-\frac{T}{T_1}} \cdot \sin(\omega_0 \cdot T)}{z^2 - 2 \cdot e^{-\frac{T}{T_1}} \cdot \cos(\omega_0 \cdot T) \cdot z + e^{-2\frac{T}{T_1}}}$$

25

The transfer function $G_{RE}(z)$ of the controller extension 328 for the bandpass band result from equation (77):

$$(77) \quad G_{RE}(z) = \frac{Y(z)}{U(z)} = \frac{(1 - e^{-\frac{T}{T_1}}) \cdot z^2 - e^{-\frac{T}{T_1}} \cdot (1 - e^{-\frac{T}{T_1}})}{z^2 - 2 \cdot e^{-\frac{T}{T_1}} \cdot \cos(\omega_0 \cdot T) \cdot z + e^{-2\frac{T}{T_1}}}$$

30

The controller extension 328 with the transfer function $G_{RE}(z)$ acts in series to the discrete PI-controller 325 similarly to a bandpass of first order with the resonance frequency ω_0 as midband frequency. Absolute value and phase of the corrected open loop at the resonance angular frequency ω_0 in a narrow region around the resonance angular frequency ω_0 according to equation (78) remain unchanged.

$$(78) \quad \omega_0 - \frac{1}{T_1} \leq \omega \leq \omega_0 + \frac{1}{T_1}$$

In this region the absolute value frequency response of the corrected open
5 loop is hardly influenced, while out of this region a considerable drop of the
absolute value happens such that possible undesired resonances can be
dropped.

10 Figures 6A to 6C refer to a micromechanical rotation rate sensor 500 accord-
ing to a further embodiment. The rotation rate sensor 500 includes an exci-
tation unit 590, e.g. an excitation frame, suspended at first spring elements
541. The first spring elements 541 couple the excitation unit 590 to an at-
tachment structure 551 which is fixedly connected to a support substrate
550 illustrated in Figure 6B. The spring elements 541 damp a deflection of
15 the excitation unit 590 with respect to the support substrate 550 along the
direction of excitation 501 only weakly. Over second spring elements 542 a
detection unit 580 is coupled to the excitation unit 590 and is movable with
respect to the excitation unit 590 mainly along a detection direction 502 or-
thogonal to the direction of excitation 501. The direction of excitation 501
20 and the detection direction 502 run parallel to a surface of the support sub-
strate 550. The first and second spring elements 541, 542 are for example
beam-like structures with small cross sections, which are formed between
each of the structures to be coupled.

25 According to one embodiment the rotation rate sensor 500 includes first
force transmission and sensor units 561, 571, e.g. electrostatic force trans-
mitters and sensors, which excite the system formed from the excitation unit
590 and the detection unit 580 to an oscillation along the direction of exci-
tation 501 and/or are able to capture a corresponding deflection of the exci-
30 tation unit 590. The rotation rate sensor 500 includes further second force
transmission and sensor units 562, 572, e.g. electrostatic force transmitters
and sensors, which act on the detection unit 580 and/or are able to capture
its deflection. According to one embodiment at least one of the second force
transmission and sensor units 562, 572 is controlled such that it counter-
35 acts a deflection of the detection unit 580, caused by a disturbance or in
case of a closed loop system caused by a measured variable.

During operation of the rotation rate sensor 500 the first force transmission and sensor units 561, 571 excite for example the excitation unit 590 to an oscillation along the direction of excitation 501, wherein the detection unit 580 moves approximately with the same amplitude and phase with the excitation unit 590. When the arrangement is rotated around the axis orthogonal to the substrate plane a Coriolis force is acting on the excitation unit 590 and the detection unit 580, which deflects the detection unit 580 with respect to the excitation unit 590 in the detection direction 502. The second force transmission and sensor units 562, 572 capture the deflection of the deflection unit 580 and thus the rotational movement around the axis orthogonal to the substrate plane.

According to one embodiment at least one of the force transmission and sensor units 561, 572, 562, 572 acts as actuator and either the excitation unit 590 or the detection unit 580 as oscillator within the meaning of one of the devices 200 described above.

According to one embodiment illustrated in Figure 6C of the rotation rate sensor 500 for example the first force transmission and sensor units 561, 571 excite the excitation unit 590 to an oscillation with the resonance angular frequency ω_0 along the direction of excitation 501. In a control loop according to the above discussion an oscillation of the detection unit 580 along the detection direction 502 (x2-oscillator) can then for example correspond to the harmonic force signal as described above.

The deflection of the x2-oscillator can be captured via the charge on the common movable electrode, which is formed on the excitation unit 590. The charge can be measured via the attachment structure 551. A charge amplification unit 521 amplifies the measured signal. While typically a demodulation unit modulates the measured signal with a frequency which corresponds for example to the resonance angular frequency ω_0 before it is fed into a controller unit, the embodiments of the invention provide to feed the non-demodulated harmonic signal as measurement signal within the meaning described above into a controller unit 520 according to the above discussion.

The damping s_0 effective for the oscillation is considerably smaller than the resonance angular frequency ω_0 . The signal measured over the excitation frame respectively the excitation unit 590 reproduces partly the movement of

the excitation unit 590 along the direction of excitation 501. A disturbance whose source can be outside of the rotation rate sensor 500, or, in a closed loop system, the measurement variable, respectively, superposes the oscillation and modulates its amplitude. The controller unit 520 deduces
5 from the modulated harmonic signal a control signal for the second force transmission and sensor units 562, 572 which effects that these counteract the deflection effected by the disturbance or the measurement variable, respectively. An amplification unit 522 transforms the control signal in a suitable reset signal for the electrodes of the second force transmission and
10 sensor units 562, 572. The controller unit 520 comprises one of of the controller main units 200 and controller extension units 600, respectively, described above.

The rotation rate sensor 505 illustrated in Figure 7 differs from the rotation
15 rate sensor 500 illustrated in Figure 6A by a Coriolis unit 585 arranged between the excitation unit 590 and the detection unit 580. Second spring elements 542 which couple the Coriolis unit 585 to the excitation unit 590 allow for a deflection of the Coriolis unit 585 relative to the excitation unit 590 in the detection direction 502. Third spring elements 543, which can be
20 connected partly with the support substrate 550, couple the detection unit 580 such to the Coriolis unit 585 that the detection unit 580 can follow the movement of the Coriolis unit 585 along the detection direction 502, but cannot follow movements along the direction of excitation 501. The detection unit 580 is fixed with respect to the direction of excitation 501 and is move-
25 able along the detection direction 502.

According to another embodiment at least one of the first or second force transmission and sensor units 561, 562, 571, 572 acts as actuator and either the excitation unit 590 or the detection unit 580 or the excitation unit
30 590 as well as the detection unit 580 act as oscillator according to one of the devices described above, which are operated according to the principle of the bandpass controller. In this process the force transmission and sensor units 561 and 571 act as force transmission and sensor units respectively for the x1-oscillator and the force transmission and sensor units 562 and 572 act
35 as force transmission and sensor units respectively for the x2-oscillator.

A rotation rate sensor according to another embodiment includes two of the arrangements as illustrated in Figure 6A or Figure 7, which are coupled to each other such that the excitation units perform opposing oscillations in

the stationary state with respect to each other. Other embodiments concern rotation rate sensors with four of the arrangements as illustrated in Figure 6A or Figure 7 which are coupled to each other such that every two of the excitation units perform opposing oscillations in the stationary state.

5

A further embodiment refers to a rotation rate sensor device having the combination of controller main unit 200 and controller extension unit 600 as illustrated in figures 1, 2A and 2B. The controller main unit 200 includes at least one PI-controller 225, 325 for harmonic set point signals, which on his part has a proportional transfer element 224, 324 and an integrating transfer element 222, 322 arranged in parallel to the proportional transfer element 224, 324, wherein a controller unit of the controller main unit 200 is connected with both transfer elements 222, 224, 322, 324. The transfer function of the PI-controller 225, 325 for harmonic set point signals has a conjugate complex pole at a controller angular frequency ω_r in the s-plane or at $e^{\pm j\omega_r T}$ in the z-plane, wherein T is the sampling time of a discrete input signal of the PI-controller 325 and wherein ω_r is larger than 0.

10

15

To this end the integral action coefficient of the integrating transfer elements 222, 322 and an amplification factor of the proportional transfer elements 224, 324 is chosen such that the PI-controller 225, 325 for harmonic command variables is suitable for generating at a controller output a harmonic oscillation of the controller angular frequency ω_r with rising amplitude, at admission with an harmonic input signal of the controller angular frequency ω_r modulated by the step function at the controller input.

25

The PI-controller 225, 325 for harmonic set point signals can also be taken for a controller derived from a conventional PI-controller for stationary set point signals and differs from it by the position of the poles in the s- or z-plane, respectively.

30

Figure 8 refers to a method for operating a control device with harmonic command variables. A sensor unit generates a measurement signal, which represents the deviation of an oscillator along a direction of excitation (802). A controller extension unit generates, based on an estimation of an actual-phase and actual-amplitude of a residual oscillation of the oscillator at deactivated actuator unit (804), a phase synchronous harmonic set point signal with equal amplitude. A controller main unit generates from the measurement signal and the synchronous set point signal a synchronized control

35

signal for the actuator unit such that the actuator unit can counteract against a deviation of the oscillator from a harmonic oscillation. At or after providing the synchronized control signal the actuator unit is activated (806).

5

Claims

1. A control device comprising
a sensor unit (170) suitable for outputting a measurement signal representing a deflection of an oscillator (190) along a direction of excitation,
5 an actuator unit (180) acting on the oscillator (190), which is controllable by control signals, characterized by
a controller main unit (200) which is configured to deduce from the measurement signal and a harmonic set point signal a control signal for the actuator unit (180) such that the actuator unit (180) counteracts a deviation
10 of the deflection of the oscillator (190) from a set amplitude of a harmonic resonance oscillation of the oscillator (190), and
a controller extension unit (600) which is configured to determine at deactivated actuator unit (180) from the measurement signal an actual-phase and an actual-amplitude of a residual oscillation of the oscillator
15 (190) and to output to the controller main unit (200) a harmonic set point signal adapted to the actual-phase and the actual-amplitude such that after activating the actuator unit (180) an amplitude of the residual oscillation of the oscillator (190) is amplified phase-synchronously up to the set amplitude
20 and such that in this process energy contained in the residual oscillation is used.
2. The control device according to claim 1, characterized in
that the controller main unit (200) is a controller device (225, 325) for
25 harmonic set point signals, wherein the controller device (225, 325) comprises at least one proportional transfer element (224, 324) and one integrating transfer element (222, 322) arranged parallel to the proportional transfer element (224, 324) and a controller input of the controller main unit (200) is connected with both transfer elements (222, 224, 322, 324), and
30 that a transfer function of the controller device (225, 325) has a conjugate complex pole at a controller angular frequency ω_r in the s-plane or a pole at $e^{\pm j\omega_r T}$ in the z-plane, wherein T is the sampling time of a discrete input signal of the controller device (225, 325) and ω_r is larger than 0.
- 35 3. The control device according to claim 2, characterized in
that an integral action coefficient of the integrating transfer element (222, 322) and an amplification factor of the proportional transfer element (224, 324) are chosen such that the controller device (225, 325) is suitable for generating, at admission with a harmonic input signal of the controller

angular frequency ω_r modulated by the step function at the controller input, a harmonic oscillation of the controller angular frequency ω_r with rising amplitude at the controller output.

5 4. The control device according to claim 3, characterized in that the integral action coefficient and the amplification factor are chosen such that the zeros of the transfer function of the controller device (225, 325) compensate poles of a transfer function of the oscillator (190).

10 5. The control device according to one of claim 1, characterized in that the controller extension unit (600) comprises:

a capturing unit (610), which is configured to determine from the measurement signal the actual-phase and the actual-amplitude of the residual oscillation of the oscillator (190) and to determine from the actual-phase and the actual-amplitude synchronisation information for the harmonic set point signal such that by the actuator unit (180) an amplitude of the residual oscillation of the oscillator (190) is amplified phase-synchronously and that the energy contained in the residual oscillation is usable; and

20 a synchronisation unit (620), configured to receive the synchronisation information and to determine based on the synchronisation information a phase and an initial amplitude value for the harmonic set point signal.

6. The control device according to claim 5, characterized in that the capturing unit (610) comprises:

25 a filter unit (612) which is configured to determine from the measurement signal, from an estimation value for the current oscillation frequency, from an estimation value for the variance of a measurement noise contained in the measurement signal, and from an estimation value for a constant amplitude offset of the measurement signal estimation values for a variation in time of the residual oscillation; and

30 a control unit (616) which is configured to determine from the estimation values for the variation in time of the residual oscillation the synchronisation information describing the actual phase and the actual amplitude and to output it.

35

7. The control device according to claim 6, characterized in that the control unit (616) is configured to deactivate after output of the synchronisation information the filter unit (612).

8. The control device according to claim 6, characterized in that the control unit (616) is configured to activate after output of the synchronisation information the actuator unit (180).

5 9. The control device according to claim 6, characterized in that the controller extension unit (600) is configured to increase the amplitude of the set point oscillation within a predetermined time period from the initial amplitude value to a set amplitude value.

10 10. The control device according to claim 1, characterized in that the filter unit (612) is a Kalman filter.

11. The control device according to claim 1, characterized in that the controller extension unit (600) comprises a frequency storage unit (630), which is configured to store in temporal intervals frequency information, which describes a current oscillation frequency of the oscillator (190), and

15 that the controller extension unit (600) is further configured to use the stored frequency information for estimating the actual-phase and the actual-amplitude of the residual oscillation of the oscillator (190) and/or for generating the harmonic set point signal.

12. The control device according to claim 1, characterized in that the control device is part of a rotation rate sensor (500, 505), which forms oscillators as an excitation unit (590), a Coriolis unit (585) or a detection unit (580), and that the actuator unit is a force transmitter (561),

25 the Coriolis unit (585) is attached to the excitation unit (590) such that the Coriolis unit (585) follows a movement of the excitation unit (590) along the direction of excitation and that the Coriolis unit (585) is additionally movable along a detection direction orthogonal to the direction of excitation, and

30 the detection unit (480) is attached such to the excitation unit (590) or to the Coriolis unit (585) that the detection unit (580) either

follows a movement of the excitation unit (590) along the direction of excitation and it is additionally movable along a detection direction orthogonal to the direction of excitation, or

35 follows a movement of the Corolis unit (585) along a detection direction orthogonal to the direction of excitation and is fixed along the direction of excitation.

13. A rotation rate sensor, comprising

a moveably supported oscillator (190) which is excitable in a direction of excitation to a harmonic resonance oscillation,

5 a sensor unit (170) suitable for outputting a measurement signal representing a deviation of the oscillator (190) along the direction of excitation,

an actuator unit (180) acting on the oscillator (190) which is controllable by control signals, characterized by

10 a controller main unit (200) configured to deduce from the measurement signal and a harmonic set point signal a control signal for the actuator unit (180) such that the actuator unit (180) counteracts a deviation of deflection of the oscillator (190) from a set amplitude of a resonance oscillation, and

15 a controller extension unit (600) configured to determine at deactivated actuator unit (180) from the measurement signal an actual-phase and an actual-amplitude of a residual oscillation of the oscillator (190) and to output to the controller main unit (200) a harmonic set point signal adapted to the actual-phase and the actual-amplitude such that after activating the actuator unit (180) an amplitude of the residual oscillation of the oscillator
20 (190) is amplified phase-synchronously up to a set amplitude and that in this process energy contained in the residual oscillation is used.

14. The rotation rate sensor according to claim 13, wherein

25 the oscillator is an excitation unit (590), which is deflectable by a force transmitter (561) along a direction of excitation and is suitable for an oscillation with a resonance angular frequency ω_0 .

15. A method for operating a control device with harmonic command variables, comprising

30 generating of a measurement signal representing a deflection of an oscillator (190) along a direction of excitation by means of a sensor unit (170),

generating of a phase and amplitude synchronous harmonic set point signal based on an estimation of an actual-phase and an actual-amplitude of
35 a residual oscillation of the oscillator (190) at deactivated actuator unit (180),

generating of a synchronized control signal for an actuator unit (180) from the measurement signal and the phase and amplitude synchronous

harmonic set point signal such that the actuator unit (180) counteracts the deviations of the oscillator (190) from a harmonic oscillation, and

activating of the actuator unit (180) at or after providing the synchronized control signal.

5

16. The method according to claim 15, characterized in

that the controller main unit (200) is a controller device (225, 325) for harmonic set point signals, wherein the controller device (225, 325) comprises at least a proportional transfer element (224, 324) and a integrating transfer element (222, 322) arranged parallel to the proportional transfer element (224, 324) and a controller input of the controller main unit (200) is connected to both transfer elements (222, 224, 322, 324), and

that a transfer function of the controller device (225, 325) has a conjugate complex pole at a resonance angular frequency ω_r in the s-plane or a pole at

$e^{\pm j\omega_r T}$ in the z-plane, wherein T is the sampling time of a discrete input signal of the controller device (225, 325) and ω_r is larger than 0.

Fig. 1




Fig. 2A




Fig. 2B





Fig. 3A



$$\frac{K_I}{K_P} \approx s_0 \quad v_z = \text{sign}(K_I)$$

$$(T_S + T_R) \cdot \omega_0 = \frac{3}{2} \pi \quad \text{für } v_z = +1$$

$$(T_S + T_R) \cdot \omega_0 = \frac{1}{2} \pi \quad \text{für } v_z = -1$$

Fig. 3B





Fig. 4A



$$\frac{K_I}{K_P} \approx s_0 \quad v_z = \text{sign}(K_I)$$

$$\left(\beta_S + \beta_D + \frac{1}{2}\right) \cdot \omega_0 \cdot T = \frac{3}{2}\pi \quad \text{für } v_z = +1$$

$$\left(\beta_S + \beta_D + \frac{1}{2}\right) \cdot \omega_0 \cdot T = \frac{1}{2}\pi \quad \text{für } v_z = -1$$

Fig. 4B




Fig. 5A




Fig. 5B




Fig. 6A




Fig. 6B




Fig. 6C




Fig. 7




Fig. 8

