



US00D745875S

(12) **United States Design Patent**
Freiheit et al.

(10) **Patent No.:** **US D745,875 S**

(45) **Date of Patent:** **** Dec. 22, 2015**

- (54) **DISPLAY DEVICE WITH GRAPHICAL USER INTERFACE** 8,600,947 B1 * 12/2013 Freiheit et al. 707/654
- 8,712,967 B1 * 4/2014 Weaver et al. 707/645
- 8,768,782 B1 * 7/2014 Myslinski 705/26.1
- 2002/0056083 A1 * 5/2002 Istvan 725/1
- 2002/0147611 A1 * 10/2002 Greene et al. 705/1
- 2004/0254842 A1 * 12/2004 Kirkegaard 705/22
- 2005/0114254 A1 * 5/2005 Condie 705/37
- 2005/0203827 A1 * 9/2005 Gamble 705/37
- 2005/0218893 A1 * 10/2005 Kumai et al. 324/309
- 2005/0234807 A1 * 10/2005 Toffey 705/37
- 2006/0069635 A1 * 3/2006 Ram et al. 705/37
- 2006/0156228 A1 * 7/2006 Gallo et al. 715/523
- 2007/0088211 A1 * 4/2007 Cheng et al. 600/410
- 2007/0197236 A1 * 8/2007 Ahn et al. 455/466
- 2007/0198432 A1 * 8/2007 Pitroda et al. 705/64
- 2008/0010215 A1 * 1/2008 Rackley, III et al. 705/70

(**) **Term:** **14 Years**

(Continued)

(21) **Appl. No.:** **29/439,706**

OTHER PUBLICATIONS

(22) **Filed:** **Dec. 13, 2012**

How to Make iPhone Apps—Creating The Demo App With XCode 5 and Interface Builder. [online], published on Sep. 25, 2013, retrieved on Dec. 4, 2014. Retrieved from, <URL: <http://codewithchris.com/demo-app-with-xcode-and-interface-builder/>>, 1 page.*

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**

USPC **D14/485**

(Continued)

(58) **Field of Classification Search**

USPC D14/485–495; 715/700, 702, 716, 719, 715/726, 733, 763, 765, 781, 783, 864
CPC ... G06F 3/0482; G06F 3/0484; G06F 3/0485; G06F 3/0486
See application file for complete search history.

Primary Examiner — Ian Simmons

Assistant Examiner — Shannon Morgan

(74) *Attorney, Agent, or Firm* — ALG Intellectual Property, LLC

(56) **References Cited**

CLAIM

U.S. PATENT DOCUMENTS


(57) The ornamental design for a display device with graphical user interface, as shown and described.

- 5,956,029 A * 9/1999 Okada et al. 715/746
- 7,428,708 B2 * 9/2008 Okamoto et al. 715/777
- 7,577,919 B2 * 8/2009 Hoshino 715/781
- 7,610,233 B1 * 10/2009 Leong et al. 705/37
- 7,640,516 B2 * 12/2009 Atkins 715/853
- 7,703,031 B2 * 4/2010 Nakagawa et al. 715/765
- 7,730,416 B2 * 6/2010 Ueda et al. 715/788
- 8,179,404 B2 * 5/2012 Nagatomo 345/660
- 8,233,785 B1 * 7/2012 Surma et al. 396/1
- 8,290,912 B1 * 10/2012 Searls et al. 707/654
- 8,327,440 B2 * 12/2012 Milener et al. 726/22

DESCRIPTION

The FIGURE is a front view of a display device with graphical user interface showing our new design. The broken lines shown in the FIGURE represent portions of the display device with graphical user interface that form no part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0022231 A1* 1/2008 Tsai et al. 715/840
 2008/0195664 A1* 8/2008 Maharajh et al. 707/104.1
 2008/0201178 A1* 8/2008 Vizitei 705/5
 2008/0281186 A1* 11/2008 Kuhara 600/413
 2008/0307454 A1* 12/2008 Ahanger et al. 725/36
 2009/0119729 A1* 5/2009 Periman et al. 725/114
 2009/0119731 A1* 5/2009 Perlman et al. 725/115
 2010/0048358 A1* 2/2010 Tchao et al. 482/9
 2010/0082485 A1* 4/2010 Lin et al. 705/44
 2010/0138334 A1* 6/2010 Warsaw et al. 705/37
 2010/0231340 A1* 9/2010 Fiorello et al. 336/92
 2010/0289627 A1* 11/2010 McAllister et al. 340/10.42
 2010/0318958 A1* 12/2010 Kuester et al. 717/104
 2011/0006978 A1* 1/2011 Yuan 345/156
 2011/0035253 A1* 2/2011 Mason et al. 705/9
 2011/0066556 A1* 3/2011 Kadosh 705/80
 2011/0105226 A1* 5/2011 Perlman 463/30
 2011/0181683 A1* 7/2011 Nam 348/14.07
 2011/0225417 A1* 9/2011 Maharajh et al. 713/150
 2011/0225525 A1* 9/2011 Chasman et al. 715/763
 2011/0270733 A1* 11/2011 Chazen 705/37
 2011/0289419 A1* 11/2011 Yu et al. 715/738
 2011/0295878 A1* 12/2011 Bennett et al. 707/769
 2011/0312278 A1* 12/2011 Matsushita et al. 455/66.1
 2012/0210231 A1* 8/2012 Ubillos et al. 715/723
 2012/0232981 A1* 9/2012 Torossian et al. 705/14.27
 2012/0233104 A1* 9/2012 Wang et al. 706/21
 2012/0259758 A1* 10/2012 Tunney 705/37
 2012/0265710 A1* 10/2012 Clarke et al. 705/36 T
 2012/0278220 A1* 11/2012 Chassin et al. 705/37
 2013/0073998 A1* 3/2013 Migos et al. 715/776
 2013/0117698 A1* 5/2013 Park et al. 715/765
 2013/0139102 A1* 5/2013 Miura et al. 715/788

2013/0167031 A1* 6/2013 Inada et al. 715/716
 2013/0212507 A1* 8/2013 Fedoseyeva et al. 715/765
 2013/0239049 A1* 9/2013 Perrodin et al. 715/800
 2014/0006988 A1* 1/2014 Yamamura et al. 715/765
 2014/0075361 A1* 3/2014 Reynolds et al. 715/771
 2014/0258903 A1* 9/2014 Kanbara et al. 715/765
 2014/0282150 A1* 9/2014 Wagner 715/765
 2014/0282153 A1* 9/2014 Christiansen et al. 715/765
 2014/0325402 A1* 10/2014 Jung et al. 715/763

OTHER PUBLICATIONS

Managing Traffic Operations During Adverse Weather Events, [online], published Feb. 2011, retrieved on Dec. 10, 2014. Retrieved from, <URL: <https://www.fhwa.dot.gov/publications/publicroads/11janfeb/01.cfm>>, 1 page.*
 Flowchart Samples in Quality Assurance, [online], crawled on Aug. 20, 2008, retrieved on Dec. 18, 2014. Retrieved from, <URL: <http://web.archive.org/web/20080820000337/http://www.quality-assurance-solutions.com/Flowchart-Samples.html>>, 1 page.*
 Digital Energy Meter | EEWeb Community, [online], posted on Nov. 30, 2011, retrieved on Dec. 21, 2014. Retrieved from, <URL: http://www.eeweb.com/project/samson_jeba_kumar/digital-energy-meter>, 1 page.*
 Architecture Tools in VSTS 2010—Somasegar’s blog—Site Home—MSDN Blogs, [online], published on Aug. 30, 2009, retrieved on Dec. 21, 2014. Retrieved from, <URL: <http://blogs.msdn.com/b/somasegar/archive/2009/08/29/architecture-tools-in-vsts-2010.aspx>>, 1 page.*
 Microsoft Security Engineering Center, [online], crawled on Jun. 15, 2012, retrieved on Dec. 21, 2014. Retrieved from, <URL: <http://web.archive.org/web/20120615112657/http://www.microsoft.com/security/msec.aspx>>, 1 page.*

* cited by examiner

