US00D859649S

(12) **United States Design Patent** (10) **Patent No.: US D859,649 S**
Cohen et al. (45) **Date of Patent: ** Sep. 10, 2019**

(54) **CATHETER HOLDING DEVICE**

(71) Applicant: **NEXUS CONTROL SYSTEMS, LLC**, Port Washington, NY (US)

(72) Inventors: **Todd J. Cohen**, Port Washington, NY (US); **John R. Lubisich**, West Linn, OR (US); **Michael Morrison**, Tualatin, OR (US); **Gregory Morrison**, Tualatin, OR (US)

(73) Assignee: **Nexus Control Systems, LLC**, Port Washington, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/677,325**

(22) Filed: **Jan. 18, 2019**

Related U.S. Application Data

(63) Continuation-in-part of application No. 15/147,538, filed on May 5, 2016, which is a continuation-in-part of application No. 14/215,333, filed on Mar. 17, 2014, now Pat. No. 10,143,825.

(51) **LOC (12) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/128**

(58) **Field of Classification Search**
USPC D24/127–131, 112–114, 133, 186; 606/181, 185; 604/264, 523–528, 272, 604/187, 158, 164.01–164.11, 181, 184, 604/227; 600/101, 139, 143; 128/200.24, 207.14, 207.15
CPC A61M 25/02; A61M 2025/024; A61M 25/065; A61M 5/42; A61M 25/0612; A61M 25/00; A61M 39/00; A61M 27/00; A61M 25/0043; A61M 25/0067; A61F 2/958
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,696,920 A	10/1972	Lahay		
4,583,976 A	4/1986	Ferguson		
5,226,892 A *	7/1993	Boswell	A61M 5/1418	128/DIG. 26
5,389,082 A *	2/1995	Baugues	A61M 5/1418	128/DIG. 26
5,643,217 A	7/1997	Dobkin		
6,382,568 B1	5/2002	Snell		
6,458,104 B2 *	10/2002	Gautsche	A61M 5/1418	128/DIG. 26

(Continued)

FOREIGN PATENT DOCUMENTS

EP	0720836 A2	7/1996
WO	2005051472 A2	6/2005
WO	2012062717 A1	5/2012

Primary Examiner — David G Muller
(74) *Attorney, Agent, or Firm* — William Dippert; Laurence Greenberg; Werner Stemer

(57) **CLAIM**

The ornamental design for a catheter holding device, as shown and described.

DESCRIPTION

FIG. **1** is a top, front, right-side perspective view of a catheter holding device, showing our new design.
FIG. **2** is a top, front, right-side perspective view thereof, with a strip to cover adhesive on the bottom surface.
FIG. **3** is a left-side elevation view thereof.
FIG. **4** is a right-side elevation view thereof.
FIG. **5** is a top plan view thereof.
FIG. **6** is a bottom plan view thereof.
FIG. **7** is a front elevation view thereof; and,
FIG. **8** is a bottom plan view thereof.
The broken lines in the drawings represent portions of the catheter holding device that are for illustrative purposes only and do not form a part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

7,320,681	B2 *	1/2008	Gillis	A61M 25/02 128/DIG. 26
D630,317	S *	1/2011	Wung	D24/128
7,918,828	B2 *	4/2011	Lundgaard	A61M 5/1418 248/229.1
D657,460	S *	4/2012	Uhlenkamp	D24/128
D657,869	S *	4/2012	Mammen	D24/128
8,394,067	B2 *	3/2013	Bracken	A61M 25/02 604/180
D702,832	S *	4/2014	Hadley	D24/128
D749,209	S *	2/2016	Uhlenkamp	D24/128
D837,367	S *	1/2019	Reaux	D24/128
D837,374	S *	1/2019	Wonderley	D24/146
2003/0132352	A1	7/2003	Weaver	
2008/0221526	A1	9/2008	Fleischer	
2010/0006738	A1	1/2010	Teirstein	
2010/0010475	A1	1/2010	Teirstein et al.	
2011/0248125	A1	10/2011	D'Andria	

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8