



US00D805213S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,213 S**
Deering (45) **Date of Patent:** **** Dec. 12, 2017**

- (54) **RAIL BASE** D408,268 S * 4/1999 Dunn D8/354
- (71) Applicant: **Safety Rail Company, LLC**, Spring D420,890 S * 2/2000 Kuhnke D8/354
Park, MN (US) 6,324,800 B1 12/2001 Valentz et al.
- (72) Inventor: **Bradley E. Deering**, Waconia, MN 6,516,571 B1 2/2003 Overthun et al.
(US) 6,554,257 B1 4/2003 Kenton
- (73) Assignee: **Safety Rail Company, LLC**, Spring 6,578,827 B2 6/2003 McCracken
Park, MN (US) 6,669,163 B2 12/2003 Davis, Jr.
- (**) Term: **15 Years** 6,845,970 B1 1/2005 Kenton
6,863,253 B2 3/2005 Valentz et al.

7,334,957 B2 2/2008 Sadinsky et al.
7,338,033 B2 3/2008 Anson et al.
7,344,051 B2 3/2008 Flamingo et al.
(Continued)

- (21) Appl. No.: **29/533,708**
- (22) Filed: **Jul. 21, 2015**

FOREIGN PATENT DOCUMENTS

GB 2092370 * 6/2000
NL 1008592 C2 9/1999

Related U.S. Application Data

- (63) Continuation of application No. 13/612,292, filed on Sep. 12, 2012, now Pat. No. 9,376,832.
- (51) **LOC (10) Cl.** **25-02**
- (52) **U.S. Cl.**
USPC **D25/38.1**
- (58) **Field of Classification Search**
USPC D25/38.1, 39, 40, 41.1, 42-46, 133;
256/65.01
CPC . E04H 12/22; E04H 12/2238; E04H 12/2246;
E04H 12/2253; E04H 12/2269; E04H
17/22; E01F 9/692; E04C 3/00
See application file for complete search history.

OTHER PUBLICATIONS

<http://www.safetyrailcompany.com/mobile-safety-rail/> Retrieved
Jan. 12, 2017.*

(Continued)

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — Christensen, Fonder,
Dardi & Herbert PLLC

(57) **CLAIM**

I claim the ornamental design for a rail base, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

- 413,716 A 10/1889 Hall
- 673,037 A 4/1901 Swank et al.
- 1,665,726 A 4/1928 Allison
- 3,119,588 A 1/1964 Keats
- 3,776,521 A 12/1973 Weinert
- 5,161,784 A 11/1992 Sader
- 5,188,342 A 2/1993 Ouellette et al.
- 5,816,554 A 10/1998 McCracken

DESCRIPTION

FIG. 1 is a perspective view of a rail base.
FIG. 2 is a top view of the FIG. 1 rail base.
FIG. 3 is a bottom view of the FIG. 1 rail base; and,
FIG. 4 is a side view of the FIG. 1 rail base.
The broken lines in the drawing depict portions of the rail base that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,553,103	B2	6/2009	Jameson et al.	
D602,175	S *	10/2009	Droomer	D25/133
7,614,819	B1	11/2009	Mirman et al.	
7,722,285	B2	5/2010	Schram et al.	
7,909,310	B2	3/2011	Weiner	
8,132,792	B2	3/2012	Perris	
8,689,938	B2	4/2014	Kenton et al.	
8,919,361	B2	12/2014	Ma	
D752,775	S *	3/2016	Stacey	D25/133
D764,070	S *	8/2016	Lussier	D25/133
2005/0056741	A1 *	3/2005	Higgs	E01F 9/692 248/188.8
2006/0278472	A1	12/2006	Kenton et al.	
2008/0028718	A1	2/2008	Erickson et al.	
2009/0212270	A1	8/2009	Collins, IV	
2010/0044661	A1	2/2010	Weiner	
2011/0311754	A1	12/2011	Kray	
2013/0062585	A1 *	3/2013	Deering	E01F 13/022 256/65.01
2016/0123522	A1 *	5/2016	Hahn	A63B 71/023 248/523

OTHER PUBLICATIONS

http://www.fallprotectionusa.com/safety_rail.html Available Jun. 4, 2012.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4