



US00D697165S

(12) **United States Design Patent**  
**Lorentz**

(10) **Patent No.:** **US D697,165 S**

(45) **Date of Patent:** **\*\* Jan. 7, 2014**

(54) **JIG FISHING LURE**

(71) Applicants: **Danlure LLC**, Wadena, MN (US);  
**Patricia J. Lorentz**, Wadena, MN (US)

(72) Inventor: **Daniel R. Lorentz**, Wadena, MN (US)

(73) Assignee: **Danlure LLC**, Wadena, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/442,388**

(22) Filed: **Feb. 21, 2013**

**Related U.S. Application Data**

(63) Continuation of application No. 13/555,555, filed on Jul. 23, 2012.

(51) **LOC (10) Cl.** ..... **22-05**

(52) **U.S. Cl.**

USPC ..... **D22/144**

(58) **Field of Classification Search**

USPC ..... D22/126-133; 43/44.81, 44.8, 42.39,  
43/42.37, 44.4, 42.4, 42.44, 42.45, 42.28,  
43/42.33, 42.47, 42.22, 42.36, 42.49,  
43/42.06, 42.13, 42.34, 44.88, 44.83,  
43/42.04, 42.72, 43.12, 44.9

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,611,644	A	12/1926	Johnson	
3,341,966	A *	9/1967	Pippen	43/44.88
3,803,747	A	4/1974	Cartwright	
3,855,722	A *	12/1974	Moore	43/42.34
3,965,606	A	6/1976	Bingler	
4,470,217	A *	9/1984	Adams	43/44.8
4,751,789	A	6/1988	Devereaux	
D324,407	S *	3/1992	Snyder	D22/126
D372,954	S *	8/1996	Coniglio et al.	D22/126
D560,749	S *	1/2008	Moore	D22/144
7,748,157	B1	7/2010	Hellmann	
D642,237	S *	7/2011	Simmons	D22/144
8,186,096	B2 *	5/2012	Rubin et al.	43/44.83
D687,122	S *	7/2013	Simmons	D22/144

**OTHER PUBLICATIONS**

Application and File History for U.S. Appl. No. 13/555,555, filed Jul. 23, 2012. Inventor: Daniel R. Lorentz.

\* cited by examiner

*Primary Examiner* — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Patterson, Thunte, Peterson, P.A.

(57) **CLAIM**

I claim the ornamental design for a jig fishing lure, as shown and described.

**DESCRIPTION**

FIG. 1 depicts a jig fishing lure, with a barbed hook and jighead connected with a ring assembly;

FIG. 2 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with an eye and ring assembly;

FIG. 3 is a front view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;

FIG. 4 is a left side view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;

FIG. 5 is a perspective view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;

FIG. 6 depicts a jig fishing lure, with a barbed hook and jighead connected with a ring assembly;

FIG. 7 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with an eye and ring assembly;

FIG. 8 is a front view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;

FIG. 9 is a left side view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;

FIG. 10 is a perspective view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;

FIG. 11 depicts a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. 12 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. 13 is a front view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. 14 is a left side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;




FIG. 15 is a perspective view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. 16 depicts a jig fishing lure, with a barbed hook and jighead connected with a ring assembly;

FIG. 17 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. 18 is a front view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. 19 is a left side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly; and,

FIG. 20 a perspective view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly. The broken line showing of environment in the drawings is included for the purpose of illustrating only and forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**




FIG.1

FIG. 4




FIG. 3




FIG. 2




FIG. 5




FIG. 6




FIG. 9




FIG. 8




FIG. 7




FIG. 10






FIG. 11




FIG. 14




FIG. 13




FIG. 12




FIG. 15




FIG. 16




FIG. 19




FIG. 18




FIG. 17




FIG .20

