
P. J. M. GUNTHORP.

SUPPORT FOR WEAK OR DEFORMED FEET. APPLICATION FILED JUNE 19, 1902.


NO MODEL.

2 SHEETS-SHEET 1.



P. J. M. GUNTHORP.

SUPPORT FOR WEAK OR DEFORMED FEET.



UNITED STATES PATENT OFFICE.

PERCY JOHN MOORE GUNTHORP, OF LONDON, ENGLAND.

SUPPORT FOR WEAK OR DEFORMED FEET.

SPECIFICATION forming part of Letters Patent No. 730,366, dated June 9, 1903.

Application filed June 19, 1902. Serial No. 112,375. (No model.)

To all whom it may concern:

Be it known that I, PERCY JOHN MOORE GUNTHORP, a subject of the King of England, residing at London, England, have invented certain new and useful Improvements in or Relating to Supports for Weak or Deformed Feet, of which the following is a specification.

This invention relates to supports for weak or deformed feet, and has special reference to what may be termed "sock-supports"—that is, supports which are not permanently attached to the boot or shoe, but are contained

within it when in use.

The foot-supports according to this inven-15 tion are specially intended for the relief or cure of "valgus," or flat foot, and comprise a sole portion formed to suit the shape of the foot and throw it into a desired position and a lateral extension on each side of the sole to 20 keep the support in position relatively to the foot, such lateral extensions being stiffened by a spring which extends transversely across the sole. In some cases of flat foot there is a tendency for the fore part of the foot to fall 25 downward, and to remedy this the foot-support may be provided with a back piece, which partially embraces the lower part of the back of the leg in proximity to the ankle and is connected to the sole or platform or to 30 the lateral extensions by a rubber strap or straps or other elastic or springy members.

It is preferred to provide the foot-support with a pad of rubber, felt, or other suitable material to support the arch of the foot, but

35 where desirable the sole may be made rigid.

The lateral extensions may be prolonged in an upward direction and molded to suit the shape of the ankle, and consequently sup-

port it.

In cases where the valgus is complicated by "hallux valgus" the sole is provided with a movable toe splint or support, the position of which is capable of adjustment, so that the everted toe can be gradually restored to its 45 proper position with less inconvenience to the wearer than is the case where a permanently-

fixed splint is used.

In the accompanying drawings, Figure 1 is a perspective view of one form of foot-support according to this invention, provided with a movable toe-splint. Fig. 2 is a side elevation of a toe-splint. Fig. 3 shows a foot-

support viewed from the inside of the foot and with portions removed to show the shape of the lateral extension. Fig. 4 is a perspective 55 view of a foot-support provided with a springcontrolled back piece, and Fig. 5 is a similar view showing a foot-support with the lateral extensions prolonged to support the ankle. Fig. 6 is a transverse section taken through 60 the spring and arch-support, the outer cover-

ing being removed.

With reference first to Fig. 1, A is the sole of the support. It is thickened along its inner edge from a point marked A' beneath the 65 great toe down to the heel, as at A², the thickened portion gradually tapering down as the outer edge is approached. The object of this is to throw the weight onto the outer edge of the foot. An arch-support B is provided, in 70 the form of a pad of rubber, felt, or other suitable material, and lateral extensions C and C' are provided, one on each side of the sole, and kept in place or stiffened by a transverse spring D, the ends of which are turned 75 up and secured to the extensions C and C' respectively. It will be noticed that although this transverse spring keeps the lateral extensions in place against the foot it cannot interfere with the natural movement of the 85 arch of the foot, a disadvantage which is present in any foot-support provided with stiff longitudinal springs. The transverse spring D may be divided beneath the center of the foot to give still further flexibility to 8; the support. As an additional means of securing the flexibility of the foot-support the lateral extension C' on the inside of the foot is preferably shaped somewhat as shown in Fig. 3, where the thin leather covering E, 90 which envelops the support, is shown stripped off to display the lateral extension. It will be seen from this figure that the extension C' is, owing to the presence of the end of the springs D and to its shape, made stiffest at 95 its central portion adjacent to the top of the arch of the foot, and by this means the whole support is more flexible than would be the case if the lateral extension were not so shaped.

The front portion of the sole A is prefer- 100 ably very thin, so that it may be cut, say, with a pair of seissors, to suit the particular boot worn. The thickened portion A' A2 would of course be made to suit the shape of

the footfitted. For instance, should the joint of the great toe be abnormally large a depression would be formed in the sole beneath it to allow that joint to fall below the level of the other toe-joints, and in that case the thickened portion of the sole could be continued across it to the outer edge.

F is a movable toe-splint pivoted to the sole, as at F', and provided at its free end with a pin F². The splint can be turned about its pivot-F' so that the pin F² engages with one of a number of holes F³ in the sole. Conveniently the pin F² is screwed and a nut F⁴ fitted to it, by means of which the splint

15 may be fixed after its position has been adjusted. If desired, grooves may be formed in the sole A into which the lower edge of

the splint can fit.

In the form of foot-support shown in Fig. 4
the lateral extensions are carried right around
the heel in a slipper-like fashion, and a hinged
back piece G is provided, attached to the
lateral extensions by rubber straps II. The
dotted position of the back support G (shown

25 in Fig. 4) indicates approximately the position which it occupies when the support is in use, and obviously the rubber straps H, being in tension, will, acting in conjunction with the sole A and the back support G, tend to

prevent the dropping of the fore part of the foot. A padded strap J is provided to fasten over the instep. This particular form of support is useful in cases of "cavus," or exaggerated hollow under the foot, the opposite de-

formity to flat foot, or valgus. As these cases are usually complicated with "equinus"—that is, the tendency of the fore part of the foot to drop—the back support G, with its tension straps H, is often a necessity.

Fig. 5 shows a foot-support in which the 40 lateral extensions C³ are prolonged so as to just cover the ankle without impeding its movement. In this case the extensions are molded to suit the shape of the ankle where necessary and the transverse spring D' is prefeably curved and brought right over the ankle. To give further pliability to the sole portion, the lower part of the lateral extension C³ may be cut away as indicated by the dotted lines C⁴.

Various materials may be used in constructing the improved foot-supports, a very suitable one being the special preparation of felt known in the trade as "Poroplastic."

What I claim as my invention, and desire 55

to secure by Letters Patent, is—

1. A foot-support adapted to be contained in a boot or shoe and comprising a sole portion formed to suit the shape of the foot, a lateral extension at each side thereof, a trans- 60 verse supporting-spring extending across the sole and up the lateral extensions and a spring-controlled back piece substantially as set forth.

2. A foot-support adapted to be contained 65 in a boot or shoe and comprising a sole portion formed to suit the shape of the foot, a lateral extension at each side thereof and a transverse supporting spring extending across the sole and up the lateral extensions 70 substantially as set forth.

In testimony whereof I have signed my name to this specification in the presence of

two subscribing witnesses.

PERCY JOHN MOORE GUNTHORP.

Witnesses:

ARCHD J. FRENCH, HARRY N. BIDGE.