



US00D422250S

United States Patent [19]

[11] Patent Number: Des. 422,250

Sacco et al.

[45] Date of Patent: ** Apr. 4, 2000

[54] VEHICLE BUMPER CONFIGURATION

D. 410,604 6/1999 Bangle D12/169

[75] Inventors: **Bruno Sacco**, Sindelfingen; **Peter Pfeiffer**, Boeblingen, both of Germany

Primary Examiner—Melody N. Brown
Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, P.L.L.C.

[73] Assignee: **DaimlerChrysler AG**, Germany

[57] CLAIM

[**] Term: **14 Years**

The ornamental design for a vehicle bumper configuration, as shown and described.

[21] Appl. No.: **29/106,308**

[22] Filed: **Jun. 15, 1999**

[30] Foreign Application Priority Data

Dec. 15, 1998 [DE] Germany 498 12 331

[51] LOC (6) Cl. **12-16**

[52] U.S. Cl. **D12/169**

[58] Field of Search D12/169, 196,
D12/90-92; 293/102, 113, 115, 120; 296/180.1,
180.2

DESCRIPTION


FIG. 1 is a perspective view of a vehicle bumper configuration according to our novel design; FIG. 2 is a front view of the vehicle bumper configuration according to our novel design; FIG. 3 is a left view of the vehicle bumper configuration according to our novel design; FIG. 4 is a right view of the vehicle bumper configuration according to our novel design; FIG. 5 is a top view of the vehicle bumper configuration according to our novel design; and, FIG. 6 is a bottom view of the vehicle bumper configuration according to our novel design. The broken lines shown depict environment and are not part of our claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 318,835 8/1991 Parton D12/169
- D. 372,695 8/1996 Nagashima D12/169
- D. 410,220 5/1999 Möbius et al. D12/169

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6