

(19)
(12)

(KR)
(A)

(51) 。 Int. Cl. 7
A63B 69/36

(11)
(43)

2002 - 0023720
2002 03 29

(21) 10 - 2001 - 0078627
(22) 2001 12 12

(71) 583 - 3

(72) 118 - 23

(74) :

(54)

가

(100) ASIC

(120)

/ , 2 RF , 2 RF 1 RF , (201) RF
RF

2

가

가

180 cm

가 5m
가
가

가

가

가

가

A/D , ASIC , ASIC , ASIC ,
 A/D , I/O ,
 , ASIC / , 1 RF
 , RF , 2 RF , 2 RF

, 2 3
(100) (120) , (100) , ASIC(Applicatio
n - Specific Integrated Circuit) /
1 RF , (201) 가 ,

, (100) 1 RF 가 2 RF
2 RF , 2 RF (4) , 1 RF RF ,
RF

, 2 RF RF , (100) 1 RF
, RF

, (120) (160) , (300) ,
3 (400)가 (202, 203) ,
, (300) (201) 1:1 (301)
, (301)

, (400) (401) , (401) , 5
(402) 가 , (402) 10 ,
() 10 1 ,
, (401) ,
, (402) ,

, 4

(ON) .

가 , (S10). , (S20),
, (S30). ,

가 (S40).

, 2 RF

1 RF

1 RF

(S50, S60).

00)

(300, 4

(S70).

5 , () , () , () , () , () , () , () 가

가

7

50%

(r-1)

(r-2)

가

가

(hip)

가

- (r-3) 가 가 (up light swing) 가 가 가 .
- (r-4) 가 가 가 (slice) 가 (hook) .
- (r-5) 가 .
- (r-6) (r-5) 가 가 .
- (r-7) (r-5) . 가
- (r-8) 가 .
- (r-9) 가 .
- 8 .
- (l-1) .
- (l-2) , (down blow) (target) 가 , (finish) .
- (l-3) 가 가 - / - (in - out/out - in) 가 (plane) . ,
- (l-4) - .
- (l-5) 가 가 가 가 가 .
- (l-6) , 가 1 가 가 가 .
- (l-7) (l-5) , 가 가 .
- (l-8) 가 가 .
- (l-9) 가 .

, () , ,

, (ASIC) , / , ,
가 , 가 .

, , , , , 가

, 가 . ,

, 가 가 .

(57)

1.

ASIC , (100) ASIC , ASIC , A/D ,
A/D , (160), I/O ,

ASIC / , (120)

2 RF , 2 RF 1 RF , (201) RF , R
F

2.


1 ,
(120) (160) , (300) ,
(202, 203) ,
(400)가 .


3.


1 2 ,
(120) (300) , (201) 1:1
(301) .

4.


1 2 ,
(120) (400)
(401) , 5 (401) (402) , 가 ,
(401) ,









4





5



6



7



8

