

FORM 1

COMMONWEALTH OF AUSTRALIA

PATENTS ACT 1952

APPLICATION FOR A STANDARD PATENT

I\We,

UNILEVER PLC

610286

of

UNILEVER HOUSE  
BLACKFRIARS  
LONDON EC4  
ENGLAND

hereby apply for the grant of a standard patent for an invention entitled:

ENZYMATIC LIQUID DETERGENT COMPOSITION

which is described in the accompanying complete specification

Details of basic application(s):

Number of basic application	Name of Convention country in which basic application was filed	Date of basic application
8726999	GB	18 NOV 87

My/our address for service is care of GRIFFITH HACK & CO., Patent Attorneys, 601 St. Kilda Road, Melbourne 3004, Victoria, Australia.

DATED this 17th day of November 1988

UNILEVER PLC

GRIFFITH HACK & CO.

*Kevin Lankford*

TO: The Commissioner of Patents.

APPLICATION ACCEPTED AND AMENDMENTS

ALLOWED ..... 27.2.91 .....

AUSTRALIA

Patents Act 1952

DECLARATION IN SUPPORT OF A CONVENTION OR NON-CONVENTION APPLICATION FOR A PATENT OR PATENT OF ADDITION

no. 25683/88

Name(s) of Applicant(s)

In support of the application/made by UNILEVER PLC

Title

for a patent for an invention entitled ENZYMATIC LIQUID DETERGENT COMPOSITION

Name(s) and address(es) of person(s) making declaration

I/~~we~~, Dilshad RAJAN  
of Unilever House, Blackfriars, London EC4, England,

do solemnly and sincerely declare as follows:-

1. I am/~~we~~ ~~are~~ ~~the~~ ~~applicant(s)~~ ~~for~~ ~~the~~ ~~patent,~~ ~~or~~ ~~am/are~~ authorised by the abovementioned applicant to make this declaration on its behalf.

2. The basic application(s) as defined by Section 141 of the Act was/were made in the following country or countries on the following date(s) by the following applicant(s) namely:-

Country, filing date and name of Applicant(s) for the or each basic application

in Great Britain on 18th November 1987  
by Unilever PLC  
in \_\_\_\_\_ on \_\_\_\_\_ 19\_\_\_\_  
by \_\_\_\_\_

3. The said basic application(s) was/were the first application(s) made in a Convention country in respect of the invention the subject of the application.

Name(s) and address(es) of the or each actual inventor

4. The actual inventor(s) of the said invention is/are Eric CASTELEIJN of Pallieterburg 105, 2907 CG Capelle a/d IJssel, The Netherlands. and Fredericus Cornelis Pancratius Maria DOBBE of Van Assendelftstraat 11, NL-2342 AR Oegstgeest, The Netherlands.

See reverse side of this form for guidance in completing this part

5. The facts upon which the applicant(s) is/~~are~~ entitled to make this application are as follows:-  
The applicant is the assignee of the actual inventors.

DECLARED at London, England, this 3rd day of February 1989

Dilshad Rajan

---

**(12) PATENT ABRIDGMENT**      **(11) Document No. AU-B-25683/88**  
**(19) AUSTRALIAN PATENT OFFICE**      **(10) Acceptance No. 610286**

---

- (54) Title  
**ENZYMATIC LIQUID DETERGENT COMPOSITION**
- International Patent Classification(s)  
(51)<sup>4</sup> **C11D 003/386**
- (21) Application No. : **25683/88**                              (22) Application Date : **17.11.88**
- (30) Priority Data
- (31) Number      (32) Date      (33) Country  
**8726999**              **18.11.87**              **GB UNITED KINGDOM**
- (43) Publication Date : **18.05.89**
- (44) Publication Date of Accepted Application : **16.05.91**
- (71) Applicant(s)  
**UNILEVER PLC**
- (72) Inventor(s)  
**FREDERICUS CORNELIS PANCRATIUS MARIA DOBBE; ERIC CASTELEIJN**
- (74) Attorney or Agent  
**GR/FFITH HACK & CO, GPO Box 1285K, MELBOURNE VIC 3001**

(57)

For the purposes of this invention, equivalents of the proteinase K from *Tritirachium album* (Limber) are considered to be those fungal alkaline serine proteinases which show substantial homology with proteinase K itself, and possess the following characteristics: (i) presence of cysteine close to the protease active site; (ii) a content of tightly-bound calcium, bound with an affinity corresponding to dissociation pK (calcium) of the order of about 5.5 to 8; (iii) presence of an SS (cystine) bridge in the protease tertiary structure; (iv) substantial resistance to inhibition of the protease activity by PCMB (parachloromercuribenzoate). It is believed that proteinase K itself also has a content of SS (cystine) bridges in the molar ratio 2:1 to its content of (free) cysteine, and a further content of weakly-bound calcium substantially equal to its content of tightly-bound calcium.

(11) AU-B-25683/88  
(10) 610286

-2-

**CLAIM**

1. A liquid detergent composition comprising a surfactant concentrate and a proteolytic enzyme derived from a microorganism, characterised in that the proteolytic enzyme is proteinase K derived from *Tritirachium album*, or an equivalent thereof.
2. A liquid detergent composition according to claim 1, characterised in that the liquid composition is an aqueous liquid composition.
3. A liquid detergent composition according to claim 1, characterised in that the liquid composition is a non-aqueous liquid composition.

AUSTRALIA

PATENTS ACT 1952

Form 10

COMPLETE SPECIFICATION

(ORIGINAL)

FOR OFFICE USE

610286

Short Title:

Int. Cl:

Application Number:  
Lodged:

Complete Specification-Lodged:  
Accepted:  
Lapsed:  
Published:

Priority:

Related Art:

This document contains the amendments made under Section 49 and is correct for printing.

TO BE COMPLETED BY APPLICANT

Name of Applicant:

UNILEVER PLC

Address of Applicant: UNILEVER HOUSE  
BLACKFRIARS  
LONDON EC4  
ENGLAND

Actual Inventor:

Address for Service: GRIFFITH HACK & CO.,  
601 St. Kilda Road,  
Melbourne, Victoria 3004,  
Australia.

Complete Specification for the invention entitled:  
ENZYMATIC LIQUID DETERGENT COMPOSITION

The following statement is a full description of this invention including the best method of performing it known to me:-

ENZYMATIC LIQUID DETERGENT COMPOSITIONS

Field of the Invention:

5

The present invention relates to enzymatic liquid detergent compositions. More particularly, it relates to enzymatic liquid detergent compositions which incorporate proteolytic enzyme.

10

Disclosure of Prior Art:

15

The use of proteolytic enzymes in liquid detergent compositions is well known; although these proteolytic enzymes can be of various types and sources, the proteolytic enzymes commonly used are those produced by Bacillus strains. Although with such proteolytic enzymes satisfactory results as regards performance can be achieved, it is frequently necessary to include enzyme-stabilizing systems in the liquid detergent compositions to provide a satisfactory enzyme stability during storage of the enzymatic liquid detergent composition.

20

We believe that representative examples of relevant prior art concerning proteases and stabilisation of proteases in liquid detergents are as follows.

5 Serine proteases from *Bacillus subtilis* are very widely known and used in detergent compositions.

The prior art also includes WO 88/03946 (Novo), which discloses, as detergent additives, combinations of  
10 *Bacillus* proteases with alkaline fungal or actinomycete proteases, e.g. those proteases obtainable from the genera *Paecilomyces*, *Fusarium*, and *Nocardiosis*. The disclosure extends to the use of the detergent additive as a liquid, with a known enzyme stabiliser such as  
15 propylene glycol, for addition to a liquid detergent.

USP 3 707 504 (Procter & Gamble) discloses detergents for laundry and dishwashing, comprising protease from  
20 *Thermoactinomyces vulgaris* ATCC 15734, which are formulated as solid or liquid detergent compositions. This document mentions surprising stability of protease from *Thermoactinomyces vulgaris* in highly-alkaline detergent systems.

25 Proteinase K (E.C. 3.4.21.14) is a known alkaline serine protease. It is a fungal proteinase produced by the mould *Tritirachium album* (Limber). It has been the subject of several academic investigations, and relevant publications include *Eur J Biochem* 47 (1974), pages  
30 91-97; and Hoppe-Seyler's *Zeitschrift f Physiol Chemie* 357 (1976), pages 937-947. In *EMBO Journal* 3(6), pages 1311-1314 (1984), A Pähler et al show the crystallographic 3D structure of proteinase K at a level of resolution that displays its secondary and tertiary  
35 protein structure. Furthermore, K-D Jany et al have

published its full primary sequence in FEBS Letters  
199(2) (1986) pages 139-144.

5 The use of a certain proteinase from Tritirachium album  
(Limber) for various purposes, including (generally) use  
in washing and cleaning compositions, has been mentioned  
in general terms in German patent application 1 965 281  
(Merck), but this document makes no further specific  
10 proposals about the generally-mentioned washing and  
cleaning application. In particular, nothing is said or  
suggested in this document about any use of the material  
specifically in liquid detergent compositions. Moreover,  
DE 1 965 281 says, as regards the activity of the enzyme  
15 Tritirachium enzyme breaks them down incompletely or not  
at all.

Representative examples of prior art as to enzyme  
stabilisation are as follows.

20 JP 47-35192 describes the use of glycerol or sorbitol  
with borax under certain conditions and proportions, to  
stabilise enzyme preparations including liquid washing  
materials.

25 DE 27 28 211 (Unilever) describes the use of polyols of 2  
to 6 hydroxy groups together with boric acid or borate in  
ratios less than 1, particularly in unbuilt detergents.

30 GB 2 079 305 (Unilever) describes the use of polyols  
together with boric acid and/or borate and polyacrylate  
polymers as stabilising agents, while EP 0 080 223  
(Unilever) describes the combined use of boric acid or  
borate and polyol or polyamino compounds with reducing  
35 salts, and EP 0 126 505 (Unilever) describes the use of  
boric acid or borate and reducing salts, together with



succinic or other dicarboxylic acids. Other prior art deals with the use of stabilisers such as calcium formate/acetate.

5 Background, Aims and Summary of the Present Invention:

10 The prior art mentioned above includes a variety of enzyme-stabilising systems for use in connection with liquid detergent compositions, and these systems can indeed be effective, but the ingredients for them can be unacceptably expensive, and it is desirable to find a way to reduce or avoid their use.

15 Although the above-cited USP 3 707 504 mentions surprising stability of protease from *Thermoactinomyces vulgaris* in highly-alkaline systems, we have in practice experienced difficulty in formulating adequately stable liquid detergents with protease from this species among others.

20 Consequently, we believe there is still a need for protease-containing liquid detergent compositions of improved stability, and an aim of this invention is to satisfy this need.

25 A further aim of this invention is to provide liquid detergent compositions incorporating enzymes which need less than normal amounts of such enzyme stabilisers as those mentioned above, and/or which can be formulated  
30 without such stabilisers, for useful storage stability.

We have now found that enzymes of the Proteinase K type are of particular value as proteolytic enzymes in enzymatic liquid detergent compositions.

5 According to the invention there is provided a liquid detergent composition comprising a surfactant concentrate and a proteolytic enzyme derived from a microorganism, characterised in that the proteolytic enzyme is a fungal alkaline protease of the proteinase K type, for improved storage stability in the liquid state.

10 We have found that use of such proteolytic enzyme can provide liquid detergent compositions with an improved enzyme storage stability compared with the aforementioned Bacillus-originating proteases, and also in comparison with the above-mentioned alkaline protease from Thermoactinomyces, even in the absence (or presence in lower amounts than previously proposed) of enzyme-stabilizing systems.

15 20 Furthermore, proteinase K is especially effective in breaking down native keratin and other native proteins.

25 Further and Detailed description of the Invention:

For the purposes of this invention, equivalents of the proteinase K from Tritirachium album (Limber) are considered to be those fungal alkaline serine proteinases which show substantial homology with proteinase K itself, and possess the following characteristics: (i) presence of cysteine close to the protease active site; (ii) a content of tightly-bound calcium, bound with an affinity corresponding to dissociation pK (calcium) of the order of about 5.5 to 8; (iii) presence of an SS (cystine) bridge in the protease tertiary structure; (iv) substantial resistance to inhibition of the protease activity by PCMB

We have now found that enzymes of the Proteinase K type are of particular value as proteolytic enzymes in enzymatic liquid detergent compositions.

5 According to the invention there is provided a liquid detergent composition comprising a surfactant concentrate and a proteolytic enzyme derived from a microorganism, characterised in that the proteolytic enzyme is a fungal alkaline protease of the proteinase K type, for improved storage stability in the liquid state.  
10

We have found that use of such proteolytic enzyme can provide liquid detergent compositions with an improved enzyme storage stability compared with the aforementioned Bacillus-originating proteases, and also in comparison with the above-mentioned alkaline protease from Thermoactinomyces, even in the absence (or presence in lower amounts than previously proposed) of enzyme-stabilizing systems.  
15  
20

Furthermore, proteinase K is especially effective in breaking down native keratin and other native proteins.

Further and Detailed description of the Invention:  
25

For the purposes of this invention, equivalents of the proteinase K from Tritirachium album (Limber) are considered to be those fungal alkaline serine proteinases which show substantial homology with proteinase K itself, and possess the following characteristics: (i) presence of cysteine close to the protease active site; (ii) a content of tightly-bound calcium, bound with an affinity corresponding to dissociation pK (calcium) of the order of about 5.5 to 8; (iii) presence of an SS (cystine) bridge in the protease tertiary structure; (iv) substantial resistance to inhibition of the protease activity by PCMB  
30  
35

(parachloromercuribenzoate). It is believed that proteinase K itself also has a content of SS (cystine) bridges in the molar ratio 2:1 to its content of (free) cysteine, and a further content of weakly-bound calcium substantially equal to its content of tightly-bound calcium.

Also considered as equivalents of proteinase K for the purposes of this invention are proteases produced by rDNA manipulation on the basis of genetic material corresponding to a protease of the proteinase K type, with or without modifications.

Genetic engineering of the enzymes can be achieved by extraction of an appropriate alkaline serine protease gene, e.g. the gene for proteinase K from *Tritirachium album* Limber itself or from a mutant thereof, and introduction and expression of the gene or derivative thereof in a suitable producer organism. The technique described in WO 88/02775 (Novo) may be applied and adapted.

Also within the scope of the invention as equivalent to the use of the proteinases mentioned above is the use of analogues (e.g. analogues made by mutant organisms) and derivatives and conjugates of the proteinases.

The preferred protease for use in this invention is Proteinase K from *Tritirachium album* (Limber).

The proteinase K type enzyme can be used either alone or together with *Bacillus* or other common proteases, e.g. Savinase, Maxatase or Alcalase (Trade Marks) and/or other proteolytic enzymes, as well as with other types of enzymes such as lipases, amylases, cellulases and alcohol

oxidases. Mixtures of the various other enzymes may also be present.

5 In general, our belief is that crude enzyme preparations of the type defined above perform better after storage than do the corresponding purified enzymes.

10 The proteinase defined above can preferably be included according to the present invention in an amount of 1 to 100 GU/mg liquid detergent. A GU is a Glycine Unit, which is defined as the proteolytic enzyme activity which, under standard conditions, during a 15-minute-incubation at 40 deg C, with N-acetyl casein as substrate, produces an amount of NH<sub>2</sub>-group equivalent to 15 1 micromole of glycine. Preferably, the amount ranges from 2 to 50 and particularly preferably from 5 to 20 GU/mg.

20 The liquid detergent compositions in which the proteinase is incorporated according to the present invention can be aqueous or non-aqueous, built or unbuilt liquid detergents which on their own are well known in the art. They have been amply described in the following patent specifications, hereby incorporated by reference :  
25 European patent 0 126 505 (Unilever) and European patent application 0 225 654.

Typically, aqueous liquid detergent compositions comprise from 1-60% by weight of one or more detergent-active 30 compounds, from 0-60% by weight of one or more organic and/or inorganic builders, and optionally other conventional ingredients such as soil-suspending agents, hydrotropes, corrosion inhibitors, dyes, perfumes, silicates, optical brighteners, suds depressants, 35 germicides, anti-tarnishing agents, opacifiers, fabric softening agents, oxygen-liberating bleaches such as

hydrogen peroxide, sodium perborate, diperisophthalic anhydride, with or without bleach precursors, buffers and the like. The liquid medium is usually an aqueous medium.

5

The detergent-active compounds in the compositions can for example be anionic and/or nonionic surfactants, and the pH of the liquid detergent compositions can be chosen at will from a wide range, e.g. from about pH 7 upwards, e.g. a milder alkaline range from about pH 7.5 to about pH 9, or a stronger alkaline range from about pH 9 upwards.

10

15

For non-aqueous liquid detergent compositions the above ingredients and ranges also apply mutatis mutandis.

Usually, these compositions contain a suspending medium for the other ingredients, the suspending medium comprising usually a nonionic detergent together with a suspending agent such as silica, a copolymer and the like.

20

25

Where the liquid detergent compositions contain inorganic or organic electrolyte salts, we have also found that the defined proteinase frequently gives an improved performance in liquid detergent compositions with an increased ionic strength or molarity.

30

Also included within the scope of the invention are liquid detergent compositions incorporating the defined protease as well as an enzyme-stabiliser, possibly in a lower amount than those amounts hitherto proposed.

35

The compositions may also comprise other detergent additives, for example without limitation polysaccharides such as pectinates and alginates chosen for compatibility

with the pH and pI of the enzyme in use, and polycarboxylates, e.g. polyacrylates.

The invention is further illustrated by way of Example.

5

EXAMPLE 1

Storage experiments were carried out with a liquid detergent composition of the following formulation :

10

	% (w/w)
Dodecyl benzene sulphonic acid	9
C13-C13 primary linear alcohol condensed with 7 moles of ethylene oxide	2.25
15 Pentasodium triphosphate	27
Sodium hydroxide	1.1
Water	to 100
pH adjusted to 9	

15

20 Such a formulation can if desired be prepared in accordance with EP 0 266 199 (Unilever).

20

Various proteases were included at 8-10 GU/mg liquid (at t = 0), and the protease stability was determined at regular intervals while storing the products at 37 deg C.

25

With Alcalase (Trade mark, Novo), a B. subtilis protease, there was found after 2 days a residual enzyme activity of only 8%; with Savinase (Trade Mark, Novo), a highly alkaline Bacillus protease, there was no more residual activity after only 1 day. With Proteinase K (from Sigma), there was found after 27 days still a residual activity of 22%.

30

35 Further storage stability testing was carried out using thermitase (TM) from Thermoactinomyces vulgaris, in a

35

composition otherwise similar to that set out above. It was found that the Thermoactinomyces enzyme showed poor storage stability.

Alternative commercial sources of proteinase K essentially equivalent to that used in this example are Boehringer and Merck (Trade Marks).

EXAMPLE 2

With the formulation of Example 1 (pH = 9) washing tests with cotton test pieces were carried out in a Tergotometer (single wash) at a concentration of 3 g/l, at 30 deg C. The wash cycle was for 30 minutes at 60 rpm, the water hardness was 20 deg FH. The liquid/cloth ratio was 1:50.

The enzymes were dosed at 30 GU/ml wash liquor. The soils were AS 10, cocktail 1 and cocktail 2. The enzymes used were:

- Savinase (Bacillus protease), from Novo;
- an alkaline protease from Streptomyces griseus, from Calbiochem-Behring, which is reported to act on various keratinous proteins (as also applies to Proteinase K).





The following results were obtained:

	AS 10	Cocktail 1	Cocktail 2
	(delta-R 460*)		
Savinase	13.1	19.7	9.4
Strept.gris.	23.2	21.6	13.5
Proteinase K	14.3	21.0	8.7
Savinase + Proteinase K(1:1)	13.1	21.9	9.4
Savinase + Strept.gr.(1:1)	19.6	21.3	13.3

Cocktail 1 = Gelatin/BSA/milk powder 1:1:1

Cocktail 2 = Hemoglobin/BSA 2.3:1



~~Cocktail 1 - Gelatin/BSA/milk powder 1:1:1~~  
~~5 " 2 - Hemoglobin/BSA 2.3:1~~

EXAMPLE 3

10 Stability tests were performed in a liquid according to Example 1 with Savinase, Streptomyces griseus protease, a 1:1 mixture of Savinase with Strept. gris. protease and Proteinase K. The storage temperature was 37 deg C.

15 The following results were obtained (% residual activity) after the storage times indicated:

	Savinase	Strept. gris. protease	Savinase/ Strept. gris. protease (1:1)	
20				
	5 hr	17	46	39
	25 hr	1	6	6
	96 hr	ND	ND	ND

25 (ND = not determined)

	Proteinase K		Savinase/Proteinase K (1:1)	
	5 hr	79	5 hr	53
30	25 hr	56	24 hr	26
	96 hr	46	48 hr	23

35 EXAMPLE 4



With the following formulation, stability and performance tests were carried out :

		% (w/w)
	Dodecyl benzene sulphonic acid	16
5	Cl <sub>2</sub> -Cl <sub>5</sub> alcohol condensed with 9 moles of ethylene oxide	7
	Monoethanol amine	2
	Citric acid	6.5
	Sodium xylene sulphonate	6
10	Colouring agent	0.011
	Fluorescer	0.078
	Opacifier	0.11
	Stearic acid	0.075
	Perfume	0.15
15	Sodium hydroxide	4.10
	Water	up to 100

The pH was adjusted to 10 with citric acid.

20 The stability at 37 deg C of the following enzymes (at 8-10 GU/mg liquid) was as follows:

	% RA
	Savinase 10 after 1 day
25	Alcalase 15 after 29 hours
	Proteinase K 26 after 9 days

30 In a miniwasher at 30 deg C for 30 minutes at 2 g/l in water of 6 deg FH, the following wash results were obtained with different proteases (This wash test was carried out with the above formulation which had a pH 10.8) :

35 AS 10 at 100 GU/ml : Alcalase >  
Kazusase (TM ex Showa Denko) >  
Proteinase K abt. equal to

Savinase

Cocktail 1 at 100 GU/ml: Alcalase >  
Kazusase abt. equal to  
Proteinase K >  
Savinase

Cocktail 2 at 100 GU/ml: Proteinase K abt. equal to  
Alcalase >  
Savinase >  
Kazusase.

EXAMPLE 5

The wash test of Example 4 was repeated, with the liquid detergent (pH 10.8) as used in Example 4. By addition of NaCl the ionic strength was increased, and the wash performance was compared (expressed in % reflectance at 460 nm).

The following results were obtained:

Protease (dosed at 20 GU/ml wash liquor)	(delta-R460*)	
	Formulation of Ex. 4 (ionic strength 0.0044)	Formulation of Ex. 4 + NaCl (ionic strength 0.026)
Savinase	62.5	70.5
Alcalase	68.5	71.5
Kazusase	64.5	71
Proteinase K	63	71





THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS;

1. A liquid detergent composition comprising a surfactant concentrate and a proteolytic enzyme derived from a microorganism, characterised in that the proteolytic enzyme is proteinase K derived from *Tritirachium album*, or an equivalent thereof.
2. A liquid detergent composition according to claim 1, characterised in that the liquid composition is an aqueous liquid composition.
3. A liquid detergent composition according to claim 1, characterised in that the liquid composition is a non-aqueous liquid composition.
4. A liquid detergent composition according to claim 1, 2 or 3, characterised in that the surfactant consists essentially of anionic and/or nonionic surfactant.
5. A detergent composition according to any of claims 1 to 4, characterised in that the alkaline protease is introduced in crude form without prior extensive purification.
6. A detergent composition according to any of claims 1 to 5, wherein the alkaline protease comprises proteinase K derived from *Tritirachium album* Limber.



7. A detergent composition according to any of claims 1 to 6, wherein the proteolytic enzyme is present in an amount in the order of about 1 to 100 GU/mg liquid detergent.

8. A detergent composition according to any of claims 1 to 7, comprising glycerol borate stabiliser.

DATED THIS 19TH DAY OF FEBRUARY 1991

UNILEVER PLC

By its Patent Attorneys:

GRIFFITH HACK & CO.

Fellows Institute of Patent  
Attorneys of Australia.

