



US 20110191900A1

(19) **United States**

(12) **Patent Application Publication**

Song et al.

(10) **Pub. No.: US 2011/0191900 A1**

(43) **Pub. Date: Aug. 4, 2011**

(54) **CRY1F AND CRY1AC TRANSGENIC COTTON LINES AND EVENT-SPECIFIC IDENTIFICATION THEREOF**

(75) Inventors: **Ping Song**, Carmel, IN (US); **Laura Ann Tagllani**, Zionsville, IN (US); **John William Pellow**, Corcoran, CA (US)

(73) Assignee: **Dow AgroSciences LLC**, Indianapolis, IN (US)

(21) Appl. No.: **13/021,410**

(22) Filed: **Feb. 4, 2011**

Related U.S. Application Data

(62) Division of application No. 10/964,838, filed on Oct. 13, 2004, now Pat. No. 7,179,965.

(60) Provisional application No. 60/556,586, filed on Mar. 26, 2004, provisional application No. 60/613,851, filed on Sep. 27, 2004.

Publication Classification

(51) **Int. Cl.**
A01H 1/00 (2006.01)
A01H 5/00 (2006.01)
A01H 5/10 (2006.01)

(52) **U.S. Cl.** **800/278; 800/314**

(57) **ABSTRACT**

This invention relates to plant breeding and the protection of plants from insects. More specifically, this invention includes novel transformation events of cotton plants comprising one or more polynucleotide sequences, as described herein, inserted into specific site(s) within the genome of a cotton cell. In highly preferred embodiments, said polynucleotide sequences encode "stacked" Cry1F and Cry1Ac lepidopteran insect inhibitory proteins. However, the subject invention includes plants having single cry1F or cry1Ac events, as described herein. Additionally, the invention is related to cotton plants derived from that transformation event and to assays for detecting the presence of the event in a sample. More specifically, the present invention provides DNA and related assays for detecting the presence of certain insect-resistance events in cotton. The assays are based on the DNA sequences of recombinant constructs inserted into the cotton genome and of the genomic sequences flanking the insertion sites. These sequences are unique. Based on these insert and border sequences, event-specific primers were generated. PCR analysis demonstrated that these cotton lines can be identified in different cotton genotypes by analysis of the PCR amplicons generated with these event-specific primer sets. Thus, these and other related procedures can be used to uniquely identify these cotton lines. Kits and conditions useful in conducting the assays are also provided. These materials and methods can also be used to assist breeding programs to further develop traits in cotton.




FIG. 1




FIG. 2

**CRY1F AND CRY1AC TRANSGENIC COTTON
LINES AND EVENT-SPECIFIC
IDENTIFICATION THEREOF**

**CROSS-REFERENCE TO RELATED
APPLICATIONS**

[0001] This application is a divisional of U.S. Ser. No. 11/704,418, filed Feb. 9, 2007, which was a divisional of U.S. Ser. No. 10/964,838, filed Oct. 13, 2004, now U.S. Pat. No. 7,179,965, which claims the benefit of provisional application Ser. No. 60/556,586, filed Mar. 26, 2004, and to provisional application Ser. No. 60/613,851, filed Sep. 27, 2004.

BACKGROUND OF THE INVENTION

[0002] Cotton is an important fiber crop. Breeding and biotechnology have been applied to cotton to improve its agronomic traits and the quality of the product. One such agronomic trait is resistance to insects, the advantages of which are readily apparent. Genes encoding insecticidal proteins have been introduced into cotton plants. In order to alleviate any concern that a given type of insect could develop resistance to a single type of insecticidal protein, plants are often developed that produce two different types of insecticidal proteins. Thus, the odds of an insect being hypothetically capable of developing resistance to two different insecticidal proteins are extremely low.

[0003] Cry1Ac insecticidal proteins and genes are known in the art. See, e.g., U.S. Pat. Nos. 6,114,138; 5,710,020; 6,251,656; and 6,229,004. Cry1F insecticidal proteins and genes are also known in the art. See, e.g., U.S. Pat. Nos. 5,188,960; 5,691,308; 6,096,708; and 6,573,240.

[0004] The expression of foreign genes in plants is influenced by where the foreign gene is inserted in the chromosome. This could be due to chromatin structure (e.g., heterochromatin) or the proximity of transcriptional regulation elements (e.g., enhancers) close to the integration site (Weising et al., *Ann. Rev. Genet.* 22:421-477, 1988). For example, the same gene in the same type of transgenic plant (or other organism) can exhibit a wide variation in expression level amongst different events. There may also be differences in spatial or temporal patterns of expression. For example, differences in the relative expression of a transgene in various plant tissues may not correspond to the patterns expected from transcriptional regulatory elements present in the introduced gene construct.

[0005] Thus, it is necessary to create and screen a large number of events in order to identify an event that optimally expresses an introduced gene of interest. For commercial purposes, it is common to produce hundreds to thousands of different events and to screen those events for a single event that has desired transgene expression levels and patterns. An event that has desired levels and/or patterns of transgene expression is useful for introgressing the transgene into other genetic backgrounds by sexual outcrossing using conventional breeding methods. Progeny of such crosses maintain the transgene expression characteristics of the original transformant. This strategy is used to ensure reliable gene expression in a number of varieties that are well adapted to local growing conditions.

[0006] It would be advantageous to be able to detect the presence of a particular event in order to determine whether progeny of a sexual cross contain a transgene of interest. In addition, a method for detecting a particular event would be

helpful for complying with regulations requiring the pre-market approval and labeling of foods derived from recombinant crop plants, for example. It is possible to detect the presence of a transgene by any well-known nucleic acid detection method such as polymerase chain reaction (PCR) or DNA hybridization using nucleic acid probes. These detection methods generally focus on frequently used genetic elements, such as promoters, terminators, marker genes, and the like. As a result, such methods may not be useful for discriminating between different events, particularly those produced using the same DNA construct, unless the sequence of chromosomal DNA adjacent to the inserted DNA ("flanking DNA") is known. An event-specific PCR assay is discussed, for example, by Windels et al. (*Med. Fac. Landbouww, Univ. Gent* 64/5b:459462, 1999). This related to the identification of glyphosate tolerant soybean event 40-3-2 by PCR using a primer set spanning the junction between the insert and flanking DNA. More specifically, one primer included sequence from the insert and a second primer included sequence from flanking DNA.

[0007] U.S. Patent Apps. 20020120964 A1 and 20040009504 A1 relate to cotton event PV-GHGT07(1445) and compositions and methods for the detection thereof. WO 02/100163 relates to cotton event MONI5985 and compositions and methods for the detection thereof. WO 2004/011601 relates to corn event MON863 plants and compositions and methods for the detection thereof. WO 2004/072235 relates to cotton event MON 88913 and compositions and methods for the detection thereof.

[0008] However, no such procedures and materials were specifically known, heretofore, that could be used to specifically identify Cry1F and/or Cry1Ac stacked cotton as discussed below.

BRIEF SUMMARY OF THE INVENTION

[0009] This invention relates to plant breeding and the protection of plants from insects. More specifically, this invention includes novel transformation events of cotton plants comprising one or more polynucleotide sequences, as described herein, inserted into specific site(s) within the genome of a cotton cell. In highly preferred embodiments, said polynucleotide sequences encode "stacked" Cry1F and Cry1Ac lepidopteran insect inhibitory proteins. However, the subject invention includes plants having single Cry1F or Cry1Ac events, as described herein.

[0010] Additionally, the subject invention provides assays for detecting the presence of one or more of the subject events in a sample. The present invention provides DNA and related assays for detecting the presence of certain insect-resistance events in cotton. The assays are based on the DNA sequences of recombinant constructs inserted into the cotton genome and of the genomic sequences flanking the insertion sites. Kits and conditions useful in conducting the assays are also provided.

[0011] Thus, the subject invention relates in part to the cloning and analysis of the DNA sequences of a whole cry1F insert, whole cry1Ac inserts, and the border regions thereof (in transgenic cotton lines). These sequences are unique. Based on these insert and border sequences, event-specific primers were generated. PCR analysis demonstrated that these events can be identified by analysis of the PCR amplicons generated with these event-specific primer sets. Thus,

these and other related procedures can be used to uniquely identify cotton lines comprising one or more events of the subject invention.

BRIEF DESCRIPTION OF THE FIGURES

[0012] FIG. 1 illustrates the inserted cry1F transgene and flanking sequences for cotton event 281-24-236. This Figure also shows amplicons and primers as described herein.

[0013] FIG. 2 illustrates an inserted cry1Ac transgene and flanking sequences for cotton event 3006-210-23. This Figure also shows amplicons and primers as described herein.

BRIEF DESCRIPTION OF THE SEQUENCES

[0014] SEQ ID NO:1 is the DNA sequence for the cry1F event 281-24-236 insert and its border sequences.

[0015] SEQ ID NO:2 is the DNA sequence for the cry1Ac event 3006-210-23 insert and its border sequences.

[0016] SEQ ID NO:3 is the sequence of forward primer “281-14” used with reverse primer “281-15” to amplify a 603 bp amplicon that spans the 5' junction between the flanking and insert regions of cry1F event 281-24-236.

[0017] SEQ ID NO:4 is the sequence of the reverse primer “281-15” used with forward primer “281-14” to amplify a 603 bp amplicon that spans the 5' junction between the flanking and insert regions of cry1F event 281-24-236.

[0018] SEQ ID NO:5 is the 603 bp sequence of the amplicon produced using the primers of SEQ ID NOS:3 and 4.

[0019] SEQ ID NO:6 is the sequence of forward primer “281-9” used with reverse primer “281-10” to amplify a 562 bp amplicon that spans the 3' junction between the insert and flanking regions of cry1F event 281-24-236.

[0020] SEQ ID NO:7 is the sequence of the reverse primer “281-10” used with forward primer “281-9” to amplify a 562 bp amplicon that spans the 3' junction between the flanking and insert regions of cry1F event 281-24-236.

[0021] SEQ ID NO:8 is the 562 bp sequence of the amplicon produced using the primers of SEQ ID NOS:6 and 7.

[0022] SEQ ID NO:9 is the sequence of forward primer “3006-20” used with reverse primer “3006-22” to amplify a 614 bp amplicon that spans the 5' junction between the flanking and insert regions of cry1Ac event 3006-210-23.

[0023] SEQ ID NO:10 is the sequence of the reverse primer “3006-22” used with forward primer “3006-20” to amplify a 614 bp amplicon that spans the 5' junction between the flanking and insert regions of cry1Ac event 3006-210-23.

[0024] SEQ ID NO:11 is the 614 bp sequence of the amplicon produced using the primers of SEQ ID NOS:9 and 10.

[0025] SEQ ID NO:12 is the sequence of forward primer “3006-9” used with reverse primer “3006-12” to amplify a 662 bp amplicon that spans the 3' junction between the insert and flanking regions of cry1Ac event 3006-210-23.

[0026] SEQ ID NO:13 is the sequence of the reverse primer “3006-12” used with forward primer “3006-9” to amplify a 662 bp amplicon that spans the 3' junction between the flanking and insert regions of cry1Ac event 3006-210-23.

[0027] SEQ ID NO:14 is the 662 bp sequence of the amplicon produced using the primers of SEQ ID NOS:12 and 13.

[0028] SEQ ID NO:15 is a segment of genomic cotton DNA for event 281-24-236 (53 missing bases).

[0029] SEQ ID NO:16 is a segment of genomic cotton DNA for event 3006-210-23 (16 missing bases).

DETAILED DESCRIPTION OF THE INVENTION

[0030] This invention relates to plant breeding and the protection of plants from insects. More specifically, this invention includes novel transformation events of cotton plants (e.g. *Gossypium hirsutum* and *Gossypium barbadense*) comprising one or more polynucleotide sequences, as described herein, inserted into specific site(s) within the genome of a cotton cell. In highly preferred embodiments, said polynucleotide sequences encode “stacked” Cry1F and Cry1Ac lepidopteran insect inhibitory proteins. However, the subject invention includes plants having single Cry1F or Cry1Ac events, as described herein.

[0031] Additionally, the subject invention provides assays for detecting the presence of one or more of the subject events in a sample. Aspects of the subject invention include methods of designing and/or producing any of the diagnostic nucleic acid molecules exemplified or suggested herein, particularly those based wholly or partially on the subject flanking sequences.

[0032] More specifically, the subject invention relates in part to two transgenic cotton events (cry1F 281-24-236 and cry1Ac 3006-210-23), plant lines comprising these events, and the cloning and analysis of the DNA sequences of this cry1F insert, these cry1Ac inserts, and/or the border regions thereof. Plant lines of the subject invention can be detected using sequences disclosed and suggested herein.

[0033] In preferred embodiments, this invention relates to insect-resistant cotton lines, and the identification thereof, that produces two “stacked” insecticidal proteins known as Cry1F and Cry1Ac. In preferred embodiments, a plant line of the subject invention comprises cry1F event 281-24-236 and cry1Ac event 3006-210-23. However, plants of the subject invention can comprise any one or, preferably, both of the events discussed herein.

[0034] As alluded to above in the Background section, the introduction and integration of a transgene into a plant genome involves some random events (hence the name “event” for a given insertion that is expressed). That is, with many transformation techniques such as *Agrobacterium transformation*, the “gene gun,” and WHISKERS, it is unpredictable where in the genome a transgene will become inserted. Thus, identifying the flanking plant genomic DNA on both sides of the insert can be important for identifying a plant that has a given insertion event. For example, PCR primers can be designed that generate a PCR amplicon across the junction region of the insert and the host genome. This PCR amplicon can be used to identify a unique or distinct type of insertion event.

[0035] As “events” are random events and generally cannot be duplicated, as part of this disclosure at least 2500 seeds of a cotton line, comprising the cry1F event 281-24-236 and cry1Ac event 3006-210-23, have been deposited, and made available to the public without restriction (but subject to patent rights), with the American Type Culture Collection (ATCC), Rockville, Md. 20852. The deposit has been designated as ATCC Deposit No. PTA-6233. The deposit will be maintained without restriction at the ATCC depository, which is a public depository, for a period of 30 years, or five years after the most recent request, or for the effective life of the patent, whichever is longer, and will be replaced if it becomes nonviable during that period.

[0036] The deposited seeds are part of the subject invention. Clearly, cotton plants can be grown from these seeds, and such plants are part of the subject invention. The subject invention also relates to DNA sequences contained in these cotton plants that are useful for detecting these plants and progeny thereof. Detection methods and kits of the subject invention can be directed to identifying any one, two, or even all three of these events, depending on the ultimate purpose of the test.

[0037] Definitions and examples are provided herein to help describe the present invention and to guide those of ordinary skill in the art to practice the invention. Unless otherwise noted, terms are to be understood according to conventional usage by those of ordinary skill in the relevant art. The nomenclature for DNA bases as set forth at 37 CFR §1.822 is used.

[0038] A transgenic “event” is produced by transformation of plant cells with heterologous DNA, i.e., a nucleic acid construct that includes a transgene of interest, regeneration of a population of plants resulting from the insertion of the transgene into the genome of the plant, and selection of a particular plant characterized by insertion into a particular genome location. The term “event” refers to the original transformant and progeny of the transformant that include the heterologous DNA. The term “event” also refers to progeny produced by a sexual outcross between the transformant and another variety that includes the genomic/transgene DNA. Even after repeated back-crossing to a recurrent parent, the inserted transgene DNA and flanking genomic DNA (genomic/transgene DNA) from the transformed parent is present in the progeny of the cross at the same chromosomal location. The term “event” also refers to DNA from the original transformant and progeny thereof comprising the inserted DNA and flanking genomic sequence immediately adjacent to the inserted DNA that would be expected to be transferred to a progeny that receives inserted DNA including the transgene of interest as the result of a sexual cross of one parental line that includes the inserted DNA (e.g., the original transformant and progeny resulting from selfing) and a parental line that does not contain the inserted DNA.

[0039] A “junction sequence” spans the point at which DNA inserted into the genome is linked to DNA from the cotton native genome flanking the insertion point, the identification or detection of one or the other junction sequences in a plant’s genetic material being sufficient to be diagnostic for the event. Included are the DNA sequences that span the insertions in herein-described cotton events and similar lengths of flanking DNA. Specific examples of such diagnostic sequences are provided herein; however, other sequences that overlap the junctions of the insertions, or the junctions of the insertions and the genomic sequence, are also diagnostic and could be used according to the subject invention.

[0040] The subject invention relates to the identification of such flanking, junction, and insert sequences. Related PCR primers and amplicons are included in the invention. According to the subject invention, PCR analysis methods using amplicons that span across inserted DNA and its borders (of Cry1F 281-24-236 and/or Cry1Ac 3006-210-23) can be used to detect or identify commercialized transgenic cotton varieties or lines derived from the subject proprietary transgenic cotton lines.

[0041] The entire sequences of each of these inserts, together with the respective flanking sequences, are provided herein as SEQ ID NO:1 (cry1F 281-24-236) and SEQ ID

NO:2 (cry1Ac 3006-210-23). Table 1 provides the coordinates of the insert and flanking sequences for these events.

TABLE 1

Event	For indicated SEQ ID NO., residue location of:		
	5' Flanking	Insert	3' Flanking
cry1F 281-24-236 (SEQ ID NO: 1)	1-2074	2,075-12,748	12,749-15,490
cry1Ac 3006-210-23 (SEQ ID NO: 2)	1-527	528-8,900	8,901-9,382

[0042] These insertion events, and further components thereof, are further illustrated in FIGS. 1 and 2. These sequences (particularly the flanking sequences) are unique. Based on these insert and border sequences, event-specific primers were generated. PCR analysis demonstrated that these cotton lines can be identified in different cotton genotypes by analysis of the PCR amplicons generated with these event-specific primer sets. Thus, these and other related procedures can be used to uniquely identify these cotton lines. The sequences identified herein are unique. For example, BLAST searches against GENBANK databases did not reveal any significant homology between the cloned border sequences and sequences in the database.

[0043] Detection techniques of the subject invention are especially useful in conjunction with plant breeding, to determine which progeny plants comprise a given event, after a parent plant comprising an event of interest is crossed with another plant line in an effort to impart one or more additional traits of interest in the progeny. These PCR analysis methods benefit cotton breeding programs as well as quality control, especially for commercialized transgenic cottonseeds. PCR detection kits for these transgenic cotton lines can also now be made and used. This can also benefit product registration and product stewardship.

[0044] Furthermore, flanking cotton sequences can be used to specifically identify the genomic location of each insert. This information can be used to make molecular marker systems specific to each event. These can be used for accelerated breeding strategies and to establish linkage data.

[0045] Still further, the flanking sequence information can be used to study and characterize transgene integration processes, genomic integration site characteristics, event sorting, stability of transgenes and their flanking sequences, and gene expression (especially related to gene silencing, transgene methylation patterns, position effects, and potential expression-related elements such as MARS [matrix attachment regions], and the like).

[0046] In light of all the subject disclosure, it should be clear that the subject invention includes seeds available under ATCC Deposit No. PTA-6233. The subject invention also includes an insect-resistant cotton plant grown from a seed deposited with the ATCC under accession number PTA-6233. The subject invention further includes parts of said plant, such as leaves, tissue samples, seeds produced by said plant, pollen, and the like.

[0047] Still further, the subject invention includes descendant and/or progeny plants of plants grown from the deposited seed, preferably an insect-resistant cotton plant wherein said plant has a genome comprising a detectable wild-type genomic DNA/insert DNA junction sequence as described

herein. As used herein, the term “cotton” means *Gossypium hirsutum* and includes all plant varieties that can be bred with cotton, including *Gossypium barbadense*.

[0048] This invention further includes processes of making crosses using a plant of the subject invention as at least one parent. For example, the subject invention includes an F₁ hybrid plant having as one or both parents any of the plants exemplified herein. Also within the subject invention is seed produced by such F₁ hybrids of the subject invention. This invention includes a method for producing an F₁ hybrid seed by crossing an exemplified plant with a different (e.g. in-bred parent) plant and harvesting the resultant hybrid seed. The subject invention includes an exemplified plant that is either a female parent or a male parent. Characteristics of the resulting plants may be improved by careful consideration of the parent plants.

[0049] An insect-resistant cotton plant can be bred by first sexually crossing a first parental cotton plant consisting of a cotton plant grown from seed of any one of the lines referred to herein, and a second parental cotton plant, thereby producing a plurality of first progeny plants; and then selecting a first progeny plant that is resistant to insects (or that possesses at least one of the events of the subject invention); and selfing the first progeny plant, thereby producing a plurality of second progeny plants; and then selecting from the second progeny plants a plant that is resistant to insects (or that possesses at least one of the events of the subject invention). These steps can further include the back-crossing of the first progeny plant or the second progeny plant to the second parental cotton plant or a third parental cotton plant. A cotton crop comprising cotton seeds of the subject invention, or progeny thereof, can then be planted.

[0050] It is also to be understood that two different transgenic plants can also be mated to produce offspring that contain two independently segregating added, exogenous genes. Selfing of appropriate progeny can produce plants that are homozygous for both added, exogenous genes. Back-crossing to a parental plant and out-crossing with a non-transgenic plant are also contemplated, as is vegetative propagation. Other breeding methods commonly used for different traits and crops are known in the art. Backcross breeding has been used to transfer genes for a simply inherited, highly heritable trait into a desirable homozygous cultivar or inbred line, which is the recurrent parent. The source of the trait to be transferred is called the donor parent. The resulting plant is expected to have the attributes of the recurrent parent (e.g., cultivar) and the desirable trait transferred from the donor parent. After the initial cross, individuals possessing the phenotype of the donor parent are selected and repeatedly crossed (backcrossed) to the recurrent parent. The resulting parent is expected to have the attributes of the recurrent parent (e.g., cultivar) and the desirable trait transferred from the donor parent.

[0051] The DNA molecules of the present invention can be used as molecular markers in a marker assisted breeding (MAB) method. DNA molecules of the present invention can be used in methods (such as, AFLP markers, RFLP markers, RAPD markers, SNPs, and SSRs) that identify genetically linked agronomically useful traits, as is known in the art. The insect-resistance trait can be tracked in the progeny of a cross with a cotton plant of the subject invention (or progeny thereof and any other cotton cultivar or variety) using the MAB methods. The DNA molecules are markers for this trait, and MAB methods that are well known in the art can be used

to track the insect-resistance trait(s) in cotton plants where at least one cotton line of the subject invention, or progeny thereof, was a parent or ancestor. The methods of the present invention can be used to identify any cotton variety having the insect-resistance event from cotton line 281-24-236 (cry1F) and/or 3006-210-23 (cry1Ac).

[0052] Methods of the subject invention include a method of producing an insect-resistant cotton plant wherein said method comprises breeding with a plant of the subject invention. More specifically, said methods can comprise crossing two plants of the subject invention, or one plant of the subject invention and any other plant. Preferred methods further comprise selecting progeny of said cross by analyzing said progeny for an event detectable according to the subject invention.

[0053] A preferred plant, or a seed, of the subject invention comprises in its genome at least one of the insert sequences, as identified in Table 1, together with at least 20-500 or more contiguous flanking nucleotides on both sides of the insert, as identified in Table 1. Unless indicated otherwise, “cry1F cotton event 281-24-236” refers to DNA of SEQ ID NO:1 that includes the heterologous DNA inserted in the original transformant (nucleotides 2075-12,748 of SEQ ID NO:1) and all or part of both of the flanking genomic sequences of SEQ ID NO:1 (nucleotide residues 1-2074 and 12,749-15,490) immediately adjacent to the inserted DNA that would be expected to be transferred to progeny that receives the inserted DNA as a result of a sexual cross of a parental line that includes the event. Similarly, unless indicated otherwise, “cry1Ac cotton event 3006-210-23” refers to DNA of SEQ ID NO:2 that includes the heterologous DNA inserted in the original transformant (nucleotides 528-8900 of SEQ ID NO:2) and all or part of both of the flanking genomic sequences of SEQ ID NO:2 (residues 1-527 and 8901-9382) immediately adjacent to the inserted DNA that would be expected to be transferred to progeny that receives the inserted DNA as a result of a sexual cross of a parental line that includes the event.

[0054] The subject invention includes tissue cultures of regenerable cells of a plant of the subject invention. Also included is a plant regenerated from such tissue culture, particularly where said plant is capable of expressing all the morphological and physiological properties of an exemplified variety. Preferred plants of the subject invention have all the physiological and morphological characteristics of a plant grown from the deposited seed. This invention further comprises progeny of such seed and seed possessing the quality traits of interest.

[0055] Manipulations (such as mutation, further transfection, and further breeding) of plants or seeds, or parts thereof, may lead to the creation of what may be termed “essentially derived” varieties. The International Union for the Protection of New Varieties of Plants (UPOV) has provided the following guideline for determining if a variety has been essentially derived from a protected variety:

[0056] [A] variety shall be deemed to be essentially derived from another variety (“the initial variety”) when

[0057] (i) it is predominantly derived from the initial variety, or from a variety that is itself predominantly derived from the initial variety, while retaining the expression of the essential characteristics that result from the genotype or combination of genotypes of the initial variety;

[0058] (ii) it is clearly distinguishable from the initial variety; and

[0059] (iii) except for the differences which result from the act of derivation, it conforms to the initial variety in the

expression of the essential characteristics that result from the genotype or combination of genotypes of the initial variety.

[0060] UPOV, Sixth Meeting with International Organizations, Geneva, Oct. 30, 1992; document prepared by the Office of the Union.

[0061] As used herein, a “line” is a group of plants that display little or no genetic variation between individuals for at least one trait. Such lines may be created by several generations of self-pollination and selection, or vegetative propagation from a single parent using tissue or cell culture techniques.

[0062] As used herein, the terms “cultivar” and “variety” are synonymous and refer to a line which is used for commercial production.

[0063] “Stability” or “stable” means that with respect to the given component, the component is maintained from generation to generation and, preferably, at least three generations at substantially the same level, e.g., preferably $\pm 15\%$, more preferably $\pm 10\%$, most preferably $\pm 5\%$. The stability may be affected by temperature, location, stress and the time of planting. Comparison of subsequent generations under field conditions should produce the component in a similar manner.

[0064] “Commercial Utility” is defined as having good plant vigor and high fertility, such that the crop can be produced by farmers using conventional farming equipment, and the oil with the described components can be extracted from the seed using conventional crushing and extraction equipment. To be commercially useful, the yield, as measured by seed weight, oil content, and total oil produced per acre, is within 15% of the average yield of an otherwise comparable commercial canola variety without the premium value traits grown in the same region.

[0065] “Agronomically elite” means that a line has desirable agronomic characteristics such as yield, maturity, disease resistance, and the like, in addition to the insect resistance due to the subject event(s).

[0066] As one skilled in the art will recognize in light of this disclosure, preferred embodiments of detection kits, for example, can include probes and/or primers directed to and/or comprising “junction sequences” or “transition sequences” (where the cotton genomic flanking sequence meets the insert sequence). For example, this includes a polynucleotide probe, primer, or amplicon comprising a sequence including residues 2074-2075 or 12,748-12,749 of SEQ ID NO:1, or residues 527-528 or 8,900-8,901 of SEQ ID NO:2, as indicated in Table 1. To be diagnostic for these particular events, preferred “junction primers” should include at least ~15 residues of the adjacent flanking sequence and at least ~15 residues of the adjacent insert sequence. With this arrangement, another primer in either the flanking or insert region can be used to generate a detectable amplicon that indicates the presence of an event of the subject invention. In preferred embodiments, however, one primer binds in the flanking region and one binds in the insert, and these primers can be used to generate an amplicon that spans (and includes) a junction sequence as indicated above.

[0067] One skilled in the art will also recognize that primers and probes can be designed to hybridize, under a range of standard hybridization and/or PCR conditions, to a segment of SEQ ID NO:1, SEQ ID NO:2, and complements thereof, wherein the primer or probe is not perfectly complementary to the exemplified sequence. That is, some degree of mismatch can be tolerated. For an approximately 20 nucleotide primer, for example, typically one or two or so nucleotides do

not need to bind with the opposite strand if the mismatched base is internal or on the end of the primer that is opposite the amplicon. Various appropriate hybridization conditions are provided below. Synthetic nucleotide analogs, such as inosine, can also be used in probes. Peptide nucleic acid (PNA) probes, as well as DNA and RNA probes, can also be used. What is important is that such probes and primers are diagnostic for (able to uniquely identify and distinguish) the presence of an event of the subject invention.

[0068] It should be further noted that errors in PCR amplification can occur which might result in minor sequencing errors, for example. That is, unless otherwise indicated, the sequences listed herein were determined by generating long amplicons from cotton genomic DNAs, and then cloning and sequencing the amplicons. It is not unusual to find slight differences and minor discrepancies in sequences generated and determined in this manner, given the many rounds of amplification that are necessary to generate enough amplicon for sequencing from genomic DNAs. For example, the following differences between the determined sequences of the event-flanking DNAs and the corresponding, known/wild-type/genomic DNAs are noted. In the 5' flank for the subject cry1F event, residue 2037 of SEQ ID NO:1 was determined to be/is listed as “G” whereas the corresponding residue of the 281-24-236 locus of the known genomic sequence is “A” (R can be used in a consensus sequence, according to standard IUPAC-IUB conventions). In the 3' flank of this event, residue 12,781 of SEQ ID NO:1 is listed herein as T whereas C is provided in the published genomic sequence at the corresponding location (Y is the consensus code). Position 12,811 of SEQ ID NO:1 is C whereas T is provided for the genome (Y would be the consensus). Position 12,866 is listed as C in SEQ ID NO:1 whereas T appears in the genome (Y is the consensus). Position 12,882 is listed as G in SEQ ID NO:1 whereas A appears for the genome (R is the consensus). Position 12,918 is listed as A in SEQ ID NO:1 whereas G appears in the genome (R is the consensus). Residue 13,129 is listed as G in SEQ ID NO:1 whereas A appears in the genome (R is the consensus). Residue 13,222 is listed as C in SEQ ID NO:1 whereas T appears in the genomic sequence (Y is the consensus). At position 13,441 in SEQ ID NO:1, a T appears whereas there is no corresponding residue in the genomic listing. Thus, this apparent insertion would shift the downstream numbering of SEQ ID NO:1 accordingly, as compared to the genomic sequence. One skilled in the art should recognize and be put on notice that any adjustments needed due to these types of common sequencing errors or discrepancies are within the scope of the subject invention.

[0069] Similar differences also appear in the 5' flank for the subject cry1Ac event. At positions 149, 153, 159, 165, and 244 of SEQ ID NO:2, the following residues are listed, respectively: C, G, C, C, and C. In the genomic sequence at the 3006-210-23 locus, the following residues appear, respectively, at corresponding locations: A, A, A, A, and A. Consensus codes for these substitutions are, respectively, M, R, M, M, and M. Adjustments to probes and primers can be made accordingly, and corresponding differences might be noted in amplicons that span or include any of the above residues.

[0070] It should also be noted that it is not uncommon for some genomic sequence to be deleted when a sequence is inserted during the creation of an event. This was the case for both events of the subject invention. That is, SEQ ID NO:1 provides a 53-base segment of genomic cotton DNA for event 281-24-236 that was deleted during the insertion. This “inte-

rior segment” occurs between residues 2074 and 12,749 of SEQ ID NO:1 in the non-transformed cotton genome. Similarly, SEQ ID NO:2 provides a 16-base segment of genomic cotton DNA for event 3006-210-23 that was deleted during the insertion. This “interior segment” occurs between residues 527 and 8,901 of SEQ ID NO:2 in the non-transformed cotton genome.

[0071] As illustrated in FIGS. 1 and 2, the components of each of the “inserts” are as follows. The transgene genetic element DNA molecules contained in the subject event Cry1F 281-24-236 consists of the maize ubiquitin 1 promoter, operably connected to the phosphinothricin N-acetyltransferase (PAT) from *Streptomyces viridochromogenes*, operably connected to the ORF25 polyadenylation sequences (Baker et al., *Plant Molecular Biology* 2:335-350, 1983); the chimeric promoter [(4OCS) δ MAS] containing a partially deleted manopines synthase promoter with 4 enhancer elements from the octopine synthase promoter, operably connected to the Cry1F(synpro) from *Bacillus thuringiensis* var. *aizawai*, operably connected to ORF25 polyadenylation sequences (Baker et al., *Plant Molecular Biology* 2:335-350, 1983); and the maize ubiquitin 1 promoter unoperably connected to a partial pat sequence. The DNA polynucleotide sequences or fragments of these components can be used as DNA primers or probes in the methods of the present invention.

[0072] The transgene genetic element DNA molecules contained in the subject event Cry1Ac 3006-210-23 consists of the (4OCS) δ MAS promoter operably connected to the PAT (as described above), operably connected to the ORF25; and the maize ubiquitin 1 promoter operably connected to the Cry1Ac (synpro) from *Bacillus thuringiensis* var. *kurstaki*, operably connected to the ORF25 polyadenylation sequences. The DNA polynucleotide sequences of these components, or fragments thereof, can be used as DNA primers or probes in the methods of the present invention.

[0073] In some embodiments of the invention, compositions and methods are provided for detecting the presence of the transgene/genomic insertion region, in plants and seeds and the like, from a cotton plant designated WIDESTRIKE comprising Cry1F event 281-24-236 and Cry1Ac event 3006-210-23. DNA sequences are provided that comprise at least one transgene/genomic insertion region junction sequence provided herein in SEQ ID NO:1, SEQ ID NO:2, segments thereof, and complements of the exemplified sequences and any segments thereof. The insertion region junction sequence spans the junction between heterologous DNA inserted into the genome and the DNA from the cotton cell flanking the insertion site. Such sequences are diagnostic for one or more of the given events.

[0074] Based on these insert and border sequences, event-specific primers were generated. PCR analysis demonstrated that these cotton lines (Cry1F 281-24-236 and Cry1Ac 3006-210-23) can be identified in different cotton genotypes by analysis of the PCR amplicons generated with these event-specific primer sets. These and other related procedures can be used to uniquely identify these cotton lines. Thus, PCR amplicons derived from such primer pairs are unique and can be used to identify these cotton lines.

[0075] In some embodiments, DNA sequences that comprise at least one of the novel transgene/genomic insertion regions are an aspect of this invention. Included are DNA sequences that comprise a sufficient length of polynucleotides of transgene insert sequence and a sufficient length of polynucleotides of cotton genomic sequence from one or

more of the three aforementioned cotton plants and/or sequences that are useful as primer sequences for the production of an amplicon product diagnostic for one or more of these cotton plants.

[0076] Related embodiments pertain to DNA sequences that comprise at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, or more contiguous nucleotides of a transgene portion of a DNA sequence selected from the group consisting of SEQ ID NO:1 and SEQ ID NO:2, or complements thereof, and a similar length of flanking cotton DNA sequence from these sequences, or complements thereof. Such sequences are useful as DNA primers in DNA amplification methods. The amplicons produced using these primers are diagnostic for any of the cotton events referred to herein. Therefore, the invention also includes the amplicons produced by such DNA primers and homologous primers.

[0077] Following is a table that summarizes specific embodiments of the subject invention:

TABLE 2

List of Primers and Their Sequences Used in Event-Specific PCR Amplification				
Event	Forward Sequence (5'-3')	Reverse Sequence (5'-3')	Amplicon Size (bp)	Target Region
281- 24- 236	tgtcggctgaa ggtagggagg (281-14) (SEQ ID NO: 3)	cggacatga agccatttac (281-15) (SEQ ID NO: 4)	603 (SEQ ID NO: 5)	5' insert junction
	tctctagagag gggcacgacc (281-9) (SEQ ID NO: 6)	Cgagctggaga gaccggtgac (281-10) (SEQ ID NO: 7)	562 (SEQ ID NO: 8)	3' insert junction
3006- 210- 23	ttccaacctttaa ctattatcctgc (3006-20) (SEQ ID NO: 9)	gctgaggaca tctacatttt (3006-22) (SEQ ID NO: 10)	614 (SEQ ID NO: 11)	5' insert junction
	gacatgcaatgc tcattatctcta (3006-9) (SEQ ID NO: 12)	Aagtctctgccc ttctaccctgg (3006-12) (SEQ ID NO: 13)	662 (SEQ ID NO: 14)	3' insert junction

[0078] This invention also includes methods of detecting the presence of DNA, in a sample, that corresponds to at least one of the cotton events referred to herein. Such methods can comprise: (a) contacting the sample comprising DNA with a primer set that, when used in a nucleic acid amplification reaction with DNA from at least one of these cotton events, produces an amplicon that is diagnostic for said event(s); (b) performing a nucleic acid amplification reaction, thereby producing the amplicon; and (c) detecting the amplicon.

[0079] Further detection methods of the subject invention include a method of detecting the presence of a DNA, in a sample, corresponding to at least one of said events, wherein said method comprises: (a) contacting the sample comprising DNA with a probe that hybridizes under stringent hybridization conditions with DNA from at least one of said cotton events and which does not hybridize under the stringent hybridization conditions with a control cotton plant (non-event-of-interest DNA); (b) subjecting the sample and probe

to stringent hybridization conditions; and (c) detecting hybridization of the probe to the DNA.

[0080] In still further embodiments, the subject invention includes methods of producing a cotton plant comprising a cry1F and/or a cry1Ac event of the subject invention, wherein said method comprises the steps of: (a) sexually crossing a first parental cotton line (comprising an expression cassettes of the present invention, which confers said insect resistance trait to plants of said line) and a second parental cotton line (that lacks this insect tolerance trait) thereby producing a plurality of progeny plants; and (b) selecting a progeny plant by the use of molecular markers. Such methods may optionally comprise the further step of back-crossing the progeny plant to the second parental cotton line to producing a true-breeding cotton plant that comprises said insect tolerance trait.

[0081] According to another aspect of the invention, methods of determining the zygosity of progeny of a cross with any one (or more) of said three events are provided. Said methods can comprise contacting a sample, comprising cotton DNA, with a primer set of the subject invention. Said primers, when used in a nucleic-acid amplification reaction with genomic DNA from at least one of said cotton events, produce a first amplicon that is diagnostic for at least one of said cotton events. Such methods further comprise performing a nucleic acid amplification reaction, thereby producing the first amplicon; detecting the first amplicon; and contacting the sample comprising cotton DNA with said primer set (said primer set, when used in a nucleic-acid amplification reaction with genomic DNA from cotton plants, produces a second amplicon comprising the native cotton genomic DNA homologous to the cotton genomic region of a transgene insertion identified as one of said cotton events); and performing a nucleic acid amplification reaction, thereby producing the second amplicon. The methods further comprise detecting the second amplicon, and comparing the first and second amplicons in a sample, wherein the presence of both amplicons indicates that the sample is heterozygous for the transgene insertion.

[0082] DNA detection kits can be developed using the compositions disclosed herein and methods well known in the art of DNA detection. The kits are useful for identification of the subject cotton event DNA in a sample and can be applied to methods for breeding cotton plants containing this DNA. The kits contain DNA sequences homologous or complementary to the amplicons, for example, disclosed herein, or to DNA sequences homologous or complementary to DNA contained in the transgene genetic elements of the subject events. These DNA sequences can be used in DNA amplification reactions or as probes in a DNA hybridization method. The kits may also contain the reagents and materials necessary for the performance of the detection method.

[0083] A “probe” is an isolated nucleic acid molecule to which is attached a conventional detectable label or reporter molecule (such as a radioactive isotope, ligand, chemiluminescent agent, or enzyme). Such a probe is complementary to a strand of a target nucleic acid, in the case of the present invention, to a strand of genomic DNA from one of said cotton events, whether from a cotton plant or from a sample that includes DNA from the event. Probes according to the present invention include not only deoxyribonucleic or ribonucleic acids but also polyamides and other probe materials that bind specifically to a target DNA sequence and can be used to detect the presence of that target DNA sequence.

[0084] “Primers” are isolated nucleic acids that are annealed to a complementary target DNA strand by nucleic acid hybridization to form a hybrid between the primer and the target DNA strand, then extended along the target DNA strand by a polymerase, e.g., a DNA polymerase. Primer pairs of the present invention refer to their use for amplification of a target nucleic acid sequence, e.g., by the polymerase chain reaction (PCR) or other conventional nucleic-acid amplification methods.

[0085] Probes and primers are generally 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, or 500 polynucleotides or more in length. Such probes and primers hybridize specifically to a target sequence under high stringency hybridization conditions. Preferably, probes and primers according to the present invention have complete sequence similarity with the target sequence, although probes differing from the target sequence and that retain the ability to hybridize to target sequences may be designed by conventional methods.

[0086] Methods for preparing and using probes and primers are described, for example, in *Molecular Cloning: A Laboratory Manual*, 2nd ed., vol. 1-3, ed. Sambrook et al., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1989. PCR-primer pairs can be derived from a known sequence, for example, by using computer programs intended for that purpose.

[0087] Primers and probes based on the flanking DNA and insert sequences disclosed herein can be used to confirm (and, if necessary, to correct) the disclosed sequences by conventional methods, e.g., by re-cloning and sequencing such sequences.

[0088] The nucleic acid probes and primers of the present invention hybridize under stringent conditions to a target DNA sequence. Any conventional nucleic acid hybridization or amplification method can be used to identify the presence of DNA from a transgenic event in a sample. Nucleic acid molecules or fragments thereof are capable of specifically hybridizing to other nucleic acid molecules under certain circumstances. As used herein, two nucleic acid molecules are said to be capable of specifically hybridizing to one another if the two molecules are capable of forming an anti-parallel, double-stranded nucleic acid structure. A nucleic acid molecule is said to be the "complement" of another nucleic acid molecule if they exhibit complete complementarity. As used herein, molecules are said to exhibit "complete complementarity" when every nucleotide of one of the molecules is complementary to a nucleotide of the other. Two molecules are said to be "minimally complementary" if they can hybridize to one another with sufficient stability to permit them to remain annealed to one another under at least conventional "low-stringency" conditions. Similarly, the molecules are said to be "complementary" if they can hybridize to one another with sufficient stability to permit them to remain annealed to one another under conventional "high-stringency" conditions. Conventional stringency conditions are described by Sambrook et al., 1989. Departures from complete complementarity are therefore permissible, as long as such departures do not completely preclude the capacity of the molecules to form a double-stranded structure. In order for a nucleic acid molecule to serve as a primer or probe it need only be sufficiently complementary in sequence to be able to form a stable double-stranded structure under the particular solvent and salt concentrations employed.

[0089] As used herein, a substantially homologous sequence is a nucleic acid sequence that will specifically hybridize to the complement of the nucleic acid sequence to which it is being compared under high stringency conditions. The term "stringent conditions" is functionally defined with regard to the hybridization of a nucleic-acid probe to a target nucleic acid (i.e., to a particular nucleic-acid sequence of interest) by the specific hybridization procedure discussed in Sambrook et al., 1989, at 9.52-9.55. See also, Sambrook et al., 1989 at 9.47-9.52 and 9.56-9.58. Accordingly, the nucleotide sequences of the invention may be used for their ability to selectively form duplex molecules with complementary stretches of DNA fragments.

[0090] Depending on the application envisioned, one can use varying conditions of hybridization to achieve varying degrees of selectivity of probe towards target sequence. For applications requiring high selectivity, one will typically employ relatively stringent conditions to form the hybrids, e.g., one will select relatively low salt and/or high temperature conditions, such as provided by about 0.02 M to about 0.15 M NaCl at temperatures of about 50° C. to about 70° C. Stringent conditions, for example, could involve washing the hybridization filter at least twice with high-stringency wash buffer (0.2×SSC, 0.1% SDS, 65° C.). Appropriate stringency conditions which promote DNA hybridization, for example, 6.0× sodium chloride/sodium citrate (SSC) at about 45° C., followed by a wash of 2.0×SSC at 50° C. are known to those

skilled in the art, 6.3.1-6.3.6. For example, the salt concentration in the wash step can be selected from a low stringency of about 2.0×SSC at 50° C. to a high stringency of about 0.2×SSC at 50° C. In addition, the temperature in the wash step can be increased from low stringency conditions at room temperature, about 22° C., to high stringency conditions at about 65° C. Both temperature and salt may be varied, or either the temperature or the salt concentration may be held constant while the other variable is changed. Such selective conditions tolerate little, if any, mismatch between the probe and the template or target strand. Detection of DNA sequences via hybridization is well-known to those of skill in the art, and the teachings of U.S. Pat. Nos. 4,965,188 and 5,176,995 are exemplary of the methods of hybridization analyses.

[0091] In a particularly preferred embodiment, a nucleic acid of the present invention will specifically hybridize to one or more of the primers (or amplicons or other sequences) exemplified or suggested herein, including complements and fragments thereof, under high stringency conditions. In one aspect of the present invention, a marker nucleic acid molecule of the present invention has the nucleic acid sequence set forth in SEQ ID NOS:3-14, or complements and/or fragments thereof.

[0092] In another aspect of the present invention, a marker nucleic acid molecule of the present invention shares between 80% and 100% or 90% and 100% sequence identity with such nucleic acid sequences. In a further aspect of the present invention, a marker nucleic acid molecule of the present invention shares between 95% and 100% sequence identity with such sequence. Such sequences may be used as markers in plant breeding methods to identify the progeny of genetic crosses. The hybridization of the probe to the target DNA molecule can be detected by any number of methods known to those skilled in the art, these can include, but are not limited to, fluorescent tags, radioactive tags, antibody based tags, and chemiluminescent tags.

[0093] Regarding the amplification of a target nucleic acid sequence (e.g., by PCR) using a particular amplification primer pair, "stringent conditions" are conditions that permit the primer pair to hybridize only to the target nucleic-acid sequence to which a primer having the corresponding wild-type sequence (or its complement) would bind and preferably to produce a unique amplification product, the amplicon.

[0094] The term "specific for (a target sequence)" indicates that a probe or primer hybridizes under stringent hybridization conditions only to the target sequence in a sample comprising the target sequence.

[0095] As used herein, "amplified DNA" or "amplicon" refers to the product of nucleic-acid amplification of a target nucleic acid sequence that is part of a nucleic acid template. For example, to determine whether the cotton plant resulting from a sexual cross contains transgenic event genomic DNA from the cotton plant of the present invention, DNA extracted from a cotton plant tissue sample may be subjected to nucleic acid amplification method using a primer pair that includes a primer derived from flanking sequence in the genome of the plant adjacent to the insertion site of inserted heterologous DNA, and a second primer derived from the inserted heterologous DNA to produce an amplicon that is diagnostic for the presence of the event DNA. The amplicon is of a length and has a sequence that is also diagnostic for the event. The amplicon may range in length from the combined length of the primer pairs plus one nucleotide base pair, and/or the

combined length of the primer pairs plus about 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, or 500, 750, 1000, 1250, 1500, 1750, 2000, or more nucleotide base pairs (plus or minus any of the increments listed above). Alternatively, a primer pair can be derived from flanking sequence on both sides of the inserted DNA so as to produce an amplicon that includes the entire insert nucleotide sequence. A member of a primer pair derived from the plant genomic sequence may be located a distance from the inserted DNA sequence. This distance can range from one nucleotide base pair up to about twenty thousand nucleotide base pairs. The use of the term "amplicon" specifically excludes primer dimers that may be formed in the DNA thermal amplification reaction.

[0096] Nucleic-acid amplification can be accomplished by any of the various nucleic-acid amplification methods known in the art, including the polymerase chain reaction (PCR). A variety of amplification methods are known in the art and are described, inter alia, in U.S. Pat. No. 4,683,195 and U.S. Pat. No. 4,683,202. PCR amplification methods have been developed to amplify up to 22 kb of genomic DNA. These methods as well as other methods known in the art of DNA amplification may be used in the practice of the present invention. The sequence of the heterologous transgene DNA insert or flanking genomic sequence from a subject cotton event can be verified (and corrected if necessary) by amplifying such sequences from the event using primers derived from the

sequences provided herein followed by standard DNA sequencing of the PCR amplicon or of the cloned DNA.

[0097] The amplicon produced by these methods may be detected by a plurality of techniques. Agarose gel electrophoresis and staining with ethidium bromide is a common well known method of detecting DNA amplicons. Another such method is Genetic Bit Analysis where an DNA oligonucleotide is designed which overlaps both the adjacent flanking genomic DNA sequence and the inserted DNA sequence. The oligonucleotide is immobilized in wells of a microwell plate. Following PCR of the region of interest (using one primer in the inserted sequence and one in the adjacent flanking genomic sequence), a single-stranded PCR product can be hybridized to the immobilized oligonucleotide and serve as a template for a single base extension reaction using a DNA polymerase and labelled ddNTPs specific for the expected next base. Readout may be fluorescent or ELISA-based. A signal indicates presence of the insert/flanking sequence due to successful amplification, hybridization, and single base extension.

[0098] Another method is the Pyrosequencing technique as described by Winge (Innov. Pharma. Tech. 00:18-24, 2000). In this method an oligonucleotide is designed that overlaps the adjacent genomic DNA and insert DNA junction. The oligonucleotide is hybridized to single-stranded PCR product from the region of interest (one primer in the inserted sequence and one in the flanking genomic sequence) and incubated in the presence of a DNA polymerase, ATP, sulfurylase, luciferase, apyrase, adenosine 5' phosphosulfate and luciferin. DNTPs are added individually and the incorporation results in a light signal that is measured. A light signal indicates the presence of the transgene insert/flanking sequence due to successful amplification, hybridization, and single or multi-base extension.

[0099] Fluorescence Polarization is another method that can be used to detect an amplicon of the present invention. Following this method, an oligonucleotide is designed which overlaps the genomic flanking and inserted DNA junction. The oligonucleotide is hybridized to single-stranded PCR product from the region of interest (one primer in the inserted DNA and one in the flanking genomic DNA sequence) and incubated in the presence of a DNA polymerase and a fluorescent-labeled ddNTP. Single base extension results in incorporation of the ddNTP. Incorporation can be measured as a change in polarization using a fluorometer. A change in polarization indicates the presence of the transgene insert/flanking sequence due to successful amplification, hybridization, and single base extension.

[0100] TAQMAN (PE Applied Biosystems, Foster City, Calif.) is a method of detecting and quantifying the presence of a DNA sequence. Briefly, a FRET oligonucleotide probe is designed that overlaps the genomic flanking and insert DNA junction. The FRET probe and PCR primers (one primer in the insert DNA sequence and one in the flanking genomic sequence) are cycled in the presence of a thermostable polymerase and dNTPs. Hybridization of the FRET probe results in cleavage and release of the fluorescent moiety away from the quenching moiety on the FRET probe. A fluorescent signal indicates the presence of the flanking/transgene insert sequence due to successful amplification and hybridization.

[0101] Molecular Beacons have been described for use in sequence detection. Briefly, a FRET oligonucleotide probe is designed that overlaps the flanking genomic and insert DNA junction. The unique structure of the FRET probe results in it

containing secondary structure that keeps the fluorescent and quenching moieties in close proximity. The FRET probe and PCR primers (one primer in the insert DNA sequence and one in the flanking genomic sequence) are cycled in the presence of a thermostable polymerase and dNTPs. Following successful PCR amplification, hybridization of the FRET probe to the target sequence results in the removal of the probe secondary structure and spatial separation of the fluorescent and quenching moieties. A fluorescent signal results. A fluorescent signal indicates the presence of the flanking genomic/transgene insert sequence due to successful amplification and hybridization.

[0102] Having disclosed two general locations in the cotton genome that are excellent for insertions, the subject invention also comprises a cotton seed and/or a cotton plant comprising at least one non-cry1F and non-cry1Ac insert in the general vicinity of one or both of these locations. One option is to substitute a different insert in place of the cry1F and/or cry1Ac insert exemplified herein. In these general regards, targeted homologous recombination, for example, can be used according to the subject invention. This type of technology is the subject of, for example, WO 03/080809 A2 and the corresponding published U.S. application (USPA 20030232410).

[0103] All patents, patent applications, provisional applications, and publications referred to or cited herein are incorporated by reference in their entirety to the extent they are not inconsistent with the explicit teachings of this specification.

[0104] The following examples are included to illustrate procedures for practicing the invention and to demonstrate certain preferred embodiments of the invention. These examples should not be construed as limiting. It should be appreciated by those of skill in the art that the techniques disclosed in the following examples represent specific approaches used to illustrate preferred modes for its practice. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in these specific embodiments while still obtaining like or similar results without departing from the spirit and scope of the invention. Unless otherwise indicated, all percentages are by weight and all solvent mixture proportions are by volume unless otherwise noted.

Example 1

Production of Deposited Seed

[0105] WideStrike™ brand insect resistance for cotton is a transgenic trait developed by Dow AgroSciences that provides in-plant insect resistance against Lepidoptera. It contains two insect tolerance genes, cry1Ac and cry1F, which were derived from *Bacillus thuringiensis* subspecies *kurstaki* and *Bacillus thuringiensis* subspecies *aizawai*, respectively. *Bacillus thuringiensis* (B.t.) is a common, gram-positive, soil-borne bacterium. In its spore-forming stage, it produces several insecticidal protein crystals (known as delta-endotoxins) including Cry1Ac and Cry1F. These proteins are toxic to certain lepidopteran insects. In susceptible insects, they bind to specific receptors present on midgut epithelial cells, forming pores that disrupt osmotic balance and eventually result in cell lysis and death. Cry1Ac and Cry1F have been shown to be non-toxic to humans, livestock, and beneficial insects, which do not have binding sites for the delta-endotoxin. Using two delta-endotoxins rather than one will provide improved insect resistance because the two Cry proteins provide a greater spectrum of control than either does alone and have differen-

tial activity against the lepidopteran pests that they are effective against. More importantly, it may help delay the development of resistant insects.

[0106] The cry1Ac and cry1F genes in WideStrike were introduced using *Agrobacterium* mediated transformation into GC-510 cotton (*Gossypium hirsutum* L.) plants in two separate transformation events, 3006-210-23 and 281-24-236. Following crossing into an elite cotton variety, these events were combined by conventional breeding to produce cotton bearing the WideStrike insect-resistance trait. WideStrike also contains the pat gene from *Streptomyces viridochromogenes*, a common aerobic soil bacteria. The pat gene codes for the Phosphinothricin Acetyl Transferase (PAT) enzyme, which detoxifies glufosinate ammonium into an inactive compound by acetylation. The pat gene was included to allow for selection of transformed cotton plants.

Example 2

Diagnostic Test for Cry1F Cotton Event 281-24-236

[0107] DNA from Cry1F event 281-24-236 and Cry1Ac events 3006-210-23, and non-transgenic cotton PCS355 was extracted from cotton leaves using QIAGEN's Plant DNeasy kit (catalog #69181, Qiagen, Valencia, Calif., USA). The manufacturer's suggested protocol was followed. In brief, leaf discs were disrupted in an RNase supplemented pre-heated buffer using a tungsten carbide bead (0.125 mm diameter) and a Retsch MM3000 Mixer Mill. The mixture was centrifuged at room temperature, and the supernatant was subsequently captured by running through a DNeasy 96 plate. DNA was eluted in an elution buffer and stored frozen until use.

[0108] The DNA extracted from the cotton leaf tissue was used in a PCR DNA amplification of the 5' genomic/transgene insert sequences in Cry1F event 281-24-236 using primer 281-14 (SEQ ID NO:3, 5'TGTCGGCTGAAGGTAGG-GAGG3') and primer 281-15 (SEQ ID NO:4, 5' CCGGACATGAAGCCATTAC3'), and the 3' genomic/transgene insert sequences flanking using primer 281-9 (SEQ ID NO:6, 5'TCTCTAGAGAGGGGCACGACC3') and primer 281-10 (SEQ ID NO:7, 5'CGAGCTGGAGAGACCGGTGAC3'). The PCR DNA amplification analyses were conducted using genomic DNA extracted from cotton event Cry1F 281-24-236 and non-transgenic cotton line PCS355. The amplification reaction for the 5' flanking genomic sequence was conducted using QIAGEN HotStarTaq PCR kit (catalog #203203 or 203205, QIAGEN, Valencia, Calif., USA) with a final concentration of 0.4 μM for Primer 281-14 and Primer 281-15 in a 50 μl reaction volume. The reactions were performed using a GenAmp PCR System 9600 (Applied Biosystem, Foster City, Calif.) under the following cycling conditions: 1 cycle at 95° C. for 15 minute; 35 cycles of 94° C. for 30 seconds, 57° C. for 30 seconds, 72° C. for 60 seconds; 1 cycle at 72° C. for 10 minutes. The PCR for the 3' flanking genomic sequence was conducted using Takara ExTaq PCR kit (Catalog #RR001A, Panvera, Madison, Wis.) in a 50 μl reaction volume containing a final concentration of 0.4 μM of Primer 281-9 and Primer 281-10. The reactions were performed using a GenAmp PCR System 9600 (Applied Biosystem, Foster City, Calif.) under the following cycling conditions: 1 cycle at 95° C. for 5 minute; 35 cycles of 94° C. for 30 seconds, 60° C. for 30 seconds, 72° C. for 60 seconds; 1 cycle at 72° C. for 10 minutes. The PCR products were separated using 1.0% agarose gel electrophoresis at 100 V for about 1 hour and visualized by ethidium bromide staining.

[0109] The 5' PCR product DNA sequence was determined resulting in a 603 nucleotide base pair sequence representing

the 5' genomic/transgene insert sequence of cotton Cry1F event 281-24-236 and identified as SEQ ID NO:5. The 3' PCR product DNA sequence was determined resulting in a 562 nucleotide base pair sequence representing the 3' genomic/transgene insert sequence of cotton Cry1F event 281-24-236 and identified in SEQ ID NO:8.

[0110] The genomic/transgene junction sequences, SEQ ID NO:5 and SEQ ID NO:8 are novel DNA sequences in Cry1F event 281-24-236 that are diagnostic for cotton plant Cry1F event 281-24-236 and its progeny.

Example 3

Diagnostic Test for Cry1Ac Cotton Event 3006-210-23

[0111] The DNA extracted from the cotton leaf tissue was used in a PCR DNA amplification of the 5' genomic/transgene insert sequences in Cry1Ac event 3006-210-23 using primer 3006-20 (SEQ ID NO:9, 5'TTCCAACCTTTAACTATTATCCTGCG3') and primer 3006-22 (SEQ ID NO:10, 5'GCTGCGGACATCTACATTTT3'), and the 3' genomic/transgene insert sequences flanking using primer 3006-9 (SEQ ID NO:12, 5'GACATGCAATGCTCATTATCTCTA3') and primer 3006-12 (SEQ ID NO:13, 5'AAGTCTCTGCCTTCTACCCTGG3'). The PCR DNA amplification analyses were conducted using genomic DNA extracted from cotton event Cry1Ac 3006-210-23 and non-transgenic cotton line PCS355. The amplification reaction for the 5' flanking genomic sequence was conducted using QIAGEN HotStarTaq PCR kit (catalog #203203 or 203205, QIAGEN, Valencia, Calif., USA) with a final concentration of 0.4 μM for Primer 3006-20 and Primer 3006-22 in a 50 μl reaction volume. The reactions were performed using a GenAmp PCR System 9600 (Applied Biosystem, Foster City, Calif.) under the following cycling conditions: 1 cycle at 95° C. for 15 minute; 35 cycles of 94° C. for 30 seconds, 53° C. for 30 seconds, 72° C. for 60 seconds; 1 cycle at 72° C. for 10 minutes. The PCR for the 3' flanking genomic sequence was conducted using QIAGEN HotStarTaq PCR kit (catalog #203203 or 203205, QIAGEN, Valencia, Calif., USA) in a 50 μl reaction volume containing a final concentration of 0.4 μM of Primer 3006-9 and Primer 3006-12. The reactions were performed using a GenAmp PCR System 9600 (Applied Biosystem, Foster City, Calif.) under the following cycling conditions: 1 cycle at 95° C. for 5 minutes; 30 cycles of 94° C. for 30 seconds, 56° C. for 30 seconds, 72° C. for 60 seconds; 1 cycle at 72° C. for 10 minutes. The PCR products were separated using 1.0% agarose gel electrophoresis at 100 V for about 1 hour and visualized by ethidium bromide staining.

[0112] The 5' PCR product DNA sequence was determined resulting in a 614 nucleotide base pair sequence representing the 5' genomic/transgene insert sequence of cotton Cry1Ac event 3006-210-23 (identified here as SEQ ID NO:11). The 3'

PCR product DNA sequence was determined resulting in a 662 nucleotide base pair sequence representing the 3' genomic/transgene insert sequence of cotton Cry1Ac event 3006-210-23 (identified here as SEQ ID NO:14).

[0113] The genomic/transgene junction sequences, SEQ ID NO:11 and SEQ ID NO:14 are novel DNA sequences in Cry1Ac event 3006-210-23 that are diagnostic for cotton plant Cry1Ac event 3006-210-23 and its progeny.

Example 4

Further Diagnostic Tests

[0114] DNA event primer pairs are used to produce an amplicon diagnostic for Cry1F event 281-24-23 and Cry1Ac event 3006-210-23. These event primer pairs include, but are not limited to, SEQ ID NO:3 SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:12, and SEQ ID NO:13. When used in a DNA amplification method (PCR), these primers produce an amplicon diagnostic for Cry1F event 281-24-236 and/or Cry1Ac event 3006-210-23, and their progenies. In addition to these primer pairs, further aspects of the subject invention include any primer pair derived from the amplicon product of SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:11, and/or SEQ ID NO:14 that, in a DNA amplification reaction, produces an amplicon diagnostic for Cry1F event 281-24-236, Cry1Ac event 3006-210-23, and their progenies. Any modification involving the use of DNA primers to produce an amplicon diagnostic for Cry1F event 281-24-236, Cry1Ac event 3006-210-23, and their progenies is within the ordinary skill of the art, given the benefit of the subject disclosure. The analysis of plant tissue sample from Cry1F event 281-24-236, Cry1Ac event 3006-210-23, and their progenies should include a positive tissue control from these events, a negative control from a cotton plant that is not any of these events, and a negative control that contains no template cotton DNA. Additional primer sequences can be derived from SEQ ID NO:1 and/or SEQ ID NO:2 by those skilled in the art of DNA amplification methods. Conditions optimized for the production of an amplicon may differ from the methods described in the Examples above. The use of these DNA primer sequences with modifications to the methods described in these Examples is within the scope of the invention. Amplicons and primers derived from SEQ ID NO:1 and/or SEQ ID NO:2 that are diagnostic for Cry1F event 281-24-236 and/or Cry1Ac event 3006-210-23, and their progenies are aspects of the invention. The assay for amplicons of the Cry1F event 281-24-236, Cry1Ac event 3006-210-23, and their progenies can be performed by using a Stratagene Robocycler, MJ, Engine, or Eppendorf Mastercycler Gradient thermocycler, or by methods and apparatus known to those skilled in the art.

[0115] Having illustrated and described the principles of the present invention, it should be apparent to persons skilled in the art that the invention can be modified in arrangement and detail without departing from such principles. We claim all modifications that are within the spirit and scope of the appended claims.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 21
 <210> SEQ ID NO 1
 <211> LENGTH: 15490
 <212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Cry1F event 281-24-236 insert and its border sequences

<400> SEQUENCE: 1

```

aagcttgctt aaaagtatca caagccatga tccttataaa aatgatatct gacactatgc      60
ttctttgcac attcttcact atgctttctc atttgagcaa tgggtgggatt tgctctcaaa    120
tttgggtggc ctatgtcagt attcaaaaat tttcataggt caaaggcttg aagataagcc    180
ttcattttta ccacccatat gtagtaaaatt tcaccgatga atacaagagg tggagggtgg      240
gagaaactag atgaatacat tcttgcagaa aacgtccctc aaagatcaaa atggctctca    300
ataccaattc ttggtgtttt cagactaaga gagaaagcaa aacgagacaa tgaaccacaca    360
agatgaatta atttcaatac atttttttaa atttcatttc aaacggttac aatataatac    420
ttttgttttc caaacaactc aactgatcca actaacatct tggaaatagg aaaacttaac    480
ttgtacacaa actgattgtg aatcaaacac ctaaacacat caagtcatta ccaacttagt    540
ttattcctag ctaagtatct taacataagg attgaacaaa aggttaaacc aaaactttga    600
tttttttget ctaggaagac agcttgcact tcatcataca gttcgcctta ttgttaatca    660
actcacactt tggctgtccg ttgatatgct ggcagttaa atgttcacca atgtgcttag     720
acaatccgcc aagcctatcg tgtaaaaact ctttgcatac cagttcacct attgacagtc     780
cgccagtcct ttaatgtcga gactgtctac catgtgactt agagacggaa ttgtttgcca     840
tatgtgttcg ccaactagat tgttcacat ttgtgttgtt taccatgtgt gttcgcctaat     900
gcatggttgg ccatgtcgca aaacaaattt ttggatgggc caaaattgga attttttcat     960
ttgaccaaat ataaaaaac gaattgaaca aattactttt agagggatta aaaattaaaa    1020
ttatactatt tatcgagggg agtcaaggct cctatcttct tcgcttcttc tattgttttag    1080
attaagacta aaattttaa atttatagaa attaaaattg atgaaattaa aatacaaaat    1140
taaatatata attcagttag gtttaacat tttttaatgt tgcttagctt taatgtttgg    1200
gattttggct ctttcagtcg ttatgcagtt atgctcagac aaatttgctc tctttctgtc    1260
ttatcaacta ctcaaaatct cagtatagtt atgtcattta atctcttcat cgtagatgtt    1320
atattggtga aaatggggcc aagaaatcca cattcaatga ctttgaaga atatatattg    1380
ttagttgcac attcccttat tcaatcacag ttgcttgttt ctgagtctat agaatcatga    1440
tatttgtaaa tcttatataa agtaagagta tatggctaga cagtctggcc ctgtcggctg    1500
aaggtagggg ggaattaatc aatcacagtt gcttgtttct gagtctatag aatcatgaat    1560
tttaaattha tggaatgcat tttttogaag atattgtatg cattaagtgt aatttttagt    1620
tcaatatgaa atttgagatt tatatatata cttacataaa accctccttt actgaattag    1680
tgccatggat aaaagaccaa ttaagcaatc cttccaacac gtgcatgcac tggattttca    1740
tcgcctcgct cattgttaaa ttgataggtt aataagaaca attagttggc tactgattat    1800
atggattctg ggttaaaagt atttaggttt actgttacct acatggagga tctacatcta    1860
ttttcacttt tgtttaatta atttaagtta gttttgatga gtttaaggat tgtactagcc    1920
aatagtagta cataaaggag atagagtacc aaaacaaaga aaaagccgaa aggtgttaat    1980
gctaaattgt aaaagaaagt taaaataaga gactcgaatt ataataatgat tctctggcgc    2040
actaattaag ctactatata ttgtcaatag tattgtaaat ggcttcatgt ccgggaaatc    2100

```

-continued

tacatggatc agcaatgagt atgatggcca atatggagaa aaagaaagag taattaccaa	2160
ttttttttca attcaaaaat gtagatgtcc gcagcgttat tataaaatga aagtacattt	2220
tgataaaacg acaaattacg atccgtcgta tttataggcg aaagcaataa acaaattatt	2280
ctaattcgga aatctttatt tgcagctgtc tacattcacg tccaaatggg ggccacttgg	2340
ctgcagtgca gcgtgacccg gtcgtgcccc tctctagaga taatgagcat tgcagtctca	2400
agttataaaa aattaccaca tttttttttt gtcacacttg tttgaagtgc agtttatcta	2460
tctttataca tatatttaaa ctttactcta cgaataatat aatctatagt actacaataa	2520
tatcagtggt ttagagaatc atataaatga acagttagac atggtctaaa ggacaattga	2580
gtattttgac aacaggactc tacagtttta tctttttagt gtgcatgtgt tctcctttt	2640
tttgaaata gcttcaccta tataatactt catccatttt attagtacat ccatttaggg	2700
tttaggggta atggttttta tagactaatt ttttttagtac atctatttta ttctatttta	2760
gcctctaaat taagaaaact aaaactctat tttagttttt ttatttaata atttagatat	2820
aaaaatagaat aaaataaagt gactaaaaat taaacaaata ccctttaaga aattaaaaaa	2880
actaaggaaa cttttttctt gtttcgagta gataatgcca gcctgttaaa cgccgtcgac	2940
gagtctaacg gacaccaacc agcgaaccag cagcgtcgcg tccggccaag cgaagcagac	3000
ggcaecggcat ctctgtcgct gcctctggac ccctctcgag agttccgctc caccgttggg	3060
cttgcctccg tgtcggcacc cagaaattgc gtggcggagc ggcagacgtg agccggcacg	3120
gcagggggcc tctcctcct ctcacggcac eggcagctac gggggattcc tttcccaccg	3180
ctccttcgct tcccctcct cgcgcccggt aataaataga cccccctcc acaccctctt	3240
tccccaacct cgtgtgttgc ggagcgcaca cacacacaac cagatctccc ccaaaccac	3300
ccgtcggcac ctccgcttca aggtacgccc ctctctctcc ccccccccc cctctctacc	3360
ttctctagat cggcgttccg gtccatggtt agggccccgt agttctactt ctgttcatgt	3420
ttgtgttaga tccgtgtttg tgttagatcc gtgctgctag cgttctgaca cggatcgcac	3480
ctgtacgtca gacacgttct gattgctaac ttgccagtgt ttctctttgg ggaatcctgg	3540
gatggctcta gcggttccgc agacgggatc gatttcatga tttttttgt ttcggtgcat	3600
aggggttggg ttgccctttt cctttatttc aatatatgcc gtgcacttgt ttgtcgggtc	3660
atcttttcat gctttttttt gtcttggttg tgatgatgtg gtctggttgg gcggctgttc	3720
tagatcggag tagaattctg tttcaaaact cctggtgat ttattaattt tggatctgta	3780
tgtgtgtgcc atacatattc atagttacga attgaagatg atggatggaa atatcgatct	3840
aggataggta tacatgttga tgcgggtttt actgatgcat atacagagat gctttttgtt	3900
cgcttggttg tgatgatgtg gtgtggttgg gcggtcgttc attcggtcta gatcggagta	3960
gaatactggt tcaaactacc tgggttattt attaatattg gaactgtatg tgtgtgtcat	4020
acatcttcat agttacgagt ttaagatgga tggaaatata gatctaggat aggtatacat	4080
gttgatgtgg gttttactga tgcataatac tgatggcata tgcagcatct attcatatgc	4140
tctaaccttg agtacctata tattataata aacaagtatg tttataatt attttgatct	4200
tgatatactt ggatgatggc atatgcagca gctatatgtg gattttttta gccctgcctt	4260
catacgctat ttatttgcct ggtactgttt cttttgtcga tgcaccctt gttgttgggt	4320
gttacttctg caggtcgaca tgtctccgga gaggagacca gttgagatta ggccagctac	4380

-continued

agcagctgat	atggccgcgg	tttgtgat	cgtaaaccat	tacattgaga	cgtctacagt	4440
gaactttagg	acagagccac	aaacaccaca	agagtggatt	gatgatctag	agaggttgca	4500
agatagatac	ccttggttgg	ttgctgaggt	tgagggtgtt	gtggctggta	ttgcttacgc	4560
tgggcccctgg	aaggctagga	acgcttacga	ttggacagtt	gagagtactg	tttacgtgtc	4620
acataggcat	caaaggttgg	gcctaggatc	cacattgtac	acacatttgc	ttaaagtctat	4680
ggaggcgcaa	ggttttaagt	ctgtggttgc	tgttataggc	cttccaaacg	atccatctgt	4740
taggttgc	gaggtcttgg	gatacacagc	ccgggttaca	ttgcgcgcag	ctggatacaa	4800
gcatggtgga	tggcatgatg	ttggtttttg	gcaaagggat	tttgagttgc	cagctcctcc	4860
aaggccagtt	agccagtta	cccagatctg	agtcgacgga	tccccgacat	atgccccggt	4920
ttcgttgcca	ctaacatgag	ttcctggaca	aatttgattg	gacctgatga	gatgatccaa	4980
cccagggata	tagcaaaagt	cgcttcgtgca	gcaatggaac	ggccaaaccg	tgcttttgtc	5040
ccaagaatg	aggtgctatg	catgaaggaa	tctaccggtt	gatgtccaac	agtctcaggg	5100
ttaatgtcta	tgtatcttaa	ataatgttgt	cggtattttg	taatctcata	tagattttca	5160
ctgtgcgacg	caaaaatatt	aaataaatat	tattattatc	tacgttttga	ttgagatate	5220
atcaatatta	taataaaaat	atccatataa	cacgatttga	tacaaatgac	agtcaataat	5280
ctgatttgaa	tattttattaa	ttgtaacgaa	ttacataaag	atcgaataga	aaatactgca	5340
ctgcaaatga	aaattaacac	ataactaata	atgcgtcaaa	tatctttgcc	aagatcaagc	5400
ggagtgaggg	cctcatatcc	ggtctcagtt	acaagcacgg	tatccccgaa	gcgcgctcca	5460
ccaatgccct	cgacatagat	gccgggctcg	acgctgagga	cattgcctac	cttgagcatg	5520
gtctcagcgc	cggtttaaag	ctcaatccca	tccaatctg	aatatcctat	cccgcgcca	5580
gtccgggtga	agaacgggtc	tgtccatcca	cctctgttgg	gaattctgat	cttggcggta	5640
cccggggatc	ctcattcctc	catcagaagt	aactccacgc	tatcaacaat	gaatgttctt	5700
tccgtttctc	caatctcaat	ccaaaacctg	tcggtttctg	gaaagtactc	taactctttg	5760
gtgacatagc	cggtctgtaa	cggtgtgtag	tcccacatagc	ctctgttaga	ttcgcaagga	5820
ttgtccctac	gtccatcggt	gtaagccttc	tcctcatagg	ctgatgcata	gtcagcgggt	5880
acagaagagt	tgtctcata	ggctccatcg	tatctctgat	tgcgagaagt	gtaagtacc	5940
tcatactcct	cttgagtcgc	agtgtagtca	ttgcaagtta	cggtgttgtt	tgggtagact	6000
tcctcctcga	cgcagttgct	gaacttcagc	tcgtcgggtg	tgttctcaat	ctcgtgtatg	6060
gtgacgcaac	cttctccgta	tccttctttg	tacgcggtaa	cacgaagaat	gtagccacga	6120
ccaggacaga	cacgaacttc	ttgtgaaact	tctgcttccc	actcaggaac	aacaaggaca	6180
gagcgggtgat	tgttctgttc	ttctacatct	acgtgccctt	tcacattcca	gcaggatagg	6240
ccattgttga	agtcaccatt	cttgatgaca	ttcctcgc	catacaagga	gaatgcagtg	6300
aagatgcgcc	cttctaactc	ttcaaagata	gcagcattga	caccocggaat	cacgctaagt	6360
tcaggaaggt	aagcttcccg	aatgctatga	acgcgtttgt	ctgcagcatg	aatcatagct	6420
atgttggtat	cagcttgag	cctatcatac	tgagagttca	caaacagagc	gtcaacgctt	6480
tctttggcct	ctttgtacac	aatgtttgtt	tcccattcca	acttctctct	cttgtccctc	6540
cacttctctc	cagccctctt	cactctagcg	agggtctctc	caacaagtgg	tttctctctt	6600
agaaactcca	gattgcctag	cctggcatgg	ccatcttgag	tcttgatctt	gaagatcacc	6660

-continued

cacacaccga ggtcttcggt caggtcggta cagccaacgt ctatgtccaa ggagaagtgg 6720
tgtgagtgat gggcacactt gccgatggga cttggggctg aaagtggcca gagtgaaccc 6780
gtcccaggca cattgactgt ctcattgttg gcgttgatc tgatgaggta gatctcaagg 6840
tcttgactgt cctcgatgta acctctcaac tggatcttg ttaggcttt gagtttcgat 6900
tcatctatct tctggtagac gtatgttgga tagcactcat caaaggtacc caagagcgta 6960
acatagtctt ccttgaacac atcatcacct ccttgaatgg tgatgtccgt acttcccctc 7020
catccacgat ctagtgcct gttgatcccg cgaaagtgg gatcttgaag caagttccgc 7080
tcatcactaa gtcgcttagc atgtttgacc ttctcggaca actccttctt ctcacccaaa 7140
cagaactcat cagagaggca ctcaacaagg ttggaacgc gatcgatgtg atagtcagtc 7200
acatctgtct tgagcccaat ctgattggac gaagtgaaca gagcattcac cgccttctgt 7260
gctctttcca agtcagactc tgcctcgagt gtggcagtaa ctggaatcaa ctcaaacctg 7320
tcaatgtaca cttcgttgcc tgaactgaag gtatcagcac ctactgtgaa actgctctgg 7380
ctcattggaa aggtgaacgc ggtgttgata gtggcgtagg agaagattg gaatgtaagt 7440
ggatcacccg tatccattgt cttgttgaac tgaccagcaa agatccgttc acctgcaacc 7500
gtaacgtaga ttcttagatt ggtagtagag gcatagcgta tcctggcacg atacctttgg 7560
ggagattgcc cattgatgtt gacaatggtg tacgcgaatg gtcctccact agtgcgtcga 7620
agaatgtctc ctcccgtgaa ccccggccct cttacaactg tagttcctga ctgaagtgtg 7680
tgtgccttca ccaagggaat ctgagtgatt ctctctggat caatggtgtt tgtgggggta 7740
gcgctacgat gcgtccaaga gaacattggt gctctccatg agtcggaacc tgagatctca 7800
cctggcccagc gcacaaaggt aacatgatc agcacatggg agtagtcatt ccaaggtgcg 7860
ccgctgttgt cttgaggtgg tatctcatct agagagtcaa tggccccgga gttcctgaat 7920
gtgcggtgtt gattcgtacc agtttgttga aaggccactc ccctaagacc gattacatag 7980
tgaggattgc caaagcctcc tcggaogaag acaggatctg acaaggtccg atagaaagga 8040
cgtggatctt catctgcaat ccagatggcg cccccgggat tgaagacccc gtaactagga 8100
aagttgatac gattgccagc cgtgttgcgt gagctaacta agtgcctcc ccacacagtt 8160
tgggatctaa cagtctctgc agtcacaaac aaagagttea tgaagtccat gagatgggg 8220
ggtctgactc caaactcagc cctgttgaac ccattgggta tgttcgcaga aactggagag 8280
tcttcaatga ctgaactggt gtagatctcc cttgtaagtt gggatgacgt ttgaatcgga 8340
taggtacgaa catcgtagt cggaagaga gcaactatgt ctaacacagt aagtgtaagg 8400
tctctcctga actgattgaa cctggcccat tggcgagtgt tagtacctct caggttctcc 8460
aatccctgat tgtaggtatc caaacaatgt ttcgtgtatc gatgaatcag attgatgagt 8520
ctgtgttagt gattgttgac agtagctatg tccagtcccc aacctgccc aaacgcacaca 8580
gcgtcgcgca gtagtgacaa gtgcagggta gcagcttgaa catagaccga gagaagaggg 8640
atctcgaagc tggtaagggg gaagttgttg atggctgtga tcaaagcacc atctgtgta 8700
gcaaagcgta taagcacatc ttctctcagt tgggcattgt taggattggc ttcccactct 8760
cttagtgctt caatgtagat ctcattagctg tctgctaagc cacgaagggt agtgatggcc 8820
cgattccttt ccaaggtctc aatcctttgt tcaatcaact gttcaatctg gagaagaaag 8880
aggctccaat cagatggagt gatgaagccc cagatgaggt cgaagaggcc aaacgcaact 8940

-continued

cccacacctg gaacaaactc agacaacagg agacgtgtaa gggacagggg gatgtctaac 9000
ggcaatctgc cagtcgacct ctcttcgttg agaatctcta cttcaggatt gttgaggcag 9060
ttgtagggga cgcactgatt ctgtatgttg ttctccattg ttggatccgc gatttggtgt 9120
atcgagattg gttatgaaat tcagatgcta gtgtaatgta ttggaattht gggagaatat 9180
aataggaagc aaggctattht atccatthtct gaaaaggcga aatggcgtca ccgcgagcgt 9240
cacgctctag tcgacctagt acgtaagcgc ttacgtthttt ggtggacccc ctgcacctag 9300
tacgtaagcg cttacgtthtt tgggtggaccc cctcgacctat gtacgtaagc gcttacgttht 9360
ttggtggacc ccctcgacca tgtacgtaag cgcttacgtt tttggtggac ccctcgacg 9420
gatccccctc cgacctaga cgtatctatt caaaagtcgt taatggctgc ggatcaagaa 9480
aaagttggaa tagaaacaga ataccgcga aattcaggcc cggttgcat gtctacacg 9540
ccgaaataaa cgaccaaatt agtagaaaa taaaaactga ctcgatact tacgtcacgt 9600
cttgcgcact gatttgaaaa atctcaatat aaacaagac ggccacaaga aaaaaccaa 9660
acaccgatat tcattaatct tatctagtht ctcaaaaaa ttcatactt ccacacctc 9720
gagatctaga tatcgatgaa ttttggcgcg ccttaattaa ggaattctc gagthtaaac 9780
ggatccctga aagcgagctt ggatgttaac atctgcaaat tgcctthtct tatcgacct 9840
gtacgtaagc gcttacgttht ttggtggacc cttgaggaaa ctggtagctg ttgtggcct 9900
gtggtctcaa gatggatcat taatttcac cttcacctac gatggggggc atcgaccgg 9960
tgagtaatat tgtacggcta agagcgaatt tggcctgtag acctcaattg cgagcttht 10020
aatttcaaac tattcgagct ttctaattga atatatccag ggcccagcgt aagcaatacc 10080
agccacaaca ccctcaacct cagcaacca ccaagggtat ctatcttga acctctctag 10140
atcatcaatc cactcttggt gtgthtgggt ctctgtccta aagttcactg tagacgtctc 10200
aatgtaatgg ttaacgatat caaaaaccgc ggccatatca gctgctgtag ctggcctaat 10260
ctcaactggt ctctctccg gagacatgtc gacctgcaga agtaacacca aacaacaggg 10320
tgagcatcga caaaagaaac agtaccaagc aaataaatag cgtatgaagg cagggctaaa 10380
aaaaatcaca tatagctgct gcatatgcca tcatccaagt atatcaagat caaaataatt 10440
ataaaacata cttgthtatt ataatagata ggtactcaag gttagagcat atgaatagat 10500
gctgcatatg ccatcatgta tatgcatcag taaaaccac atcaacatgt atacctatcc 10560
tagatcgata thtccatcca thttaaactc gtaactatga agatgtatga cacacacata 10620
cagthtcaaa attaataaat acaccaggta gthtgaacaa gtattctact ccgatctaga 10680
acgaatgaac gaccgcccac ccacaccaca tcatcacaac caagcgaaca aaaagcatct 10740
ctgtatatgc atcagtaaaa ccgcgatcaa catgtatacc tathctagat cgatathtcc 10800
atccatcath ttcaatctgt aactatgaat atgtatggca cacacataca gatccaaaat 10860
taataaatcc accaggtagt ttgaaacaga atthctactcc gatctagaac gaccgcccac 10920
ccagaccaca tcatcacaac caagacaaaa aaaagcatga aaagatgacc cgacaaacaa 10980
gtgcacggca tatattgaaa taaagggaaa gggcaaacca aacctatgc aacgaaacaa 11040
aaaaaatcat gaaatcgatc ccgtctcggt aacggctaga gccatcccag gathccccaa 11100
agagaaacac tggcaagtha gcaatcagaa cgtgtctgac gtacaggctc catccgtgta 11160
cgaacgctag cagcacggat ctaacacaaa cacggatcta acacaaacat gaacagaagt 11220

-continued

agaactaccg gcccctaacc atggaccgga acgccgatct agagaaggta gagagggggg 11280
gggggggggg aggacgagcg gctgtacctt gaagcggagg tgccgacggg tggatttggg 11340
ggagatctgg ttgtgtgtgt gtgcgctccg aacaacacga ggttggggaa agagggtgtg 11400
gaggggggtg ctatttatta cggcgggcga ggaagggaaa gcgaaggagc ggtgggaaaag 11460
gaatcccccg tagctgccgg tgccgtgaga ggaggaggag gccgcctgcc gtgccggctc 11520
acgtctgccg ctccgccacg caatttctgg atgccgacag cggagcaagt ccaacggtgg 11580
agcggaaactc tcgagagggg tccagaggca gcgacagaga tgccgtgccg tctgcttcgc 11640
ttggcccgcg gcgacgctgc tggttcgctg gttggtgtcc gttagactcg tcgacggcgt 11700
ttaacaggct ggcattatct actcgaaaca agaaaaatgt ttccttagtt tttttaattt 11760
cttaaagggt atttgcctaa tttttagtca ctttatttta ttctatttta tatctaaatt 11820
attaaataaa aaaactaaaa tagagtttta gttttcttaa tttagaggct aaaatagaat 11880
aaaatagatg tactaaaaaa attagtctat aaaaaccatt aaccctaaac cctaaatgga 11940
tgtactaata aatggatga agtattatat aggtgaagct atttgcaaaa aaaaaggaga 12000
acacatgcac actaaaaaga taaaactgta gagtccctgt gtcaaaatac tcaattgtcc 12060
tttagaccat gtctaactgt tcatttatat gattctctaa aacctgata ttattgtagt 12120
actatagatt atattattcg tagagtaaag tttaaatata tgtataaaga tagataaact 12180
gcacttcaaa caagtgtgac aaaaaaata tgtggtaatt ttttataact tagagatgca 12240
atgctcatta tctctagaga ggggcacgac cgggtcacgc tgcactgcag ccaagtggcc 12300
cccatttga cgtgaatgta gacacgtcga aataaagatt tccgaattag aataatttgc 12360
ttattgcttt cgctataaa tacgacggat cgtaatttgt cgctttatca gaatgtactt 12420
tcattttata ataacgctgc ggacatctac atttttgaat tgaaaaaaaa ttggtaatta 12480
ctctttcttt ttctccatat tgaccatcat actcattgct gatccatgta gatttccctt 12540
acttgtctcc ctctaactcg actttattaa cccaaagcaa ttgcttattt gttccccacg 12600
cccacaaagc ccagcattgt ccctaaggta ttaatttgtt gttcgattct tgttcttgaa 12660
cccatttga gaatgcaaca agggttttca tgtcagcagc gtaatggttc tgtgtaaatt 12720
ccagtagtgc tgcccaagta aagtctgggt atttctcga atttgcggca ttaactaagc 12780
tagctgctgg tgtcaccggt ctctccagct cgggacatag aaagaatgca agtgattttc 12840
tcaccgttc agtattcact actgcccaag cagctcttgt agataccgtt tgtcaaaagc 12900
tgtattcaaa caccacaacc tcattttcgt taaaattttt tgtatatacg tatgcatata 12960
tgttcagaat gtttattacc atgaatgtat cgcaatgttg acaacgaaag ctctgggat 13020
atgagcaacg gagtgcact tttcatcggc aaacacttga aggccctcaa cttgatcctg 13080
atgaaggatt gtcaaggaag tgggatcggg gtggggaccg gttcccaggg tcaactcagg 13140
cttttcgcat ggagagtagt gattcagctc caggattgaa tcattttgtt cgaaaaagtc 13200
tttgaagtag gcttgggtcaa gccctagact tatccctagc agccccatta tctctttgga 13260
aacctgttcc ctggcttccac aatattctcg gtaaagcctc ctgtcaagta cgaaaagcaa 13320
aatcgagtgt tagattccta tcctatggta aaacttgtcg caacattcta caaattaaca 13380
taggttataa aagagaaacg caaagtcaaa aaaggccatc cagttataat gtgtattttt 13440
tgttttagga gaaggggat ttaagcaatc catgttgaat ggacttaggg ttcggtcaat 13500

-continued

gcaaggaatg atgtctattg aatttgtcac cccatctctt tcaaacctaa aaaagatgta 13560
tatccaattg tcaactattg tacaaggctt gaaatacaca tgggggtaac aaatacgtg 13620
aaactgcaac atgtatTTTT tgcatttttg agactaaatc ttgacgtaaa aataagctga 13680
tcatctcgta tattgactga atgcaaaata gcattttctcc tatttaatta ggaatggaag 13740
ggtgagaaga atttatttac ccaaaatctc taaaatcttc agtgccgaaa agacagtgtt 13800
tctttccatg gcaacttgga ggaaaacctg ccaacgaaac tgcttgata cccatagctt 13860
tctctactt tctcttagc cttttgcttc tcagagagtt gcaggctgaa gaagcggctc 13920
atgtactgat gagcttaca ccaaaaaaa cccatgcttc ttgcatgcct cattcacgc 13980
ccctgccact ttgatacag caagagagcc cccaagcaag aaagctccca agtcaatggc 14040
ttgaattaca agttccgggt catccaggca tggcttatcg tcgtcaggcc atatgaactg 14100
agagggtata ttggattcag atccaaggat tgatgcatcg aaagctaaag ggcgatgctc 14160
attctttgag acagcagcag ttggcgaag catcggcttc tcttgaatga cagaaactat 14220
tggcagacaa tgtaccattt tctgtttctt gttttagggt gtcggagagg aaaaagaaga 14280
caagatatag aggagcaaaa ctaagagggt taaataaga gaagtagaaa accaataata 14340
tttgaatct aattgtttgt tttgaactgt tgcctcattt cccctttaat ttgtgtgtg 14400
ttggcagctt aacgcttctt ttgggttcga ttgcaatata gtgcggtgaa atttttacct 14460
tgattttcaa tctcactaca ccacagtgc ttgcttggtt gtttgataa tttttacctt 14520
gattttcaat ctcaactacac cacagtgcact tgcttggttg tttggataa tttttacctg 14580
attttcaate tcaactacacc acagtgcatt gcctgggtgt ttggatatct tggtttccag 14640
cacagtgaga caagcctgct gcaactgaca acctatctt cactggtgct aaaagctcca 14700
gtcagctcta gctagggcaa taggtatTTT tggatgacaa aaatacccat actttaattt 14760
attatTTTt cattttatcc ttagatgta aactaatttc tttcccaatc ttatttgttt 14820
tcagatttgg gaataaaaca atagtttctc ccttgttctt gctggttctt ccttgttctt 14880
tgctggttcc tcccctctt tttgctttgt tcttgggtgt gggagcttag gatattcttt 14940
ttcttcaate agactaaca gttagagata tcttgtgttt tttcacttta ttttctcatg 15000
ctcaacattt acctttttt tcaattaaca ggggaagtct acattaatta gtgcactctc 15060
agatagtaat ctgtatagtg atgcaatgta tatatattct taaaacagtt ttttctcga 15120
agttaaatc tttgttaaaa gtaaaaggct ggatgttttt acctaatgg aggtaatgtc 15180
tttgtgtaga ttgtttgcaa cattggatgg ttgattaaaa agtgtgttcc ttccttcaag 15240
gtgagatggt ttgctgtcac tcaactattat tattgttgtt attgttattg cttttccatt 15300
gaatagcctg gttctaaatg atatacttac cttatcccat aggcagcaac attttatctt 15360
ttgatctttg gacctatcat ttagcatgct ttacactcta tttagtaata ttattactaa 15420
ctataatttt aagtcataca caatgaaatt acctaaacat ctaaactcaa aaaattataa 15480
cttaaagctt 15490

<210> SEQ ID NO 2

<211> LENGTH: 9382

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Cry1Ac event 3006-210-23 insert and its border

-continued

```

sequences
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (556)..(556)
<223> OTHER INFORMATION: n is a, c, g, or t

<400> SEQUENCE: 2
accaattatt atcgtctttt ttaattatc caacctttaa ctattatcct gccttaaaat    60
tcgaatacat ttattatcta taaactatcc gaatattatt atctaaatcc taattaaata    120
ctatTTTTTTA tcgagtattc gtatcgcga aggaaatcca tctccaaatt ttcaattatt    180
tttcagatat ctaaactctgt aaaatttcaa attcaagtac gttacaattc tttataaata    240
atccaaatta taaatatttt ataactatta attcataaat taaaatttat tattcaaata    300
ttcgaataat ctatTTTTTA gacgtaaagt attacatcga agggttactt tcaaagggta    360
gtgtatttcc atttcaatta ttcagaacgt tgctgTTTTG tccggtcac agaaaagggc    420
tctggaagag aagaaaaatga cttgactttt caatttcatg ctcacccact cgtttcaatt    480
actgtttact aaaaaataa taaaataaaa tattaacaat gcattgagta tgatgtccgg    540
gaaactaca tggatnagca atgagtatga tggccaatat ggagaaaaag aaagagtaat    600
taccaatttt ttttcaattc aaaaatgtag atgtccgcag cgttattata aaatgaaagt    660
acattttgat aaaacgaca attacgatcc gtcgtattta taggcgaaag caataaaca    720
attattctaa tcggaatc tttatttcca cgtgtctaca ttcacgtcca aatgggggcc    780
acttgctgc agccaagctt tcgagagctc gagatccccg acatatgcc cggtttctgt    840
gcgactaaca tgagttcttg gacaaatttg attggactg atgagatgat ccaacccgag    900
gatatagcaa agctcgttcg tgcagcaatg gaacggccaa accgtgcttt tgtcccaag    960
aatgaggtgc tatgcatgaa ggaatctacc cgttgatgtc caacagctc agggttaatg    1020
tctatgtatc ttaaataatg ttgtcggat tttgtaatct catatagatt ttcactgtgc    1080
gacgcaaaaa tattaataa atattattat tatctacgtt ttgattgaga tatctagatc    1140
tcgaggtgtg gaagatatga atttttttga gaaactagat aagattaatg aatatcggtg    1200
ttttggtttt ttctgtggtc cgtctttgtt tatattgaga ttttcaaat cagtgcgcaa    1260
gacgtgacgt aagtatccga gtcagttttt attttctac taatttggtc gtttatttcg    1320
gcgtgtagga catggcaacc gggcctgaat ttcgagggta ttctgtttct attccaact    1380
tttcttgatc cgcagccatt aacgactttt gaatagatc gtctagggtc gaggggggat    1440
ccgtcagagg ggtccacca aaacgtaagc gcttacgtac atggtcgagg ggtccacca    1500
aaaaagtaag cgttacgta catggtcgag ggggtccacc aaaaacgtaa gcgcttacgt    1560
acatggtcga ggggtccac caaaaacgta agcgttacg tacatggtcg actagagcgt    1620
gacgctcgcg gtgacgcat ttcgcctttt cagaaatgga taaatagcct tgcttcctat    1680
tatatcttcc caaattacca atacattaca ctagecatcg aatttcataa ccaatctcga    1740
tacaccaaat cgcggatccg tcgacctgca ggtcgacatg tctccgaga ggagaccagt    1800
tgagattagc ccagctacag cagctgatat ggccgcggtt tgtgatatcg ttaaccatta    1860
cattgagacg tctacagtga actttaggac agagccaca acaccacaag agtggattga    1920
tgatctagag aggttgcaag atagatacc ttggttggtt gctgaggttg aggggttgt    1980
ggctgttatt gcttacgctg ggccctgaa ggctaggaac gcttacgatt ggacagttga    2040

```

-continued

gagtactggt tacgtgtcac ataggcatca aaggttgggc ctaggatcca cattgtacac	2100
acatttgctt aagtctatgg aggcgcaagg ttttaagtct gtggttgetg ttataggcct	2160
tccaaacgat ccatctgtta ggttgcatga ggctttggga tacacagccc ggggtacatt	2220
gcgcgcagct ggatacaagc atggtggatg gcatgatggt ggtttttggc aaagggattt	2280
tgagttgcca gtcctccaa ggcagtttag gccagttacc cagatctgag tcgacggatc	2340
cccacatat gccccggttt cgttcgact aacatgagtt cttggacaaa tttgattgga	2400
cctgatgaga tgatccaacc cgaggatata gcaaagctcg ttcgtgcagc aatggaacgg	2460
ccaaaccgtg cttttgtccc caagaatgag gtgctatgca tgaaggaatc taccogttga	2520
tgccaacag tctcagggtt aatgtctatg tatcttaaat aatgttctcg gtattttgta	2580
atctcatata gattttcact gtgcgacgca aaaatattaa ataaatatta ttattatcta	2640
cgttttgatt gagatatcat caatattata ataaaaatat ccattaaaca cgatttgata	2700
caaatgacag tcaataatct gatttgaata tttattaatt gtaacgaatt acataaagat	2760
cgaaatagaaa atactgcact gcaaatgaaa ataacacat actaataaat gcgtcaata	2820
tctttgccc gatcaagcgg agtgagggcc tcatatccgg tctcagttac aagcacggta	2880
tccccgaagc gcgctccacc aatgcctcgc acatagatgc cgggctcgac gctgaggaca	2940
ttgectacct tgagcatggt ctcagcgcgc gctttaagct caatcccac ccaatctgaa	3000
tatctatcc cgcgcccagt ccggtgtaag aacgggtctg tccatccacc tctggtgga	3060
attctgatct tggcgcgcat gcggatcctc attcctccat cagaagtaac tccacgctat	3120
caacaatgaa tgctcctcc gtttctcaa tctcaatcca aaccttctcg gtttctgga	3180
agtactctaa ctctttggtg acatagccgg ctggtaacgg tgtgtagtcc ccatagcctc	3240
tgtagattc gcaaggattg tccctacgtc catcggtgta agccttctcc tcataggtg	3300
atgcatagtc agcgggtaca gaagagttgc tctcataggc tccatcgtat cctcgattgc	3360
gagaagtgta agtaccctca tactcctctt gagtcgcagt gtagtcattg caagttacgg	3420
tggtgtttgg gtagacttcc tctctgacgc agttgctgaa cttcagctcg tcggtgtgt	3480
tctcaatctc gtgtatggtg acgcaacctt ctccgtatcc tctttgtac gcggtaacac	3540
gaagaatgta gccacgacca ggacagacac gaacttcttg tgaacttctt gcttcccact	3600
caggaacaac aaggacagag cggtgattgt tctgttcttc tacatctacg tgcccttca	3660
cattccagca ggataggcca ttggtgaagt caccattctt gatgacattc ctgcgatcat	3720
acaaggagaa tgcagtgaag atgcgccctt ctaactcttc aaagatagca gcattgacac	3780
ccggaatcac gctaagttca ggaaggtgag cttcccgaat gctatgaacg cgtttctctg	3840
cagcatgaat catagctatg ttggtatcag cttggagcct atcactactga gagttcacia	3900
acagagcgtc aacgctttct ttggttctt tgtacacaaat gttgtttcc cattccaact	3960
tctctctctt gtccctccac ttctctctcag cctctctcag tctagcgagg gcttctccaa	4020
caagtgggtt ctcttctaga aactccagat tgcctagcct ggcattggcca tcttgagtct	4080
tgatcttgaa gatcaccacc acaccgaggt cttcgttcag gtcgggtacag ccaacgtcta	4140
tgccaagga gaagtgggtg gagtgatggg cacacttgcc gatgggactt ggggctgaaa	4200
gtggccagag tgaaccgcgc ccaggccat tgactgtctc atgtttggcg ttgtatctga	4260
tgaggtagat ctcaaggctc tgactgtcct cgatgtaacc tctcaactgg tatcttgtgt	4320

-continued

aggctttgag tttcgattca tctatcttct ggtacaggta tgttggatag cactcatcaa	4380
aggtacccaa gagcgtaaca tagttctcct tgaacacatc atcacctcct tgaatgggta	4440
tgtccgtact tccccccat ccacgatcta gttgcctggt gatcccgcga aagttgggat	4500
cttgaagcaa gttccgctca tcaactaagtc gcttagcatg tttgacctc tcggacaact	4560
ccttcttctc atccaaacag aactcatcag agaggcactc aacaaggttg gaaacgcgat	4620
cgatgtgata gtcagtcaca tctgtcttga gcccaatctg attggacgaa gtgaacagag	4680
cattcacccg cttctgtgct ctttccaagt cagactctgc ctcgagcgtt gcagtaacgg	4740
gaatgaattc gaagcggctc attatcactc cggcggttcc ggagaaattt ctaacacctc	4800
ctatgttacc tagggaagag gtgaaggcat tggcactttc gaagtaaccg aaatcgctag	4860
attggagatt atccaaggat gtatgtgtcg ctggtactgt attggaaaag atggaggaat	4920
taccccaatt gacgttgagg tgaatagggg taacagaggc ataccttaca cgaacacgat	4980
atctggtaga tgtcgatggg aagtgaatgg gcacttcaat ataccctcta ttctggatgt	5040
tgttgccgga agaattcagc ctaaccaagt cgcctccagt gaatcctggt cctgaaatga	5100
cagaaccatt aaagagaaag ttccccctga cagctgggat ctgagtaatg ctatcggatg	5160
caattatggt gttaaactca gcactacgat gtatccaaga gaacatcgga gctctgatga	5220
tactaacgct gctattacta aagcctgaac ggaacatgga cacatggcta aggcgatggc	5280
taaaccttg cctaggtgga acggtgtgtg tctgtggagg gatctcatcc aagctatcaa	5340
ctgttccgct ctttctgtag acagcggatg gcagatttga ggaggttcca taggcaaatt	5400
ctgtcccgtc aagcacagac aattgttgat tgttgatgcc gatgttgaat ggtctcctat	5460
atagagtgct ggacaaggtt ctatacacgc cctgaccgag ttgagcaaca atacgttggt	5520
gtggagctgc attgcccata gtcccgtaaa gtgggaaagt gaattctggt ccagagaacc	5580
caacgggtga tgccatgatc tgatgccctg accagtagta ataaccgagg tgcgcatcgg	5640
tgtagatcgt gatactgttc aatattgtcca tcagggtgtg agacctgatg cttctctcta	5700
tgccctgagc cgagcctcga aagctaccgt cgaagtctc gaggactggg tttgtgtaga	5760
ttccccgggt caattgtgac acagtacgga ttgggtagcg cctagagtcg tagttgggaa	5820
agagagcgac aatgtctagg acagttatgt tcaactctcg cctgaactgg ttgtacctga	5880
ccccatctct agaatecggg cccagacac gttcgagacc cgtgtgttac cagcgaacag	5940
cataatcggg atagttgcca ataagcctag tcagatcatt ataacgacta ttgatagttg	6000
cggcatcaaa gccccaccgt tgtccgaaca cggagacatc gcggagcacc gacaagtgca	6060
ggttggcagc ctgacagtac acggataaaa gaggaacttg gtaattctga acggcgaaga	6120
gcggaattgc ggtcgtcagc gcgctgttca tgtcattgaa ttgaatgcgc atctcctctc	6180
ttaaggcagg attggtcggg tctgcttccc actctcgaat agattctgcg taaatctggt	6240
aaaggttget gaggccttct aaccttgaga tggcttggtt cctagcgaat tcttctattc	6300
tttggtaat taactgctct atctgtacaa gaaaggcgtc ccattgagag ggaccaaga	6360
ttccccaaat gatategaca agtccaagca cgaatccagc accgggcacg aactctgaca	6420
aaaggaattg ggtaagtgac aacgagatgt cgataggtgt gtaaccagtc tcaatccggt	6480
ctccaccag cactcaacc tcagggttgc tcaggcagtt gtaaggaatg cactcgttga	6540
tgttgggatt gttgtccatt gttggtcct ctagagtcga cctgcagaag taacaccaa	6600

-continued

caacagggtg agcatcgaca aaagaacag taccaagcaa ataaatagcg tatgaaggca	6660
gggctaataa aatccacata tagctgctgc atatgccatc atccaagtat atcaagatca	6720
aaataattat aaaacatact tgtttattat aatagatagg tactcaaggt tagagcatat	6780
gaatagatgc tgcataatgc atcatgtata tgcatacagta aaaccacat caacatgtat	6840
acctatccta gatcgatatt tccatccatc ttaaactcgt aactatgaag atgtatgaca	6900
cacacataca gttccaaaat taataaatc accaggtagt ttgaacagat attctactcc	6960
gatctagaac gaatgaacga ccgcccacc acaccacatc atcacaacca agcgaacaaa	7020
aagcatctct gtatatgcat cagtaaaacc cgcataca tgtataccta tcctagatcg	7080
atatttccat ccatcatctt caattcgtaa ctatgaatat gtatggcaca cacatacaga	7140
tccaaaatta ataaatccac caggtagttt gaaacagaat tctactccga tctagaacga	7200
ccgcccacc agaccacatc atcacaacca agacaaaaa aagcatgaaa agatgaccgg	7260
acaaacaagt gcacggcata tattgaaata aaggaaaagg gcaaaccaaa ccctatgcaa	7320
cgaaacaaaa aaaatcatga aatcgatccc gtctgaggaa cggctagagc catcccagga	7380
ttccccaaag agaaacactg gcaagttagc aatcagaacg tgtctgacgt acaggtcgca	7440
tccgtgtacg aacgctagca gcacggatct aacacaaa caagatctaac acaaacatga	7500
acagaagtag aactaccggg ccctaaccat ggaccggaac gccgatctag agaaggtaga	7560
gagggggggg gggggaggac gagcggcgta ccttgaagcg gaggtgccga cgggtggatt	7620
tgggggagat ctggttgtgt gtgtgtgcgc tccgaacaac acgaggttgg ggaagagggg	7680
tgtggagggg gtgtctattt attacggcgg gcgaggaagg gaaagcgaag gagcgggggg	7740
aaaggaatcc cccgtagctg ccggtgccgt gagaggagga ggaggccgcc tgcctgccc	7800
gtcaccgtct gccgtcccgc cacgcaattt ctggatgccg acagcggagc aagtccaacg	7860
gtggagcga actctcgaga ggggtccaga ggcagcgaca gagatgccgt gccgtctgct	7920
tcgcttgccc cgacgcgacg ctgctgggtc gctggttggt gtcctgtaga ctgctcgacg	7980
gcgtttaaca ggctggcatt atctactcga aacaagaaaa atgtttcctt agttttttta	8040
atttcttaaa gggatattgt ttaattttta gtcactttat tttattctat tttatatcta	8100
aattattaaa taaaaaaact aaaatagagt tttagttttc ttaatttaga ggctaaaata	8160
gaataaaata gatgtactaa aaaaattagt ctataaaaac cattaaccct aaaccctaaa	8220
tggatgtact aataaaatgg atgaagtatt atataggtga agctatttgc aaaaaaaag	8280
gagaacacat gcacactaaa aagataaaac tgtagagtcc tgttgcaaaa atactcaatt	8340
gtcctttaga ccatgtctaa ctggttcatt atatgattct ctaaaacact gatattattg	8400
tagtactata gattatatta ttcgtagagt aaagttaaa tatatgtata aagatagata	8460
aactgcactt caaacaagtg tgacaaaaa aatatgtggt aattttttat aacttagaca	8520
tgcaatgctc attatctcta gagaggggca cgaccgggtc acgctgcact gcaggcatgc	8580
gcgcttaat taaggaatc ctcgagtta aacggatccc tgaagcgcac gttggatgtt	8640
aacatctaca aattgccttt tcttatcgac catgtacgta agcgcctacg ttttggtgg	8700
acccttgagg aaactggtag ctggtggtgg cctgtggtct caagatggat cattaatttc	8760
caccttcacc tacgatgggg gccatcgac cggtagtaa tattgtacgg ctaagagcga	8820
atgtgcctg tagacctcaa ttgcgagctt tctaatttca aactattcgg gcctaacttt	8880

-continued

```

tgggtgatg atgctgactg gcttacgtgt ggaaaaaatt tgcaatctat gtagtcttta 8940
actaatgttt ttttctttaa aaaaaaagtc attatTTTTg gtttgattaa tatatttgg 9000
ttaaattaaa taaaatatta aaaagtttag ttaaatcatc tatttaaacy atttgactg 9060
atttggatc tattaatttt ttaacttaat ctagaccagg gtactagtgt gccgatccc 9120
atcttgaaaa cactatcttt agcttgctgg taggttccag ggtagaaggc agagactttt 9180
ttggagggtt tttattatta aatttatatt tttataattt ttaaatgatt aaaataaaaa 9240
tttattattt taagaggaga taaagtgcaa tttaccata tattaattta aaattttata 9300
aatttaaaaa agaaaaaac taaaatttta attttatagg ttctaaaata ataaatataa 9360
cttactgagt ttttttaagc tt 9382

```

```

<210> SEQ ID NO 3
<211> LENGTH: 10348
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Cry1Ac event 3006-48-81 insert and its border
sequences
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (664)..(664)
<223> OTHER INFORMATION: n is a, c, g, or t
<400> SEQUENCE: 3

```

```

gaatcaatct tttacgggaa aactcaattg gaatgaaact tgtttccagt aaaagtatta 60
aaaaatgtat aaactagtcc atgtatgata gtgtaaagag tatattggag taaaaattt 120
catcccatgt tactctatat tacattataa aggaagctat aggttggctc actgcaccac 180
ccaatcaaga tactcatatg tattacttaa tatataatat taaaagatat catttctttt 240
tgttatcaga ttaaagagaa ctaagatatt acaaaactgc aaaacaatag ttaggccaac 300
ccatatttta aatattttct tcttttttct actcaaacct attttgttcc caaatattga 360
agagtctgt tctgattgga tatactctcg gacaagtta actctaaatt ttccaaatat 420
tgaaataggg atttgcctac atggaaaaac ggttcttgaa caataaatca aaatagcata 480
ttctatcaat ggaatcaagg aattccatat tcatttcaa gttggagcca agcatgcatg 540
ataatgattt atagcaattt tgtcaaaagg aaaaaataag gtgattggat gacaagaaac 600
aaagggaaaa tgaattaaca gcctgcattt aatatcattc atgtccggga aatctacatg 660
gatnagcaat gagtatgatg gtcaaatatg agaaaaagaa agagtaatta ccaatttttt 720
ttcaattcaa aaatgtagat gtccgcagcg ttattataaa atgaaagtac attttgataa 780
aacgacaaat tacgatccgt cgtatttata ggcgaaagca ataacaaat tattctaatt 840
cggaaatctt tatttgcagc tgtctacatt cacgtccaaa tgggggccac ttggctgcag 900
ccaagcttcc gcgagctcga gatccccgc atatgccccg gtttctgtgc gactaacatg 960
agttcttggc caaatttgat tggacctgat gagatgatcc aaccggagga tatagcaaag 1020
ctcgttcgtg cagcaatgga acggccaaac cgtgcttttg tcccaagaa tgagggtgcta 1080
tgcatgaagg aatctaccgg ttgatgtcca acagtctcag ggttaatgtc tatgtatctt 1140
aaataatggt gtcggatatt tgtaatctca tatagatttt cactgtgcga cgcaaaaata 1200
ttaaataaat attattatta tctacgtttt gattgagata tctagatctc gaggtgtgga 1260
agatatgaat ttttttgaga aactagataa gattaatgaa tatcgggtgtt ttggtttttt 1320

```

-continued

cttgtggcgc tctttgttta tattgagatt tttcaaatca gtgcgcaaga cgtgacgtaa 1380
gtatccgagt cagtttttat ttttctacta atttggtcgt ttatttcggc gtgtaggaca 1440
tggaaccggg gcctgaattt cgcgggtatt ctgtttctat tccaactttt tcttgatccg 1500
cagccattaa cgacttttga atagatacgt ctagggtcga ggggggatcc gtcgaggggg 1560
tccacaaaa acgtaagcgc ttacgtacat ggtcggggg gtcacaaaa aacgtaagcg 1620
cttacgtaca tggtcgaggg ggtccaccaa aaacgtaagc gcttacgtac atggtcgagg 1680
gggtccacca aaaacgtaag cgcttacgta catggtcgac tagagcgtga cgctcgcggt 1740
gagccattt cgcttttca gaaatggata aatagccttg cttcctatta tatcttcca 1800
aattaccaat acattacact agcatctgaa tttcataacc aatctcgata caccaaatcg 1860
cggatcgcgc gacctgcagg tcgacatgtc tccgggaggg agaccagttg agattaggcc 1920
agctacagca gctgatatgg ccgcggtttg tgatatcgtt aaccattaca ttgagacgtc 1980
tacagtgaac ttaggacag agccacaaac accacaagag tggattgatg atctagagag 2040
gttgcaagat agataccctt ggttggttgc tgaggttgag ggtgtgtgg ctggtattgc 2100
ttacgctggg ccctggaagg ctaggaacgc ttacgattgg acagttgaga gtactgttta 2160
cgtgtcacat aggcatacaa ggttgggcct aggatccaca ttgtacacac atttgcttaa 2220
gtctatggag gcgcaaggtt ttaagtctgt ggttgctggt ataggccttc caaacgatec 2280
atctgttagg ttgcatgagg ctttgggata cacagcccgg ggtacattgc gcgcagctgg 2340
atacaagcat ggtggatggc atgatggttg ttttggcaa agggattttg agttgccagc 2400
tcctccaagg ccagttaggc cagttacca gatctgagtc gacggatccc cgacatatgc 2460
cccgtttcgc ttgcgactaa catgagttct tggacaaatt tgattggacc tgatgagatg 2520
atccaacccg aggatatagc aaagctcgtt cgtgcagcaa tggaacggcc aaaccgtgct 2580
tttgccecca agaatgaggt gctatgcatg aaggaatcta cccgttgatg tccaacagtc 2640
tcagggttaa tgtctatgta tcttaataa tggtgtcggg attttghtaat ctcatataga 2700
ttttcactgt gcgacgcaaa aatattaaat aaatattatt attatctacg ttttgattga 2760
gatatcatca atattataat aaaaatatcc attaaacacg atttgataca aatgacagtc 2820
aataatctga tttgaatatt tattaattgt aacgaattac ataaagatcg aatagaaaat 2880
actgcactgc aatgaaaaat taacacatac taataaatgc gtcaaatatc tttgccaaga 2940
tcaagcggag tgaggccctc atatcgggtc tcagttacaa gcacgggtatc cccgaagcgc 3000
gctccaccaa tgccctgcac atagatgccg ggctcgacgc tgaggacatt gcctaccttg 3060
agcatggtct cagcgcgcgc tttaaagtc atcccatccc aatctgaata tcctatcccg 3120
cgccagtcgc ggtgtaagaa cgggtctgtc catccacetc tgttgggaat tctgatcttg 3180
gcgocgatgc ggatcctcat tcctccatca gaagtaactc cacgctatca acaatgaatg 3240
ttcttccgt ttctccaate tcaatccaaa ccttgcggtt ttctggaag tactctaact 3300
ctttggtgac atagccggct ggtaacggtg ttagtcccc atagcctctg ttagattcgc 3360
aaggattgtc cctacgtcca tcgggtgtaag ccttctctc ataggctgat gcatagtcag 3420
cgggtacaga agagttgctc tcataggctc catcgtatcc tcgattgcga gaagtgtgag 3480
taccctcata ctctcttga gtcgcagtg agtcattgca agttacggtg ttgtttgggt 3540
agacttctc ctgcagcag ttgctgaact tcagctcgtc ggtgtgttc tcaatctcgt 3600

-continued

gtatggtgac gcaaccttct cegtatecct ctttgtacgc ggtaaacacga agaatgtagc	3660
cacgaccagg acagacacga acttcttgtg aaacttctgc tccccactca ggaacaacaa	3720
ggacagagcg gtgattgttc tgttcttcta catctacgtg ccctttcaca ttcacgacgg	3780
ataggccatt gttgaagtca ccattcttga tgacattcct cgcatacaca aaggagaatg	3840
cagtgaagat gcgcccttct aactcttcaa agatagcagc attgacaccc ggaatcacgc	3900
taagttcagg aaggtaaact tcccgaatgc tatgaacgcg tttgtctgca gcatgaatca	3960
tagctatggt ggatcagct tggagcctat catactgaga gttcacaac agagcgtcaa	4020
cgctttcttt ggcttcttgg tacacaatgt ttgtttccca tccaacttc tctctcttgt	4080
ccctccactt cttctcagcc ctcttcaact tagcaggggc ttctccaaca agtgggttct	4140
cttctagaaa ctccagattg cctagcctgg catggccatc ttgagttctg atcttgaaga	4200
tcaccacac accgaggtct tcggtcaggt cggtagcagc aacgtctatg tccaaggaga	4260
agtgggtgta gtgatggga cacttgccga tgggacttgg ggctgaaagt ggccagagtg	4320
aaaccgtccc aggcacattg actgtctcat gtttggcgtt gtatctgatg aggtagatct	4380
caaggtcttg actgtctcgc atgtaacctc tcaactggta tcttgtgtag gctttgagtt	4440
tcgattcacc tatcttctgg tacaggtatg ttggatagca ctcatcaaag gtaccaaga	4500
gcgtaacata gttctccttg aacacatcat cacctccttg aatggtagatg tccgtacttc	4560
ccctccatcc acgatctagt tgctgttga tcccgcgaaa gttgggatct tgaagcaagt	4620
tccgctcacc actaagtcgc ttagcatggt tgacctctc ggacaactcc ttcttctcat	4680
ccaaacagaa ctcatcagag aggcactcaa caaggttggg aacgcgatcg atgtgatagt	4740
cagtacacac tgtcttgagc ccaatctgat tggacgaagt gaacagagca ttcaccgcct	4800
tctgtgctct tccaagtca gactctgcct cgagcgttgc agtaacggga atgaattcga	4860
agcggtcgat tatcactcgc gcggttccgg agaaatttct aacacctact atgttacctt	4920
gggaagaggt gaaggcattg gcactttcga agtaaccgaa atcgcgatag tggagattat	4980
ccaaggtatg agctgtcgtt ggtactgtat tggaaaagat ggaggaatta cccaattga	5040
cgttgaggtg aataggggta acagaggcat accttacacg aacacgatat ctggtgatg	5100
tcgatgggaa gtgaatgggc acttcaatat acctctatt ctggatgttg ttcccggaag	5160
aattcagcct aaccaagtcg cctccagtga atcctggtcc tgaatgaca gaaccattaa	5220
agagaaagt ccccttgaca gctgggatct gagtaatgct atcggatgca attatgttgt	5280
taaaactcagc actacgatgt atccaagaga acatcggagc tctgatgata ctaacgctgc	5340
tattactaaa gcctgaacgg aacatggaca catggctaag gcgatggata aacccttggc	5400
taggtgggaa gttgttgttc tgtggaggga tctcatcaa gctatcaact gttccgctct	5460
ttctgtagac agcggatggc agatttgagg aggttccata ggcaaattct gtcocgtaa	5520
gcacagacaa ttgttgattg ttgatgccga tgttgaaagg tctctatat agagtgtctg	5580
acaaggttct atacacgccc tgaccgagtt gagcaacaat acgttgttgt ggagctgcat	5640
tgccatagtc cccgtaaagt gggaaagtga attctggtcc agagaacca acgggtgatg	5700
ccatgatctg atgccctgac cagtagtaat aaccgcggtg cgcacgggtg tagatcgtga	5760
tactgttcaa tatgtccatc aggtgtggag acctgatgct tctctctatg cctgagccg	5820
agcctcgaag getaccgtcg aagttctcga ggactgggtt tgtgtagatt tcccggtca	5880

-continued

attgtgacac agtacggatt gggtagcgcc tagagtcgta gttgggaaag agagcgacaa	5940
tgtctaggac agttagtgtc aactctcgcc tgaactgggt gtacctgacc caatctctag	6000
aatccgggcc ccagacacgt tcgagaccgg tgttgtagca gcgaacagca taatcgggat	6060
agttgccaat aagcctagtc agatcattat aacgactatt gatagttgcg gcatcaaagc	6120
cccaccgttg tccgaacacg gagacatcgc ggagcaccga caagtgcagg ttggcagcct	6180
gcacgtacac ggataaaaga ggaacttggt aattctgaac ggcgaagagc ggaattgctg	6240
tcgtcagcgc gctgttcctg tcattgaatt gaatgcgcat ctctctctct aaggcaggat	6300
tggtcgggctc tgcttcccac tctcgaaaag attctgcgta aatctggtaa aggttgctga	6360
ggccttctaa ccttgagatg gcttgggtcc tagcgaattc ttctattctt tggtaatta	6420
actgctctat ctgtacaaga aaggcgctcc attgagaggg accaaagatt ccccaaatga	6480
tatcgacaag tccaagcacg aatccagcac cgggcacgaa ctctgacaaa aggaattggg	6540
taagtgacaa cgagatgtcg ataggtgtgt aaccagtctc aatccgttct caccacagca	6600
cctcaacctc aggggtgctc aggcagttgt aaggaatgca ctcggtgatg ttgggattgt	6660
tgtcatttgt tggatctctc agagtcgacc tgcagaagta acaccaaaca acagggtgag	6720
catcgacaaa agaaacagta ccaagcaaat aatagcgtg tgaaggcagg gctaaaaaaa	6780
tccacatata gctgctgcat atgccatcat ccaagtatat caagatcaaa ataattataa	6840
aacatacttg tttattataa tagataggta ctcaagggtta gagcatatga atagatgctg	6900
catatgccat catgtatatg catcagtaaa acccacatca acatgtatac ctatcctaga	6960
tcgatatttc catccatctt aaactcgtaa ctatgaagat gtatgacaca cacatacagt	7020
tccaaaatta ataaatacac caggtagttt gaaacagtat tctactccga tctagaacga	7080
atgaacgacc gcccaaccac accacatcat cacaaccaag cgaacaaaaa gcatctctgt	7140
atatgcatca gtaaaaccgg catcaacatg tatacctatc ctatagatgat atttccatcc	7200
atcatcttca attcgtaact atgaatatgt atggcacaca catacagatc caaaattaat	7260
aaatccacca ggtagtttga aacagaattc tactccgatc tagaacgacc gcccaaccag	7320
accacatcat cacaaccaag acaaaaaaaaa gcatgaaaag atgacccgac aaacaagtgc	7380
acggcatata ttgaaataaa ggaaggggc aaaccaaacc ctatgcaacg aaacaaaaaa	7440
aatcatgaaa tcgatcccggt ctgcggaacg gctagagcca tcccaggatt ccccaagag	7500
aaacactggc aagttagcaa tcagaacgtg tctgacgtac aggtcgcac cgtgtacgaa	7560
cgctagcagc acggatctaa cacaaacacg gatctaacac aaacatgaac agaagtagaa	7620
ctaccgggcc ctaacctagg accggaacgc cgatctagag aaggtagaga gggggggggg	7680
gggaggacga gggcgctacc ttgaagcggg ggtgcccagc ggtggatttg ggggagatct	7740
ggttgtgtgt gtgtgctcgc cgaacaacac gaggttgggg aaagaggggtg tggagggggt	7800
gtctatttat tacggcgggc gaggaaggga aagcgaagga gcggtgggaa aggaatcccc	7860
cgtagctgcc ggtgcccgtg gaggaggagg aggcgcctg ccgtgcccgc tcacgtctgc	7920
cgctccgcca cgcaatttct ggatgccgac agcggagcaa gtccaacggt ggagcggaac	7980
tctcagaggg ggtccagagg cagcgacaga gatgccgtgc cgtctgcttc gcttgcccg	8040
acgcgacgct gctggtctgc tgggtgtgt ccgttagact cgtcgacggc gtttaacagg	8100
ctggcattat ctactcgaag caagaaaaat gtttccttag ttttttaaat ttctaaagg	8160

-continued

gtatattggtt aatTTTTtagt cactttattt tattctattt tataatctaaa ttattaaata	8220
aaaaaactaa aatagagtgt tagttttctt aatTTtagagg ctaaaataga ataaaataga	8280
tgtactaaaa aaattagtct ataaaaacca ttaaccctaa accctaaatg gatgtactaa	8340
taaaatggat gaagtattat ataggtgaag ctatTTgcaa aaaaaaagga gaacacatgc	8400
acactaaaaa gataaaaactg tagagtctctg ttgtcaaaat actcaattgt cctttagacc	8460
atgtctaact gttcatttat atgattctct aaaacactga tattattgta gtactataga	8520
ttatattatt cgtagagtaa agtttaaata tatgtataaa gatagataaa ctgcacttca	8580
aacaagtgtg acaaaaaaaaa tatgtggtaa tttttataa cttcgacatg caatgctcat	8640
tatctctaga gaggggcacg accgggtcac gctgcactgc aggcatgcgc gccttaatta	8700
aggaattcct cgagtttaaa cggatccctg aaagcgcagt tggatgttaa catctcaaaa	8760
ttgcttttct ttatcgacca tgtacgtaag cgcttacgtt tttggtggac ccttgaggaa	8820
actggtagct gttgtgggccc tgtggtctca agatggatca ttaatttcca ccttcacta	8880
cgatgggggg catcgcaccg gtgagtaata ttgtacggct aagagcgaat ttggcctgta	8940
gacctcaatt gcgagcttct taatttcaaa ctattcgggc ctaacttttg gtgtgatgat	9000
gctgactgaa taattacacg gccttcttgt gagacctcgc caatctgctc ggtgtaccct	9060
agcatctcca tatcctcatg tagaagattc aaggaagtgt gccttgcat cagtaccgca	9120
agaccattga acatgttgaa tagatttaca ggttcatcag ccacgctagt gcaactcagat	9180
ctggccttcc ggcagtaaga aggatcccg ttcgcctat gcaacattaa acaaaacta	9240
ggatctccga cctgcagctg agaatatttg gctggtcggg ggactttaa actcacgata	9300
tgaagatcac aaggtaaagg agtagttaat ggagaaaagg gccccagtg tgtctgcaca	9360
ttaatgtctt gtggcttctt ggcaatgaat gtgtgtaagg gatgattcaa gtgagacca	9420
acacaatgag agagaagaga tggattcaga ggctgtgggt cagaaacggg atttgaagtc	9480
gaagaaatgt tggattcgat caagatatgg aaaacaacat tcataacacg attgtccacc	9540
acacctgtc caagaccacg accatcgtct tttgccaac gacggcgaag cataatctct	9600
agccaccctc gtttacagct tgctgcacc agtgactgcc gagaatggac agaataccta	9660
tggcatttg acccctgcat gaaagcgaga gaaggcatgg ggtagtaatt cccctgcaac	9720
ggaatcttat gatatgttct tctccgactc atctgaaagc cattcaagtc ggtgtagaaa	9780
attcttttgt tgtcaatctc tgtcttatat ctaacaatta attctttgtc aataaaactg	9840
ttgcogagaa gctcaacatg atattccttc tcaatcagaa actcctggat cgtatttctc	9900
ccattataaa tacgagtact atgggagatc ggagtattct cccatgcagt cttcgataa	9960
gagtacacct cctgcatcaa gggaccctca gagataacca gatgcccacc agattgactt	10020
ataggcacag cttcaccatg gggaaacaaat aagtatgcac ctccggtact tgagtaaagg	10080
cttatctctt cagccacggt attttgcaga ccatttttct ggattacctt ttgtaacaaa	10140
ccatgcttga caccaagggt gagagtttga tgctgattct caatttcaac cacatctct	10200
tctacttctg agcaatcata cagtgtaggg cactgtattg aactcaaatt tgagaagagc	10260
ttgagtttgg cgggttttagc tttttcacat ccgacaaagc cattggcaat ataatatgtc	10320
tgcaaaacca tggcaggaac agaagctt	10348

-continued

```

<210> SEQ ID NO 4
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward primer 281-14

<400> SEQUENCE: 4

tgtcggctga aggtaggag g                               21

<210> SEQ ID NO 5
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse primer 281-15

<400> SEQUENCE: 5

ccggacatga agccatttac                               20

<210> SEQ ID NO 6
<211> LENGTH: 603
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: 603 bp sequence of the amplicon produced
        using the primers of SEQ ID NO:4 and SEQ ID NO:5

<400> SEQUENCE: 6

tgtcggctga aggtaggag gaattaatca atcacagttg cttgtttctg agtctataga   60
atcatgaatt ttaaatttat ggaatgcatt ttttcgaaga tattgtatgc attaagtga   120
attttagttt caatatgaaa tttgagattt atatataac ttacataaaa cctccttta   180
ctgaattagt gccatggata aaagaccaat taagcaatcc ttccaacacg tgcattgact   240
ggattttcat cgctcgtcc attgttaaat tgataggtta ataagaacaa ttagttggct   300
actgattata tggattctgg gttaaaagta tttaggttta ctgttacata catggaggat   360
ctacatctat tttcactttt gtttaattaa ttttaagttag ttttgatgag ttttaaggatt   420
gtactagcca atagtagtac ataaaggaga tagagtacca aaacaaagaa aaagccgaaa   480
ggtgttaaty ctaaattgta aaagaaagt aaaataagag actcgaatta taatatgatt   540
ctctggcgca ctaattaagc tactatatat tgtcaatagt attgtaaatg gtttcattgc   600
cgg                                                    603

<210> SEQ ID NO 7
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward primer 281-9

<400> SEQUENCE: 7

tctctagaga ggggcacgac c                               21

<210> SEQ ID NO 8
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse primer 281-10

```

-continued

<400> SEQUENCE: 8

cgagctggag agaccggtga c 21

<210> SEQ ID NO 9

<211> LENGTH: 562

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: 562 bp sequence of the amplicon produced using the primers of SEQ ID NO:7 and SEQ ID NO:8

<400> SEQUENCE: 9

tctctagaga ggggcacgac cgggtcacgc tgcactgcag ccaagtggcc cccatttga 60

cgtgaatgta gacacgctga aataaagatt tccgaattag aataattgc ttattgcttt 120

cgccataaa tacgacggat cgtaatttgt cgctttatca gaatgtactt tcattttata 180

ataacgctgc ggacatctac atttttgaat tgaaaaaaaa ttgtaatta ctctttcttt 240

ttctccatat tgaccatcat actcattgct gatccatgta gatttccctt acttgtctcc 300

ctctaactctg actttattaa cccaaagcaa ttgcttattt gttccccacg cccacaaagc 360

ccagcattgt ccctaaggta ttaatttgtt gttcgattct tgttcttgaa cccatttga 420

gaatgcaaca agggttttca tgtcagcacg gtaatggttc tgtgtaaatt ccagtagtgc 480

tgcccaagta aagtctgggt atttctctga atttgcggca ttaactaagc tagctgctgg 540

tgtcaccggt ctctccagct cg 562

<210> SEQ ID NO 10

<211> LENGTH: 25

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Forward primer 3006-20

<400> SEQUENCE: 10

ttccaacctt taactattat cctgc 25

<210> SEQ ID NO 11

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Reverse primer 3006-22

<400> SEQUENCE: 11

gctgaggaca tctacatttt 20

<210> SEQ ID NO 12

<211> LENGTH: 614

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: 614 bp sequence of the amplicon produced using the primers of SEQ ID NO:10 and SEQ ID NO:11

<400> SEQUENCE: 12

ttccaacctt taactattat cctgccttaa aattcgaata catttattat ctataaacta 60

tccgaatatt attatctaaa tcctaattaa atactatttt ttatcgagta ttcgatccg 120

ccaaggaaat ccatctccaa attttcaatt attttccaga tatctaaatc tgtaaaattt 180

-continued

```

caaattcaag tacggtacaa ttctttataa ataatccaaa ttataaatat tttataacta 240
ttaattcata aattaaatt tattattcaa atattcgaat aatctatfff taagacgtaa 300
agtattacat cgaagggtta ctttcaaagg gtagtgatt tccatttcaa ttattcagaa 360
cgttgctcgtt ttgttccggt catagaaaag ggctctggaa gagaagaaaa tgacttgact 420
tttcaatttc atgctcatcc actcgtttca attactgttt actaaaaaaaa taataaaata 480
aaatattaac aatgcattga gtatgatgtc cgggaaatct acatggatca gcaatgagta 540
tgatgggtcaa tatggagaaa aagaaagagt aattaccaat tttttttcaa ttcaaaaatg 600
tagatgtccg cagc 614

```

```

<210> SEQ ID NO 13
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward primer 3006-9

```

```

<400> SEQUENCE: 13

```

```

gacatgcaat gctcattatc tcta 24

```

```

<210> SEQ ID NO 14
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse primer 3600-12

```

```

<400> SEQUENCE: 14

```

```

aagtctctgc cttctaccct gg 22

```

```

<210> SEQ ID NO 15
<211> LENGTH: 662
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: 662 bp sequence of the amplicon produced using
the primers of SEQ ID NO:13 and SEQ ID NO:14

```

```

<400> SEQUENCE: 15

```

```

gacatgcaat gctcattatc tctagagagg ggcacgaccg ggtcacgctg cactgcaggc 60
atgctcgcct taattaagga attcctcgag tttaaaccgga tccctgaaag cgacgttgga 120
tgtaacatc tacaaattgc cttttcttat cgaccatgta cgtaagcgtc tacgtttttg 180
gtggaccctt gaggaactg gtagctgttg tgggctctgt gtctcaagat ggatcattaa 240
tttccacctt cacctacgat ggggggcatc gcaccggtga gtaatattgt acggctaaga 300
gcaatatttg cctgtagacc tcaattgcga gctttctaat ttcaactat tccggcctaa 360
cttttggtgt gatgatgctg actggcttac gtgtggaaaa aatttgcaat ctatgtagtc 420
tttaactaat gtttttttct ttaaaaaaaaa agtcattatt tttggtttga ttaatatatt 480
tggtttaaat taaataaaat attaaaaagt ttagttaaatt catctattta aacgatttgt 540
actgatttgt gatctattaa ttttttaact taatctagac cagggtacta gttggtccga 600
tcccattctg aaaacactat ctttagcttg ctggtaggtt ccagggtaga aggcagagac 660
tt 662

```


-continued

```

<210> SEQ ID NO 16
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward primer 3006-23

<400> SEQUENCE: 16
gaatcaatct tttacgggaa                20

<210> SEQ ID NO 17
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse primer 3006-25

<400> SEQUENCE: 17
catgtagatt tcccggacat                20

<210> SEQ ID NO 18
<211> LENGTH: 660
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: 660 bp sequence of the amplicon produced
        using the primers of SEQ ID NO:16 and SEQ ID NO:17

<400> SEQUENCE: 18
gaatcaatct tttacgggaa aactcaattg gaatgaaact tgtttccagt aaaagtatta    60
aaaaatgtat aaactagtcc atgtatgata gtgtaaagag tatattggag ttaaaaattt    120
catcccatgt tactctatat tacattataa aggaagctat aggttggtc actgcaccac    180
ccaatcaaga tactcatatg tattacttaa tatataatat taaaagatat catttctttt    240
tgttatcaga ttaaagagaa ctaagatatt acaaacttgc aaaacaatag ttaggccaac    300
ccatatttta aatattttct tcttttttct actcaaacct atttgtttc caaatattga    360
agagttctgt tctgattgga tatactctcg gacaagttta actctaaatt ttccaaatat    420
tgaaatatgg atttgctcac atggaaaaac ggttcttgaa caataaatca aaatagcata    480
ttctatcaat ggaatcaagg aattccatat tcatttcaa gttggagcca agcatgcatg    540
ataatgattt atagcaattt tgtcaaaagg aaaaaataag gtgattggat gacaagaaac    600
aaagggaaaa tgaattaaca gcctgcattt aatatcattc atgtccggga aatctacatg    660

<210> SEQ ID NO 19
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Forward primer 3006-9

<400> SEQUENCE: 19
gacatgcaat gctcattatc tcta                24

<210> SEQ ID NO 20
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Reverse primer 3006-11C

```

-continued

<400> SEQUENCE: 20

gaacctgtaa atctattcaa catg

24

<210> SEQ ID NO 21**<211> LENGTH: 531****<212> TYPE: DNA****<213> ORGANISM: Artificial Sequence****<220> FEATURE:****<223> OTHER INFORMATION: 531 bp sequence of the amplicon produced using the primers of SEQ ID NO:19 and SEQ ID NO:20****<400> SEQUENCE: 21**

gacatgcaat gctcattatc tctagagagg ggcacgaccg ggtcacgctg cactgcaggc 60

atgcgcgcct taattaagga attcctcgag tttaaacgga tcctgaaag cgacgttgga 120

tgttaacatc tacaattgc cttttcttat cgaccatgta cgtaagcgcct tacgtttttg 180

gtggaccctt gagaaaactg gtagctgttg tgggcctgtg gtctcaagat ggatcattaa 240

tttccacctt cacctacgat ggggggcatc gcaccggtga gtaatattgt acggctaaga 300

ggaatttgg cctgtagacc tcaattgcga gcttttctaat ttcaaactat tegggcctaa 360

cttttggtgt gatgatgctg actgaataat tacacggcct tcttgtagaga cctcgccaat 420

ctgctcgggtg taccctagca tctccatc ctcattgtaga agattcaagg aagttggcct 480

tgcattcagt accgcaagac cattgaacat gttgaataga tttacaggtt c 531

1. A transgenic cotton plant comprising an insert that disrupts a genomic sequence selected from the group consisting of

- a. a first DNA sequence comprising a 5' end comprising nucleotides 1-2074 of SEQ ID NO:1, a first interior segment comprising SEQ ID NO:15, and a 3' end comprising nucleotides 12,749-15,490 of SEQ ID NO:1, and
- b. a second DNA sequence comprising a 5' end comprising nucleotides 1-527 of SEQ ID NO:2, a second interior segment comprising SEQ ID NO:16, and a 3' end comprising nucleotides 8,901-9,382 of SEQ ID NO:2.

2. A cotton plant comprising at least one insert that disrupts a genomic sequence selected from the group consisting of

- a. a first DNA sequence comprising a 5' end comprising nucleotides 1-2074 of SEQ ID NO:1, and a 3' end comprising nucleotides 12,749-15,490 of SEQ ID NO:1; and
- b. a second DNA sequence comprising a 5' end comprising nucleotides 1-527 of SEQ ID NO:2, and a 3' end comprising nucleotides 8,901-9,382 of SEQ ID NO:2.

3. The plant of claim **1** wherein said insert is a non-cry1F and non-cry1Ac insert.

4. The plant of claim **2** wherein said insert is a non-cry1F and non-cry1Ac insert.

5. A method for targeted homologous recombination, said method comprising targeting a genomic cotton sequence for insertion of a transgene genetic insert, and introducing said transgene genetic insert into said genomic cotton sequence, wherein said genomic sequence is selected from the group consisting of

- a. a first DNA sequence comprising a 5' end comprising nucleotides 1-2074 of SEQ ID NO:1, and a 3' end comprising nucleotides 12,749-15,490 of SEQ ID NO:1; and
- b. a second DNA sequence comprising a 5' end comprising nucleotides 1-527 of SEQ ID NO:2, and a 3' end comprising nucleotides 8,901-9,382 of SEQ ID NO:2.

6. A seed of the plant of claim **1**, wherein said seed comprises said insert.

7. A seed of the plant of claim **2**, wherein said seed comprises said insert.

* * * * *