

(12) UK Patent Application (19) GB (11) 2502456 (13) A

(43) Date of Reproduction by UK Office 27.11.2013

(21) Application No: 1312519.0

(22) Date of Filing: 17.01.2012

Date Lodged: 12.07.2013

(30) Priority Data:  
(31) 61441226 (32) 09.02.2011 (33) US

(86) International Application Data:  
PCT/EP2012/050636 En 17.01.2012

(87) International Publication Data:  
WO2012/107259 En 16.08.2012

(71) Applicant(s):  
Assa Abloy Entrance Systems AB  
PO BOX 131, Landskrona S-261 22, Sweden

(72) Inventor(s):  
Jonathan Nobbs

(74) Agent and/or Address for Service:  
Mathys & Squire LLP  
120 Holborn, LONDON, EC1N 2SQ, United Kingdom

(51) INT CL:  
E06B 3/58 (2006.01)

(56) Documents Cited:  
DE 002614803 A1 JP 110256942 A  
US 20090113826 A1

(58) Field of Search:  
INT CL E06B

(54) Title of the Invention: **Blast Protection Door**  
Abstract Title: **Blast Protection Door**

(57) The invention relates to a blast protected door package comprising a panel of a blast-resistant material, a frame provided around the perimeter of the panel, comprising a first pair of frame members mounted along a pair of opposing perimeter edges of said panel and a second pair of frame members mounted along the other pair of perimeter edges of the panel and wherein said door package further comprises a L-shaped support portion for receiving said panel, said support portion comprising a back leg for supporting said edge part of said panel and a bottom leg comprising an engaging member, said support portion being fixed onto said frame members, a L-shaped bead member comprising a back leg for supporting said edge part of said panel and a bottom leg comprising an engaging members for mechanically engaging with said engaging member of said support portion such that a U-shaped frame for enclosing edge portion of the panel is being provided.




Fig. 1b