



US00D431540S

# United States Patent [19]

[11] Patent Number: Des. 431,540

Morisue et al.

[45] Date of Patent: \*\* Oct. 3, 2000

- [54] TELEPHONE INSTRUMENT
- [75] Inventors: Nobuyuki Morisue; Yasuhito Onozawa, both of Gunma-ken, Japan
- [73] Assignee: Meisei Electric Co., Ltd., Gunma-ken, Japan
- [\*\*] Term: 14 Years

4,782,522 11/1988 Kramer et al. .... 379/368

Primary Examiner—Jeffrey Asch  
Attorney, Agent, or Firm—McAulay Nissen Goldberg & Kiel, LLP

- [21] Appl. No.: 29/110,401
- [22] Filed: Sep. 3, 1999

### [57] CLAIM

The ornamental design for a telephone instrument, as shown and described.


- [30] Foreign Application Priority Data  
Mar. 4, 1999 [JP] Japan ..... 11-5493
- [51] LOC (7) Cl. .... 14-03
- [52] U.S. Cl. .... D14/151
- [58] Field of Search ..... D14/137, 138, D14/148, 147, 149-151, 140-142, 240, 241; 379/433-436, 419, 420, 428, 440

### DESCRIPTION

FIG. 1 is a front view of the inventive design of a telephone instrument.  
 FIG. 2 is a back view of the inventive design of a telephone instrument.  
 FIG. 3 is a top plane view of the inventive design of a telephone instrument.  
 FIG. 4 is a bottom plane view of the inventive design of a telephone instrument.  
 FIG. 5 is a left side view of the inventive design of a telephone instrument.  
 FIG. 6 is a right side view of the inventive design of a telephone instrument.  
 FIG. 7 is a perspective view of the inventive design of a telephone instrument.  
 FIG. 8 is a perspective view of the inventive design of a telephone instrument with the handset removed.  
 FIG. 9 is a right side view of the inventive design of a telephone instrument in a raised position with back legs extended.  
 FIG. 10 is a front view of the inventive design of the telephone instrument as shown in FIG. 9; and,  
 FIG. 11 is a back view of the inventive design of the telephone instrument of FIG. 9 in the raised position with the back legs extended.  
 The broken line showings throughout the views are for illustrative purposes only and form no part of the claimed design.

- [56] References Cited
- U.S. PATENT DOCUMENTS
- D. 307,145 4/1990 Oshima et al. .... D14/241
- D. 311,191 10/1990 Ando ..... D14/241
- D. 313,235 12/1990 Kido et al. .... D14/241
- D. 319,054 8/1991 Appleby ..... D14/151
- D. 319,642 9/1991 Ando ..... D14/151
- D. 321,872 11/1991 Ando ..... D14/151
- D. 344,517 2/1994 Toh et al. .... D14/151
- D. 345,557 3/1994 Akatsu et al. .... D14/151
- D. 346,599 5/1994 Wetzel et al. .... D14/151
- D. 348,670 7/1994 Yoneyama ..... D14/151
- D. 357,013 4/1995 Yoneyama ..... D14/151
- D. 368,091 3/1996 Yoshihiko et al. .... D14/151
- D. 375,094 10/1996 Toh ..... D14/151
- D. 375,308 11/1996 Toh ..... D14/151
- D. 387,056 12/1997 Yoneyama ..... D14/151
- D. 389,145 1/1998 Yoneyama ..... D14/151
- D. 390,563 2/1998 Akatsu et al. .... D14/151

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11