




(22) **Date de dépôt/Filing Date:** 2000/01/05
 (41) **Mise à la disp. pub./Open to Public Insp.:** 2000/07/13
 (45) **Date de délivrance/Issue Date:** 2014/03/04
 (62) **Demande originale/Original Application:** 2 359 816
 (30) **Priorités/Priorities:** 1999/01/06 (US60/115,125);
 2000/01/04 (US09/477,148)

(51) **Cl.Int./Int.Cl. C40B 40/06** (2006.01),
C12Q 1/68 (2006.01), **C40B 30/00** (2006.01),
C40B 30/04 (2006.01), **C40B 40/08** (2006.01)
 (72) **Inventeur/Inventor:**
 LIEW, CHOONG-CHIN, CA
 (73) **Propriétaire/Owner:**
 GENENEWS INC., CA
 (74) **Agent:** BERESKIN & PARR LLP/S.E.N.C.R.L.,S.R.L.

(54) **Titre : METHODE DE PROFILAGE DE L'EXPRESSION GENIQUE D'UN SUJET HUMAIN ATTEINT D'UNE MALADIE INFECTIEUSE**
 (54) **Title: METHOD OF PROFILING GENE EXPRESSION IN A HUMAN SUBJECT HAVING AN INFECTIOUS DISEASE**



(57) **Abrégé/Abstract:**

The present invention is directed to detection and measurement of gene transcripts in blood. Specifically provided is a RT-PCR



(57) Abrégé(suite)/Abstract(continued):

analysis performed on a drop of blood for detecting, diagnosing and monitoring diseases using tissue-specific primers. The present invention also describes methods by which delineation of the sequence and/or quantitation of the expression levels of disease-associated genes allows for an immediate and accurate diagnostic/prognostic test for disease or to assess the effect of a particular treatment regimen.

ABSTRACT

The present invention is directed to detection and measurement of gene transcripts in blood. Specifically provided is a RT-PCR analysis performed on a drop of blood for
5 detecting, diagnosing and monitoring diseases using tissue-specific primers. The present invention also describes methods by which delineation of the sequence and/or quantitation of the expression levels of disease-associated genes allows for an immediate and accurate diagnostic/prognostic test for disease or to assess the effect of a particular treatment regimen.

WO 00/40749

PCT/CA00/00005

METHOD OF PROFILING GENE EXPRESSION IN A
HUMAN SUBJECT HAVING AN INFECTIOUS DISEASE

5

BACKGROUND OF THE INVENTION

10 Field of the Invention

The present invention relates generally to the molecular biology of human diseases. More specifically, the present invention relates to a process using the genetic information contained in human peripheral whole blood for the diagnosis,
15 prognosis and monitoring of genetic and infectious disease in the human body.

Description of the Related Art

The blood is a vital part of the human circulatory system for the human
20 body. Numerous cell types make up the blood tissue including monocytes, leukocytes, lymphocytes and erythrocytes. Although many blood cell types have been described, there are likely many as yet undiscovered cell types in the human blood. Some of these undiscovered cells may exist transiently, such as those derived from tissues and organs that are constantly interacting with the circulating blood in
25 health and disease. Thus, the blood can provide an immediate picture of what is happening in the human body at any given time.

The turnover of cells in the hematopoietic system is enormous. It was reported that over one trillion cells, including 200 billion erythrocytes and 70 billion neutrophilic leukocytes, turn over each day in the human body (Ogawa 1993). As a consequence of continuous interactions between the blood and the body, genetic changes that occur within the cells or tissues of the body will trigger specific changes in gene expression within blood. It is the goal of the present invention that these genetic alterations be harnessed for diagnostic and prognostic purposes, which may lead to the development of therapeutics for ameliorating disease.

The complete profile of gene expression in the circulating blood remains totally unexplored. It is hypothesized that gene expression in the blood is reflective of body state and, as such, the resultant disruption of homeostasis under conditions of disease can be detected through analysis of transcripts differentially expressed in the blood alone. Thus, the identification of several key transcripts or genetic markers in blood will provide information about the genetic state of the cells, tissues, organs and systems of the human body in health and disease.

The prior art is deficient in non-invasive methods of screening for tissue-specific diseases. The present invention fulfills this long-standing need and desire in the art.

20

SUMMARY OF THE INVENTION

This present invention discloses a process of using the genetic information contained in human peripheral whole blood in the diagnosis, prognosis and monitoring of genetic and infectious disease in the human body. The process described herein requires a simple blood sample and is, therefore, non-invasive compared to conventional practices used to detect tissue specific disease, such as biopsies.

One object of the present invention is to provide a non-invasive method for the diagnosis, prognosis and monitoring of genetic and infectious disease in humans and animals.

In one embodiment of the present invention, there is provided a method for detecting expression of a gene in blood from a subject, comprising the steps of: a) quantifying RNA from a subject blood sample; and b) detecting expression of the gene in the quantified RNA, wherein the expression of the gene in quantified RNA indicates the expression of the gene in the subject blood.

In another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; and e) detecting expression of the genes in the ESTs, wherein the expression of the genes in the ESTs indicates the expression of the genes in the subject blood. Preferably, the genes are tissue-specific genes.

In still another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting DNA fragments from the blood sample; c) amplifying the DNA fragments; and d) detecting expression of the genes in the amplified DNA product, wherein the expression of the genes in the amplified DNA product indicates the expression of the genes in the subject blood.

In yet another embodiment of the present invention, there is provided a method for monitoring a course of a therapeutic treatment in an individual, comprising the steps of: a) obtaining a blood sample from the individual; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; e) detecting expression of genes in the ESTs, wherein the expression of the genes is associated with the effect of

the therapeutic treatment; and f) repeating steps a)-e), wherein the course of the therapeutic treatment is monitored by detecting the change of expression of the genes in the ESTs. Such a method may also be used for monitoring the onset of overt symptoms of a disease, wherein the expression of the genes is associated with the
5 onset of the symptoms.

In still yet another embodiment of the present invention, there is provided a method for diagnosing a disease in a test subject, comprising the steps of:
a) generating a cDNA library for the disease from a whole blood sample from a normal subject; b) generating expressed sequence tag (EST) profile from the normal
10 subject cDNA library; c) generating a cDNA library for the disease from a whole blood sample from a test subject; d) generating EST profile from the test subject cDNA library; and e) comparing the test subject EST profile to the normal subject EST profile, wherein if the test subject EST profile differs from the normal subject EST profile, the test subject might be diagnosed with the disease.

15 In still yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) gene-specific primers; wherein the primers are designed in such a way that their sequences contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and b) a carrier, wherein the carrier immobilizes the primer(s).
20 Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease.

In yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) probes derived from a whole blood sample for a specific disease; and b) a carrier, wherein the carrier
25 immobilizes the probes. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease.

Furthermore, the present invention provides a cDNA library specific for a disease, wherein the cDNA library is generated from whole blood samples.

Other and further aspects, features, and advantages of the present invention will be apparent from the following description of the presently preferred embodiments of the invention. These embodiments are given for the purpose of disclosure.

5

BRIEF DESCRIPTION OF THE DRAWINGS

So that the matter in which the above-recited features, advantages and objects of the invention, as well as others which will become clear, are attained and can be understood in detail, more particular descriptions of the invention briefly summarized above may be had by reference to certain embodiments thereof which are illustrated in the appended drawings. These drawings form a part of the specification. It is to be noted, however, that the appended drawings illustrate preferred embodiments of the invention and therefore are not to be considered limiting in their scope. not be considered to limit the scope of the invention.

Figure 1 shows the following RNA samples prepared from human blood; **Figure 1A**: Lane 1, Molecular weight marker; Lane 2, RT-PCR on APP gene; Lane 3, PCR on APP gene; Lane 4, RT-PCR on APC gene; Lane 5, PCR on APC gene; **Figure 1B**: Lanes 1 and 2, RT-PCR and PCR of β MyHC, respectively; Lanes 3 and 4, RT-PCR of β MyHC from RNA prepared from human fetal and human adult heart, respectively; Lane 5, Molecular weight marker.

Figure 2 shows quantitative RT-PCR analysis performed on RNA samples extracted from a drop of blood. Forward primer (5'-GCCCTCTGGGGACCTGAC-3', SEQ ID No. 1) of exon 1 and reverse primer (5'-CCCACCTGCAGGTCCTCT-3", SEQ ID No. 2) of exons 1 and 2 of insulin gene. Blood samples of 4 normal subjects were assayed. Lanes 1, 3, 5 and 7 represent overnight "fasting" blood sample and lanes 2, 4, 6 and 8 represent "non-fasting" samples.

Figure 3 shows quantitative RT-PCR analysis performed on RNA samples extracted from a drop of blood. Lanes 1 and 2 represent normal healthy person and lane 3 represents late-onset diabetes (Type II) and lane 4 represents asymptomatic diabetes.

5 **Figure 4** shows multiple RT-PCR assay in a drop of blood. Primers were derived from insulin gene (INS), zinc-finger protein gene (ZFP) and house-keeping gene (GADH). Lane 1 represents normal person. Lane 2 represents late-onset diabetes and lane 3 represents asymptomatic diabetes.

10 **Figure 5** shows standardized levels of insulin gene (**Figure 5A**) and ZFP gene (**Figure 5B**) expressed in a drop of blood. The first three subjects were normal, second two subjects showed normal glucose tolerance, and the last subject had late onset diabetes type II. **Figure 5C** shows standardized levels of insulin gene expressed in each fractionated cell from whole blood.

15 **Figure 6** shows the differential screening of human blood cell cDNA library with different cDNA probes of heart and brain tissue. **Figure 6A** shows blood cell cDNA probes vs. adult heart cDNA probes. **Figure 6B** shows blood cell cDNA probes vs. human brain cDNA probes.

Figure 7 graphically shows the 1,800 unique genes in human blood and in the human fetal heart grouped into seven cellular functions.

20

DETAILED DESCRIPTION OF THE INVENTION

25 In accordance with the present invention, there may be employed conventional molecular biology, microbiology, and recombinant DNA techniques within the skill of the art. Such techniques are explained fully in the literature. See, e.g., Sambrook, Fritsch & Maniatis, "Molecular Cloning: A Laboratory Manual (1982); "DNA Cloning: A Practical Approach," Volumes I and II (D.N. Glover ed. 1985); "Oligonucleotide Synthesis" (M.J. Gait ed. 1984); "Nucleic Acid

Hybridization" [B.D. Hames & S.J. Higgins eds. (1985)]; "Transcription and Translation" [B.D. Hames & S.J. Higgins eds. (1984)]; "Animal Cell Culture" [R.I. Freshney, ed. (1986)]; "Immobilized Cells And Enzymes" [IRL Press, (1986)]; B. Perbal, "A Practical Guide To Molecular Cloning" (1984). Therefore, if appearing
5 herein, the following terms shall have the definitions set out below.

A "cDNA" is defined as copy-DNA or complementary-DNA, and is a product of a reverse transcription reaction from an mRNA transcript. "RT-PCR" refers to reverse transcription polymerase chain reaction and results in production of cDNAs that are complementary to the mRNA template(s).

10 The term "oligonucleotide" is defined as a molecule comprised of two or more deoxyribonucleotides, preferably more than three. Its exact size will depend upon many factors which, in turn, depend upon the ultimate function and use of the oligonucleotide. The term "primer" as used herein refers to an oligonucleotide, whether occurring naturally as in a purified restriction digest or produced
15 synthetically, which is capable of acting as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product, which is complementary to a nucleic acid strand, is induced, i.e., in the presence of nucleotides and an inducing agent such as a DNA polymerase and at a suitable temperature and pH. The primer may be either single-stranded or double-stranded and must be
20 sufficiently long to prime the synthesis of the desired extension product in the presence of the inducing agent. The exact length of the primer will depend upon many factors, including temperature, source of primer and the method used. For example, for diagnostic applications, depending on the complexity of the target sequence, the oligonucleotide primer typically contains 15-25 or more nucleotides,
25 although it may contain fewer nucleotides. The factors involved in determining the appropriate length of primer are readily known to one of ordinary skill in the art.

As used herein, random sequence primers refer to a composition of primers of random sequence, i.e. not directed towards a specific sequence. These

sequences possess sufficient complementary to hybridize with a polynucleotide and the primer sequence need not reflect the exact sequence of the template.

“Restriction fragment length polymorphism” refers to variations in DNA sequence detected by variations in the length of DNA fragments generated by
5 restriction endonuclease digestion.

A standard Northern blot assay can be used to ascertain the relative amounts of mRNA in a cell or tissue obtained from plant or other tissue, in accordance with conventional Northern hybridization techniques known to those persons of ordinary skill in the art. The Northern blot uses a hybridization probe, e.g.
10 radiolabelled cDNA, either containing the full-length, single stranded DNA or a fragment of that DNA sequence at least 20 (preferably at least 30, more preferably at least 50, and most preferably at least 100 consecutive nucleotides in length). The DNA hybridization probe can be labelled by any of the many different methods known to those skilled in this art. The labels most commonly employed for these
15 studies are radioactive elements, enzymes, chemicals which fluoresce when exposed to ultraviolet light, and others. A number of fluorescent materials are known and can be utilized as labels. These include, for example, fluorescein, rhodamine, auramine, Texas Red, AMCA blue and Lucifer Yellow. A particular detecting material is anti-rabbit antibody prepared in goats and conjugated with fluorescein through an
20 isothiocyanate. Proteins can also be labeled with a radioactive element or with an enzyme. The radioactive label can be detected by any of the currently available counting procedures. The preferred isotope may be selected from ^3H , ^{14}C , ^{32}P , ^{35}S , ^{36}Cl , ^{51}Cr , ^{57}Co , ^{58}Co , ^{59}Fe , ^{90}Y , ^{125}I , ^{131}I , and ^{186}Re . Enzyme labels are likewise useful, and can be detected by any of the presently utilized colorimetric,
25 spectrophotometric, fluorospectrophotometric, amperometric or gasometric techniques. The enzyme is conjugated to the selected particle by reaction with bridging molecules such as carbodiimides, diisocyanates, glutaraldehyde and the like. Many enzymes which can be used in these procedures are known and can be utilized.

The preferred are peroxidase, β -glucuronidase, β -D-glucosidase, β -D-galactosidase, urease, glucose oxidase plus peroxidase and alkaline phosphatase. U.S. Patent Nos. 3,654,090, 3,850,752, and 4,016,043 are referred to by way of example for their disclosure of alternate labeling material and methods.

5 As used herein, "individual" refers to human subjects as well as non-human subjects. The examples herein are not meant to limit the methodology of the present invention to human subjects only, as the instant methodology is useful in the fields of veterinary medicine, animal sciences and such.

10 In one embodiment of the present invention, there is provided a method for detecting expression of a gene in blood from a subject, comprising the steps of: a) quantifying RNA from a subject blood sample; and b) detecting expression of the gene in the quantified RNA, wherein the expression of the gene in quantified RNA indicates the expression of the gene in the subject blood. An example of the quantifying method is by mass spectrometry.

15 In another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; and e) detecting expression of the genes in
20 the ESTs, wherein the expression of the genes in the ESTs indicates the expression of the genes in the subject blood. Preferably, the subject is a fetus, an embryo, a child, an adult or a non-human animal. The genes are non-cancer-associated and tissue-specific genes. Still preferably, the amplification is performed by RT-PCR using random sequence primers or gene-specific primers.

25 In still another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting DNA fragments from the blood sample; c) amplifying the DNA fragments; and d) detecting

expression of the genes in the amplified DNA product, wherein the expression of the genes in the amplified DNA product indicates the expression of the genes in the subject blood.

In yet another embodiment of the present invention, there is provided a method for monitoring a course of a therapeutic treatment in an individual, comprising the steps of: a) obtaining a blood sample from the individual; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; e) detecting expression of genes in the ESTs, wherein the expression of the genes is associated with the effect of the therapeutic treatment; and f) repeating steps a)-e), wherein the course of the therapeutic treatment is monitored by detecting the change of expression of the genes in the ESTs. Such a method may also be used for monitoring the onset of overt symptoms of a disease, wherein the expression of the genes is associated with the onset of the symptoms. Preferably, the amplification is performed by RT-PCR, and the change of the expression of the genes in the ESTs is monitored by sequencing the ESTs and comparing the resulting sequences at various time points; or by performing single nucleotide polymorphism analysis and detecting the variation of a single nucleotide in the ESTs at various time points.

In still yet another embodiment of the present invention, there is provided a method for diagnosing a disease in a test subject, comprising the steps of: a) generating a cDNA library for the disease from a whole blood sample from a normal subject; b) generating expressed sequence tag (EST) profile from the normal subject cDNA library; c) generating a cDNA library for the disease from a whole blood sample from a test subject; d) generating EST profile from the test subject cDNA library; and e) comparing the test subject EST profile to the normal subject EST profile, wherein if the test subject EST profile differs from the normal subject EST profile, the test subject might be diagnosed with the disease.

In still yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) gene-specific primers; wherein the primers are designed in such a way that their sequences contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and b) a carrier, wherein the carrier immobilizes the primer(s). Preferably, the gene-specific primers are selected from the group consisting of insulin-specific primers, atrial natriuretic factor-specific primers, zinc finger protein gene-specific primers, beta-myosin heavy chain gene-specific primers, amyloid precursor protein gene-specific primers, and adenomatous polyposis-coli protein gene-specific primers. Further preferably, the gene-specific primers are selected from the group consisting of SEQ ID Nos. 1 and 2; and SEQ ID Nos. 5 and 6. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease by detecting the quantitative expression levels of specific genes associated with the disease in the test subject and then comparing to the levels of same genes expressed in a normal subject. Such a kit may also be used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of a disease.

In yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) probes derived from a whole blood sample for a specific disease; and b) a carrier, wherein the carrier immobilizes the probes. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease by detecting the quantitative expression levels of specific genes associated with the disease in the test subject and then comparing to the levels of same genes expressed in a normal subject. Such a kit may also be used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of a disease.

Furthermore, the present invention provides a cDNA library specific for a disease, wherein the cDNA library is generated from whole blood samples.

The following examples are given for the purpose of illustrating various embodiments of the invention and are not meant to limit the present invention in any fashion.

5

EXAMPLE 1

Construction of a cDNA library

RNA extracted from human tissues (including fetal heart, adult heart, liver, brain, prostate gland and whole blood) were used to construct unidirectional cDNA libraries. The first mammalian heart cDNA library was constructed as early as 10 1982. Since then, the methodology has been revised and optimal conditions have been developed for construction of human heart and hematopoietic progenitor cDNA libraries (Liew *et al.*, 1984; Liew 1993, Claudio *et al.*, 1998). Most of the novel genes which were identified by sequence annotation can now be obtained as full length 15 transcripts.

EXAMPLE 2

Catalogue of blood cell ESTs

20 Random partial sequencing of expressed sequence tags (ESTs) of cDNA clones from the blood cell library was carried out to establish an EST database of blood. The known genes as derived from the ESTs were categorized into seven major cellular functions (Hwang, Dempsey *et al.*, 1997).

EXAMPLE 3

Differential screening of cDNA library

5 cDNA probes generated from transcripts of each tissue were used to hybridize the blood cell cDNA clones (Liew *et al.*, 1997). The "positive" signals which were hybridized with ³²P-labelled cDNA probes were defined as genes which shared identity with blood and respective tissues. The "negative" spots which were not exposed to ³²P-labelled cDNA probes were considered to be blood-cell-enriched or
10 low frequency transcripts.

EXAMPLE 4

Reverse transcriptase-polymerase chain reaction (RT-PCR) assay

15 RNA extracted from samples of human tissue was used for RT-PCR analysis (Jin *et al.* 1990). Three pairs of forward and reverse primers were designed for human cardiac beta-myosin heavy chain gene (β MyHC), amyloid precursor protein (APP) gene and adenomatous polyposis-coli protein (APC) gene. The PCR products were also subjected to automated DNA sequencing to verify the sequences as
20 derived from the specific transcripts of blood.

EXAMPLE 5

Detection of tissue specific gene expression in human blood using RT-PCR

25 The beta-myosin heavy chain gene (β MyHC) transcript (mRNA) is known to be highly expressed in ventricles of the human heart. This sarcomeric protein is important for heart muscle contraction and its presence would not be expected in other non-muscle tissues and blood. In 1990, the gene for human cardiac

WO 00/40749

PCT/CA00/00005

β MyHC was completely sequenced (Liew *et al.* 1990) and was comprised of 4 exons and 42 introns.

The method of reverse transcription polymerase chain reaction (RT-PCR) was used to determine whether this cardiac specific mRNA is also present in human blood. A pair of primers was designed; the forward primer (SEQ ID No. 3) was on the boundary of exons 21 and 22, and the reverse primer (SEQ ID No. 4) was on the boundary of exons 24 and 25. This region of mRNA is only present in β MyHC and is not found in the alpha-myosin heavy chain gene (α MyHC).

A blood sample was first treated with lysing buffer and then undergone centrifuge. The resulting pellets were further processed with RT-PCR. RT-PCR was performed using the total blood cell RNA as a template. A nested PCR product was generated and used for sequencing. The sequencing results were subjected to BLAST and the identity of exons 21 to 25 was confirmed to be from β MyHC (Figure 1B).

Using the same method just described, two other tissue specific genes - amyloid precursor protein (APP, forward primer, SEQ ID No. 7; reverse primer, SEQ ID No. 8) found in the brain and associated with Alzheimer's disease, and adenomatous polyposis coli protein (APC) found in the colon and rectum and associated with colorectal cancer (Grodén *et al.* 1991; Santoro and Groden 1997) - were also detected in the RNA extracted from human blood (Figure 1A).

20

EXAMPLE 6

Multiple RT-PCR analysis on a drop of blood from a normal/diseased individual

A drop of blood was extracted to obtain RNA to carry out quantitative RT-PCR analysis. Specific primers for the insulin gene were designed: forward primer (5'-GCCCTCTGGGGACCTGAC-3', SEQ ID No. 1) of exon 1 and reverse primer (5'-CCCACCTGCAGGTCCTCT-3'', SEQ ID No. 2) of exons 1 and 2 of insulin gene. Such reverse primer was obtained by deleting the intron between the

25

exons 1 and 2. Blood samples of 4 normal subjects were assayed. It was found that the insulin gene is expressed in the blood and the quantitative expression of the insulin gene in a drop of blood is influenced by fasting and non-fasting states of normal healthy subjects (Figure 2). This very low level of expression of the insulin gene reflects the phenotypic status of a person and strongly suggests that there is a physiological and pathological role for its expression, contrary to the basal or illegitimate theory of transcription suggested by Chelly *et al.* (1989) and Kimoto (1998).

Same quantitative RT-PCR analysis was performed using insulin specific primers on RNA samples extracted from a drop of blood from a normal healthy person, a person having late-onset diabetes (Type II) and a person having asymptomatic diabetes. It was found that the insulin gene is expressed differentially amongst subjects that are healthy, diagnosed as type II diabetic, and also in an asymptomatic preclinical patient (Figure 3).

Similarly, specific primers for the atrial natriuretic factor (ANF) gene were designed (forward primer, SEQ ID No. 5; reverse primer, SEQ ID No. 6) and RT-PCR analysis was performed on a drop of blood. ANF is known to be highly expressed in heart tissue biopsies and in the plasma of heart failure patients. However, atrial natriuretic factor was observed to be expressed in the blood and the expression of the atrial natriuretic factor gene is significantly higher in the blood of patients with heart failure as compared to the blood of a normal control patient.

Specific primers for the zinc finger protein gene (ZFP, forward primer, SEQ ID No. 9; reverse primer, SEQ ID No. 10) were also designed and RT-PCR analysis was performed on a drop of blood. ZFP is known to be high in heart tissue biopsies of cardiac hypertrophy and heart failure patients. In the present study, the expression of ZFP was observed in the blood as well as differential expression levels of ZFP amongst the normal, diabetic and asymptomatic preclinical subjects (Figure 4); although neither of the non-normal subjects has been specifically diagnosed as

suffering from cardiac hypertrophy and/or heart failure, the higher expression levels of the ZFP gene in their blood may indicate that these subjects are headed in that general direction.

5 It was hypothesized that a housekeeping gene such as glyceraldehyde dehydrogenase (GADH) which is required and highly expressed in all cells would not be differentially expressed in the blood of normal vs. disease subjects. This hypothesis was confirmed by RT-PCR using GADH specific primers (Figure 4). Thus, GADH is useful as an internal control.

10 Standardized levels of insulin gene or ZFP gene expressed in a drop of blood were estimated using a housekeeping gene as an internal control relative to insulin or ZFP expressed (Figures 5A & 5B). The levels of insulin gene expressed in each fractionated cell from whole blood were also standardized and shown in Figure 5C.

15

EXAMPLE 7

Human blood cell cDNA library

20 In order to further substantiate the present invention, differential screening of the human blood cell cDNA library was conducted. cDNA probes derived from human blood, adult heart or brain were respectively hybridized to the human blood cDNA library clones. As shown in Figure 7, more than 95% of the "positively" identified clones are identical between the blood and other tissue samples.

25 DNA sequencing of randomly selected clones from the human whole blood cell cDNA library was also performed. This allowed information regarding the cellular function of blood to be obtained concurrently with gene identification. More than 20,000 expressed sequence tags (ESTs) have been generated and characterized to date, 17.6% of which did not result in a statistically significant match to entries in the

GenBank databases and thus were designated as "Novel" ESTs. These results are summarized in Figure 7 together with the seven cellular functions related to percent distribution of known genes in blood and in the fetal heart.

5 From 20,000 ESTs, 1,800 have been identified as known genes which may not all appear in the hemopoietic system. For example, the insulin gene and the atrial natriuretic factor gene have not been detected in these 20,000 ESTs but their transcripts were detected in a drop of blood, strongly suggesting that all transcripts of the human genome can be detected by performing RT-PCR analysis on a drop of blood.

10 In addition, approximately 400 novel genes have been identified from the 20,000 ESTs characterized to date, and these will be subjected to full length sequencing and open reading frame alignment to reduce the actual number of novel ESTs prior to screening for disease markers.

15 Analysis of the approximately 6,283 ESTs which have known matches in the GenBank databases revealed that this dataset represents over 1,800 unique genes. These genes have been catalogued into seven cellular functions. Comparisons of this set of unique genes with ESTs derived from human brain, heart, lung and kidney demonstrated a greater than 50% overlap in expression (Table 1).

20 TABLE 1

Overlap of Genes Expressed in Blood *

	<u>Tissues</u>	<u>ESTs**</u>	<u>Overlap in Blood</u>
	brain	134,000	60%
25	heart	65,000	59%
	lung	60,200	58%
	kidney	32,300	54%

* Estimated from limited known genes of about 1,800 as derived from the database of 6,297 ESTs from human blood cell library.

** Obtained from the National Centre of Biotechnology Information (NCBI), U.S.A.

5

EXAMPLE 8

Blood cell ESTs

The results from the differential screening clearly indicate that the
10 transcripts expressed in the whole blood are reflective of genes expressed in all cells
and tissues of the body. More than 95% of detectable spots were identical from two
different tissues. The remaining 5% of spots may represent cell- or tissue-specific
transcripts; however, results obtained from partial sequencing to generate ESTs of
these clones revealed most of them not to be cell- or tissue-specific transcripts.
15 Therefore, the negative spots are postulated to be reflective of low abundance
transcripts in the tissue from which the cDNA probes were derived.

An alternative approach that was employed to identify transcripts
expressed at low levels is the large-scale generation of expressed sequence tags
(ESTs). There is substantial evidence regarding the efficiency of this technology to
20 detect previously characterized (known) and uncharacterized (unknown or novel)
genes expressed in the cardiovascular system (Hwang & Dempsey *et al.*, 1997). In
the present invention, 20,000 ESTs have been produced from a human blood cell
cDNA library and resulted in the identification of approximately 1,800 unique known
genes (Table 2)

25 In the most recent GenBank release, analysis of more than 300,000
ESTs in the database (dbESTs) generated more than 48,000 gene clusters which are
thought to represent approximately 50% of the genes in the human genome. Only
4,800 of the dbESTs are blood-derived. In the present invention, 20,000 ESTs have

been obtained to date from a human blood cDNA library, which provides the world's most informative database with respect to blood cell transcripts. From the limited amount of information generated so far (i.e. 1,800 unique genes), it has already been determined that more than 50% of the transcripts are found in other cells or tissues of the human body (Table 2). Thus, it is expected that by increasing the number of ESTs generated, more genes will be identified that have an overlap in expression between the blood and other tissues. Furthermore, the transcripts for several genes which are known to have tissue-restricted patterns of expression (i.e. β MyHC, APP, APC, ANF, ZFP) have also been demonstrated to be present in blood.

10 Most recently, a cDNA library of human hematopoietic progenitor stem cells has also been constructed. From the limited set of 1,000 ESTs, there are at least 200 known genes that are shared with other tissue related genes (Claudio *et al.* 1998).

15 Table 2 demonstrates the expression of known genes of specific tissues in blood cells. Previously, only the presence of "housekeeping" genes would have been expected. Additionally, the presence of at least 25 of the currently known 500 genes corresponding to molecular drug targets was detected. These molecular drug targets are used in the treatment of a variety of diseases which involve inflammation, renal and cardiovascular function, neoplastic disease, immunomodulation and viral
20 infection (Drews & Ryser, 1997). It is expected that additional novel ESTs will represent future molecular drug targets.

TABLE 2

Comparison of 1,800 Unique Genes Identified in the Blood Cell cDNA Library to Genes Previously Identified in Specific Tissues

5

Gene Identification	No. of ESTs	Accession No.	Tissue Distribution					
			Bl	Bf	H	K	Li	Lu
100 kDa coactivator	2	U22055		+				+
10KD protein (BC10)	2	AF053470		+	+		+	+
14-3-3 epsilon	2	U54778		+	+			+
14-3-3 protein	11	U28964		+	+		+	
15 kDa selenoprotein (SEP15)	1	AF051894		+	+			+
1-phosphatidylinositol-4-phosphate 5-kinase isoform C	1	S78798						
23 KD highly basic protein	21	X56932	+	+	+	+	+	+
2-5A-dependent RNase	1	L10381						
2'-5' oligoadenylate synthetase 2 (OAS2)	4	M87284	B					
26S proteasome subunit 11	1	AF086708						
38 kDa phosphotyrosine protein	2	AJ223280	T		+			
3-7 gene product (non-exact 86%aa)	1	D64159						
3-phosphoglycerate dehydrogenase (PGAD)	1	AF006043	T	+	+			+
3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 1 (PAPSS1)	2	U53447	+	+	+	+		+
48kd mannose 6-phosphate receptor (MPR46) (low match)	1	X56257						
5-aminoimidazole-4-carboxamide ribonucleotide transformylase	1	D89976						
5'-nucleotidase	3	D38524	T	+			+	
6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4 (PFKFB4)	1	D49818		+				
6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (PF2K)	1	AF041829						
71 kd heat shock cognate protein hsc70	23	Y00371						
76 kDa membrane protein (P76)	2	U81006		+	+	+	+	+
8-oxoguanine DNA glycosylase (OGG1)	1	U96710	B				+	+
a disintegrin and metalloprotease domain 10 (ADAM10)	1	AF009815	T				+	
a disintegrin and metalloprotease domain 8 (ADAM8)	1	D26579	B	+				
A kinase anchor protein 95 (AKAP95)	2	Y11997	B, T activated		+			+
A kinase anchor protein, 149KD (AKAP149)	2	X97335		+	+	+		+

A4 differentiation-dependent protein (A4), triple LIM domain protein (LMO6), and synaptophysin (SYP); calcium channel alpha-1 subunit (CACNA1F)	1	U93305								
ABL and putative M8604 Met protein	1	U07561								
Absent in melanoma 1 (AIM1)	1	U83115	+	+					+	
accessory proteins BAP31/BAP29 (DXS1357E)	2	Z31898		+	+					
acetyl-Coenzyme A acyltransferase (peroxisomal 3-oxoacyl-Coenzyme A thiolase) (ACAA)	2	X12988	+	+	+	+	+	+		
acetyl-Coenzyme A transporter (ACATN)	1	D88152	T lymphoma	+	+					
acidic 82 kDa protein	4	U15552								
acidic protein rich in leucines (SSP29)	1	Y07869	B	+	+			+	+	
Aconitase 2, mitochondrial (ACO2)	1	U80040	+	+	+	+			+	
actin binding protein MAYVEN	1	AF058569								
actin, beta (ACTB)	158	X04098	T, B	+	+				+	
actin, beta (ACTB) (non-exact, low match 73%)	1	M10277								
actin, gamma (low score)	1	K00791								
actin, gamma 1 (ACTG1)	4	X04098	+	+	+	+	+	+	+	high in many libraries
actin-binding LIM protein (ABLIM)	4	D31883		+	+	+			+	
Actinin, alpha 1 (ACTN1)	8	M95178		+	+	+			+	
actinin, alpha 4 (ACTN4)	1	D89980		+	+				+	
activated p21cdc42Hs kinase (ACK)	1	L13738	B	+					+	
activated RNA polymerase II transcription cofactor 4 (PC4)	1	X79805	+	+	+	+			+	
activating transcription factor 1 (ATF1)	1	X55544			+					
activating transcription factor 2 (ATF2)	1	X15875		+	+				+	
activating transcription factor 4 (tax-responsive enhancer element 867) (ATF4)	2	M86842							+	+
active BCR-related gene (ABR)	1	U01147	+	+	+	+			+	
acyl-CoA oxidase (AOX)	1	U03254								
acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain (ACADM)	2	M16827								
acyl-Coenzyme A dehydrogenase, very long chain (ACADVL)	3	D43682	+	+	+	+	+	+	+	
acyloxyacyl hydrolase (neutrophil) (AOAH)	3	M62840	T		+				+	+
adaptin, delta (ADTD)	2	U91930		+	+				+	
adaptin, delta (ADTD) (non-exact 58%)	1	AC005328								
adaptin, gamma (ADTG)	1	Y12228		+	+	+			+	
adaptor complex sigma3B (AP3S3)	2	X99459		+		+			+	
adaptor protein p150	1	Y08891								
adducin 1 (alpha) (ADD1)	2	L07261		+	+				+	

adducin 1 (alpha) (add1)	3	L29298		+	+	+	+	+	
adducin 3 (gamma) (ADD3)	3	U37122	B, W	+	+		+	+	
adenine nucleotide translocator 2 (fibroblast) (ANT2)	2	M57424		+	+		+		
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact 81%)	1	J02683							
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 79%)	1	J02683							
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 86%)	1	J02683							
adenine nucleotide translocator 3 (liver) (ANT3)	3	J03592		+	+		+	+	
adenosine deaminase, RNA-specific (ADAR)	6	U18121		+	+		+		
adenylate cyclase 3 (ADCY3)	2	AF033861		+	+	+	+	+	
adenylate cyclase 7 (ADCY7)	1	D25538							
adenylate kinase 2 (AK2)	2	U39945		+	+		+	+	
adenylate kinase 3 (AK3) (non-exact, 67%)	1	X60673							
adenylyl cyclase-associated protein (CAP)	28	M98474	T		+		+		
adipose differentiation-related protein; adipophilin (ADFP)	1	X97324			+		+	+	
ADP-ribosylation factor 1 (ARF1)	13	M84326		+	+		+	+	
ADP-ribosylation factor 3 (ARF3)	2	M33384		+	+		+		
ADP-ribosylation factor 4 (ARF4)	1	M36341	T lymphoma	+	+			+	
ADP-ribosylation factor 5 (ARF5)	1	M57567			+	+	+	+	
ADP-ribosylation factor domain protein 1, 64kD (ARFD1)	1	L04510		+					
ADP-ribosyltransferase (NAD ⁺ ; poly (ADP-ribose) polymerase) (ADPRT)	4	M32721		+	+	+	+	+	+
adrenergic, beta, receptor kinase 1 (ADRBK1)	2	X61157	B	+			+		
adrenoleukodystrophy-like 1 (ALDL1)	1	AJ000327							
AE-binding protein 1 (AEBP1) (non-exact, 62%)	1	D86479							
AF-17	1	U07932							
A-gamma-globin	1	V00514							
A-gamma-globin (chromosome 11 allele)	1	J00176							
agamaglobulinemia tyrosine kinase (ATK)	1	U78027							
AHNAK nucleoprotein (desmoyokin) (AHNAK)	4	M80899		+	+	+	+		+
alanine (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150) (ANPEP)	1	X13276				+		+	
alcohol dehydrogenase 5 (class III), chi polypeptide (ADH5)	1	M29872							
aldehyde dehydrogenase 1, soluble (ALDH1)	1	AF003341		+				+	+

aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase) (ALDH10)	2	U75286							
aldehyde reductase 1 (low Km aldose reductase) (ALDR1)	3	J04795	B	+	+	+	+		
aldo-keto reductase family 1, member A1 (aldehyde reductase) (AKR1A1)	2	J04794	B	+	+		+		
aldo-keto reductase family 1, member C3 (3-alpha hydroxysteroid dehydrogenase, type II) (AKR1C3)	1	D17793		+	+	+		+	
aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase) (AKR7A2)	1	Y18875		+	+		+	+	
aldolase A, fructose-bisphosphate (ALDOA)	7	X12447		+	+		+		
aldolase C, fructose-bisphosphate (ALDOC)	2	X05198		+	+		+		
alkaline phosphatase, liver/bone/kidney (ALPL)	1	4502062							
ALL-1 (=L04731;L04284 HRX)	4	Z69780							
alpha mannosidase II isozyme	1	D55849		+				+	
alpha thalassemia/mental retardation syndrome X-linked (ATRX)	3	U75653	+	+	+	+			+
alpha-2 macroglobulin	1	Z11711							
alpha-2-globin	2	V00516							
alpha-2-macroglobulin receptor/lipoprotein receptor protein (A2MR/LRP)	1	U06985							
alpha-polyptide of N-acetyl-alpha-glucosaminidase (HEXA)	1	M13520							
alpha-spectrin	1	X86901							
alpha-subunit of G12 a (GTP-binding signal transduction protein)	1	X07854							
aminin receptor 1 (67kD): Ribosomal protein SA (LAMR1)	2	J03799	I	+	+		+	+	
aminolevulinate, delta-, dehydratase (ALAD)	1	X64467		+					
amino-terminal enhancer of split (AES)	2	X73358	+	+	+	+			+
amino-terminal enhancer of split (AES)	3	U04241	B	+	+		+	+	
AMP deaminase isoform L (AMPD2)	8	M91029		+					+
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)	1	U07616	B	+					+
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)	1	U07616							
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)	1	U07616							
amphiphysin II	4	U87558		+	+		+		
amphiphysin II (67%aa amphiphysin?)	1	AF088915							
amphiphysin II (non-exact 69% aa)	1	AF001383							

amphiphysin-like (AMPHL)	1	U68485		+	+					
amphiphysin-like (AMPHL) (low match)	1	AF068918								
AMY-1	1	D50692	B, T					+		
amyloid beta (A4) precursor protein-binding, family B, member 1 (Fe65) (APBB1)	1	L77864		+	+	+			+	
amyloid beta (A4) precursor-like protein 2 (APLP2)	6	L27631	T lymphoma	+	+			+	+	
ankyrin 3, node of Ranvier (ankyrin G) (ANK) (non-exact, 50%)	1	U43965								
annexin I (lipocortin I) (ANX1)	1	X05808		+	+	+			+	
annexin II	1	D28364								
annexin II (lipocortin II; calpactin I, heavy polypeptide) (ANX2)	7	D00017	+	+	+	+	+	+	+	high in many libraries
annexin IV (placental anticoagulant protein II) (ANX4)	1	M19383		+	+	+	+	+	+	
annexin V (endonexin II) (ANX5)	2	M21731		+	+	+			+	
annexin V (endonexin II) (ANXV)	1	M19384		+	+	+			+	
annexin VI (p68) (ANX6)	6	Y00097		+	+	+			+	
annexin VII (synexin) (ANX7)	1	J04543		+	+	+			+	
antigen identified by monoclonal antibodies 12E7, F21 and O13 (MIC2)	2	M16279		+	+	+			+	
antigen identified by monoclonal antibodies 4F2, TRA1.10, TROP4, and T43 (MDU1)	3	J02939		+	+	+	+	+	+	
antigen TQ1	1									
anti-oxidant protein 2 (non-selenium glutathione peroxidase, acidic calcium-independent phospholipase A2) (KIAA0106)	1	D14662		+	+	+	+	+	+	
APEX nuclease (multifunctional DNA repair enzyme) (APEX)	5	X66133		+	+			+	+	
Apolipoprotein L (APOL) (59%aa)	1	Z82215								
apoptosis inhibitor 1 (API1)	1	L49431		+	+	+	+	+	+	
apoptosis inhibitor 4 (survivin) (API4)	1	U75285	B, W	+	+			+		
apoptosis inhibitor 5 (API5)	1	U83857	T lymphoma	+				+		
apoptosis specific protein (ASP)	1	Y11588	B	+				+	+	
apoptotic protease activating factor (APAF1)	1	AF013263	B	+	+			+		
aquaporin 3 (AQP3)	1	AB001325	T					+		
aquaporin 9 (AQP9)	7	AB008775	T activated					+		
arachidonate 12-lipoxygenase (ALOX12)	1	M58704	T					+	+	
arachidonate 5-lipoxygenase-activating protein (ALOX5AP)	3	X52195	+	+		+			+	
ariadne homolog (ARI)	1	AJ009771	+	+	+	+			+	
ariadne-2 (D. melanogaster) homolog (all-trans retinoic acid inducible RING finger) (ARI2)	1	AF099149	+	+	+	+			+	

ARP1 (actin-related protein 1, yeast) homolog A (contractin alpha) (ACTR1A)	1	X82208		+			+		
ARP2 (actin-related protein 2, yeast) homolog (ACTR2)	9	AF008082		+	+		+	+	
ARP2/3 protein complex subunit 34 (ARC34)	5	AF008085	T activated, W	+	+		+		
Arp2/3 protein complex subunit p41 (ARC41)	6	AF008084	monocyte stimulated	+	+		+		
Arp2/3 protein complex subunit p41 (ARC41) (low match)	1	AF008084							
Arp2/3 protein complex subunit p16 (ARC16)	20	AF017807		+	+		+	+	
Arp2/3 protein complex subunit p20 (ARC20)	2	AF008087		+	+		+	+	
Arp2/3 protein complex subunit p21 (ARC21)	3	AF008086	W				+	+	
ARP3 (actin-related protein 3, yeast) homolog (ACTR3)	11	AF008083	W		+		+	+	
arrestin, beta 2 (ARRB2)	1	AF108941	B, T, W	+	+		+		
arsA (bacterial) arsenite transporter, ATP-binding, homolog 1 (ASNA1)	1	AF047469	B, T	+			+		
aryl hydrocarbon receptor nuclear translocator-like (ARNTL)	2	AF044288	B	+	+		+		
aryl hydrocarbon receptor-interacting protein (AIP)	1	U31913	+	+	+	+		+	
arylsulfatase A (ARSA)	1	X52151	T activated	+			+		
asialoglycoprotein receptor 2 (ASGR2)	1	M11025					+	+	
asparaginyl-tRNA synthetase (NARS)	3	D84273		+	+		+		
aspartyl-tRNA synthetase (DARS)	1	J05032	B	+	+		+		
ataxia telangiectasia mutated (includes complementation groups A, C and D) (ATM)	1	U82828	B, T		+		+		
ataxin-2-like protein A2LP (A2LG)	1	AF034373	B, T activated	+	+			+	
ATF6	1	AF005887		+			+		
ATP binding cassette transporter (ABCR) (non-exact 80%)	1	U88667							
ATP synthase (F1-ATPase) alpha subunit, mitochondrial	1	X59088							
ATP synthase beta subunit gene	1	M19482							
ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit b, isoform 1 (ATP5F1)	1	X60221	+	+	+	+		+	
ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit c (subunit 9), isoform 1 (ATP5G1)	1	X69907	T activated	+	+		+	+	
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle (ATP5A1)	3	D14710							
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle (ATP5A1) (low match)	1	D14710							

ATP synthase, H+ transporting, mitochondrial F1 complex, beta polypeptide (ATP5B)	2	M27132								
ATP synthase, H+ transporting, mitochondrial F1 complex, gamma polypeptide 1 (ATP5C1)	1	D16563	W	+	+	+	+			
ATP synthase, H+ transporting, mitochondrial F1F0, subunit g (ATP5JG)	1	AF092124	+	+	+	+	+	+		
ATP/GTP-binding protein (HEAB)	2	U73524	+	+	+	+			+	
ATPase, Ca++ transporting, ubiquitous (ATP2A3)	5	Z69881		+						
ATPase, H+ transporting, lysosomal (vacuolar proton pump) 21kD (ATP6F)	2	D89052	+	+	+	+			+	
ATPase, H+ transporting, lysosomal (vacuolar proton pump) 31kD (ATP6E)	1	X76228		+	+	+			+	
ATPase, H+ transporting, lysosomal (vacuolar proton pump) 42kD; Vacuolar proton-ATPase, subunit C: V-ATPase, subunit C (ATP6D)	5	X69151		+	+	+			+	
ATPase, H+ transporting, lysosomal (vacuolar proton pump), alpha polypeptide, 70kD, isoform 1 (ATP6A1)	3	L09235		+		+				
ATPase, H+ transporting, lysosomal (vacuolar proton pump), beta polypeptide, 56/58kD, isoform 2 (ATP6B2)	6	X62949	+	+	+	+			+	
ATPase, H+ transporting, lysosomal (vacuolar proton pump), member J (ATP6J)	2	AF038954	+	+	+	+			+	high in testis
ATPase, H+ transporting, lysosomal (vacuolar proton pump), subunit 1 (ATP6S1)	1	D16489		+	+	+			+	
ATP-binding cassette 50 (TNF-alpha stimulated) (ABC50)	1	AF027302	+	+	+	+			+	
ATP-binding cassette protein M-ABC1 (mitochondrial)	1	AF047690								
ATP-dependent RNA helicase	1	AJ010840	T lymphoma		+			+		
autoantigen (Hs.75528)	2	L05425	T activated		+					
autoantigen (Hs.75528) (non-exact 84%)	1	L05425								
autoantigen (Hs.75682)	1	U17474	B	+					+	
autoantigen La/SS-B	1	Z35127								
axin (AXIN1)	1	AF009674	T	+						
axonemal dynein heavy chain (DNAH17)	1	AJ000522							+	
BAT1-associated protein 3 (BAIAP3) (non-exact 54%)	1	AB017111								
basement membrane-induced gene (ICB1)	1	AF044898								
basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1)	2	U79751								
basic transcription factor 3 (BTF3)	5	X74070	+	+	+	+	+	+		
basigin (BSG)	1	L10240		+					+	
BC-2	1	AF042384	B		+	+	+			

B-cell CLL/lymphoma 6 (zinc finger protein 51) (BCL6)	1	U00115		+	+						
B-cell translocation gene 1, anti-proliferative (BTG)	1	X61123			+					+	
BCL2/adenovirus E1B 19kD-interacting protein 2 (BNIP2)	1	U15173	B	+					+	+	
BCL2/adenovirus E1B 19kD-interacting protein 3-like (BNIP3L)	2	AF067396		+	+	+				+	
baclin 1 (coiled-coil, myosin-like BCL2-interacting protein) (BECN1)	1	AF077301	B	+	+				+		
beta-1,2-N-acetylglucosaminyltransferase II (MGAT2)	2	U15128									
beta-2-microglobulin (B2M)	63	S82297	+	+	+	+	+	+	+	+	high in invasive prostate tumor
beta-hexosaminidase alpha chain (HEXA)	1	M16411									
beta-tubulin	7	V00599	+	+	+	+	+	+	+	+	high in many libraries
beta-tubulin (non-exact, 76%)	1	AF070561									
beta-tubulin, pseudogene	1	J00315									
BING4	1	Z97184									
biotinidase (BTD) (non-exact 62%)	1	U03274									
biotinidase (BTD) (non-exact 70%)	1	U03274									
biotinidase (BTD) (non-exact, 56%)	1	U03274									
BIOTINIDASE PRECURSOR	1	P43251									
biphenyl hydrolase-like (serine hydrolase) (BPHL)	1	X81372		+						+	
bone marrow stromal cell antigen 1 (BST1)	1	D21878								+	
box-dependent myc-interacting protein isoform BIN1-10 (BIN1)	1	AF043900									
box-dependent myc-interacting protein isoform BIN1-10 (BIN1) (non-exact, 64%)	1	AF043900									
brain my047 protein	1	AF063605	T	+	+					+	
branched chain keto acid dehydrogenase E1, alpha polypeptide (maple syrup urine disease) (BCKDHA)	3	Z14093	T	+	+					+	
BRCA1 associated protein-1 (ubiquitin carboxy-terminal hydrolase) (BAP1)	1	D87462	+	+	+	+					
BRCA1, Rho7 and vavl genes, and lpf35	1	L78833									
breakpoint cluster region protein, uterine leiomyoma, 1; barrier to autointegration factor (BCRP1)	2	AF044773		+	+						
breakpoint cluster region protein, uterine leiomyoma, 2 (BCRP2)	2	AF044774		+	+				+	+	
breast cancer anti-estrogen resistance 3 (BCAR3) (non-exact 73%)	1	U92715									
bromodomain-containing protein, 140kD (perigrin) (BR140)	2	M81585		+							
Bruton's agammaglobulinemia (tyrosine kinase) (Btk)	1	U13424									

Bruton's tyrosine kinase (BTK)	1	U78027							
Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3)	1	U78027							
BS4	1	AF108083							
BTG2 (BTG2)	6	Y09943	+	+	+	+		+	
BTK region clone ftp	1	U78027	+	+	+	+		+	
BTK region clone ftp-3	1	U01923		+	+			+	
BUB3 (budding uninhibited by benzimidazoles 3, yeast) homolog (BUB3)	4	AF053304	+	+	+	+		+	
butyrate response factor 1 (EGF-response factor 1) (BRF1)	4	X79067	+	+	+	+		+	
butyrophilin (BTF1)	7	U90543		+	+			+	
butyrophilin like receptor	1	AB020625.1							
CAG repeat containing (CTG4A)	2	U80744		+	+				
CAGH32	2	U80743		+	+			+	
calcium channel, voltage-dependent, L type, alpha 1D subunit (CACNA1D) (low match)	1	M83588							
calcium/calmodulin-dependent protein kinase (CaM kinase) II gamma (CAMK2G)	1	AF069765		+	+	+		+	
calcium/calmodulin-dependent protein kinase kinase (KIAA0787)	1	AF101264	B	+	+			+	
calmodulin (=M19311)	7	D45887							
calmodulin 1 (phosphorylase kinase, delta) (CALM1)	6	M27319	B	+	+			+	+
calnexin (CANX)	3	M94859	T	+				+	+
calpain, large polypeptide L1 (CAPN1)	5	X04366		+	+			+	+
calpain, large polypeptide L2 (CAPN2)	5	M23254		+	+				
calpain, small polypeptide (CAPN4)	1	X04106		+	+			+	+
calpastatin (CAST)	3	D16217						+	
Calponin 2	2	D83735		+		+		+	
calponin 2 (CNN2)	1	D83735	B, T	+				+	
calponin 2 (CNN2) (low score)	1	D83735							
calumenin (CALU)	3	AF013759	B		+			+	+
cAMP response element-binding protein CRE-Bpa (H_GS165L15.1)	4	L06912							
cAMP-dependent protein kinase type II (Ht31)	1	M90360							
canicular multispecific organic anion transporter (CMOAT2)	1	AF009870				+	+	+	
capping protein (actin filament) muscle Z-line, alpha 1 (CAPZA1)	6	U56637	B, T		+				+
capping protein (actin filament) muscle Z-line, alpha 2 (CAPZA2)	2	U03269	B	+	+				
capping protein (actin filament) muscle Z-line, beta (CAPZB)	1	U03271	+	+	+	+		+	

capping protein (actin filament), gelsolin-like (CAPG)	8	M94345	+	+		+		+	
carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase (CAD)	1	D78588	+	+	+	+		+	
carbonic anhydrase V, mitochondrial (CA5)	1	L19297		+				+	
carboxypeptidase D (CPD)	3	U65090	B	+	+				
carnitine/acylcarnitine translocase (CACT)	1	Y10319		+	+			+	
Cas-BI-M (murine) ecotropic retroviral transforming sequence (cbl)	2	X57110						+	
casein kinase 1, alpha 1 (CSNK1A1)	1	L37042	+	+	+	+		+	
casein kinase 2, alpha 1 polypeptide (CSNK2A1)	2	M55265	B	+				+	+
casein kinase I gamma 3L (CSNK1G3L)	1	AF049090.1							
casein kinase II alpha subunit(=S72393)	1	X59951							
CASP8 and FADD-like apoptosis regulator (CFLAR)	4	AF015450		+	+	+	+	+	
caspase 1, apoptosis-related cysteine protease (interleukin 1, beta, convertase) (CASP1)	7	U13697	+				+		
caspase 10, apoptosis-related cysteine protease (CASP10)	1	U60519	B, T activated, T lymphoma						+
caspase 3, apoptosis-related cysteine protease (CASP3)	3	U13737	B, T	+	+	+	+		
caspase 4, apoptosis-related cysteine protease (CASP4)	6	U25804	+	+	+	+			+
caspase 5, apoptosis-related cysteine protease (CASP5)	1	U28015			+				
caspase 8, apoptosis-related cysteine protease (CASP8)	2	X98173		+		+			+
caspase 9, apoptosis-related cysteine protease (CASP9)	1	U56390	B				+	+	
catalase (CAT)	5	X04076	B	+	+			+	
catechol-O-methyltransferase (COMT)	1	M65213		+	+			+	
catenin (cadherin-associated protein), alpha 1 (102kD) (CTNNA1)	6	D14705		+	+				
cathelicidin antimicrobial peptide (CAMP)	1	X89858	B						
cathepsin B (CTSB)	4	L16510			+			+	+
cathepsin C (CTSC)	3	U79415		+	+	+		+	
cathepsin D (lysosomal aspartyl protease) (CTSD)	4	M11233		+	+			+	
cathepsin E (CTSE)	1	J05036						+	
cathepsin G (CTSG)	1	M16117	T, W		+				
cathepsin S (CTSS)	34	M86553	B, Monocyte stimulated, T lymphoma					+	+
cathepsin W (lymphopain) (CTSW)	4	AF013811							+
CBF1 interacting corepressor CIR (=U03644 receptor)	1	AF098297							

CCAAT/enhancer binding protein (C/EBP), alpha (CEBPA)	3	X87248		+	+	+		+	
CCAAT/enhancer binding protein (C/EBP), delta (CEBPB)	1	S63168			+		+	+	
CCAAT-box-binding transcription factor (CBF2)	2	M37197	T lymphoma			+	+		
CCR5 receptor (CCR5) (non-exact?)	1	AF011504							
CD14 antigen (CD14)	11	M86511		+	+	+	+		+
CD18 (=M95293)	4	X64071							
CD1C antigen, c polypeptide (CD1C)	2	M28827							+
CD2 antigen (cytoplasmic tail)-binding protein 2 (CD2BP2)	1	AF104222							
CD2 antigen (p50), sheep red blood cell receptor (CD2)	4	M14362		+		+	+		+
CD2 cytoplasmic tail-binding protein 1 (CD2BP1)	2	AF038602						+	
CD20 antigen (CD20)	1	X12530							
CD20 receptor (S7)	1	X07203							
CD22 antigen (CD22)	1	U62631	B						
CD24 signal transducer	1	M58664							
CD33 antigen (gp67) (CD33)	1	M23197						+	
CD33 antigen-like 2; OB binding protein-2 (CD33L2) (non-exact, 68%)	1	U71383							
CD33L2 (61% aa)	1	D86359							
CD36 antigen (collagen type I receptor, thrombospondin receptor) (CD36)	7	M98398	T lymphoma		+		+	+	
CD37 antigen (CD37)	5	X14046		+	+		+		+
CD38 alt	1	D84277							
CD39 antigen (CD39)	1	U87967	B		+			+	+
CD3D antigen, delta polypeptide (TIT3 complex) (CD3D)	1	X03934				+	+		+
CD3E antigen, epsilon polypeptide (TIT3 complex) (CD3E)	1	X03884		+			+		
CD3G antigen, gamma polypeptide (TIT3 complex) (CD3G)	2	X08026	W					+	
CD3Z antigen, zeta polypeptide (TIT3 complex) (CD3Z)	2	J04132		+			+		
CD3-zeta (clone pBS NK1)	1	X55510							
CD4 (low match)	1	S68043							
CD4 antigen (p55) (CD4)	4	M12807			+	+		+	
CD44 antigen (homing function and Indian blood group system) (CD44)	6	X56794	W					+	+
CD48 antigen (B-cell membrane protein) (CD48)	3	X06341		+	+	+	+		+
CD53 antigen (CD53)	10	L11670		+	+		+		+
CD53 antigen (CD53) (low match)	1	M60871							
CD63 antigen (melanoma 1 antigen) (CD63)	3	M59907							
CD68 antigen (CD68)	2	S57235			+	+		+	+

CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen-associated) (CD74)	72	K01144	+	+	+	+	+	+	high in many libraries
CD79A antigen (immunoglobulin-associated alpha) (CD79A)	2	M80462			+				
CD79B antigen (immunoglobulin-associated beta) (CD79B)	2	M89957	+						
CD8 antigen, alpha polypeptide (p32) (CD8A)	2	M27161	+			+		+	
CD8 antigen, beta polypeptide 1 (p37) (CD8B1)	1	X13445	W						
CD81 antigen (target of antiproliferative antibody 1) (CD81)	1	M33680		+	+			+	
CD83 antigen (activated B lymphocytes, immunoglobulin superfamily) (CD83)	1	Q01151	B	+	+			+	
CD84 antigen (leukocyte antigen) (CD84)	1	U82988		+	+			+	
CD86 antigen	1	L25259		+					
CD9 antigen (p24) (CD9)	2	M38690			+		+	+	
CD97 antigen (CD97)	12	X84700	+	+		+			
CD97 antigen (CD97) (non-exact 59%)	1	P48880							
CD97 antigen (CD97) (non-exact 62%)	1	X94630	+	+		+			
CDC23 (cell division cycle 23, yeast, homolog) (CDC23)	1	AF053877		+			+	+	
CDC37 homolog	1	U63131	B	+	+		+	+	
Cdc42 effector protein 3 (CEP3)	2	AF104857	B	+	+		+		
CDC-like kinase (CLK)	1	L29219		+	+	+		+	
CDC-like kinase 2 (CLK2)	1	AF023268	B	+	+				
CDW52 antigen (CAMPATH-1 antigen) (CDW52)	13	X15183	T activated	+	+		+		
cell cycle progression restoration 8 protein (CPR8)	1	AF011794							
cell division cycle 10 (homologous to CDC10 of <i>S. cerevisiae</i>) (CDC10)	4	S72008	+	+	+	+		+	
cell division cycle 20, <i>S. cerevisiae</i> homolog (CDC20)	1	U05340		+	+	+			
cell division cycle 25B (CDC25B)	6	Z68092	+	+	+	+		+	
cell division cycle 2-like 1 (PITSLRE proteins) (CDC2L1) (non-exact 42%)	1	AF067514							
cell division cycle 42 (GTP-binding protein, 25kD) (CDC42)	5	M35543	+	+	+	+		+	
cell division protein (non-exact 68%)	1	AF063015							
CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN)	1	Q13033							
centromere protein B (80kD) (CENPB)	1	X55039		+			+		
cep250 centrosome associated protein	3	AF022855	B	+			+		

ceroid-lipofuscinosis, neuronal 2, late infantile (Jansky-Bielschowsky disease) (CLN2)	7	AF017456		+	+	+	+	+	+	high in bone
c-fgr (=M83877 nonreceptor protein-tyrosine kinase (fgr))	6	X52206								
CGI-19 protein	3	AF132953.1								
chaperonin containing TCP1, subunit 3 (gamma) (CCT3)	1	X74801			+	+			+	
chaperonin containing TCP1, subunit 4 (delta) (CCT4)	1	AF026291			+	+		+	+	
chaperonin containing TCP1, subunit 6A (zeta 1) (CCT6A)	4	L27706	B		+	+				
chaperonin containing TCP1, subunit 7 (eta) (CCT7)	4	AF026292	B		+				+	
Chediak-Higashi syndrome 1 (CHS1)	1	U67615	B, T lymphoma		+	+		+		
Chediak-Higashi syndrome 1 (CHS1) (low score)	1	U67615								
chemokine (C-C motif) receptor 2 (CCR2)	4	U03905								
chemokine (C-C motif) receptor 4 (CCR4) (low match) (may contain repeat)	1	X85740								
chemokine (C-C motif) receptor 7 (CCR7)	6	L31581								
chemokine (C-X3-C) receptor 1 (CX3CR1)	5	U20350				+				
chemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)	5	M99293		+	+	+	+		+	
chitinase 3-like 1 (cartilage glycoprotein-39) (CHI3L1)	2	M80927				+		+	+	
chitinase 3-like 2 (CHI3L2)	2	U49835				+		+	+	
chloride channel 1, skeletal muscle (CLCN1)	1	G18280								
chloride channel 6 (CLCN6)	1	D28475				+	+			
chloride intracellular channel 1 (CLIC1)	1	U93205		+	+	+	+		+	
chondroitin sulfate proteoglycan 2 (versican) (CSPG2)	5	X15998					+			
chondroitin sulfate proteoglycan core protein	2	J02614					+		+	
chromatin assembly factor 1 p48 subunit (CAF-1 P48 subunit) (retinoblastoma binding protein p48) (retinoblastoma-binding protein 4) (MSI1 protein homolog)	1	Q09028								
chromodomain helicase DNA binding protein 1 (CHD1)	2	AF006513								
chromodomain helicase DNA binding protein 1-like (CHD1L)	1	AF054177								
chromodomain helicase DNA binding protein 2 (CHD2)	1	AF006514	B		+	+		+		
chromodomain helicase DNA binding protein 3 (CHD3)	1	AF006515								
chromodomain helicase DNA binding protein 4 (CHD4)	5	X86681		+	+	+	+		+	

chromosome 1 open reading frame 7 (C1ORF7)	1	AF054176							
chromosome 1 specific transcript KIAA0483	1	AB007962							
chromosome 17 open reading frame 1B (C17ORF1B)	1	AJ008112	T	+					
chromosome 4 open reading frame 1 (C4ORF1)	1	AF006621		+	+	+		+	
chromosome condensation 1-like (CHC1L)	2	AF080219		+	+	+		+	
chromosome X open reading frame 5 (CXORF5)	1	Y15164	B	+	+			+	
chromosome-associated polypeptide C(CAP-C)	2	AF092564	B	+	+			+	+
cig42	1	AF028944							
cig5	3	AF026841							
citrate synthase (CS)	2	AF047042	B	+	+			+	+
class I major histocompatibility antigen (HLA-Cw3)	2	U31372							
class I major histocompatibility antigen (HLA-Cw3) (low match)	1	U31372							
clathrin assembly protein lymphoid myeloid leukemia (CALM)	3	U45976	B	+	+				+
clathrin heavy chain	1	X55878							
clathrin, heavy polypeptide-like 2 (CLTCL2)	1	D21260							
clathrin, light polypeptide (Lca) (CLTA) (low match)	1	M20472							
clathrin-associated/assembly/adapt or protein, medium 1 (CLAPM1)	3	D63475		+	+	+	+	+	
cleavage stimulation factor, 3' pre-RNA, subunit 2 64kD (CSTF2) (non-exact 82%)	1	M85085							
cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kD (CSTF3)	1	U15782	B	+	+			+	
clrk3	1	L29220	B	+	+				
clone 23815 (Hs.82845)	1	U90916		+	+				+
clone 24592 mRNA sequence	1	D88378	+	+	+	+			+
C1q/MBL/SPA receptor C1qR(p) ()	1	U94333							
clustern (complement lysis inhibitor, SP-40,40, sulfated glycoprotein 2, testosterone-repressed prostate message 2, apolipoprotein J) (CLU)	1	M64722	+	+	+	+	+	+	
CMP-sialic acid transporter (CMPST)	1	D87969	B	+	+				
CMRF35	3	X66171							
c-myc oncogene containing coxIII	1	X54829							
coagulation factor II (thrombin) receptor (F2R)	1	M62424		+	+				+
coagulation factor V (proaccelerin, labile factor) (F5)	1	M14335		+			+	+	
coagulation factor XIII a subunit	3	M21998							
coagulation factor XIII, A1 polypeptide (F13A1)	6	M14354		+	+	+			+
coated vesicle membrane protein (RNP24)	1	X92098	+	+	+	+	+	+	+

costomer protein complex, subunit alpha (COPA)	5	U24105	I	+				+		
Cofilin 1 (non-muscle) (CFL1)	13	X95404		+	+	+	+	+	+	high in fetal brain
cold inducible RNA-binding protein (CIRBP)	7	D78134			+	+			+	
cold shock domain protein A (CSDA)	3	X95325			+	+				
collagen, type IX, alpha 2 (COL9A2)	3	AF019406	B							
colony stimulating factor 1 receptor, formerly McDonough feline sarcoma viral (v-fms) oncogene homolog (CSF1R)	3	X03663			+				+	+
colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage) (CSF2RB)	5	M59941								
colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage) (CSF2RB) (low match)	1	M59941								
colony stimulating factor 3 receptor (granulocyte) (CSF3R)	16	X55720			+					
complement component 5 receptor 1 (C5a ligand) (CSR1)	1	M62505	L							
conserved gene amplified in osteosarcoma (OS4)	2	AF000152			+	+	+		+	
COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 3 (COPS3)	2	AF031647			+	+			+	
COP9 homolog (HCOP9)	2	U51205	B		+	+	+	+	+	
COP11 protein, homolog of s. cerevisiae SEC23p (SEC23A)	4	X97064			+	+				
copine I (CPNE1)	2	U83246	B		+	+			+	
copine I (CPNE1) (low score)	1	U83246								
coproporphyrinogen oxidase (coproporphyrin, harderoporphyrin) (CPO)	1	D18611				+			+	+
core-binding factor, beta subunit (CBFB)	1	L20298			+					
coronin	22	X89109	I, W		+	+			+	
coronin (low match)	1	U34690								
coronin (non-exact, 71%)	1	X89109								
cot (cancer Osaka thyroid) oncogene (COT)	1	D14487		+	+	+	+		+	
cryptochrome 1 (photolyase-like) (CRY1)	1	D84657			+	+			+	
CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) phosphatase, subunit 1 (CTDP1)	1	AF081287			+	+	+		+	
C-terminal binding protein 1 (CTBP1)	1	U37408	B		+	+			+	
C-terminal binding protein 2 (CTBP2)	2	AF016507			+	+			+	
CUG triplet repeat, RNA-binding protein 1 (CUGBP1)	3	U63289			+	+	+		+	
cullin 1 (CUL1)	3	U58087			+	+	+		+	
cullin 3 (CUL3)	2	U58089			+	+	+		+	
cut (Drosophila)-like 1 (CCAAT displacement protein) (CUTL1)	1	M74099	B		+					

cyclin D2 (CCND2)	2	D13639		+	+	+		+	
cyclin D3 (CCND3)	5	M92287	B, T lymphoma		+			+	
cyclin G1 (CNNG1)	1	D78341	B	+	+				+
cyclin I	3	D50310	B	+				+	
cyclin T2 (CNNT2)	1	AF048732	B, T lymphoma	B					
cyclin-dependent kinase 2 (CDK2)	1	X62071							
cyclin-dependent kinase inhibitor (p27Kip1)	1	S76988							
cyclin-dependent kinase inhibitor 1A (p21, Cip1) (CDKN1A)	2	S67388	+	+	+	+	+	+	+
CYP2D7-CYP2D6 intergenic region (partial)	1	X90926							
cystatin B (stefin B) (CSTB)	1	L03558			+			+	+
cysteine and glycine-rich protein 3 (cardiac LIM protein) (CSRP3)	5	L54057			+				
cytidine deaminase (CDA)	2	L27943						+	
cytochrome b	1	AF042500							
cytochrome b (CYTB) (isolate Aus5)	1	AF042518							
cytochrome b(-245) beta chain N-terminal region (X-linked granulomatous disease gene)	2	X05895							
cytochrome b-245, beta polypeptide (chronic granulomatous disease) (CYBB)	2	X04011	+				+		+
cytochrome C	1	P00001							
cytochrome c oxidase subunit IV (COX4)	1	U90915	T	+	+			+	+
cytochrome c oxidase subunit Vb (COX5B)	2	M59250						+	
cytochrome c oxidase subunit VII-related protein (COX7RP)	6	AB007618	+	+	+	+			+
cytokine suppressive anti-inflammatory drug binding protein 1 (p38 MAP kinase) (CSBP1)	1	L35263	lymphocyte	+	+			+	
Cytoplasmic antiproteinase=38 kda intracellular serine proteinase inhibitor	1	S69272				+			
cytotoxic granule-associated RNA-binding protein p40-TIA-1	1	S70114							
D123 (D123)	1	D14878	+	+			+		+
D2-2	1	AF019228							
D38	1	X74802							
damage-specific DNA binding protein 1 (127kD) (DDB1)	2	AJ002955	+	+	+	+	+	+	+
DCHT (low match)	1	AF017635							
DEAD/H (Asp-Glu-Ala-Asp/His) box binding protein 1 (DDXBP1)	1	U78524		+	+	+	+	+	+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide (72kD) (P72)	2	U59321	T	+	+			+	+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1)	1	X70649		+	+				+

DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 15 (DDX15)	2	AB001636							
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16 (DDX16)	2	AB011149	+	+	+	+			+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3 (DDX3)	3	U50553	+	+	+	+			+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5)	37	X15729	+	+	+	+			+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5) (low match)	1	AF015812							
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD) (DDX6)	2	D17532	+	+					
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 8 (RNA helicase, 54kD) (DDX8)	1	D50487		+	+	+			+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 9 (RNA helicase A, nuclear DNA helicase II; leukophysin) (DDX9)	3	L13848	+	+	+	+			+
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide, Y chromosome (DBY)	1	AF000985		+	+			+	
Death associated protein 3 (DAP3)	2	X83544	+	+	+	+	+	+	+
death effector domain-containing protein (DEDD)	1	AF083236		+	+	+			+
death-associated protein 6 (DAXX)	2	AF039138		+	+	+			+
dedicator of cyto-kinesis 2 (DOCK2)	4	D86984	+	+		+			+
defender against cell death 1 (DAD1)	1	D15057			+			+	+
Defensin, alpha 1, myeloid-related sequence (DEFA1)	4	L12690				+	+	+	
DEK gene (D6S231E)	1	X64229	B		+			+	
delta sleep inducing peptide, immunoreactor (DSIP)	4	Z50781	+	+	+	+			+
dendritic cell protein (GA17)	3	AF064603	+	+	+	+			+
deoxycytidine kinase (DCK)	1	M60527							
deoxyribonuclease II, lysosomal (DNASE2)	3	AB004574							
DGS-1	2	L77566		+					
diacylglycerol kinase	3	D16440							
diacylglycerol kinase alpha (DAGK1) (clone 24)	3	AF064771		+					
diacylglycerol kinase alpha (DAGK1) (clone 24) (low match)	1	AF064771							
diaphanous (Drosophila, homolog) 1 (DIAPH1)	1	AF051782	B, monocyte stimulated	+	+			+	+
diaphorase (NADH) (cytochrome b-5 reductase) (DIA1)	1	Y09501	+	+	+	+	+	+	+
differentiated Embryo Chondrocyte expressed gene 1 (DEC1)	1	AB004068		+				+	+

differentiated Embryo Chondrocyte expressed gene 1 (DEC1) (low match)	1	AB004066							
differentiation antigen CD20	1	L23415							
DiGeorge syndrome critical region gene 2 (DGCR2)	1	X84076		+	+			+	
dihydrolipoamide dehydrogenase (E3 component of pyruvate dehydrogenase complex, 2-oxo-glutarate complex, branched chain keto acid dehydrogenase complex) (DLO)	2	J03620		+				+	+
dihydrolipoamide S-acetyltransferase (E2 component of pyruvate dehydrogenase complex) (DLAT)	1	Y00978	B	+				+	
dihydropyrimidinase-like 2 (DPYSL2)	1	D78013		+	+			+	+
dinG gene	1	Y10571							
diphtheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2 (DPH2L2)	3	AF053003	B	+	+			+	+
disintegrin-protease (non-exact 72%)	1	Y13323							
DJ-1 protein	2	AF021819		+	+	+	+		+
Dmx-like 1 (DMXL1)	1	AJ005821		+		+	+		
DNA (cytosine-5)-methyltransferase 1 (DNMT1)	3	X83692	T activated, lymphoma	+				+	+
DNA fragmentation factor, 40 kD, beta subunit (DFFB)	1	AF064019							
DNA fragmentation factor, 45 kD, alpha subunit (DFFA)	2	U91985	T	+	+				+
DNA mismatch repair protein (hMLH1)	1	U17840							
DNA segment on chromosome X (unique) 648 expressed sequence	3	M64241		+	+	+	+	+	+
DNA segment, single copy probe LNS-CA/LNS-CAII (deleted in polyposis) (D5S346)	3	M73547		+	+	+			+
DNA-damage-inducible transcript 1 (DDIT1) (low match)	1	L24498							
DnaJ protein	1	AJ001309							
DnaJ protein	1	AJ001309							
docking protein 2, 56kD (DOK2)	1	AF034970							
dolichyl-diphosphooligosaccharide-protein glycosyltransferase (DDOST)	1	D89060		+	+	+	+	+	+
dolichyl-phosphate mannosyltransferase polypeptide 1, catalytic subunit (DPM1)	1	D86198	T activated	+	+			+	
down-regulated by activation (immunoglobulin superfamily) (DORA)	1	AJ223183						+	
down-regulated in adenoma DRA (low match)	1	P40879							
D-type cyclin-interacting protein 1 (DIP1)	1	AF082569	B					+	+

dual specificity phosphatase 1 (DUSP1)	4	X68277		+	+	+	+	+	+	
dual specificity phosphatase 11 (RNA/RNP complex 1-interacting) (dusp11)	1	AF023917		+	+	+	+		+	
dual specificity phosphatase 3 (vaccinia virus phosphatase VH1-related) (DUSP3)	1	L05147			+	+		+	+	
dual specificity phosphatase 6 (DUSP6)	6	X93920		+	+	+	+	+	+	
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1)	3	X98801								
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1) (low match)	1	X98801	B		+	+				
dynamamin 2 (DNM2)	1	L36983								
dynamitin (dynactin complex 50 kD subunit) (DCTN-50) (non-exact 88%)	1	U50733								
dynein, axonemal, heavy polypeptide 17-like (non-exact, 57%aa)	1	X99947								
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCL2)	1	AF035812	B		+	+				+
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCL2) (non-exact, 69%)	1	AF035812								
dyskeratosis congenita 1, dyskerin (DKC1)	1	U59151	B		+			+	+	
dystonia 1, torsion (autosomal dominant) (DYT1)	1	AF007871			+	+	+		+	
dystrobrevin, beta (DTNB)	1	AF022728			+					
dystrophia myotonica-containing WD repeat motif (DMWD)	1	L19287			+	+		+	+	
dystrophia myotonica-protein kinase (DMPK)	1	L08835		+	+	+				+
dystrophin (muscular dystrophy, Duchenne and Becker types) (DMD) (low match, 59%aa)	1	X14298								
ETB-55kDa-associated protein	1	AJ007509	W		+	+		+	+	
E2F transcription factor 3 (E2F3)	2	D38550			+	+	+	+	+	
E2F transcription factor 4, p107/p130-binding (E2F4)	1	X88096	B		+				+	
E2F transcription factor 5, p130-binding (E2F5)	2	U15842		+	+		+		+	
E74-like factor 1 (ets domain transcription factor) (ELF1)	1	M82882	B			+		+	+	
E74-like factor 4 (ets domain transcription factor) (ELF4)	3	U32645			+	+				+
E74-like factor 4 (ets domain transcription factor) (ELF4) (non-exact, 71%)	1	U32645								
early development regulator 2 (homolog of polyhomeotic 2) (EDR2)	4	U89278		+	+	+	+			+
EBV induced G-protein coupled receptor (EBI2)	1	L08177	W							
ecotropic viral integration site 2B (EVI2B)	3	M60830			+		+			

EPIDIDYMAL SECRETORY PROTEIN E1 PRECURSOR (EPI-1) (HE1) (EPIDIDYMAL SECRETORY PROTEIN 14.6) (ESP14.6)	2	Q15668								
epithelial membrane protein 3 (EMIP3)	1	U87947	+	+	+	+			+	
Epoxide hydrolase 1, microsomal (xenobiotic) (EPHX1)	1	L29766								+ only
ERCC2 (=L47234)	1	X52221								
ERF-2	3	U07802	+	+	+	+			+	high in gall bladder
ERp28 protein	1	X94910	+	+	+	+			+	
erythrocyte membrane protein	2	M81635								
erythroleukemic cells K562	2	L25343								
EST (Hs.189509)	2	U24166								
estrogen receptor-related protein (hERRα1)	1	L38487								
ESTs, Highly similar to ADENYLOSUCCINATE SYNTHETASE	1	X66503	B, T	+	+					
ESTs, Moderately similar to cysteine-rich fibroblast growth factor receptor	1	U28811	+	+	+	+			+	
ET binding factor 1 (SBF1)	1	U93181	+	+					+	
ets domain protein ERF	1	U15855	+	+	+	+			+	
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1)	326	X03558	T	+	+				+	
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)	1	X03558								
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)	1	X03558								
eukaryotic translation elongation factor 1 beta 2 (EEF1B2)	5	X60489	+	+	+	+			+	
eukaryotic translation elongation factor 1 delta (guanine nucleotide exchange protein) (EEF1D)	1	Z21507	+	+	+	+	+	+	+	
eukaryotic translation elongation factor 1 gamma (EEF1G)	31	Z11531								
eukaryotic translation elongation factor 2 (EEF2)	2	X51466		+					+	
eukaryotic translation initiation factor 2, subunit 1 (alpha, 35kD) (EIF2S1)	1	J02645								
eukaryotic translation initiation factor 2, subunit 2 (beta, 38kD) (EIF2S2)	1	M29536								
eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD) (EIF2S3)	3	L19161		+	+					
eukaryotic translation initiation factor 3, subunit 10 (theta, 150/170kD) (EIF3S10)	2	U78311								
eukaryotic translation initiation factor 3, subunit 2 (beta, 36kD) (EIF3S2)	3	U36764	+	+	+	+	+	+	+	high in white blood cells
eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD) (EIF3S3)	6	U54559	+	+	+	+			+	high in spleen
eukaryotic translation initiation factor 3, subunit 4 (delta, 44kD) (EIF3S4)	9	AF020833		+	+	+			+	

eukaryotic translation initiation factor 3, subunit 6 (48kD) (EIF3S6)	4	U94175	+	+	+	+		+	high in bladder
eukaryotic translation initiation factor 3, subunit 6 (EIF3S6)	1	U62962		+	+	+		+	Highly represented (1.4833 pct) in library 36 human gall bladder
eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67kD) (EIF3S7)	3	U54558	+	+	+	+		+	
eukaryotic translation initiation factor 3, subunit 8, 110kD (EIF3S8)	5	U46025	+	+	+	+	+	+	high in testis
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G)	1	AF012088							
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G) (low match)	1	AF012088							
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G1)	2	D12686							
eukaryotic translation initiation factor 4 gamma, 2 (EIF4G2)	6	U73824	+	+	+	+	+	+	
eukaryotic translation initiation factor 4 gamma, 2 (EIFG2)	2	U78111	+	+	+	+	+	+	
eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1)	29	D13748							
eukaryotic translation initiation factor 4A, isoform 2 (EIF4A2)	11	D30655	+	+	+	+	+	+	
eukaryotic translation initiation factor 4B (EIF4B)	18	X55733	+	+	+	+		+	
eukaryotic translation initiation factor 4E (EIF4E)	1	P06730							
Eukaryotic translation initiation factor 4E binding protein 2 (EIF4EBP2)	3	L36056	I, B	+				+	+
eukaryotic translation initiation factor 4H (EIF4H)	2	Q15058							
eukaryotic translation initiation factor 5 (EIF5)	2	U49436	+	+	+	+	+	+	
eukaryotic translation termination factor 1 (ETF1)	2	U90176	+	+	+	+		+	
EV12 protein	1	M55266		+					
Ewing sarcoma breakpoint region 1 (EWSR1)	1	X66899	+	+	+	+		+	
EWS/FLI1 activated transcript 2 homolog (EAT-2)	2	AF020264							
EWS-E1A-F chimeric protein	1	U35822							
excision repair cross-complementing rodent repair deficiency, complementation group 1 (includes overlapping antisense sequence) (ERCC1)	1	M28850	+	+	+	+		+	
excision repair cross-complementing rodent repair deficiency, complementation group 5 (xeroderma pigmentosum, complementation group G (Cockayne syndrome)) (ERCC5)	1	X69978		+	+	+		+	
exostoses (multiple)-like 3 (EXTL3)	1	AF001690		+	+	+		+	
F11	1	X77744				+			

F1-ATPase beta subunit (F-1 beta)	2	X03559								
Fanconi anaemia group A	2	Z83095								
Fanconi anemia, complementation group A (FANCA)	1	X99226	+	+	+	+				
far upstream element (FUSE) binding protein 1 (FUBP1)	2	U05040	+		+				+	
farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltransferase, geranyltransferase) (FDPS)	1	J05262	+	+	+	+			+	
farnesyl-diphosphate farnesyltransferase 1 (FDFT1)	2	X89141	+	+	+	+	+	+		
farnesyltransferase, CAAX box, beta (FNTB)	2	L00635		+	+					
Fas ligand (gene and promoter region)	1	AF044583								
Fas-ligand associated factor 1	1	U70667								
fatty-acid-Coenzyme A ligase, long-chain 1 (FACL1)	4	D10040	+	+	+	+	+	+		
Fc fragment of IgA, receptor for (FCAR)	1	X54150								
Fc fragment of IgE, high affinity I, receptor for: gamma polypeptide (FCER1G)	1	M33195	+	+	+	+			+	
Fc fragment of IgE, low affinity II, receptor for (CD23A) (FCER2)	2	X04772	+	+						
Fc fragment of IgG, low affinity IIa, receptor for (CD32)	6	M31932	+	+	+	+	+	+		
Fc fragment of IgG, low affinity IIa, receptor for (CD32) (FCGR2A)	1	X62572	+	+	+	+	+	+		
Fc fragment of IgG, low affinity IIIa, receptor for (CD16) (FCGR3A)	34	X07934	+	+	+	+			+	
Fc fragment of IgG, receptor, transporter, alpha (FCGRT)	3	U12255		+	+	+	+	+		high in many libraries
fc-gr	1	Z13983								
Fc-gamma-receptorIIIB (FCGR3B)	2	M90746								
feline sarcoma (Snyder-Theilen) viral (v-fes)/Fujinami avian sarcoma (PRCII) viral (v-fps) oncogene homolog(FES) c-fes/fps)	3	X06292								
female sterile homeotic-related gene 1 (mouse homolog) (FSRG1)	2	X98670	+	+	+	+			+	
ferritin L-chain	9	Y09188								
ferritin, heavy polypeptide 1 (FTH1)	4	M11146	+	+	+	+	+	+		
fertilin alpha pseudogene	1	Y09232								
fetal Alzheimer antigen (FALZ)	2	U06237		+						
fetal Ig heavy chain variable region	1	M34024								
fibrillarin (FBL)	1	X56597	+	+	+	+	+	+		
fibrinogen-like protein 2 (T49)	3	Z36631				+				

fibroblast growth factor receptor 2 (bacteria-expressed kinase, keratinocyte growth factor receptor, craniofacial dysostosis 1, Crouzon syndrome) syndrome, Pfeiffer syndrome, Jackson-Weiss) (FGFR2)	1	M35718	+	+	+	+	+	+	
ficolin (collagen/fibrinogen domain-containing) 1 (FCN1)	19	D83920				+		+	
filamin A, alpha (actin-binding protein-280) (FLNA)	2	X53416							
filamin B, beta (actin-binding protein-278) (FLNB)	1	AF043045		+	+			+	
Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV) ubiquitously expressed (fox derived); ribosomal protein S30 (FAU)	2	X65923	+	+	+	+	+	+	Highly represented in intraepithelial neoplasia and invasive prostate tumor
FK-506 binding protein	1	M80199	+	+	+	+		+	
FK506-binding protein 1A (12kD) (FKBP1A)	2	M34539							
FK506-binding protein 1B (12.6 kD) (FKBP1B)	1	M92423		+		+		+	
FK506-binding protein 5 (FKBP5)	4	U71321		+	+	+		+	
Flightless I (Drosophila) homolog (FLII)	3	U80184		+					
Flightless I (Drosophila) homolog (FLII) (low match)	1	U80184							
FLN29 (FLN29)	2	AB007447		+		+		+	
Flotillin 2 (FLOT2)	5	M60922	+	+	+	+	+	+	
Folate receptor 2 (fetal) (FOLR2)	1	AF000380		+	+	+		+	
forkhead (Drosophila) homolog (rhabdomyosarcoma) like 1 (FKHRL1)	1	AF032886	+	+		+		+	
Formyl peptide receptor 1 (FPR1)	9	M80627	+	+	+	+		+	
Formyl peptide receptor-like 1 (FPRL1)	1	M84562							Found only in libraries from placenta
Formyl peptide receptor-like 1 (FPRL1) (low score)	1	M84562							
fragile X mental retardation 1 (FMR1)	1	L29074	+	+		+		+	
fragile X mental retardation, autosomal homolog 1 (FXR1)	1	U25165	+	+	+	+			
Friend leukemia virus integration 1 (FLI1)	3	M93255	+	+					
fructose-bisphosphatase 1 (FBP1)	1	D26054				+		+	
FSHD-associated repeat DNA, proximal region	1	U85056							
fucose-1-phosphate guanylyltransferase (FPGT)	1	AF017445		+	+	+			
full length insert cDNA clone ZA78A09	1	AF096122							
full length insert cDNA YP07G10	1	AF075061							
fumarate hydratase (FH)	1	U59309		+	+	+		+	
FUS (low match)	1	X99006							
FYN-binding protein (FYB-120/130) (FYB)	16	U93049		+		+			

G alpha interacting protein (GAIP) (low score)	1	X91809									
G protein beta subunit-like protein 12.3	2	D28398									
G protein-coupled receptor 64 (HE6) (non-exact 59%)	1	X81892							+		
G protein-coupled receptor kinase 6 (GPRK6)	2	L16862	+	+	+						+
GT to S phase transition 1 (GSPT1)	2	X17644							+	+	+
GA-binding protein transcription factor, beta subunit 2 (47kD) (GABPB2)	1	D13316							+	+	+
galactose-1-phosphate uridylyltransferase (GALT)	2	M60091									
galactosidase, beta 1 (GLB1)	3	M27508							+		+
galactosyltransferase (=X13223 N-acetylglucosamide-(beta 1-4)-galactosyltransferase)	1	M13701									
galectin-9 isoform	1	AB008782	+							+	+
gamma2-adaptin (G2AD)	1	AF088706	+							+	+
gamma-actin	2	M37130									
gamma-aminobutyric acid (GABA) B receptor 1 (GABBR1)	2	AJ012187							+	+	+
GATA-binding protein 2 (GATA2)	1	M68891								+	+
GATA-binding protein 3 (GATA3)	1	M69106								+	+
GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 1 (GCN5L1)	3	D64007	+	+	+	+					+
GDP dissociation inhibitor 1 (GDI1)	1	D45021	+	+	+	+					+
GDP dissociation inhibitor 2 (GDI2)	4	Y13286									
GDS-related protein (HKE1.5)	4	D68142	+	+	+	+					+
gelsolin (amyloidosis, Finnish type) (GSN)	3	X04412								+	+
general transcription factor II, I (GTF2I)	4	Y14946	+	+	+	+	+	+	+	+	+
general transcription factor II, i, pseudogene 1 (GTF2IP1)	1	AF038968	+	+	+	+	+	+	+	+	+
general transcription factor IIF, polypeptide 1 (74kD subunit) (GTF2F1)	4	X84037	+	+	+	+					+
general transcription factor IIH, polypeptide 3 (34kD subunit) (GTF2H3)	2	Z30093	B, T								
general transcription factor IIH, polypeptide 4 (52kD subunit) (GTF2H4)	3	Y07595							+		+
general transcription factor IIIA (GTF3A)	1	U14134	+	+							+
general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD) (GTF3C1)	1	U02819							+		
general transcription factor IIIC, polypeptide 2 (beta subunit, 110kD) (GTF3C2)	3	D13636	+	+	+	+	+	+	+	+	+
germline immunoglobulin heavy chain (IGHV@)	1	L06612									
germline immunoglobulin heavy chain, variable region	1	X92238									
germline immunoglobulin heavy chain, variable region, (21-2)	1	X92343									

GLE1 (yeast homolog)-like, RNA export mediator (GLE1L)	1	AF058922		+	+				
glia maturation factor, beta (GMFB)	1	AB001106	+	+		+		+	
glioma-associated oncogene homolog (zinc finger protein) (GLI)	1	X07384							
glioma-associated oncogene homolog (zinc finger protein) (GLI) (low score)	1	X07384							
globin, alpha 2	1	V00516							
glucocorticoid receptor (=M69104)	1	M32284							
glucocorticoid receptor (GRL)	2	U80947	+	+	+	+		+	
glucosylphosphatase (CONTAINS LARGE REPEAT)	1	L09105							
glucosamine (N-acetyl)-6-sulfatase (Sanfilippo disease IIID) (GNS)	1	Z12173	+						
glucosamine (N-acetyl)-6-sulfatase (Sanfilippo disease IIID) (GNS) (non-exact 58%)	1	Z12173							
glucose transporter-like protein-III (GLUT3)	1	M20681		+	+	+	+	+	
glucose transporter-like protein-III (GLUT3) (low match)	1	M20681							
glucosidase, alpha; acid (Pompe disease, glycogen storage disease type II) (GAA)	1	Y00839	+	+		+		+	
glucosidase, beta; acid (includes glucosylceramidase) (GBA)	1	K02920	+	+	+	+		+	
glutamate dehydrogenase 1 (GLUD1)	1	M20867		+	+	+	+	+	
glutamate-ammonia ligase (glutamine synthase) (GLUL)	12	X59834	+	+	+	+		+	
glutamate-ammonia ligase (glutamine synthase) (GLUL) (low score)	1	Y00387							
glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLCLC)	1	M90856				+			
glutamine cyclotransferase	1	X71125		+	+				
glutamine-fructose-6-phosphate transaminase 1 (GFPT1)	1	M90516		+		+			
glutamyl-tRNA synthetase	1	X72396							
glutamyl-tRNA synthetase (QARS)	6	X76013	+	+	+	+		+	
glutamyl-prolyl-tRNA synthetase (EPRS)	1	X54326							
glutathione peroxidase 1 (GPX1)	2	M21304	+	+	+	+	+	+	
glutathione peroxidase 4 (phospholipid hydroperoxidase) (GPX4)	1	X71973	+	+	+	+		+	
glutathione S-transferase pi (GSTP1)	1	U30897		+	+	+	+	+	
glutathione S-transferase subunit 13 homolog	1	AF070657							
glyceraldehyde-3-phosphate dehydrogenase (GAPD)	12	J02642					+		

glycogenin (GYG)	1	U31525		+	+	+		+	
glycophorin C (Gerbich blood group) (GYPC)	1	X12496		+	+	+		+	
glycoprotein M6B (GPM6B)	1	U45955		+	+				
glycyl-tRNA synthetase (GARS)	1	U09587		+	+	+		+	
glyoxalase I (lactoyl glutathione lyase) (GLYI)	1	L07837	+	+	+	+		+	
golgi autoantigen, golgin subfamily a, 1 (GOLGA1)	1	U51587		+		+			
golgi autoantigen, golgin subfamily a, 2 (GOLGA2) (non-exact, 70%)	1	L06147							
golgi autoantigen, golgin subfamily a, 4 (GOLGA4)	1	U31908							
golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1 (GOLGB1)	1	X75304		+	+	+		+	
gp25L2 protein	4	X90872							
grancalcin	8	M81637		+	+	+			
granulin (GRN)	18	X62320	+	+	+	+		+	
granulin (GRN) (low match)	1	X62320							
Granulysin (NKG5)	5	M85276	+					+	
granzyme A (granzyme 1, cytotoxic T-lymphocyte-associated serine esterase 3) (GZMA)	1	M18737	+	+	+	+		+	
GRB2-related adaptor protein (GRAP)	1	U52518	T only						
Grb2-related adaptor protein 2 (GRAP2)	1	AF090458	T					+	
GRO1 oncogene (melanoma growth stimulating activity, alpha) (GRO1)	1	X54489				+		+	
growth arrest and DNA-damage-inducible gene (GADD153)	1	S40708							
growth arrest-specific 7 (GAS7)	4	AB007854		+	+				
growth factor receptor-bound protein 2 (GRB2)	1	X62852	B	+				+	+
GST (protein of unknown function)	1	M85934		+	+	+			
GS3955	4	D87119		+	+	+		+	
GTP binding protein 1 (GTPBP1)	1	U87964		+	+	+			
GTP binding protein similar to S. cerevisiae HBS1 (HBS1)	1	U87791		+	+	+		+	
GTPase activating protein-like (GAPL)	1	AB011110		+	+	+		+	high fetal brain
GTP-binding protein (low match)	1	Z49068							
GTP-binding protein G(K), alpha subunit (=G(I) ALPHA-3)(=GTP-binding regulatory protein Gi alpha-3 chain)	1	P08754							
Gu protein (GURDB)	2	U41387	+		+	+		+	
guanine nucleotide binding protein	1								
guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 (GNAI2)	4	J03004	+	+	+	+		+	

guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3 (GNAI3)	7	M20597	+	+	+	+		+	
guanine nucleotide binding protein (G protein), alpha stimulating activity polypeptide 1 (GNAS1)	2	X04409	B, I	+				+	+
guanine nucleotide binding protein (G protein), alpha transducing activity polypeptide 2 (GNAT2)	1	Z18859							
guanine nucleotide binding protein (G protein), beta 5 (GNB5)	2	AF017656		+	+	+			+
guanine nucleotide binding protein (G protein), beta polypeptide 1 (GNB1)	5	M36430	+	+	+	+	+	+	
guanine nucleotide binding protein (G protein), q polypeptide (GNAQ)	2	AF011496		+	+	+			
guanine nucleotide binding protein-like 1 (GNL1)	1	L25665	+	+	+	+			+
guanine nucleotide exchange factor	1	L13857	+	+	+	+			
guanine nucleotide regulatory factor (LFP40)	1	X15610	+	+	+	+			+
guanine nucleotide regulatory factor (LFP40)	1	U72206	+	+	+	+			+
GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN 12.3 (P205) (RECEPTOR OF ACTIVATED PROTEIN KINASE C 1) (RACK1)	1	P25388							
GUANINE-MONOPHOSPHATE SYNTHETASE (GMPS)	1	U10860			+				
guanosine monophosphate reductase (GMPR) (non-exact, 72%)	1	M24470							
guanosine-diphosphatase like protein	1	AF016032							
guanylate binding protein 1, interferon-inducible, 67kD (GBP1)	2	M55542		+	+	+	+	+	
guanylate binding protein 2, interferon-inducible (GBP2)	6	M55543	+	+	+	+			+
H2A histone family, member C (H2AFC)	1	Z83742							
H2A histone family, member Y (H2AY)	2	AF041483	+	+	+	+			+
H2B histone family, member L (H2BFL)	2	Z80783	+	+	+	+	+	+	high in adrenal gland tumor
H2-calponin	1	D86059							
H-2K binding factor-2	1	L08904		+	+	+			+
H3 histone family, member K (H3FK)	1	Z83736							
H3 histone, family 3A (H3F3A)	7	M11353	+	+	+	+			high in ovary
H3 histone, family 3B (H3.3B) (H3F3B)	15	Z48950	+	+	+	+			high in endothelial cells
hbc647	1	U68494		+	+	+	+		
heat shock 27kD protein 1 (HSPB1)	1	U12404		+	+			+	+
heat shock 40kD protein 1 (HSPF1)	4	D85429	+	+	+	+	+	+	high in testis
heat shock 60kD protein 1 (chaperonin) (HSPD1)	3	M22382	+	+	+	+	+	+	
heat shock 70kD protein 1 (HSPA1A)	7	M59828	+	+	+	+	+	+	high in activated T cells

heat shock 70kD protein 5 (glucose-regulated protein, 78kD) (HSPA5)	13	X87949		+	+		+			
heat shock 70kD protein 6 (HSP70B) (HSPA6)	4	X51757	+	+	+					
heat shock 70kD protein 9B (mortalin-2) (HSPA9B)	2	L15189		+	+	+	+	+		
HEAT SHOCK COGNATE 71 KD PROTEIN	1	P11142								
heat shock factor binding protein 1 (HSBP1)	2	AF068754								
heat shock protein 90	13	M27024	+	+	+	+	+	+		high in many libraries
heat shock protein, DNAJ-like 2 (HSJ2)	1	D13388		+	+			+	+	
Hect (homologous to the E6-AP (UBE3A) carboxyl terminus) domain and RCC1 (CHC1)-like domain (RLD) 1 (HERC1)	1	U50078		+	+	+				
hect domain and RLD 2 (HERC2)	1	AB002391	+	+	+	+			+	
helicase-like protein (HLP)	1	X98378	+	+		+			+	
helix-loop-helix protein HE47 (E2A)	1	M65214								+
hematopoietic cell-specific Lyn substrate 1 (HCLS1)	18	X16883	+		+	+				+
heme oxygenase (decycling) 1 (HMOX1)	1	X06985		+		+	+	+		
HEMOGLOBIN ALPHA CHAIN	1	P19015								
hemoglobin beta (beta globin)	5	AF117710								
hemoglobin, alpha 1 (HBA1)	301	V00491			+			+	+	
hemoglobin, alpha 1 (HBA1) (low match)	1	V00491								
hemoglobin, alpha 1 (low match)	1	V00493								
hemoglobin, alpha 1 (non-exact, 78%)	1	J00153								
hemoglobin, alpha 1 (non-exact, 82%)	1	V00493								
hemoglobin, beta (HBB)	129	V00497	+	+	+	+	+	+		high in many libraries
hemoglobin, beta (HBB) (low match)	1	V00497								
hemoglobin, beta (HBB) (low match)	1	L48220								
hemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)	1	D10924	+	+	+	+				+
hemopoietic cell kinase (HCK)	5	M16591				+				+
hepatitis C-associated microtubular aggregate protein p44	2	D28908								
hepatoma-derived growth factor	1	D16431	+	+	+	+				+
Hermansky-Pudlak syndrome (HPS)	2	U65676								
HERV-E integrase (non-exact 76%aa)	1	AF026246								
heterogeneous nuclear protein similar to rat helix destabilizing protein (FBRNP)	2	S63912			+	+	+			+
heterogeneous nuclear ribonucleoprotein (C1/C2) (HNRPC)	4	M16342								
heterogeneous nuclear ribonucleoprotein A/B (HNRPA/B)	1	M65028	+	+	+	+	+	+		

heterogeneous nuclear ribonucleoprotein A1 (HNRPA1)	20	X12671	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
heterogeneous nuclear ribonucleoprotein A2/B1 (HNRPA2B1)	3	M29064	+	+	+	+	+	+	High in activated T cell, fetal brain
heterogeneous nuclear ribonucleoprotein D (hnRNP D)	2	D55673	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein D-like (HNRPDL)	5	D89092	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein F (HNRPF)	1	L28010	+	+	+	+		+	
heterogeneous nuclear ribonucleoprotein F (HNRPF) (83%)	1	L28010							
heterogeneous nuclear ribonucleoprotein G (HNRPG)	2	Z23064		+	+	+		+	
heterogeneous nuclear ribonucleoprotein H (HNRPH) (FTP-3)	3	P55795							
heterogeneous nuclear ribonucleoprotein H (HNRPH) (low match)	1	P31943							
heterogeneous nuclear ribonucleoprotein H1 (H) (HNRPH1)	2	L22009	+	+	+	+		+	
heterogeneous nuclear ribonucleoprotein K (HNRPK)	21	S74678	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein R (HNRPR)	1	AF000364		+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein U (scaffold attachment factor A) (HNRPU)	3	X65488	+	+	+	+	+	+	
hexokinase 1 (HK1)	2	X66957		+	+	+		+	
hexokinase 2 (HK2)	3	Z46376	+	+	+	+		+	
hexokinase 3 (HK3)	2	U51333							
hexosaminidase A (alpha polypeptide) (HEXA)	1	S62047							
HGMP071 gene for olfactory receptor	2	U76377							
High density lipoprotein binding protein (HDLBP)	2	M64098	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein 1 (HMG1)	5	X12597	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein 1 (HMG1) (non-exact 60%)	1	D63874							
High-mobility group (nonhistone chromosomal) protein 17 (HMG17)	2	M12623	+	+	+	+		+	
high-mobility group (nonhistone chromosomal) protein 2 (HMG2)	2	M83665	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein isoforms I and Y	2	L17131	+	+	+			+	
high-risk human papilloma viruses E6 oncoproteins targeted protein E6TP1 beta (=AB007900 KIAA0440)	1	AF090990.1							
histidine ammonia-lyase (HAL)	1	D16626					+	only	

histidyl-tRNA synthetase (HARS)	2	Z11518	+	+	+	+	+	+	
histocompatibility antigen (HLA-Cw3), class I	1	U31372							
histone deacetylase 1 (HDAC)	4	U50079	+	+	+	+		+	
histone deacetylase 1 (HDAC1)	2	D50405	+	+	+	+		+	
histone deacetylase 5 (NY-CO-9)	1	AF039691			+	+			
HK2 gene for hexokinase II	1	Z46362							
HL9 monocyte inhibitory receptor precursor	2	U91928						+	
HLA class I heavy chain (HLA-Cw*1701)	1								
HLA class I locus C heavy chain	1	X58536							
HLA class II SB 4-beta chain	1	X03022							
HLA class III region containing NOTCH4 gene	1	U89335	+	+	+	+		+	
HLA-A	1	Z72423							
HLA-A	2	AJ006020							
HLA-A*7402	1	AJ223080							
HLA-A11	1	U02934							
HLA-B	2	X75953							
HLA-B	1	X83401							
HLA-B	1	X78426							
HLA-B associated transcript-1 (D6S81E)	1	Z37186	+	+	+	+	+	+	
HLA-B associated transcript-2 (D6S51E)	2	M33508	+	+	+	+			
HLA-B*1529	4	D44501							
HLA-Bw72 antigen	119	L09736	+	+	+	+	+	+	high in many libraries
HLA-C gene (HLA-Cw*0701 allele)	1	D83957							
HLA-Cw*0701	9	Z46810							
HLA-Cw*0801	1	D64151							
HLA-Cw*1203	1	D64146							
HLA-DC class II histocompatibility antigens alpha-chain (=K01160)	2	X00370							
HLA-DR alpha-chain	17	M60333	+	+	+	+	+	+	high in spleen
HLA-F (leukocyte antigen F)	3	X17093				+	+	+	
HMG box containing protein 1	3	AF019214							
hMLH1 (=U83846)	1	AB017808.1							
Hmob33	3	Y14155							
HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 1 (HRMT1L1)	2	D80213	+	+	+	+		+	
hnRNP C1/C2	2	D28382							
homeobox (=X58250 Mouse homeo box protein, put. transcription factor involved in embryogenesis and hematopoiesis)	1	M60721							
homeobox protein (HLX1) (=M60721)	1	U14326							
homeodomain-interacting protein kinase 3 (HIPK3)	1	AF004849	+			+	+		+
homolog of Drosophila past (PAST)	2	AF001434	+	+	+	+			+
homolog of yeast (S. cerevisiae) ufd2 (UFD2)	3	D50916				+	+	+	+

HPV16 E1 protein binding protein	1	U98131		+	+				+
HRIFB2157	1	AB015344		+	+				+
HFX-like protein (=AF010403 ALR)	1	Y08836							
hsc70 gene for 71 kd heat shock cognate protein	3	Y00371							
HSPC012	1	AF077036.1							
HSPC021	1	AF077207.1							
H6Pex13p	1	U71374							
hira2-beta-2	1	U87836	+	+	+	+			+
HU-K4	1	U60644							
hunc18b2	1	U63533		+	+	+			+
HUNKI	1	Y12059	+	+		+	+		+
huntingtin-interacting protein HYPA/FBP11 (HYPA)	1	AF049528							
hVps41p (HVPS41)	1	U87309							
hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), alpha subunit (HADHA)	1	U04627		+	+			+	
hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB)	1	D16481	+	+	+	+			+
hydroxysteroid (17-beta) dehydrogenase 1 (HSD17B1)	1	U34879		+				+	
hypothetical protein	1								
hypothetical protein (AL008729) (dJ257A7.2)	1								
hypothetical protein (CIT987SK_2A8_1 chromosome 8)	1	U96629							
hypothetical protein (clone 24640)	1	AF055004							
hypothetical protein (clone ICRFp507G2490)	1	Z70222							
hypothetical protein (dJ1042K10.4) (non-exact 76%)	1	AL022238							
hypothetical protein (dJ465N24.1 similar to predicted yeast and worm proteins)	2	AL031432							
hypothetical protein (dJ487J7.1.1)	2	AL008730							
hypothetical protein (dJ753P9.2)	2	AL023853							
hypothetical protein (DKFZp588i111)	1	AL050131.1							
hypothetical protein (J257A7.2)	1	AL008729							
hypothetical protein (KIAA0440) (=AF026504 R. norvegicus SPA-1 like protein)	1	AB007900							
hypothetical protein (L1H 3' region)	1								
hypothetical protein (S164)	1	P49756							

hypothetical protein (similar to thrombospondin) (non-exact 56%)	1	AF109907								
hypothetical protein 3	1									
hypothetical protein B (HSU47926) (non-exact, 56%)	1	U47926								
hypothetical protein from BCRA2 region (CG005)	3	U50532	+	+	+	+			+	
hypoxia-inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor) (HIF1A)	1	AF050115								
Ia-associated invariant gamma-chain (clones lambda-y (1,2,3))	1	M13555								
iduronate 2-sulfatase (Hunter syndrome) (IDS)	2	M58342	+	+	+	+			+	
Ig heavy chain V region (=D11016)	1	L20779								
Ig heavy chain variable region	2	M34024								
Ig heavy chain variable region (VH4DJ) (clone T14.4)	1	Z75378								
Ig heavy chain variable region (VH4DJ) (clone T22.18)	1	Z75392								
Ig J chain	1	M12378								
Ig kappa	1	S49007								
Ig kappa light chain variable region A20	1	X63398								
Ig kappa light chain, V- and J-region (=X59315)	1	D90158								
Ig lambda light chain variable region (28-34) (IIF120)	1	Z85052								
Ig mu-chain VDJ4-region	1	M16949								
Ig rearranged anti-myelin kappa-chain (V-J4-region, hybridoma AE8-5)	1	M29469								
Ig rearranged H-chain mRNA V-region	2	M97920								
Ig rearranged light-chain V region (=D90158)	1	M74020								
IGF-II mRNA-binding protein 3 (KOC1) (non-exact, 75%)	1	U97188	+	+	+					
IgG Fc binding protein (FC(GAMMA)BP)	1	D84239	+	+		+			+	
IgG heavy chain variable region (VH26)	1	M83136								
IgM heavy chain (C mu, membrane exons)	1	X14939								
IKB kinase-beta (IKK-beta)	1	AF029684								
IL-1 receptor type II	1	U14177								
IL-2-inducible T-cell kinase (ITK)	2	S65186								
immediate early protein (ETR101)	1	M62831	+		+	+			+	
immunoglobulin light chain (lambda)	1	D87018								
immunoglobulin (CD79A) binding protein 1 (IGBP1)	1	Y08915	B, I	+	+			+		
immunoglobulin C (mu) and C (delta) heavy chain (=K02878)	2	X57331								
immunoglobulin G Fc receptor IIIB	1	Z46223								
immunoglobulin gamma 3 (Gm marker) (IGHG3)	3	Y14737	+			+			+	high in many libraries

immunoglobulin gamma heavy chain variable region (=X81011)	1	Z66542								
immunoglobulin heavy chain (VI-3B)	1	X82109								
immunoglobulin heavy chain J region	1	X88355								
immunoglobulin heavy chain J region, B1 haplotype	2	X86355								
immunoglobulin heavy chain variable region (IGH) (clone 21u-48)	1	AF062128								
immunoglobulin heavy chain variable region (IGH) (clone 23u-1)	1	AF062212								
immunoglobulin heavy chain variable region V1-18 (IGHV@) (=X60503)	2	M99641								
immunoglobulin heavy chain variable region V3-43 (IGHV@)	2	M99672								
immunoglobulin heavy chain variable region V3-7 (IGHV@)	3	M99649								
immunoglobulin IgH heavy chain Fd fragment	1	U07986								
immunoglobulin kappa light chain	1	X58081								
immunoglobulin kappa light chain V-segment A27	1	X12688								
immunoglobulin light chain	1	D88990								
immunoglobulin light chain (low match)	1	D88996								
immunoglobulin light chain variable region (lambda IIIb subgroup) from IgM rheumatoid factor	1	L29157								
immunoglobulin M heavy chain V region=anti-lipid A antibody	1	S50735								
immunoglobulin mu (IGHM)	9	X57086	+	+	+	+				
immunoglobulin mu binding protein 2 (IGHMBP2)	1	L24544	+	+			+			
immunoglobulin superfamily, member 2 (IGSF2)	1	Z33642								
immunoglobulin VH mRNA (487 bp) (=M99652 immunoglobulin heavy chain variable region V3-11 (IGHV@))	1	X81013								
imogen 38 (IMOGEN38)	1	Z68747			+	+	+			+
IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1)	1	J05272	+	+	+	+				
IMP (inosine monophosphate) dehydrogenase 2 (IMPDH2)	2	L39210	+	+	+	+				+
inc finger protein 151 (pH2-67) (ZNF151)	1	Y09723	+	+	+	+				+
inc finger protein, C2H2, rapidly turned over (ZNF20)	1	AF011573			+	+				
inducible poly(A)-binding protein (IPABP)	1	U33818	+	+	+	+				+
inducible poly(A)-binding protein (IPABP) (low match)	1	U33818								

inducible protein (Hs.90313)	2	L47738	+	+	+	+		+	
inhibitor of DNA binding 2, dominant negative helix-loop-helix protein (ID2)	4	M97798	+	+	+	+	+	+	
inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein (IKBKAP)	2	AF044195							
inositol 1,3,4-trisphosphate 5/6-kinase	1	U51338	+	+	+	+	+	+	
inositol 1,4,5 triphosphate receptor type 1 (ITPR1)	1	U23850		+	+	+			
inositol 1,4,5-trisphosphate 3-kinase B (ITPKB)	2	X57206	B	+	+			+	
inositol monophosphatase	1	S38980							
inositol polyphosphate-5-phosphatase, 145kD (INPP5D)	2	U84400	+	+	+	+		+	
Ins(1,3,4,5)P4-binding protein	1	X89399		+				+	
insulin-like growth factor 2 receptor (IGF2R)	5	Y00285	+	+	+	+		+	
integral membrane protein 1 (ITM1)	1	L38961			+	+		+	
integral membrane protein 2C (ITM2C)	1	AF038963	1		+			+	+
integral membrane protein Tmp21-1 (p23)	3	U61734	+	+	+	+	+	+	
integrin beta 4 binding protein (ITGB4BP)	2	AF047433			+				+
integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41B) (ITGA2B)	3	M34480		+				+	
integrin, alpha 5 (fibronectin receptor, alpha polypeptide) (ITGA5)	4	X06256	+	+	+			+	+
integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL)	6	Y00796							
integrin, alpha M (complement component receptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM)	1	M18044							
integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX)	1	M81695	+	+					+
integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1)	2	X07979							
integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2)	32	M15395	+	+		+			+
integrin, beta 7 (ITGB7)	1	M68892	+						
integrin-linked kinase (ILK)	1	U40282	+	+	+	+			+
intercellular adhesion molecule 1 (CD54), human rhinovirus receptor (ICAM1)	1	J03132	+			+	+		+
intercellular adhesion molecule 2 (ICAM2)	1	X15808	+	+	+	+			+

intercellular adhesion molecule 3 (ICAM3)	6	X69819	+							+
intercellular adhesion molecule 4, Landsteiner-Wiener blood group (ICAM4)	1	L27670								+
Interferon consensus sequence binding protein 1 (ICSBP1)	1	M91196	W, T lymphoma							
Interferon consensus sequence binding protein 1 (ICSBP1) (low match)	1	M91196								
interferon regulatory factor 2 (IRF2)	4	X15949	+	+	+	+				
interferon regulatory factor1 (IRF1)	4	L05072	+	+	+	+				+
interferon regulatory factor5 (IRF5)	1	U51127	+	+		+				
interferon, gamma-inducible protein 16 (IF16)	2	M63838	+	+	+	+				+
interferon, gamma-inducible protein 30 (IF130)	9	J03909	+	+		+				+
INTERFERON-INDUCED GUANYLATE-BINDING PROTEIN 1 (GUANINE NUCLEOTIDE-BINDING PROTEIN 1) (non-exact 62%)	1	P32455								
interferon-induced protein 17 (IF17)	3	X84958		+	+	+				+
interferon-induced protein 54 (IF154)	5	M14660								
interferon-inducible (1-8D)	5	X57351			+			+		+
interferon-inducible (1-8U)	1	X57352			+			+		+
interferon-related developmental regulator 1 (IFRD1)	5	Y10313		+	+					+
interferon-stimulated transcription factor 3, gamma (48kD) (ISGF3G)	2	M87503		+		+				+
interleukin 1 receptor, type II (IL1R2)	1	U84084						+		
interleukin 10 receptor, beta (IL10RB)	1	U08988	T activated			+				+
interleukin 12 receptor, beta 1 (IL12RB1)	2	U03187	+							only found in T cell
interleukin 13 receptor, alpha 1 (IL13RA1)	2	Y09328		+	+	+	+			+
interleukin 16 (lymphocyte chemoattractant factor) (IL16)	6	U82972		+						
interleukin 18 receptor 1 (IL18R1)	1	U43672								
interleukin 2 receptor, beta (IL2RB)	9	M26062								
interleukin 2 receptor, gamma (severe combined immunodeficiency) (IL2RG)	6	D11086	+		+					+
interleukin 4 receptor (IL4R)	3	X52425	+	+		+				+
interleukin 6 receptor (IL6R)	5	X12830		+						+
interleukin 6 signal transducer (gp130, oncostatin M receptor) (IL6ST)	1	M57230								
interleukin 7 receptor (IL7R)	14	M29896	+							+
interleukin 7 receptor (IL7R) (low match)	1	AF043123								
interleukin 8 (IL8)	8	Y00787	+		+			+		High in activated T cells, bone and pancreatic islets

interleukin 8 receptor alpha (IL8RA)	11	L19591									
interleukin 8 receptor, beta (IL8RB)	14	M94582									
interleukin enhancer binding factor 2, 45kD (ILF2)	3	U10323	+	+	+	+	+	+	+	+	high in uterus
interleukin enhancer binding factor 3, 90kD (ILF3)	2	U10324									
interleukin-1 receptor-associated kinase 1 (IRAK1)	2	L76191		+	+	+				+	
interleukin-1 receptor-associated kinase 1 (low match)	1	U52112									
interleukin-10 receptor, alpha (IL10RA)	5	U00672	+	+	+	+					
interleukin-11 receptor, alpha (IL11RA)	7	Z38102		+	+						
INTERLEUKIN-14 PRECURSOR (IL-14) (HIGH MOLECULAR WEIGHT B-CELL GROWTH FACTOR) (HMW-BCGF) (non-exact 46%)	1	P40222									
intestinal carboxylesterase; liver carboxylesterase-2 (ICE)	1	U60553		+						+	
inversin protein (non-exact 52%)	1	AF084367									
IQ motif containing GTPase activating protein 1 (IQGAP1)	6	L33075									
IQ motif containing GTPase activating protein 2 (IQGAP2)	1	U51903		+		+					
isocitrate dehydrogenase 1 (NADP+), soluble (IDH1)	1	AF020038	+	+	+	+	+	+	+	+	
isocitrate dehydrogenase 2 (NADP+), mitochondrial (IDH2)	2	X69433	+	+	+	+	+	+	+	+	
isocitrate dehydrogenase 3 (NAD+) alpha (IDH3A)	2	U07681			+						
isocitrate dehydrogenase 3 (NAD+) gamma (IDH3G)	1	Z68907	+	+	+	+				+	
isolate Aus3 cytochrome b (CYTB)	1	AF042516									
isolate TzCCR5-179 CCR5 receptor (CCR5)	1	AF011524									
isopentenyl-diphosphate delta isomerase (IDI1)	5	X17025	+	+	+	+				+	
Janus kinase 1 (a protein tyrosine kinase) (JAK1)	4	M64174	+	+	+	+				+	
Janus kinase 2 (a protein tyrosine kinase) (JAK2)	1	AF005216									
JK-recombination signal binding protein (RBPJK)	2	L07876									
JM1 protein	1	AJ005890		+		+					
Jumonji (mouse) homolog (JMJ)	1	U57592		+	+	+				+	
Jun D proto-oncogene (JUND)	1	X51348	+	+	+	+				+	
Jun dimerization protein	1	AF111167									only found in germ
junction plakoglobin (JUP)	1	M23410		+	+	+				+	

kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2 leukocyte antigen, antigen detected by monoclonal antibody IA4)) (KAI1)	1	U20770	+	+	+	+	+	+	
karyopherin (importin) beta 1 (KPNB1)	2	L39793	+	+	+	+	+	+	
karyopherin (importin) beta 2 (KPNB2)	1	U72395	+	+	+	+			
karyopherin alpha 1 (importin alpha 5) (KPNA1)	1	S75295	+	+	+		+		
karyopherin alpha 2 (RAG cohort 1, importin alpha 1) (DPNA2)	1	U09559							
karyopherin alpha 3 (importin alpha 4) (KPNA3)	1	D89618		+				+	
karyopherin alpha 4 (KPNA4)	1	M17887		+	+				
Katanin (80 kDa) (KAT)	1	AF052432		+	+	+			+
KE03 protein	2	AF064604							
Kelch-like ECH-associated protein 1 (KIAA0132) (66% aa)	1	D50922							
Keratin 8 (KRT8)	1	X74929		+	+	+	+	+	
Ketohexokinase (fructokinase) (KHK)	1	X78678		+		+	+		
KIAA0001 (KIAA0001) (72% aa)	1	Q15391							
KIAA0001 (KIAA0001) (76% aa)	1	Q15391							
KIAA0001 (KIAA0001) (non-exact 72%)	1	Q15391							
KIAA0002 (KIAA0002)	5	D13627		+	+	+			+
KIAA0005 (KIAA0005)	4	D13630		+	+	+			+
KIAA0010 (KIAA0010)	1	D13635		+					+
KIAA0016 (KIAA0016)	1	D13641	+	+	+	+			+
KIAA0017 (KIAA0017)	2	D87686							
KIAA0022 (KIAA0022)	2	D14664		+	+	+			
KIAA0023 (KIAA0023)	1	D14669		+					
KIAA0024 (KIAA0024)	1	D14694	+	+	+	+			+
KIAA0025 (KIAA0025)	1	D14695		+	+	+	+	+	
KIAA0026 (KIAA0026)	2	D14812		+	+	+			+
KIAA0027	1	D25217		+					
KIAA0032 (KIAA0032)	2	D25215		+	+	+			
KIAA0040 (KIAA0040)	1	D25539	+	+	+	+			+
KIAA0050 (KIAA0050)	4	D26069							
KIAA0053 (KIAA0053)	17	D29642	+		+	+			
KIAA0057 (KIAA0057)	1	D31762	+	+	+	+	+	+	high in fetal lung
KIAA0058 (KIAA0058)	11	D31767	+		+	+			+
KIAA0063 (KIAA0063)	3	D31884	+	+	+	+			+
KIAA0064 (KIAA0064)	1	D31764	+	+	+	+			+
KIAA0066	1	D31886	+	+	+	+			+
KIAA0068	1	D38549		+	+	+	+	+	
KIAA0073	3	D38552		+	+	+			+
KIAA0081	2	D42039		+		+			+
KIAA0084	2	D42043	+	+	+	+			+
KIAA0085	26	U30498	+	+	+	+	+	+	
KIAA0086	3	D42041	+	+	+	+	+	+	
KIAA0090	2	D42044	+	+	+	+	+	+	
KIAA0092 (KIAA0092)	1	D42054		+	+	+			+

KIAA0094	3	D42084			+	+			
KIAA0095 (KIAA0095)	1	D42085							
KIAA0096	1	D43638	+	+	+	+		+	
KIAA0097 (KIAA0097)	1	X92474	T	+	+		+		
KIAA0099 (KIAA0099)	3	D43951	+	+	+	+	+	+	
KIAA0102 (KIAA0102)	2	D14658		+		+	+	+	
KIAA0105	1	D14661	B	+			+	+	
KIAA0120	2	P37802							
KIAA0120 (non-exact 65%)	1	M83106							
KIAA0121 (KIAA0121)	1	D50911	+	+	+	+		+	
KIAA0123	1	D21064		+	+	+		+	
KIAA0126	1	D50918	+	+	+	+		+	
KIAA0129 (KIAA0129)	1	D50919	+	+	-	+			
KIAA0130 (KIAA0130)	1	AF055995		+	+	+			
KIAA0136	2	D50926							
KIAA0137 (KIAA0137)	1	AB004885		+	+	+		+	
KIAA0140 (KIAA0140)	1	D50930	+	+		+		+	
KIAA0141 (KIAA0141)	3	D50931							
KIAA0144 (KIAA0144)	3	D63478	+	+	+	+		+	
KIAA0144 (KIAA0144) (low match)	1	D63478							
KIAA0144 (non-exact 61%)	1	Q14157							
KIAA0144 (non-exact 65%)	1	Q14157							
KIAA0146	2	D63480		+	+	+		+	
KIAA0148 (KIAA0148)	1	D63482		+				+	
KIAA0154	2	D63876	+	+	+	+		+	
KIAA0156	1	D63879		+	+	+		+	
KIAA0160	2	D63881							
KIAA0161 (KIAA0161)	1	D79983	+	+		+			
KIAA0164 (KIAA0164)	3	D79986							
KIAA0167 (KIAA0167)	1	D79989		+					
KIAA0168 (KIAA0168)	3	D79990		+	+	+		+	
KIAA0169	3	D79991							
KIAA0171 (KIAA0171)	3	D79993		+	+	+		+	
KIAA0174 (KIAA0174)	7	D79996	+	+	+	+		+	
KIAA0179	2	D80001		+	+	+		+	
KIAA0181	1	D80003		+	+	+		+	
KIAA0183	4	D80005	+	+	+	+	+	+	
KIAA0184	1	D80006	+	+	+	+		+	
KIAA0191 (72% aa)	1	D83776							
KIAA0191 (non-exact 77%)	1								
KIAA0193 (KIAA0193)	1	D83777	+	+	+	+		+	
KIAA0200 (KIAA0200)	1	D83785		+	+	+		+	
KIAA0210 (KIAA0210)	3	D86965							
KIAA0217	2	D86971	+	+	+	+		+	
KIAA0219	2	U77700		+	+	+		+	
KIAA0222 (KIAA0222)	1	D86975							
KIAA0223	2	D86976							
KIAA0229	1	D86982	+	+					
KIAA0232 (KIAA0232)	1	D86985		+	+	+		+	
KIAA0233 (KIAA0233)	1	D87071							
KIAA0236	2	D87078	+	+	+	+			
KIAA0239	1	D87076	+	+					

KIAA0239 (non-exact 80%)	1	D87076							
KIAA0240	1	D87077							
KIAA0242	4	D87684	+	+	+	+	+	+	
KIAA0248	2	D87435		+	+	+		+	
KIAA0249 (KIAA0249)	3	D87438	+	+	+	+		+	
KIAA0253	5	D87442	+	+	+	+	+	+	
KIAA0254 (KIAA0254)	1	D87443		+	+	+			
KIAA0255(KIAA0255)	4	D87444		+	+	+		+	
KIAA0262 (KIAA0262)	3	D87451	+	+	+	+		+	
KIAA0263 (KIAA0263)	1	D87452	+	+	+	+		+	
KIAA0264	3	D87453		+	+	+		+	
KIAA0268	1	D87742	+	+		+		+	
KIAA0269	1	Q92558							
KIAA0275 (KIAA0275)	13	D87465	+	+		+		+	
KIAA0304 (KIAA0304)	2	AB002302	+	+	+	+	+	+	
KIAA0308	2	AB002306		+	+			+	
KIAA0310 (KIAA0310)	1	AB002308		+	+	+		+	
KIAA0314 (=U98835 M.musculus ubiquitin protein ligase Nedd-4)	3	AB002312							
KIAA0315 (KIAA0315)	4	AB002313		+	+	+	+	+	
KIAA0325 (=L08505 R.norvegicus cytoplasmic dynein heavy chain (MAP 1C))	2	AB002323							
KIAA0329 (KIAA0329)	1	AB002327		+	+	+		+	
KIAA0330	1	AB002328	+	+	+			+	
KIAA0332	1	AB002330		+	+	+		+	
KIAA0333	2	AB002331		+	+	+	+	+	
KIAA0336 (KIAA0336)	3	AB002334	+	+	+	+		+	
KIAA0336 (KIAA0336) (low match)	1	AB002334							
KIAA0342 (KIAA0342)	1	AB002340		+	+			+	
KIAA0344 (KIAA0344)	2	AB002342				+		+	
KIAA0354 (KIAA0354)	1	AB002352	+	+	+	+		+	
KIAA0365 (KIAA0365)	3	AB002363	+	+	+	+	+	+	
KIAA0370	6	AB002368		+	+	+	+	+	
KIAA0372 (KIAA0372)	1	AB002370							
KIAA0373 (KIAA0373)	1	AB002371		+		+			
KIAA0375 (KIAA0375)	1	AB002373		+		+			
KIAA0377 (KIAA0377)	1	AB002375		+		+	+		
KIAA0379	1	AB002377				+			
KIAA0379 (non-exact, 65%)	1	AB002377							
KIAA0380 (KIAA0380)	1	AB002378	+	+		+		+	
KIAA0380 (KIAA0380) (60%aa)	1	AB002378							
KIAA0382 (KIAA0382)	2	AB002380		+	+	+		+	
KIAA0383	1	AB002381							
KIAA0386 (KIAA0386)	5	AB002384							
KIAA0392	1	AB002390							
KIAA0397 (KIAA0397)	4	AB007857		+	+	+	+	+	
KIAA0403	3	AB007863							
KIAA0404	1	AB007864		+		+			
KIAA0409	1	AB007869		+		+			
KIAA0421	1	AB007881	+	+	+			+	
KIAA0424 (non-exact 82%)	1	AB007884							

KIAA0428 (KIAA0428)	9	Y13829							
KIAA0429 (KIAA0429)	2	AB007889	+	+	+	+		+	
KIAA0430 (KIAA0430)	2	AB007890							only in ovary
KIAA0432 (KIAA0432)	2	U86753	+	+	+				
KIAA0435 (KIAA0435)	1	AB007895							
KIAA0438 (KIAA0438)	1	AB007898		+	+	+		+	
KIAA0447 (KIAA0447)	3	AB007916	+	+	+	+		+	
KIAA0449	1	AB007918		+				+	
KIAA0456	1	AB007925		+	+	+		+	
KIAA0458 (KIAA0458)	1	AB007927							
KIAA0462	1	AB007931	+	+	+	+		+	
KIAA0465	1	AB007934		+	+	+	+	+	
KIAA0476 (KIAA0476)	1	AB007945		+	+	+			
KIAA0489	1	AB007958							
KIAA0494 (KIAA0494)	1	AB007963	+	+	+	+		+	
KIAA0515	1	AB011087	+	+	+	+		+	
KIAA0521	3	AB011093	+	+				+	
KIAA0525	1	AB011087		+		+			
KIAA0530	1	AB011102		+	+	+			
KIAA0532	1	AB011104	+	+	+	+		+	
KIAA0537 (KIAA0537)	1	AB011109							
KIAA0540	1	AB011112	+	+	+	+		+	
KIAA0543	1	AB011115			+	+		+	
KIAA0544	1	AB011116		+	+	+		+	
KIAA0549	2	AB011121		+	+	+		+	
KIAA0551	2	AB011123		+				+	
KIAA0554	8	AB011128		+	+	+		+	
KIAA0561	1	AB011133		+		+			
KIAA0562 (KIAA0562)	1	AB011134							
KIAA0563 (KIAA0563)	1	AB011135							
KIAA0569 (KIAA0569)	2	AB011141		+	+	+		+	
KIAA0571 (KIAA0571)	2	AB011143		+	+	+			
KIAA0573	1	AB011145		+		+		+	
KIAA0576	1	AB011148							
KIAA0580	1	AB011152							
KIAA0584	1	AB011156		+					
KIAA0592	3	AB011164	+	+	+	+		+	
KIAA0596	1	AB011168		+	+				
KIAA0598 (KIAA0598)	1	AB011170		+	+	+			
KIAA0608	1	AB011180			+	+			
KIAA0614	2	AB014514	+	+	+	+		+	
KIAA0615 (KIAA0615)	1	AB014515							
KIAA0621	1	AB014521		+	+			+	
KIAA0648	1	AB014548		+	+	+		+	
KIAA0652 (KIAA0652)	1	AB014552	+	+	+	+		+	
KIAA0668	1	AB014568							
KIAA0669	1	AB014569							
KIAA0671 (KIAA0671)	1	AB014571			+	+		+	
KIAA0675 (KIAA0675)	1	AB014575		+		+	+		
KIAA0676	1	AB014576		+	+	+		+	
KIAA0677 (KIAA0677)	2	AB014577		+	+	+	+	+	
KIAA0678	1	AB014578	+	+	+	+		+	
KIAA0679	6	AB014579		+	+	+		+	

KIAA0680 (KIAA0680)	1	AB014580								
KIAA0692	1	AB014592	+	+	+	+			+	
KIAA0697	1	AB014597								
KIAA0699	1	AB014599	+	+	+	+			+	
KIAA0700	1	AB014600		+	+	+			+	
KIAA0737 (KIAA0737)	3	AF014837	+	+	+	+			+	
KIAA0748 (KIAA0748)	2	AB018291		+						
KIAA0763 (KIAA0763)	2	AB018306	+	+	+	+			+	
KIAA0769 (KIAA0769)	2	AB018312		+	+	+			+	
KIAA0782	1	AB018325	+	+		+				high in BPH stroma
KIAA0796	1	AB018339		+	+	+			+	
KIAA0798 (KIAA0798)	1	AB018341								
KIAA0823	1	AB020630								
KIAA0854	1	AB020661	+	+	+	+			+	
KIAA0856	1	AB020663		+	+	+			+	
KIAA0860	1	AB020667		+		+				
KIAA0862	1	AF054828		+	+	+				
KIAA0871 (non-exact 88%)	1	AB020678								
KIAA0873	1	AB020680		+	+	+			+	
KIAA0892	1	AB020699	+	+	+	+			+	
KIAA0906	1	AB020713	+	+	+	+			+	
KIAA0991	1	AB023208.1								
killer cell lectin-like receptor subfamily B, member 1 (KLRB1)	1	U11276				+	+		+	
killer cell lectin-like receptor subfamily C, member 4 (KLRC4)	1	U96846								
kinectin 1 (kinesin receptor) (KTN1)	1	D13629								
kinesin family member 5B (KIF5B)	2	X65873		+	+	+				
kinesin-like DNA binding protein	1	AB017430	+	+	+	+			+	
Krüppel-related DNA-binding protein (TF6) (low match)	1	M61869								
Krüppel related gene (clone pHKR1RS)	1	M20675								
Krüppel-like zinc finger protein Z19	3	U51869	+	+	+	+	+	+	+	
Krüppel-like zinc finger protein Z19 (non-exact 76%)	1	U44975		+	+			+	+	
Krüppel-type zinc finger protein, ZK1	1	AB011414.1								
L apoferritin	3	X03742								
lactate dehydrogenase A (LDHA)	3	X02152		+	+	+	+	+	+	
lactate dehydrogenase A (LDHA) (non-exact, 81%)	1	X02152								
lactate dehydrogenase B (LDHB)	6	X13794	+	+	+	+	+	+	+	high in fetal lung fibroblast
lactotransferrin (LTF)	1	U07643	+				+		+	high in bone marrow
laminin binding protein (low score)	1	D28372								
laminin receptor 1 (67kD); Ribosomal protein SA (LAMR1)	20	X15005	+	+	+	+	+	+	+	high in many libraries
laminin receptor homolog (3' region)	1	S35960								
laminin, gamma 1 (formerly LAMB2) (LAMC1)	2	J03202	+	+	+				+	

latent transforming growth factor beta binding protein 1 (LTBP1)	2	M34057			+	+	+		+	
LAZ3/BCL6 (=Z79582;D28522/4)	1	Z79581								
LDLC	2	Z34975	+		+	+	+		+	
lecithin-cholesterol acyltransferase (LCAT) (non-exact, 66%)	1	M17959								
lectin, galactoside-binding, soluble, 2 (galectin 2) (LGALS2)	1	M87842						+		
lectin, galactoside-binding, soluble, 3 binding protein (galectin 6 binding protein) (LGALS3BP)	1	L13210	+		+	+	+		+	
leucine rich repeat (in FLII) interacting protein 1 (LRRFIP1)	5	AJ223075	+		+	+	+	+	+	
leucocyte immunoglobulin-like receptor-5 (LIR-5)	2	AF072099						+		
leucocyte immunoglobulin-like receptor-6a (LIR-6)	7	AF025530								
leucocyte immunoglobulin-like receptor-7 (LIR-7)	2	U82275			+					only found in CNS
leukemia virus receptor 1 (GLVR1)	1	L20859	+		+	+	+		+	
leukocyte adhesion protein p150,95 alpha subunit	1	M29484								
leukocyte antigen, HLA-A2	3	Y13267								
leukocyte immunoglobulin-like receptor (MIR-10)	3	AF025528			+					
leukocyte tyrosine kinase (LTK)	1	X60702	+							found only in blood
leukocyte-associated Ig-like receptor 1 (LIAR1)	3	AF013249						+		
leukotriene A4 hydrolase (LTA4H)	6	J03469	+		+	+	+	+	+	
leupaxin (LDPL)	2	AF062075	+					+	+	
ligase I, DNA, ATP-dependent (LIG1)	1	M36067	B, T		+	+		+	+	
LIM and SH3 protein 1 (LASP1)	2	X82456	+		+	+	+	+	+	
LIM domain kinase 2 (LIMK2)	2	AC002073	+		+	+	+		+	
line-1 protein	1									
Line-1 repeat mRNA with 2 open reading frames	1	U93568	+		+	+	+	+	+	
Line-1 repeat with 2 open reading frames	1	M22332	+		+	+	+	+	+	high in gastric tumor
LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	1	P08547								
lipase A, lysosomal acid, cholesterol esterase (Wolman disease) (LIPA)	4	X76488	+		+	+	+		+	
lipase, hormone-sensitive (LIPE)	1	L11706	+		+				+	
LMP7	1	L11045								
Lon protease-like protein (LONP)	2	X74215	+		+	+	+		+	
low density lipoprotein-related protein 1 (alpha-2-macroglobulin receptor) (LRP1)	2	AF058414							+	only in liver
low density lipoprotein-related protein-associated protein 1 (alpha-2-macroglobulin receptor-associated protein 1) (LRPAP1)	1	M63859			+	+		+	+	

low density lipoprotein-related protein-associated protein 1 (alpha-2-macroglobulin receptor-associated protein 1) (LRPAP1) (non-exact, 75%)	1	M63959							
low-affinity Fc-gamma receptor IIA	1	L08107							
LPS-induced TNF-alpha factor (PIG7)	9	AF010312	+	+	+	+	+	+	
Lst-1	1	U00921	+	+	+	+		+	
L-type amino acid transporter subunit LAT1	1	AF104032							
lung resistance-related protein (LRP)	1	X79882	+	+	+	+		+	
Lymphocyte antigen 75 (LY75)	1	AF011333	B						
lymphocyte antigen 9 (LY9)	2	L42621							
lymphocyte antigen HLA-B*4402 and HLA-B*5101	2	L42345							
lymphocyte cytosolic protein 1 (L-plastin) (LCP1)	42	J02923							
lymphocyte cytosolic protein 2 (SH2 domain-containing leukocyte protein of 76kD) (LCP2)	4	U20158	T lymphoma, T activated						
lymphocyte glycoprotein T1/Leu-1	2	X04391	+		+				
lymphocyte-specific protein 1 (LSP1)	16	M33552	+	+	+	+		+	
lymphocyte-specific protein tyrosine kinase (LCK)	7	M36881		+				+	
lymphoid phosphatase LyP1	1	AF001847							
lymphoid-restricted membrane protein (LRMP)	4	U10485	+		+	+			
lymphoid-specific SP100 homolog (LYSP100-A)	1	U36500						+	
lymphoma proprotein convertase (LPC)	2	U33849	+	+	+	+		+	
LYSOSOMAL PROTECTIVE PROTEIN PRECURSOR (CATHEPSIN A) (CARBOXYPEPTIDASE C)	1	P10619							
lysosomal-associated membrane protein 1 (LAMP1)	1	J04182	+	+	+	+	+	+	
Lysosomal-associated membrane protein 2 (LAMP2)	1	J04183		+	+	+	+	+	
lysozyme (renal amyloidosis) (LYZ)	39	M19045	+	+	+	+		+	
lysyl-tRNA synthetase (KARS)	2	U32053	+	+	+	+		+	
M phase phosphoprotein 10 (U3 small nucleolar ribonucleoprotein) (MPP-10)	1	X98484							
M1-type and M2-type pyruvate kinase	2	X56494							
m6A methyltransferase (MT-A70)	7	AF014837	+	+		+			
ma5-21 (C. elegans)-like 1 (MAB21L1)	1	U38810		+	+	+		+	
MacMarcks	1	X70326	+	+	+	+	+	+	
macrophage-associated antigen (MM130)	1	Z22968		+	+	+		+	

MADS box transcription enhancer factor 2, polypeptide A (myocyte enhancer factor 2A) (MEF2A)	1	U49020		+	+	+		+	
MADS box transcription enhancer factor 2, polypeptide C (myocyte enhancer factor 2C) (MEF2C)	1	L05895		+	+	+		+	
major cytoplasmic tRNA-Val(IAC) (=M33940)	1	X17516							
major histocompatibility complex class I beta chain (HLA-B)	1	M95531							
major histocompatibility complex, class I, A (HLA-A)	41	Z93949	+	+	+	+		+	high in villous adenoma
major histocompatibility complex, class I, A (HLA-A) (low match)	1	Z72422							
major histocompatibility complex, class I, C (HLA-C)	82	M24097	+	+	+	+	+	+	
major histocompatibility complex, class I, E (HLA-E)	77	M20022	+	+	+	+		+	
major histocompatibility complex, class II, DM BETA (HLA-DMB)	2	U15085	+	+	+	+		+	
major histocompatibility complex, class II, DP beta 1 (HLA-DPB1)	10	M57466	+	+	+	+		+	
major histocompatibility complex, class II, DR beta 1 (HLA-DRB1)	9	V00522	+	+	+	+		+	
Major histocompatibility complex, class II, Y box-binding protein I; DNA-binding protein B (YB1)	2	M24070		+	+		+	+	
malate dehydrogenase 1, NAD (soluble) (mdh1)	1	D55654	+	+	+	+	+	+	
malate dehydrogenase 1, NAD (soluble) (MDH1)	3	D55654		+	+		+	+	
malonyl-CoA decarboxylase precursor	2	AF097832							
maltase-glucoamylase (mg)	1	AF016833				+			
manic fringe (Drosophila) homolog (MFNG)	1	U94352	+	+	+	+		+	
mannose phosphate isomerase (MPI)	1	X76057		+	+	+		+	
mannose phosphate isomerase (mpi)	2	X76057		+	+	+		+	
mannose-6-phosphate receptor (cation dependent) (M6PR)	3	X56253		+	+		+	+	
mannose-P-dolichol utilization defect 1 (MPDU1)	1	AF038961		+	+	+		+	
mannosidase, alpha B, lysosomal (MANB)	1	U60885		+		+	+	+	
mannosyl (alpha-1,3)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase (MGAT1)	1	M55621	+	+	+	+	+	+	
map 4q35 repeat region	1	AF064849							
MAP kinase-interacting serine/threonine kinase 1 (MKNK1)	2	AB000409		+	+	+	+	+	
MAP/ERK kinase kinase 3 (MEKK3)	5	U78876		+					
MAP/ERK kinase kinase 5 (MEKK5)	1	D84476		+	+		+		

MAP/microtubule affinity-regulating kinase 3 (MARK3)	4	M80359			+	+				+
Maranostin protein	1	Y14441								
MASLT	1	AB016816								
MAX dimerization protein (MAD)	3	L06895								+
MaxiK potassium channel beta subunit	1	AF035046								
MBP-2 for MHC binding protein 2	1	X65644			+	+	+			+
Meis (mouse) homolog 3 (MEIS3)	1	U68385			+	+	+			+
melanoma-associated antigen p97 (melanotransferrin)	1	M12154								
membrane cofactor protein (CD46, trophoblast-lymphocyte cross-reactive antigen) (MCP)	4	X59405			+	+	+			+
membrane component, chromosome 17, surface marker 2 (ovarian carcinoma antigen CA125) (M17S2)	4	D14896			+	+	+	+		+
membrane metallo-ondopeptidase (neutral endopeptidase, enkephalinase, CALLA, CD10) (MME)	2	J03779	B			+	+	+		+
membrane protein, palmitoylated 1 (55kD) (MPP1)	2	M64925			+	+	+	+		+
meningioma expressed antigen (MGEA)	1	U94780						+		
meningioma-expressed antigen 11 (MEA11)	1	U73682	+		+		+	+		
Menkes Disease (ATP7A) putative Cu ⁺⁺ -transporting P-type ATPase	1	L06133			+					
metallothionein 2A (MT2A)	1	V00594								
metaxin 1 (MTX1)	1	U48920			+	+	+	+		+
methionine adenosyltransferase II, alpha (MAT2A)	2	X58836	+		+	+	+			+
methyl-CpG binding domain protein 1 (MBD1) (non-exact 59%aa)	1	Y10746								
methylene tetrahydrofolate dehydrogenase (NAD ⁺ dependent), methenyltetrahydrofolate cyclohydrolase (MTHFD2)	2	X16398	+		+	+	+			+
methylene tetrahydrofolate dehydrogenase (NADP ⁺ dependent), methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase (MTHFD1)	1	J04031			+	+	+	+		+
methyltransferase, putative	2	AJ224442								
MHC antigen (HLA-B) (=L42024)	1	U14943								
MHC class I region	2	AF055066								
MHC class I antigen (HLA-A2)	1	U70863								
MHC class I antigen (HLA-A33)	1	U19736								
MHC class I antigen (HLA-C)	1	U38975								

MHC class I antigen B*5801 (HLA-B)	1	U52813							
MHC class I antigen HLA-A (HLA-A)	2	AF015930							
MHC class I antigen HLA-A (HLA-A-2402 allele)	1	U38887							
MHC class I antigen HLA-A11K	2	X13112							
MHC class I antigen HLA-B (B*0801 variant) (=AF028596)	1	U67331							
MHC class I antigen HLA-B (B*0801 variant) (=U88254)	1	U67330							
MHC class I antigen HLA-B (B*48 allele)	1	AF017328							
MHC class I antigen HLA-B (HLA-B*1502 allele)	1	AF014770							
MHC class I antigen HLA-B (HLA-B*40MD)	1	U58643							
MHC class I antigen HLA-B (HLA-B*4103 allele)	1	AF028696							
MHC class I antigen HLA-B gene (HLA-B*4402 variant allele)	1	AF035648							
MHC class I antigen HLA-B GN00110-B*3910	1	U52175							
MHC class I antigen HLA-Cw*04011	1	D83030							
MHC class I antigen R69772 HLA-A (A*0302)	1	U58434							
MHC class I antigen SHCHA (HLA-B*4403 variant)	1	U58469							
MHC class I histocompatibility antigen (HLA-B) (clone C21/14)	1	U06697							
MHC class I HLA B71	2	L07950							
MHC class I HLA-A (Aw33.1)	1	Flp							
MHC class I HLA-B	1	U18660							
MHC class I HLA-B (HLA-B-07ZEL allele) (=X88704)	1	U18661							
MHC class I HLA-B (HLA-B-08NR allele)	1	U28759							
MHC class I HLA-B*3512	1	L76094							
MHC class I HLA-B41 variant (=U17572)	3	U17572							
MHC class I HLA-B44.2 chain	1	M24038							
MHC class I HLA-B51-cd3.3	1	L41086							
MHC class I HLA-C allele	2	Z33459							
MHC class I HLA-Cw*0304 (=M84172; M89389)	1	D64150							
MHC class I HLA-Cw*0803	3	Z15144							
MHC class I HLA-Cw6	1	M28206							
MHC class I HLA-J antigen	1	L56139							
MHC class I lymphocyte antigen A2 (A2.1) variant DK1	1	M19870							
MHC class I mic-B antigen	1	X91625							
MHC class I polypeptide-related sequence A (MICA)	1	L14848						+	
MHC class I protein HLA-C heavy chain (C*0701new allele) (=AF017331)	1	U61274							
MHC class II DNA Sequence (clone A37G7-1C11)	1	L18885							

MHC class II DQ-alpha associated with DRw6, DQw1 protein	1	M16885	+		+	+		+	
MHC class II DQ-beta associated with DR2, DQw1 protein	2	M17564		+		+		+	
MHC class II HAL-DQ-LTR5 (DQ,w8) DNA fragment, long terminal repeat region	1	M33842							
MHC class II hla-dr alpha-chain (=J00197;M80334;K011171;J00194;M80333;X00274)	1	J00195							
MHC class II HLA-DRB1	1	AF007883							
MHC class II HLA-DRw11-beta-1 chain (DRw11.3)	1	M21866							
MHC class II lymphocyte antigen (DPw4-beta-1)	1	M23907							
MHC CLASS II TRANSACTIVATOR CIITA (non-exact 57%)	1	P33076							
MHC HLA-E2.1 (=X87679)	1	M32507							
MHC HLA-E2.1 (alpha-2 domain) (low match)	1	M32507							
Mi-2 autoantigen 240 kDa protein (non-exact 84%)	1	U08378							
microsomal stress 70 protein ATPase core (stch)	1	U04735							
microtubule-associated protein 4 (MAP4)	1	U19727	+	+	+	+		+	
microtubule-associated protein 7 (MAP7)	1	X73882							
mineralocorticoid receptor (aldosterone receptor) (MLR)	2	M16801		+		+		+	
minichromosome maintenance deficient (S. cerevisiae) 3 (MCM31)	1	X62153		+	+	+		+	
minichromosome maintenance deficient (S. cerevisiae) 3-associated protein (MCM3AP)	1	AB011144		+	+	+		+	
minichromosome maintenance deficient (S. cerevisiae) 5 (cell division cycle 46) (MCM5)	2	X74795	+	+	+	+	+	+	
mitochondrial cytochrome b (CYTB)	1	AF042517							
mitochondrial 16S rRNA	11	Z70759							
mitochondrial ATP synthase (F1-ATPase) alpha subunit	2	X59088							
mitochondrial ATP synthase c subunit (P1 form)	1	X69907							
mitochondrial cytochrome b (CYTB)	6	AF042508							
mitochondrial cytochrome b small subunit of complex II	1	AB008202							
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE I	1	P00395							
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE II	1	P00403							
mitochondrial cytochrome C oxidase subunit II	2	P00403							

mitochondrial cytochrome oxidase subunit II (COII) (=U12692 Hsa4 mitochondrion cytochrome oxidase subunit II)	5	U12691							
mitochondrial DNA loop attachment sequences (clone LAS34)	1	X89763							
mitochondrial DNA polymerase accessory subunit precursor (MtPolB) nuclear gene encoding mitochondrial protein.	1	U94703		+					
mitochondrial DNA, complete genome	1	X93334							
mitochondrial genes for several tRNAs (Phe, Val, Leu) and 12S and 16S ribosomal RNAs.	8	V00710							
mitochondrial genes for 12S rRNA (Phe) and 12S rRNA (fragment)	3	V00660							
mitochondrial inner membrane preprotein translocase Tim17a	1	AF108822							
mitochondrial isolate Afr7 cytochrome b(CYTB)	1	AF042503							
mitochondrial loop attachment sequence (clone LAS88)	1	X89843							
mitochondrial NADH dehydrogenase subunit 2 (ND2)	14	AF014893							
mitochondrial translational initiation factor 2 (MTIF2)	1	L34800		+	+	+		+	
mitochondrion cytochrome b	1	U09500							
mitogen inducible gene mig-2	1	Z24725		+	+	+		+	
mitogen inducible gene mig-2 (non-exact, 71%)	1	Z24725							
mitogen-activated protein kinase-activated protein kinase 3 (MAPKAPK3)	2	U43784		+	+	+		+	
MLN51	2	X80199		+	+	+	+	+	
MLN64 (=D38255 CAB1)	1	X80188	+	+	+	+			
moesin (MSN)	14	M69066	+	+	+	+		+	
monocytic leukaemia zinc finger protein (MOZ)	2	U47742		+	+	+		+	
MOP1 ()	2	U29165							
motor protein (Hs.78504)	2	D21094	+	+	+	+		+	
mouse double minute 2, human homolog of; p53-binding protein (MDM2)	1	U39736			+	+			
M-phase phosphoprotein 6 (MPP-6)	1	X98263		+	+	+		+	
M-phase phosphoprotein, mpp11	1	X98260							
MPS1	1	L20314							
Mr 110,000 antigen	2	D84154		+		+	+	+	
MRC OX-2, V-like region (=M17227)	1	X05324							
mu-adaptin-related protein-2; mu subunit of AP-4 (MU-ARP2)	1	Y08387							
multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase (ADE2H1)	1	X53793	+	+	+	+		+	

murine leukemia viral (bmi-1) oncogene homolog (BMI1)	1	L13689		+		+		+	
mutant (Daudi) beta2-microglobulin	44	X07621							
mutated in colorectal cancers (MCC)	1	M62397		+	+			+	
myeloid cell leukemia sequence 1 (BCL2-related) (MCL1)	9	L08246	+	+	+	+	+	-	
myeloid cell nuclear differentiation antigen (MNDA)	11	M81750	+					+	
myeloid differentiation primary response gene (B8) (MYD88)	4	U70451		+	+	+		+	
myeloid leukemia factor 2 (MLF2)	3	U57342		+		+		+	
myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to. 7 (MLLT7)	8	U89867		+	+	+		+	
MYH9 (cellular myosin heavy chain)	1	M81105							
myomesin (M-protein) 2 (165kD) (MYOM2)	1	X69089							
myosin I E (MYO1E)	11	X98411		+		+			
myosin light chain kinase (MLCK)	1	U48959	+		+	+		+	
myosin phosphatase, target subunit 1 (MYPT1)	2	D87930		+	+	+		+	
myosin regulatory light chain (=U25162)	2	D50372							
myosin VIIa (low match 71)	1	U55208							
myosin, heavy polypeptide 9, non-muscle (MYH9)	3	M81105	+	+	+	+		+	
myosin, light polypeptide, regulatory, non-sarcomeric (20kD) (MLCB)	6	X54304	+	+	+	+	+	+	
myosin-I beta	1	X98507	+	+	+	+		+	
myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L) (MACS)	1	D10522		+	+				
myxovirus (influenza) resistance 1, homolog of murine (interferon-inducible protein p78) (MX1)	1	M30817	+	+	+	+		+	
myxovirus (influenza) resistance 2, homolog of murine (MX2)	3	M30818			+				
N-acetylgalactosaminidase, alpha- (NAGA)	2	M62783		+	+			+	+
N-acetylglucosamine receptor 1 (thyroid) (NAGR1)	1	L03532		+	+	+		+	
NACP/alpha-synuclein	2	U46898							
N-acylaminoacyl-peptide hydrolase (APEH)	1	D38441		+	+			+	+
N-acylsphingosine amidohydrolase (acid ceramidase) (ASAH)	11	U47674	+	+	+	+		+	
NAD+-specific isocitrate dehydrogenase beta subunit precursor (encoding mitochondrial protein)	1	U49283	+	+	+	+	+	+	
NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 5 (13kD, B13) (NDUFA5)	1	U53468.1	+	+	+	+	+	+	

NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5 (16kD, SGD1) (NDUFB5)	1	AF047181			+	+	+	+	+	
NADH dehydrogenase (ubiquinone) Fe-S protein 2 (49kD) (NADH-coenzyme Q reductase) (NDUFS2)	1	AF050640			+	+	+	+	+	
NADH dehydrogenase (ubiquinone) flavoprotein 2 (24kD) (NDUFV2)	1	M22538				+	+	+	+	
NADH:ubiquinone dehydrogenase 51 kDa subunit (NDUFV1)	2	AF053070	+		+	+	+	+	+	
NADH-CYTOCHROME B5 REDUCTASE (B5R) (50%aa)	1	P00387								
NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1	1	P03888								
Nardilysin (N-arginine dibasic convertase) (NRD1)	2	U64898	+		+	+	+		+	
nascent-polypeptide-associated complex alpha polypeptide (NACA)	5	X80609			+	+		+	+	
natural killer cell group 7 sequence (NKG7)	8	S69115					+		+	
natural killer cell transcript 4 (NK4)	19	M32011	+							
natural killer-associated transcript 3 (NKAT3)	1	U30274	+							blood only
natural killer-associated transcript 5 (NKAT5)	1	AF022045	+							blood only
natural killer-tumor recognition sequence (NKTR)	1	L04288	B			+		+	+	
N-deacetylase/N-sulfotransferase (heparan glucosaminyl) 2 (NDST2)	2	AF042084	+		+		+		+	
Ndr protein kinase	3	Z35102			+					
Nedd-4-like ubiquitin-protein ligase WWP1	1	U98113								
nel (chicken)-like 2 (NELL2)	3	U83018			+	+				
N-ethylmaleimide-sensitive factor attachment protein, alpha (NAPA)	1	U39412			+				+	
N-ethylmaleimide-sensitive factor attachment protein, gamma (NAPG)	1	U78107			+	+	+			
neural precursor cell expressed, developmentally down-regulated 5 (NEDD5)	3	X92544	+		+	+	+		+	high in testis
neural precursor cell expressed, developmentally down-regulated 6 (NEDD6)	1	D23662	+		+	+	+	+	+	
neuregulin 1 (NRG1)	1	U02330			+		+	+		
neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS)	4	AB020692	+		+	+	+		+	
Neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS) (low match)	1	X68286								
Neurofibromin 2 (bilateral acoustic neuroma) (NF2)	1	S73853			+					+
neuronal apoptosis inhibitory protein (NAIP)	2	U19251	+		+	+				+
neuronal cell adhesion molecule (NRCAM)	1	AB002341			+	+	+		+	

neuropathy target esterase (NTE)	1	AJ004832		+	+	+		+	
neuropeptide Y3 receptor, 5'UTR (low score)	1	D28433							
neurotrophic tyrosine kinase, receptor, type 1 (NTRK1)	14	X03541	+	+	+	+	+	+	
neutrophil cytosolic factor 4 (40kD)	2	U50720							
NG31	1	AF129756							
NGAL (=X83006)	1	X99133							
nibrin (NBS)	1	AF051334							
NIK	1	AB014587		+	+	+		+	
Ninjurin 1; nerve injury-induced protein-1	1	U72681		+	+	+		+	
nitrinase 1 (NIT1) (=AF069984)	1	AF069987							
NKG2-D (low match) (non-exact, 58%)	1	X54870							
Nmi	1	U32849							
N-myristoyltransferase 1 (NMT1)	1	AF043324		+	+	+	+	+	
No arches-like (zebrafish) zinc finger protein (NAR)	1	U79569		+	+	+		+	
non-histone chromosome protein 2 (S. cerevisiae)-like 1 (NHP2L1)	1	D50420	+	+	-	+	+	+	
non-muscle (fibroblast) tropomyosin	1								
non-muscle alpha-actinin	1	U48734							
non-muscle myosin alkali light chain (Hs.77385)	3	M22918	+	+	+	+	+	+	High in fetal adrenal gland and BPH stroma
non-neuronal enolase (EC 4.2.1.11)	1	X16289							
non-receptor tyrosine phosphatase 1	1	M33689							
normal keratinocyte subtraction library mRNA, clone H22a	3	X53778	+	+	+	+	+	+	high in many libraries
notch group protein (N)	3	M98437							
novel protein	1	X99981							
novel T-cell activation protein	1	X94232		+	+	+		+	
N-ras protein NRU	1	A60198							
N-sulfoglucosamine sulfohydrolase (sulfamidase) (SGSH)	1	U60111		+				+	
insulin induced gene 1 (INSIG1)	1	U98876	+	+	+	+	+	+	
integrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor) (ITGA14)	3	L12002	+			+			
interferon, gamma-inducible protein 16 (IF16)	1	M63838	+	+	+	+		+	
interleukin 1, beta (IL1RB)	1	M15330							
nuclear antigen H731-like protein	2	U89908		+	+	+		+	
nuclear antigen Sp100 (SP100)	4	U36501	+			+	+	+	
Nuclear antigen Sp100 (SP100) (85%aa)	1	P23497							
Nuclear antigen Sp100 (SP100) (89%aa)	1	P23497							
nuclear autoantigenic sperm protein (histone-binding) (NASP)	1	M97856	+		+				

nuclear corepressor KAP-1 (KAP-1) (=U95040; X97548 TIF1beta zinc finger protein)	1	U78773							
Nuclear domain 10 protein (NDP52)	4	U22897	+	+	+	+	+	+	
Nuclear factor (erythroid-derived 2)-like 2 (NFE2L2)	1	S74017		+	+	+	+	+	
Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105) (NFKB1)	2	M58803		+	+			+	+
nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha (NFKBIA)	3	M69043		+	+	+			+
nuclear factor related to kappa B binding protein (NFRKB)	1	U08191		+	+	+			+
nuclear mitotic apparatus protein 1 (NUMA1)	3	Z11583	+	+	+	+	+	+	
nuclear receptor coactivator 2 (GRIP1)	1	X97674							
nuclear receptor coactivator 3 (AIB3)	2	AF010227	+	+	+				+
nuclear receptor coactivator 4 (ELE1)	22	X77548		+	+	+	+	+	
nuclear receptor interacting protein 1 (NRIP1)	1	X84373		+		+			+
nuclear respiratory factor 1 (NRF1)	1	U02683	B	+	+				
nuclear RNA helicase, DECD variant of DEAD box family (DDXL)	4	U90426	+	+	+	+			+
nuclear transcription factor Y, alpha (NFYA)	1	X59711	B						
nuclear transcription factor, X-box binding 1 (NFX1)	3	U15308		+	+			+	
nuclear transport factor 2 (placental protein 15) (PP15)	1	X07315	+	+	+	+			+
nucleobindin (=M96824)	1	U31338							
nucleobindin 1 (NUCB1)	2	M98824	+	+	+	+			+
nucleolar phosphoprotein p130 (P130)	1	Z34289		+	+				
nucleolar protein (KKE/D repeat) (NOP56)	1	Y12065	+	+	+	+			+
nucleolar protein (MSP58)	1	AF015308							
nucleolar protein 1 (120kD) (NOL1)	1	M32110	+	+					
nucleolar protein p40	1	U88602	+	+	+	+			+
nucleolin (NCL)	2	M60858	+	+	+	+			+
nucleophosmin (nucleolar phosphoprotein B23, numatrin) (NPM1)	14	M28899	+	+	+	+			+
nucleophosmin-retinoic acid receptor alpha fusion protein NPM-RAR long form	1	U41742							
nucleoporin (NUP358) (=D42063 RanBP2 (Ran-binding protein 2))	2	L41840							
nucleoporin 153kD (NUP153)	1	Z25535							
nucleoporin 98kD (NUP98)	1	U41815							
nucleosome assembly protein	1	D28430							
nucleosome assembly protein 1-like 1 (NAP1L1)	1	M86667		+	+	+			+
nucleosome assembly protein 1-like 4 (NAP1L4)	2	U77456	+	+	+	+			+

nucleosome assembly protein, 5'UTR	1	D28430									
olfactory receptor (OR7-141)	1	U86281									
OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (OR17-4) (non-exact 65%)	1	P34982									
oligodendrocyte myelin glycoprotein (OMG)	7	L05367				+					
O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine: polypeptide-N-acetylglucosaminyl transferase) (OGT)	1	U77413		+	+		+	+	+		
oncofetal trophoblast glycoprotein 5T4 precursor (non-exact 55%)	1	A53531									
Oncogene TIM (TIM) (non-exact 84%)	1	U02082									
ORF (Hs.77868)	1	M68864		+	+	+	+	+	+		
ORF1; MER37; putative transposase similar to pogo element Length = 454	1	U49973									
origin recognition complex, subunit 2 (yeast homolog)-like (ORC2L)	2	U27459						+			
origin recognition complex, subunit 4 (yeast homolog)-like (ORC4L) (low match)	1	AF022108									
ornithine aminotransferase (gyrate atrophy) (OAT)	2	M23204				+	+	+			
ornithine decarboxylase (ODC)	1	M20372									
ornithine decarboxylase antizyme, ORF 1 and ORF 2	11	D78381		+	+	+	+	+	+		High in pancreas, and activated T cells
orphan receptor (Hs.100221)	2	U07132		+	+	+	+			+	
OS-9 precursor	6	AB002808		+	+	+	+	+	+		
osteonectin (=X82259 BM-40)	1	D28381									
oval centrosomal protein RanBPM (RANBPM)	1	AB008515				+	+	+		+	
over-expressed breast tumor protein	1	L34839									
oviducal glycoprotein 1, 120kD (OVGP1)	1	U09550					+	+	+		
oxidase (cytochrome c) assembly 1-like (OXAIL)	1	X80895				+	+	+	+	+	
oxoglutarate dehydrogenase (lipoamide) (OGDH)	4	D10523				+	+		+	+	
oxysterol binding protein (OSBP)	1	M86917		+	+				+		
OZF	1	X70394				+	+	+		+	
OZF (non-exact zinc finger)	1	X70394									
p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20-related) (PAK1)	2	U51120		+	+			+			
P35-related protein (= S80990 ficolin)	1	D63392									
p40	1	U93569									
p40phox (=U50720)	1	X77094									
P47 LBC oncogene	4	U03634									
p53-induced protein (FIG1)	1	AF010315		+	+	+	+				
p54nrb (low match)	1	Y11287									

p62 nucleoprotein	1	X58521								
p63 mRNA for transmembrane protein	1	X69910	+	+	+	+			+	
PAC clone DJ0701016 (from 7q33-q36 (non-exact 54%))	1	Q07108								
palmitoyl-protein thioesterase (ceroid-lipofuscinosis, neuronal 1, infantile; Haltia-Santavuori disease) (PPT)	10	U44772		+	+	+			+	
papillary renal cell carcinoma (translocation-associated) (PRCC)	1	X99720	+	+	+	+	+	+		
PAR protein	1	AF115850		+		+				
partial EST (clone c-1gh04)	1	Z43627								
PAX3/orkhead transcription factor gene fusion	1	U02368								
paxillin (PXN)	4	D86862		+	+	+			+	
PBK1 protein	2	AJ007398	+	+	+	+			+	
PBS-EST (nz92a01.s1 NCI CGAP GCB1 clone IMAGE:1302936) (low score)	1	AA732534								
PDZ domain protein (Drosophila InaD-like) (INALD)	1	AJ224747	+				+		+	
PEBP2aC Runt domain encoding gene (=Z36728)	1	Z38108								
peptidase D (PEPD)	1	J04605								
peptidylprolyl isomerase A (cyclophilin A) (PPIA)	3	Y00052		+	+	+	+	+	+	high in many libraries
peptidylprolyl isomerase D (cyclophilin D) (PPIID)	2	L11667	†	+	+			+	+	
peptidylprolyl isomerase E (cyclophilin E) (PPIE)	1	AF042386		+	+			+	+	
PERB11.1 (=U58942 MHC class I chain-related protein A)	1	U69630								
perform 1 (performing protein) (PRF1)	14	M28393								
peroxisomal acyl-CoA thioesterase (PTE1)	2	X88032								
Peroxisomal acyl-coenzyme A oxidase	1	X71440		+	+	+	+	+		
peroxisomal farnesylated protein (PXF)	1	X75535		+	+	+	+	+		
phorbol-12-myristate-13-acetate-induced protein (PMAIP1)	1	D90070	B, W							
phosphate carrier (mitochondrial gene?)	1	X77337								
Phosphate carrier, mitochondrial (PHC)	3	X80036	+	+	+	+			+	
phosphate cytidylyltransferase 1, choline, alpha isoform (PCYT1A)	1	L28957	†			+			+	
PHOSPHATIDATE CYTIDYLYLTRANSFERASE (CDP-DIGLYCERIDE)	1	Q92903								
phosphatidylinositol 3-kinase delta catalytic subunit	2	U57643								
phosphatidylinositol 4-kinase, catalytic, beta polypeptide (PIK4CB)	3	AB005910	+	+	+	+			+	
phosphatidylinositol glycan, class H (PIGH)	1	L19783		+	+	+	+	+	+	

phosphatidylinositol transfer protein (PI-TPbeta)	2	D30037								
phosphatidylinositol transfer protein, membrane-associated (PITPNM)	2	X98654	B, T lymphoma	+						
phosphatidylinositol transfer protein, membrane-associated (PITPNM) (non-exact 64%)	1	X98654								
phosphatidylinositol-4-phosphate 5-kinase, type II, alpha (PIP5K2A)	1	U14957			+		+			
phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B)	1	U85245		+	+	+			+	
phosphodiesterase 7A (PDE7A)	1	L12052	B, W	+	+			+		
phosphodiesterase 1B (PDES1B)	1	U56976		ONLY						
phosphoglucomutase 1 (PGM1)	2	M83088		+	+	+			+	
phosphogluconate dehydrogenase (PGD)	1	U30255			+					
phosphoglycerate kinase 1 (PGK1)	12	V00572								
phosphoglycerate mutase 1 (brain) (PGAM1)	3	J04173	+	+	+	+	+	+	+	
phosphoglycerate mutase 2 (muscle) (PGAM2)	1	M55673		+	+				+	
phosphoinositide-3-kinase, catalytic, alpha polypeptide (PIK3CA)	1	Z29090		+	+	+				
phosphoinositide-3-kinase, catalytic, delta polypeptide (PIK3CD)	4	U85453		+	+	+			+	
phosphoinositide-3-kinase, catalytic, gamma polypeptide (PIK3CG)	1	X83368								
phospholipase C	1	X14034								
phospholipase C, delta 1 (PLCD1)	2	U09117		+	+	+			+	
phospholipase C, gamma 1 (formerly subtype 148) (PLCG1)	1	M34667	+	+	+	+			+	
phospholipid scramblase	1	AF008445								
phosphoribosyl pyrophosphate synthetase-associated protein 1 (PRPSAP1)	1	D61391		+	+				+	
phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminoimidazole synthetase (GART)	3	X54199		+	+	+	+	+	+	
phosphorylase kinase, alpha 2 (liver), glycogen storage disease IX (PHKA2)	3	D38616		+	+	+	+	+	+	
phosphorylase, glycogen; brain (PYGB)	1	U47025	+	+	+				+	
phosphorylase, glycogen; brain (PYGB) (low match, non-exact, 75%)	1	U47025								
phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI) (PYGL)	1	Y15233		+	+	+			+	
phosphorylation regulatory protein HP-10	2									
phosphatidylinositol transfer protein (PITPN)	1	D30038	+	+	+	+			+	

pigment epithelium-derived factor (PEDF)	1	U29953	+	+	+	+	+	+	
pim-1 oncogene (PIM1)	1	M24779	+	+	+			+	
pinn. desmosome associated protein (PNN)	1	U77718	B, monocyte, T lymphoma						
placenta (Diff33)	5	U49188		+	+	+		+	
placenta (Diff33) (non-exact, 69%)	1	U49188							
placenta (Diff48)	18	U49187	+						
placenta (Diff48) (low match)	1	U49187							
placenta (Diff48) (low match)	1	U49187							
plasminogen activator, urokinase receptor (PLAUR)	1	X74039		+		+		+	
platelet factor 4 (PF4)	1	M25897			+			+	
platelet/endothelial cell adhesion molecule (CD31 antigen) (PECAM1)	8	M37780		+	+	+	+	+	
platelet-activating factor acetylhydrolase 2 (40kD) (PAFAH2)	4	U89386		+	+	+			
platelet-activating factor acetylhydrolase, isoform lb, alpha subunit (45kD) (PAFAH1B1)	1	U72342	+	+	+	+	+	+	
platelet-activating factor receptor (PTAFR)	1	D10202		+				+	
pleckstrin (PLEK)	10	X07743			+	+		+	
pleckstrin (PLEK) (low match)	1	X07743							
pleckstrin homology, Sec7 and coiled/coil domains 1 (cytohesin 1) (PSCD1)	4	M85169	+	+		+		+	
pleckstrin homology, Sec7 and coiled/coil domains, binding protein (PSCDBP)	4	L06633	+			+			
pM5 protein	1	X57398	+	+	+	+		+	
PMP69	2	Y14322							
poly (ADP-ribose) polymerase (NAD (+) ADP-ribosyltransferase) (-X16874)	1	X56140							
poly(A) polymerase (PAP)	1	X76770	+	+	+	+		+	
poly(A)-binding protein-like 1 (PABPL1)	19	Y00345	+	+	+	+	+	+	
poly(rC)-binding protein 1 (PCBP1)	3	X78137	+	+	+	+	+	+	
polyadenylate binding protein	1	U75686							
polycystic kidney disease 1 (autosomal dominant) (PKD1)	5	U24498							
polymerase (DNA directed), beta (POLB)	1	D29013		+			+	+	
polymerase (DNA directed), gamma (POLG)	6	D84103							
polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A)	1	X63564	+	+	+	+	+	+	
polymyositis/scleroderma autoantigen 2 (100kD) (PMSCL2)	1	L01457	+	+	+	+	+	+	
polypyrimidine tract binding protein (heterogeneous nuclear ribonucleoprotein I) (PTB)	1	X65372	+	+	+	+	+	+	

positive regulator of programmed cell death ICH-1L (Ich-1)	3	U13021				+				
postmeiotic segregation increased 2-like 12 (PMS2L12)	1	M16514	+	+	+	+			+	
postmeiotic segregation increased 2-like 8 (PMS2L8)	1	U38964	+	+	+	+			+	
potassium inwardly-rectifying channel, subfamily J, member 15 (KCNJ15)	1	D87291					+			+
potassium voltage-gated channel, KQT-like subfamily, member 1 (KCNQ1)	1	AF051426			+	+	+			+
POU domain, class 2, associating factor 1 (POU2AF1)	1	Z49194						+		
POU domain, class 2, transcription factor 1 (POU2F1)	2	X13403			+			+		
PPAR binding protein (PPARBP)	1	Y13467	+	+	+	+				+
PPAR gamma2	1	D83233								
pre-B-cell colony-enhancing factor (PBEF)	8	U02020								
prefoldin 1 (PFDN1)	1	Y17392	+	+	+	+	+	+	+	
prefoldin 5 (PRFLD5)	3	D89667	B	+	+			+		
prefoldin subunit 3 (=U96759 von Hippel-Lindau binding protein (VBP-1))	1	Y17394								
pregnancy-associated plasma protein A (PAPPA)	1	U28727			+			+		high in placenta
pre-mRNA splicing factor SF3a (60kD), similar to S. cerevisiae PRP9 (spliceosome-associated protein 61) (SF3A60)	1	U08815	+	+	+	+				+
pre-mRNA splicing factor SF3a (60kD), similar to S. cerevisiae PRP9 (spliceosome-associated protein 61) (SF3A60) (low score)	1	U08815								
pre-mRNA splicing factor SRp20, 5'UTR	2	D28423								
preprotein translocase (TIM17)	3	X97544	+	+	+	+				+
prion protein	1	X82545								
prion protein (p27-30) (Creutzfeldt-Jakob disease, Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia) (PRNP)	1	M13899			+	+	+			+
pristanoyl-CoA oxidase (low match)	1	Y11411								
pristanoyl-CoA oxidase (low score)	1	Y11411								
procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD)	1	M98252			+	+	+			+
procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide 1 (P4HA1)	1	M24486	+	+	+	+	+	+	+	

procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), beta polypeptide (protein disulfide isomerase; thyroid hormone binding protein p55) (P4HB)	4	X05130	+	+	+	+	+	+	
profilin 1 (PFN1)	1	J03191	+	+	+	+	+	+	
progesterone receptor-associated p48 protein (P48)	2	U28918		+					
prohibitin (PHB)	1	S85655		+	+	+	+	+	
proliferating cell nuclear antigen (PCNA)	3	J04718	+	+	+	+		+	
proliferation-associated gene A (natural killer-enhancing factor A) (PAGA)	4	L19184	+	+	+	+	+	+	
proline-rich protein BstNI subfamily 2 (PRB2) (non-exact, 43%aa)	1	S62936							
proline-serine-threonine phosphatase interacting protein 1 (PSTPIP1)	1	U94778							
prolyl endopeptidase (PREP)	2	X74496		+		+		+	
prolylcarboxypeptidase (angiotensinase C) (PRCP)	5	L13977		+	+	+	+	+	
promyelocytic leukemia (PML)	1	M80185	+	+	+	+		+	
properdin P factor, complement (PFC)	4	X57748	+						
pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP)	1	M54995			+	+		+	
pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP)	7	M54995	+		+		+		
proprotein convertase subtilisin/kexin type 7 (PCSK7)	4	U40623							
prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy) (PSAP)	89	D00422	+	+	+	+	+	+	
prostaglandin-endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase) (PTGS1)	1	U63846	B	+				+	+
prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase) (PTGS2)	2	L15326							
prostaglandin-endoperoxide synthase-1 (=L08404; U84208) (all promoters)	1	D64068							
prostate carcinoma tumor antigen (pcta-1)	2	L78132							

protease inhibitor 1 (anti-elastase), alpha-1-antitrypsin (PI)	17	K02212		+	+	+	+	+	high in many libraries
protease inhibitor 2 (anti-elastase), monocyte/neutrophil (ELANH2) (low match)	1	M93056				+		+	
proteasome (prosome, macropain) 26S subunit, ATPase, 1 (PSMC1)	3	L02426	B	+	+			+	
proteasome (prosome, macropain) 26S subunit, ATPase, 3 (PSMC3)	1	M34079	+	+	+	+		+	
proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4)	2	AF020736							
proteasome (prosome, macropain) 26S subunit, ATPase, 5 (PSMC5)	5	L38810	+	+	+	+	+	+	
proteasome (prosome, macropain) 26S subunit, ATPase, 6 (PSMC6)	2	D78275	+	+	+	+		+	
proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11)	1	AF001212	+	+			+		
proteasome (prosome, macropain) 26S subunit, non-ATPase, 2 (PSMD2)	2	D78151		+	+			+	
proteasome (prosome, macropain) 26S subunit, non-ATPase, 5 (PSMD5)	1	S79862	+	+			+		
proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog) (PSMD7)	1	D50063		+	+	+		+	high in many libraries
proteasome (prosome, macropain) 26S subunit, on-ATPase, 12 (PSMD12)	1	AB003103		+	+	+		+	
proteasome (prosome, macropain) activator subunit 1 (PA28 alpha) (PSME1)	3	L07633	+	+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 3 (PSMA3)	2	D00762		+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 5 (PSMA5)	3	X61970	+	+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7)	3	AF054185		+	+	+	+	+	
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) (low match)	1	AF022815							
proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1)	1	D00761	+	+	+	+	+	+	
proteasome (prosome, macropain) subunit, beta type, 10 (PSMB10)	1	X71874	+	+		+	+	+	
proteasome (prosome, macropain) subunit, beta type, 6 (PSMB6)	1	D29012		+	+	+		+	
proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7) (PSMB8)	1	U17497	+	+	+	+		+	
proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2) (PSMB9)	3	Z14977	+			+		+	

proteasome (prosome, macropain) subunit, beta type, 7 (PSMB7)	1	D38048	+	+	+	+	+	+	
protective protein for beta-galactosidase (galactosialidosis) (PPGB)	3	M22960	+	+	+	+	+	+	
protein A alternatively spliced form 2 (A-2)	1	U47925		+					
protein activator of the interferon-induced protein kinase (PACT)	1	AF072860		+	+	+		+	high in testis
protein disulfide isomerase-related protein (P5)	2	D49489	+	+	+	+	+	+	
protein geranylgeranyltransferase type I, beta subunit (PGGT1B)	1	L25441	+	+	+				
protein homologous to chicken B complex protein, guanine nucleotide binding (H12.3)	20	M24194	+	+	+	+	+	+	high in many libraries
protein kinase A anchoring protein	1	AF037439		+					
protein kinase C substrate 80K-H (PRKCSH)	2	U50317	+	+	+	+		+	
protein kinase C, beta 1 (PRKCB1)	6	X06318	+	+	+	+		+	
protein kinase C, delta (PRKCD)	1	D10495	+	+	+	+		+	
protein kinase C, eta (PRKCH)	1	M55284			+			+	
protein kinase C, mu (PRKCM) (non-exact 78%)	1	X75758							
Protein kinase C-like 1 (PRKCL1)	2	D26181	+	+	+	+		+	
protein kinase, AMP-activated, gamma 1 non-catalytic subunit (PRKAG1)	1	U42412		B, T lymphoma	+	+			
protein kinase, cAMP-dependent, regulatory, type I, alpha (tissue specific extinguisher 1) (PRKAR1A)	4	M18468			+	+	+	+	+
protein kinase, DNA-activated, catalytic polypeptide (PRKDC)	1	U47077			+	+		+	+
protein kinase, mitogen-activated 1 (MAP kinase 1; p40, p41) (PRKM1)	1	Z11695		B	+			+	
protein kinase, mitogen-activated 6 (extracellular signal-regulated kinase, p97) (PRKM6)	1	L77964			+		+	+	+
protein kinase, mitogen-activated, kinase 3 (MAP kinase kinase 3) (PRKMK3)	1	U68839	+		+	+	+	+	
protein phosphatase 1, catalytic subunit, alpha isoform (PPP1CA)	5	M63960	+		+	+	+	+	+
protein phosphatase 1, regulatory subunit 10 (PPPR10)	3	Y13247			+	+	+		+
protein phosphatase 1, regulatory subunit 7 (PPP1R7)	2	Z50749	+		+	+	+	+	+
protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform (PPP2CB)	1	X12656	+		+	+	+	+	+
protein phosphatase 2 (formerly 2A), regulatory subunit B" (PR 72), alpha isoform and (PR 130), beta isoform (PPP2R3)	1	L07590				+	+		+

protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A)	2	L42373	+	+	+	+		+	
protein phosphatase 2, regulatory subunit B (B56), delta isoform (PPP2R5D)	3	D78360		+	+	+		+	
protein phosphatase 2, regulatory subunit B (B56), gamma isoform (PPP2R5C)	1	D26445	+	+	+	+		+	
protein phosphatase 2A regulatory subunit alpha-isoform (alpha-PR65)	5	J02902	+	+	+	+		+	
protein phosphatase 4 (formerly X), catalytic subunit (PPP4C)	2	AF097996	+	+	+	+		+	
protein tyrosine kinase 2 beta (PTK2B)	4	L49207		+		+		+	
protein tyrosine phosphatase epsilon	1	X54134							
protein tyrosine phosphatase type IVA, member 2 (PTP4A2)	2	L48723	+	+	+	+		+	
protein tyrosine phosphatase, non-receptor type 1 (PTPN1)	1	M31724	+	+	+	+			
protein tyrosine phosphatase, non-receptor type 12 (PTPN12)	1	M93425		+	+	+		+	high in testis
protein tyrosine phosphatase, non-receptor type 12 (PTPN12) (non-exact, 70%)	1	M93425							
protein tyrosine phosphatase, non-receptor type 2 (PTPN2)	2	M25393		+	+	+		+	
protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte) (PTPN4)	1	M68941			+	+		+	
protein tyrosine phosphatase, non-receptor type 6 (PTPN6)	7	M74903	+	+	+	+		+	
protein tyrosine phosphatase, non-receptor type 7 (PTPN7)	1	D11327	+			+		+	
protein tyrosine phosphatase, receptor type, alpha polypeptide (PTPRA)	1	M34868	+	+	+	+		+	
protein tyrosine phosphatase, receptor type, c polypeptide (PTPRC)	44	Y00638	+	+		+		+	
protein tyrosine phosphatase, receptor type, M (PTPRM)	1	X58288		+	+	+		+	
protein tyrosine phosphatase, receptor type, N polypeptide 2 (PTPRN2)	2	U81561		+		+		+	
protein with polyglutamine repeat (ERPROT213-21)	1	U94836	+	+	+	+		+	
protein-kinase, interferon-inducible double stranded RNA dependent inhibitor (PRKRI)	1	U28424		+	+	+	+	+	
protein-L-isoaspartate (D-aspartate) O-methyltransferase (PCMT1)	4	D13892		+	+				
proteoglycan 1, secretory granule (PRG1)	7	J03223		+		+		+	
prothymosin, alpha (gene sequence 28) (PTMA)	12	M14483	+	+	+	+	+	+	

ppp2B, U5 snRNP 100 kd protein (U5-100K)	7	AF028402	+	+	+	+		+	
PRP4/STKWD splicing factor (HPRP4P)	1	AF001687		+	+	+		+	
PTK7 protein tyrosine kinase 7 (PTK7)	1	U40271		+	+	+		+	
purinergic receptor P2X, ligand-gated ion channel, 4 (P2RX4)	3	AF000234		+	+	+		+	
purinergic receptor P2X, ligand-gated ion channel, 7 (P2RX7)	1	Y12851	+						macrophage only
puromycin-sensitive aminopeptidase (PSA)	1	Y07701		+	+			+	
putative ATP(GTP)-binding protein	2	AJ010842		+				+	
putative brain nuclearly-targeted protein (KIAA0765)	1	AB018308	+	+	+	+		+	
putative chemokine receptor; GTP-binding protein (HM74)	1	D10923	+						
putative dienoyl-CoA isomerase (ECH1)	1	AF030249							
putative G-binding protein	1	AF065393							
Putative human HLA class II associated protein 1 (PHAP1)	1	U73477	B	+				+	
Putative L-type neutral amino acid transporter (KIAA0436)	1	AB007896							
putative mitochondrial space protein 32.1	1	AF050198							
POTATIVE MUCIN CORE PROTEIN PRECURSOR 24 (MULTI-GLYCOSYLATED CORE PROTEIN 24) (MGC-24) (MUC-24)	1	Q04900							
putative nucleic acid binding protein	2	X76302	+	+	+	+		+	
putative outer mitochondrial membrane 34 kDa translocase Htom34	1	U58970		+	+	+		+	
putative p150 (non-exact 88%)	1	U93668							
putative translation initiation factor (SUI1)	1	L26247	+	+	+	+	+	+	High in moderately differentiated colon adenocarcinoma
putative tumor suppressor protein (123F2)	1	AF061836		+	+	+		+	
pyrroline 5-carboxylate reductase	1	M77836	+	+	+	+		+	
pyruvate dehydrogenase (lipoamide) alpha 1 (PDHA1)	1	D90084		+	+	+	+	+	
pyruvate dehydrogenase (lipoamide) beta (PDHB)	2	J03576	+	+	+	+		+	
Pyruvate dehydrogenase complex, lipoyl-containing component X; E3-binding protein (PDX1)	3	Y13145		+	+				
pyruvate kinase, muscle (PKM2)	11	M23725						+	
RAB, member of RAS oncogene family-like (RABL)	1	U18420		+	+	+		+	
RAB1, member RAS oncogene family (RAB1)	3	M28209		+	+	+		+	
RAB11A, member RAS oncogene family (RAB11A)	2	X58740	+	+	+	+		+	high in spleen

RAB11B, member RAS oncogene family (Rab11B)	1	D45418		+				+	
RAB27A, member RAS oncogene family (RAB27A)	3	U38654				+			
RAB5B, member RAS oncogene family (RAB5B)	1	X54871		+	+	+		+	
RAB6, member RAS oncogene family (RAB6)	1	M28212		+				+	
RAB7, member RAS oncogene family (RAB7)	1	X93499	+	+	+	+		+	
RAB7, member RAS oncogene family-like 1 (RAB7L1)	2	D84488		+	+	+		+	
RAB9, member RAS oncogene family (RAB9)	1	U44103							
RAD50 (S. cerevisiae) homolog (RAD50)	2	U63139		+	+	+			
RAD51 (S. cerevisiae) homolog C (RAD51C)	1	AF029689		+	+	+		+	
Radin blood group (RD)	2	L03411		+	+	+		+	
RAE1 (RNA export 1, S. pombe) homolog (RAE1)	3	U84720	+	+	+	+		+	
RaiA-binding protein (RLIP76)	2	L42542	+	+	+	+			
RAN binding protein 2-like 1 (RANBP2L1)	2	AF012086							
Ran GTPase activating protein 1 (RANGAP1)	3	X82260	+	+	+	+		+	
RAN, member RAS oncogene family (RAN) (low match)	1	M31469							
RanBP2 (Ran-binding protein 2) (=U19248; L41840 sapiens nucleoporin (NUP358))	1	D42063							
transforming growth factor, beta receptor II (70-80kD) (TGFB2)	4	D50683	+	+	+	+		+	
RAP1A, member of RAS oncogene family (RAP1A)	10	M22895	+	+	+	+	+	+	
RAR-related orphan receptor C (RORC)	1	U18997							+
RAS guanyl releasing protein 2 (calcium and DAG-regulated)	1	Y12336	+	+					
ras homolog gene family, member A (ARHA)	12	X05026	+	+	+	+	+	+	high in ovary
ras homolog gene family, member G (rho G) (ARHG)	1	X61587	+	+	+	+			
ras homolog gene family, member H (ARHH)	2	Z35227	+	+	+			+	
ras inhibitor (RIN1)	2	M37191		+					
Ras-GTPase activating protein SH3 domain-binding protein 2 (KIAA0880)	2	AF053535	+	+	+	+		+	
Ras-GTPase-activating protein SH3-domain-binding protein (G3BP)	3	U32519	+	+	+	+		+	
ras-related C3 botulinum toxin substrate 2 (rho family, small GTP binding protein Rac2) (RAC2)	11	M28871			+			+	
RAS-RELATED PROTEIN RAP-1B (GTP-BINDING PROTEIN SMG P21B)	1	P09526							
RBQ-1	1	X85133		+	+	+			
rearranged T cell receptor beta variable region (TCRB) (=X58810)	1	L06891							
regulator of Fas-induced apoptosis (TOSO)	1	AF057557	B					+	

regulator of G protein signalling 6 (RGS6)	1	AF073920		+					
regulator of G-protein signalling 14 (RGS14)	2	AF037195	+	+	+	+			
regulator of G-protein signalling 2, 24kD (RGS2)	6	L13391	+	+	+	+			+
regulator of G-protein signalling 5 (RGS5) (49% aa)	1	O15539							
regulatory factor X, 4 (Influences HLA class II expression) (RFX4)	1	M69297			+	+			
regulatory factor X, 5 (influences HLA class II expression) (RFX5)	2	X85786	1	+	+				+
replication protein A1 (RPA1)	1	M63488	+	+	+	+			+
replication protein A3 (14kD) (RPA3) (low match)	1	L07493							
reproduction B (D8S2298E)	1	D83767		+	+	+			
requiem, apoptosis response zinc finger gene (REQ)	2	U94585	+	+	+	+			+
requiem, apoptosis response zinc finger gene (REQ) (=AF001433) (low match)	1	U94585							
restin (Reed-Steinberg cell-expressed intermediate filament-associated protein) (RSN)	1	M87501	B.1	+	+				
retinoblastoma 1 (including osteosarcoma) (RB1)	3	L11910	+	+	+	+			
retinoblastoma binding protein 2 homolog 1 (RBBP2H1)	1	AF087481							
retinoblastoma-binding protein 1 (RBBP1)	1	S66427	+	+					
retinoblastoma-binding protein 2 (RBBP2)	5	S66431	+	+	+	+			+
retinoblastoma-binding protein 4 (RBBP4)	1	X71810		+	+	+			+
retinoblastoma-binding protein 4 (RBBP4)	1	X74262		+	+	+			+
retinoblastoma-binding protein 7 (RBBP7)	1	U35143							
retinoblastoma-like 2 (p130) (RBL2)	1	X76081		+	+	+			+
retinoic acid receptor responder (tazarotene induced) 3 (RARRES3)	1	AF080228		+		+	+	+	
retinoic acid receptor, alpha (RARA)	1	X06538	+	+		+			
retinoic acid responsive (NN8-4AG)	1	U50383		+		+			+
retinoid X receptor beta (RXR-beta)	2	X88424		+	+	+			+
REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta (REV3L)	1	AF035537							
Rho GDP dissociation inhibitor (GDI) beta (ARHGDIβ)	23	L07916	+	+	+	+	+	+	
Rho GTPase activating protein 4 (ARHGAP4)	2	X78817	+	+					
Rho GTPase activating protein 4 (ARHGAP4) (low match)	1	P98171							
Rho-associated, coiled-coil containing protein kinase 2 (ROCK2)	1	AB014619							
ribonuclease 6 precursor (RNASE6PL)	2	U85625	+	+	+	+	+	+	

ribonuclease 6 precursor (RNASE6PL) (low match)	1	U85625									
ribonuclease, RNase A family, 2 (liver, eosinophil-derived neurotoxin) (RNASE2)	1	X55988							+		
ribonuclease/angiogenin inhibitor (RNH)	3	M36717	+	+	+	+				+	
ribonucleoside diphosphate reductase M1 subunit	1	X65708									
ribonucleotide reductase M2 polypeptide (non-exact 91%)	1	P31350									
ribophorin I (RPN1)	1	Y00281	+	+	+	+				+	
ribophorin II (RPN2)	1	Y00282	+	+	+	+	+	+	+		
ribosomal 18S rRNA	3	M10098									
ribosomal 28S RNA	1	M11167									
ribosomal phosphoprotein P0, 5'UTR (low match)	1	D28418									
Ribosomal protein	1										
ribosomal protein L10 (RPL10)	30	L25899	+	+	+	+	+	+	+		high in many libraries
RIBOSOMAL PROTEIN L10A (CSA-19)	2	P53025									
ribosomal protein L11 (RPL11)	4	X79234	+	+	+	+	+	+	+		Alveolar rhabdomyosarcoma
ribosomal protein L12 (RPL19)	2	L08505	+	+	+	+	+	+	+		
ribosomal protein L13 (PRL13)	1	P26373	+	+	+	+	+	+	+		high in many libraries
ribosomal protein L14 (RPL14)	4	D87735	+	+	+	+	+	+	+		high in many libraries
ribosomal protein L17 (RPL17)	4	X53777	+								blood only
ribosomal protein L18 (RPL18)	10	L11566	+	+	+	+				+	
ribosomal protein L18a (RPL18A)	5	L05093		+	+	+	+	+	+		High in fetal adrenal gland and skin
ribosomal protein L18a homologue	2	X80821				+					
ribosomal protein L19 (RPL19)	15	X63527	+	+	+	+	+	+	+		
ribosomal protein L21 (RPL21)	6	U14967	+	+	+	+	+	+	+		
ribosomal protein L22 (RPL22)	3	D17652	+	+	+	+				+	
ribosomal protein L23 (RPL23)	2	X55954	+	+	+	+	+	+	+		high in many libraries
ribosomal protein L23a (RPL23A)	5	U37230	+	+	+	+	+	+	+		high in many libraries
ribosomal protein L26 (RPL26)	8	X69392	+	+	+	+	+	+	+		
ribosomal protein L27 (RPL27)	6	L05094	+	+	+	+				+	
ribosomal protein L27a (RPL27A)	10	U14868	+	+	+	+	+	+	+		
ribosomal protein L28 (RPL28)	6	U14969	+	+	+	+				+	
ribosomal protein L29 (RPL29)	6	U10248	+	+	+	+	+	+	+		
ribosomal protein L3 (RPL3)	81		+	+	+	+	+	+	+		high in many libraries
ribosomal protein L3 homologue	81	X08323									
ribosomal protein L30 (RPL30)	6	X79238	+	+	+	+	+	+	+		high in lymphoma
ribosomal protein L30 (RPL30) (low score)	1	X79238									
ribosomal protein L31 (RPL31)	10	X15940	+	+	+	+	+	+	+		High in alveolar rhabdomyosarcoma

ribosomal protein L32 (RPL32)	3	X03342	+	+	+	+	+	+	
ribosomal protein L33-like (RPL33L)	1	AF047440		+	+	+		+	
ribosomal protein L34 (RPL34)	5	L38941		+	+	+	+	+	
ribosomal protein L34 (RPL34) (low match)	1	L38941							
ribosomal protein L37 (RPL37)	5	D23661	+	+	+	+	+	+	high in barstead prostate
ribosomal protein L37a	4	X66699	+	+	+	+	+	+	high in many libraries
ribosomal protein L38 (RPL38)	1	Z26876	+	+	+	+	+	+	high in many libraries
ribosomal protein L4 (RPL4)	27	D23660	+	+	+	+	+	+	high in many libraries
ribosomal protein L41 (RPL41)	4	AF026844	+	+	+	+	+	+	high in many libraries
ribosomal protein L5 (RPL5)	14	U14966	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
ribosomal protein L5 (RPL5) (low match)	1	U14966							
ribosomal protein L6 (RPL6)	7	X69391	+	+	+	+	+	+	high in many libraries
ribosomal protein L7 (RPL7)	14	X52967	+	+	+	+	+	+	high in conorm
ribosomal protein L7a (RPL7A)	15	M36072	+	+	+	+	+	+	High in uterus, and seminoma
ribosomal protein L8 (RPL8)	5	Z28407	+	+	+	+	+	+	high in ovary
ribosomal protein L9 (RPL9)	10	U09953		+	+	+	+	+	
ribosomal protein S10 (RPS10)	5	U14972	+	+	+	+	+	+	high in many libraries
ribosomal protein S11 (RPS11)	4	X06617	+	+	+	+	+	+	high in many libraries
ribosomal protein S11 (RPS11) (low match)	1	AB007152							
ribosomal protein S12 (RPS12)	3	X53505	+	+	+	+	+	+	high in many libraries
ribosomal protein S13 (RPS13)	2	L01124		+	+	+	+	+	
ribosomal protein S14 (RPS14)	12	M13934	+	+	+	+	+	+	
ribosomal protein S15 (RPS15)	2	M32405	+	+	+	+	+	+	
ribosomal protein S16 (RPS16)	3	M60854	+	+	+	+	+	+	High in prostate invasive tumor
ribosomal protein S17 (RPS17)	2	M13932	+	+	+	+	+	+	high in many libraries
ribosomal protein S18	8	X69150							
ribosomal protein S19 (RPS19)	7	M81757	+	+	+	+	+	+	high in many libraries
ribosomal protein S2 (RPS2)	4	X17206	+	+	+	+	+	+	high in many libraries
RIBOSOMAL PROTEIN S2 (RPS4)	2	P15880							
ribosomal protein S20 (RPS20)	7	L06498	+	+	+	+	+	+	high in many libraries
ribosomal protein S21 (RPS21)	3	L04483	+	+	+	+	+	+	high in CD34+/CD38-hematopoietic cells and skin tumor
ribosomal protein S23 (RPS23)	3	D14530		+	+	+		+	
ribosomal protein S24 (RPS24)	7	M31520	+	+	+	+	+	+	high in uterus
ribosomal protein S25 (RPS25)	3	M64716	+	+	+	+	+	+	high in barstead prostate
ribosomal protein S26 (RPS26)	2	X69654		+	+	+	+	+	
ribosomal protein S27 ((metalopantstimulin 1) (RPS27)	5	U57847	+	+	+	+	+	+	

ribosomal protein S28 (RPS28)	3	U58682	+	+	+	+		+	
ribosomal protein S29 (RPS29)	2	U14973	+	+	+	+	+	+	
ribosomal protein S3 (RPS3)	9	X55715	+	+	+	+	+	+	high in many libraries
ribosomal protein S3 (RPS3) (low match)	1	U14990							
ribosomal protein S3A (RPS3A)	21	Z83334		+	+	+	+	+	high in many libraries
ribosomal protein S3A (RPS3A) (low score)	1	M77234							
ribosomal protein S4, X-linked (RPS4X)	9	M58458	+	+	+	+		+	high in ovary and Synovial sarcoma
ribosomal protein S4, Y-linked (RPS4Y)	2	M58459	+	+	+	+	+	+	
ribosomal protein S5 (RPS5)	4	U14970	+	+	+	+	+	+	high in lymphoma
RIBOSOMAL PROTEIN S6 (PHOSPHOPROTEIN NP33)	1	P10660							
ribosomal protein S6 (RPS6)	22	M20020	+	+	+	+	+	+	
ribosomal protein S6 (RPS6) (non-exact 86%)	1	M77232							
ribosomal protein S6 kinase, 90kD, polypeptide 1 (RPS6KA1)	3	L07597	+	+	+	+		+	
ribosomal protein S6 kinase, 90kD, polypeptide 2 (RPS6KA2)	1	X85106							
ribosomal protein S7 (RPS7)	4	Z25749		+	+	+	+	+	
ribosomal protein S8 (RPS8)	6	X67247		+	+	+	+	+	
ribosomal protein S9 (RPS9)	8	U14971							colon tumor
ribosomal protein, large, P0 (RPLP0)	18	M17885	+		+			+	
ribosomal protein, large, P1 (RPLP1)	12	M17886	+	+	+		+		
ribosomal RNA 18S (=M10098; K03432) (=polyadenylating sequence)	11	X03205							
ribosomal RNA 28S	2	M11167							
ribosomal RNA, 16S	1	U25123							
ring finger protein (non-exact 58%)	1	AJ001019							
ring finger protein 3 (RNF3)	1	AJ001019							
ring finger protein 4 (RNF4)	3	AB000468		+	+	+		+	
ring zinc-finger protein (ZNF127-Xp)	3	U41315		+	+	+		+	
RNA (guanine-7-) methyltransferase (RNMT)	1	AB007858		+	+	+		+	
RNA binding motif protein 5 (RBM5)	4	U23846	+	+	+	+		+	
RNA binding motif, single stranded interacting protein 2 (RBMS2)	1	D28483		+		+		+	
RNA helicase (putative), (Myc-regulated DEAD box protein) (MRD8)	1	X98743	+	+	+	+		+	
RNA helicase-related protein	1	AF083255		+	+	+		+	
RNA pol II largest subunit	2	X74872							
RNA polymerase I subunit (RPA40)	1	AF008442		+	+			+	
RTVP-1 protein	2	X91911	+	+	+	+		+	

ST00 calcium-binding protein A10 (annexin II ligand, calpactin I, light polypeptide (p11)) (S100A10)	2	M81457			+		+	+	
ST00 calcium-binding protein A11 (calgizzarin) (S100A11)	1	X80201			+	+	+		+
ST00 calcium-binding protein A4 (calcium protein, calvasculin, metastasin, murine placental homolog)(S100A4)	3	M80563	B			+		+	
ST00 calcium-binding protein A8 (calgranulin A) (S100A8)	7	M21005				+	+		+
ST00 calcium-binding protein A9 (calgranulin B) (S100A9)	14	X06233				+	+		high in invasive larynx squamous cell carcinoma
S164 gene	1	AF109907							
S-adenosylmethionine decarboxylase 1 (AMD1)	3	M88003	+	+	+	+			+
SB class I histocompatibility antigen alpha-chain	5	M27487	+	+	+	+			+
SC35-interacting protein 1 (SRRP129)	5	AF030234	+	+	+	+	+	+	
scaffold attachment factor B (SAFB)	1	U72355	+	+	+	+			+
scaffold attachment factor B (SAFB) (non-exact 78%)	1	U72355							
scrNA molecule, transcribed from Alu repeat	1	L13713							
SEC14 (<i>S. cerevisiae</i>)-like (SEC14L)	4	D67029			+	+	+		+
SEC23-like protein B (SEC23B)	2	X97065	+	+	+	+			+
SEC63 (SEC63)	1	AF100141			+	+			+
secreted protein, acidic, cysteine-rich (osteonectin) (SPARC)	7	M25746			+	+	+	+	+
secretory carrier membrane protein 1 (SCAMP1)	1	AF038986			+		+		
secretory carrier membrane protein 2 (SCAMP2)	1	AF005038	+	+	+	+	+	+	
secretory carrier membrane protein 3 (SCAMP3)	1	AF005038							
secretory granule proteoglycan core (clones lambda-PG[6,7,8])	1	M33649							
selectin L (lymphocyte adhesion molecule 1) (SELL)	43	X17519	+				+		+
selectin P ligand (SELPLG)	13	U02297	+	+					
sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 4D (SEMA4D)	2	U60800			+		+		+
Ser/Arg-related nuclear matrix protein (plenty of prolines 101-like) (SRM160)	4	AF048977			+	+	+	+	+
serine palmitoyltransferase subunit I (SPTI)	1	Y08885			+	+	+		+
serine palmitoyltransferase, subunit II (LCB2)	1	AB011098	+	+	+	+			+

serine protease	1	J02907							
serine protease inhibitor, Kunitz type, 2 (SPINT2)	1	U78095	+	+	+	+			+
serine/threonine kinase 10 (STK10)	1	AB015718	+	+	+	+			+
serine/threonine kinase 19 (STK19)	1	L26260	+	+	+	+			
serine/threonine kinase 4 (STK4)	1	U18297		+					+
serine/threonine protein kinase KKIALRE (KKIALRE)	1	X66358		+	+	+			+
serine/threonine protein-kinase (NIK)	1	Y10258		+	+	+			
SERINE/THREONINE-PROTEIN KINASE RECEPTOR R3 PRECURSOR (SKR3)	1	P37023							
serologically defined colon cancer antigen 16 (NY-CO-16)	2	AF039694							
serologically defined colon cancer antigen 33 (SDCCAG33)	1	AF039698	B, I	+	+			+	
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)	1	AF039698							
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)	1	AF039698							
serum deprivation response (phosphatidylserine-binding protein) (SDPR) (=S67386)	1	AF085481.1							
serum/glucocorticoid regulated kinase (SGK)	2	Y10032	+	+	+	+			+
SET domain, bifurcated 1 (SETDB1)	2	D31891	+	+	-				+
SH2 domain protein 1A, Duncan's disease lymphoproliferative syndrome) (SH2D1A)	1	AF073019	I						+
SH3 binding protein (SAB)	2	AB005047	+	+	+	+			+
SH3 domain protein 1B (SH3D1B)	4	U61167	+			+			+
SH3BGR PROTEIN (=21-GLUTAMIC ACID-RICH PROTEIN;21-GARP) (non-exact 82%aa)	1	P55822							
SH3-binding domain glutamic acid-rich protein like (SH3BGR1)	1	AF042081	+	+	+	+			+
SH3-domain GRB2-like 1 (SH3GL1)	1	U65999	+	+	+	+			+
SHC (Src homology 2 domain-containing) transforming protein 1 (SHC1)	2	X68148		+	+	+			+
siah binding protein 1 (SiahBP1)	2	U51586		+	+	+			+
siah binding protein 1 (SiahBP1) (non-exact, 69%)	1	U51586							
Sialomucin CD164 (CD164)	9	D14043							
sialophorin (gpL115, leukosialin, CD43) (SNP)	2	J04536							
sialyltransferase (STHM)	1	U14550			+	+			+
sialyltransferase 1 (beta-galactoside alpha-2,6-sialyltransferase) (SIAT1)	2	X17247	+	+	+	+	+	+	+

siyltransferase 4A (beta-galactosidase alpha-2,3-sialyltransferase) (SIAT4A)	1	AF059321	B	+	+		+	+	
siyltransferase 8 (alpha-2, 8-polysialyltransferase) D (SIAT8D)	1	L41680		+					
signal peptidase 25kDa subunit	1	L38950							
signal recognition particle 14kD (homologous Alu RNA-binding protein) (SRP14)	1	X73459	+	+	+	+	+	+	
signal recognition particle 54kD (SRP54)	1	U51920			+	+		+	
signal recognition particle 9kD (SRP9)	2	U20998		+	+	+	+	+	
signal recognition particle receptor ('docking protein') SRPR	5	X06272							
signal regulatory protein, beta, 1 (SIRP-BETA-1)	5	Y10376		+					+
signal sequence receptor, alpha (translocon-associated protein alpha) (SSR1)	2	Z12830					+		+
signal sequence receptor, beta (translocon-associated protein beta) (SSR2)	2	X74104	+	+	+	+			+
signal transducer and activator of transcription (STAT5A)	4	L41142	+	+	+	+	+	+	+
signal transducer and activator of transcription 2, 113KD (STAT2)	1	U18671							+
signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3)	3	L29277							
signal transducer and activator of transcription 5A (STAT5A)	2	U48730	+	+	+	+	+	+	+
signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM)	1	U43899							
silencing mediator of retinoid and thyroid hormone action (SMRT)	1	U37146							
similar to beta-transducin superfamily proteins (SAZD)	1	U02609	+	+	+				+
similar to S. cerevisiae SSM4 (TEB4)	1	AB011169		+	+	+			+
similar to yeast pre-mRNA splicing factors, Prp1/Zer1 and Prp6	1	AF026031	+	+	+	+			+
SIT protein	1	AJ010059.1							
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1)	2	M62800						+	
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) (match to zinc finger)	1	M62800							
SKAP55 homologue (SKAP-HOM)	1	AJ004888		+	+	+			+
skb1 (S. pombe) homolog (SKB1)	2	AF015913	+	+	+	+			+

skeletal muscle abundant protein	1	X87613	+	+	+	+			
SMA3 (SMA3)	1	X83300	+	+		+			
small acidic protein	3	U51678	+	+	+	+			
small EDRK-rich factor 2 (SERF2)	2	Y10351	+	+	+	+	+	+	high in fetal lung
small inducible cytokine A5 (RANTES) (SCYA5)	2	M21121	+	+	+	+	+	+	high in many libraries
small inducible cytokine subfamily C, member 2 (SCYC2)	1	D63789							
small nuclear ribonucleoprotein polypeptide B" (SNRPB2)	2	M15841		+	+	+		+	
small nuclear ribonucleoprotein polypeptide N (SNRPN)	4	J04615	+	+	+	+	+	+	
small nuclear ribonucleoprotein polypeptides B and B1 (SNRPB)	2	J04564	+	+	+	+		+	
small nuclear RNA activating complex, polypeptide 5, 19kD (SNAPC5)	1	AF093593	+	+	+	+		+	
smallest subunit of ubiquinol-cytochrome c reductase	1	D55636	+	+	+	+	+	+	high in fetal lung
SMC (mouse) homolog, X chromosome (SMCX)	1	L25270	+	+	+	+		+	
SMT3B protein (2)	2	X99585	+	+	+	+	+	+	
SNARE protein (YKT6) (low match)	1	U95735							
SNC19	1	U20428							
SNC73 protein (SNC73)	2	J00220	+	+		+	+	+	high in many libraries
solute carrier family 1 (neutral amino acid transporter), member 5 (SLC1A5)	2	U53347		+		+		+	
Solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1 (SLC11A1)	7	D50403	+						
solute carrier family 17 (sodium phosphate), member 3 (SLC17A3)	1	U90545				+			
solute carrier family 19 (folate transporter), member 1 (SLC19A1)	1	U17566		B, lymphoma	+			+	
solute carrier family 2 (facilitated glucose transporter), member 1 (SLC2A1)	1	K03195	+	+	+	+	+	+	
solute carrier family 23 (nucleobase transporters), member 2 (SLC23A2)	3	D87075			+	+	+	+	
solute carrier family 25 (mitochondrial carrier; oxoglutarate carrier), member 11 (SLC25A11)	1	AF070548		B, T	+	+		+	+
solute carrier family 31 (copper transporters), member 2 (SLC31A2)	3	U83461			+		+		
solute carrier family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-like 1) (SLC4A2)	1	X62137			+	+			+
solute carrier family 4, sodium bicarbonate cotransporter, member 6 (SLC4A8)	1	AB018282			+				

solute carrier family 7 (cationic amino acid transporter, y+ system), member 5 (SLC7A5)	2	M80244	T, W	+	+		+		
solute carrier family 7 (cationic amino acid transporter, y+ system), member 6 (SLC7A6)	3	D87432	+	+	+				+
solute carrier family 7 (cationic amino acid transporter, y+ system), member 6 (SLC7A6) (non-exact 77%)	1	D87432							
solute carrier family 9 (sodium/hydrogen exchanger), isoform 6 (SLC9A6)	1	AF030409		+	+	+			+
somatic cytochrome c (HCS)	2	M22877							
SON DNA binding protein (SON)	2	X63753		+	+	+			+
son of sevenless (Drosophila) homolog 1 (SOS1)	1	L13858	+	+		+			
sorcin (SRI)	1	M32886							
sortilin 1 (SORT1)	2	X98248		+		+			+
sortilin-related receptor, L (DLR class) A repeats-containing (SORL1)	6	Y08110							
sorting nexin 1 (SNX1)	3	U53225	+	+	+	+			+
sorting nexin 2 (SNX2)	2	AF043453							
sorting nexin 6 (SNX6) (=U83194.1 TRAF4-associated factor 2)	1	AF121856.1							
Sp3 transcription factor (SP3)	1	X68660	+	+	+	+			+
Sp3 transcription factor (SP3)	4	M97191	+	+	+	+			+
special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's) (SATB1)	1	M97287							
speckle-type POZ protein (SPOP)	4	AJ000644							
speckle-type POZ protein (SPOP) (non-exact)	1	AJ000644							
spectrin SH3 domain binding protein 1 (SSH3BP1)	6	U87166	+	+	+	+			
Spectrin, alpha, non-erythrocytic 1 (alpha-fodrin) (SPTAN1)	2	J05243		+	+				+
spermidine/spermine N1-acetyltransferase (SAT)	11	M55580							
spermidine/spermine N1-acetyltransferase (SAT) (non-exact, 84%)	1	U40369							
spermine synthase (SMS)	1	AD001528	+	+	+	+			+
SPF31 (SPF31)	1	AF083190	+	+	+	+			+
sphingomyelin phosphodiesterase 1, acid lysosomal (acid sphingomyelinase) (SMPD1)	1	X52679		+	+			+	
SPINDLIN HOMOLOG (PROTEIN DXF34)	1	Q99865							
spinocerebellar ataxia 1 (olivopontocerebellar ataxia 1, autosomal dominant, ataxin 1) (SCA1)	3	X79204	B	+				+	

spinocerebellar ataxia 2 (olivopontocerebellar ataxia 2, autosomal dominant, ataxin 2) (SCA2)	1	U70323	B					+	
spinocerebellar ataxia 7 (olivopontocerebellar atrophy with retinal degeneration) (SCA7)	2	AJ000517			+				
spliceosome associated protein (SAP 145)	3	U41371			+	+	+	+	+
splicing factor (CC1.3) (CC1.3)	2	L10910		+	+	+	+	+	+
splicing factor SRp40-1 (SRp40)	7	U30826		+	+	+	+	+	+
splicing factor, arginine/serine-rich 11 (SFRS11)	3	M74002	B		+	+		+	+
splicing factor, arginine/serine-rich 7 (35kD) (SFRS7)	4	L41887			+	+	+		+
Src-like adapter protein (non-exact, 78%aa)	1	U30473							
Src-like-adapter (SLA)	6	D89077			+	+	+		+
Src-like-adapter (SLA) (low match)	1	D89077							
Src-like-adapter (SLA) (low score)	1	U44403							
stannin (SNN)	2	AF030196		+	+	+	+		+
STAT induced STAT Inhibitor 3 (SSI-3)	1	AB004904					+		
STE20-like kinase 3 (MST-3)	2	AF024636		+	+	+	+		+
step II splicing factor SLU7 (SLU7)	1	AF101074			+		+	+	+
steroid sulfatase	1	MT7591							
steroid sulfatase (microsomal), arylsulfatase C, isozyme S (STS)	1	J04964			+	+	+		
sterol carrier protein 2 (SCP2)	1	M55421			+	+	+	+	+
sterol O-acyltransferase (acyl-Coenzyme A: cholesterol acyltransferase) 1 (SOAT1)	1	AF059202						+	
stimulated trans-acting factor (50 kDa) (STAF50)	6	X82200		+	+		+		
Stratin, calmodulin-binding protein (STRN) (low match, 71%aa)	1	U17989							
stromal antigen 2 (STAG2)	2	Z75331				+	+	+	+
stromal interaction molecule 1 (STIM1)	3	U52426		+	+	+	+		+
structure specific recognition protein 1 (SSRP1)	1	M86737			+	+	+		+
succinate dehydrogenase complex, subunit A, flavoprotein (Fp) (SDHA)	5	L21936				+			
succinate dehydrogenase complex, subunit B, iron sulfur (Ip) (SDHB)	1	U17248		+	+	+	+		+
succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC)	1	U57877		+	+	+	+		+
succinate dehydrogenase complex, subunit D, integral membrane protein (SDHD)	3	AB006202			+	+		+	
succinate-CoA ligase, GDP-forming, beta subunit (SUCLG2)	1	AF058954			+	+	+	+	+

succinyl CoA synthetase	1	Z68204							
sudd (suppressor of bimD6, <i>Aspergillus nidulans</i>) homolog (SUDD)	2	AF013591		+			+	+	
sulfotransferase family 1A, phenol-preferring, member 1 (SULT1A1)	1	L19999		+			+	+	
sulfotransferase family 1A, phenol-preferring, member 3 (SULT1A3) (non-exact 67%)	1	U37686							
superoxide dismutase 1, soluble (amyotrophic lateral sclerosis 1 (adult)) (SOD1)	4	X02317		+	+		+	+	
superoxide dismutase 2, mitochondrial (SOD2)	5	Y00985		+	+	+	+	+	
supervillin (SVIL)	2	AF051851			+	+		+	
suppression of tumorigenicity 5 (ST5)	2	U15131		+		+		+	
suppression of tumorigenicity 5 (ST5) (non-exact 82%)	1	U15779							
suppressor of K ⁺ transport defect 1 (SKD1)	1	AF038960			+	+			
suppressor of Ty (<i>S.cerevisiae</i>) 3 homolog (SUPT3H)	1	AF064804	+	+	+	+		+	
suppressor of Ty (<i>S.cerevisiae</i>) 4 homolog 1 (SUPT4H1)	2	U38817	+	+	+	+		+	
suppressor of Ty (<i>S.cerevisiae</i>) 5 homolog (SUPT5H)	2	U58402		+				+	
suppressor of Ty (<i>S.cerevisiae</i>) 6 homolog (SUPT6H)	2	U46691	+	+	+	+	+	+	
suppressor of variegation 3-9 (<i>Drosophila</i>) homolog 1 (SUV39H1)	1	AF019968		+	+	+			
survival of motor neuron 1, telomeric (SMN1)	1	U18423							
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SMARCA1) (non-exact, 75%)	1	M88163			+	+		+	
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 2 (SMARCA2)	2	D26155		+					
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 4 (SMARCA4)	1	D26156	+	+	+	+	+	+	
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 2 (SMARCC2)	4	U88816	+	+	+	+	+	+	
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member 1 (SMARCE1)	2	AF035262	B, W	+	+		+	+	
synaptobrevin-like 1 (SYBL1)	1	X95803		+	+	+		+	
synaptosomal-associated protein, 23kD (SNAP23)	2	AJ011916		+	+	+		+	
syndecan binding protein (synterin) (SDCBP)	15	AF006636	+	+	+	+		+	

synovial sarcoma, translocated to X chromosome (SSXT)	2	X79201		+					
syntaxin 16	1	AF038897							
syntaxin 3A (STX3A)	2	U32315		+		+		+	
syntaxin 6 (STX6)	1	AJ002078.1							
SYNTAXIN BINDING PROTEIN 3 (UNC-18 HOMOLOG 3) (UNC-18C)	1	O00186							
syntaxin-18C	1	AF008937							
SYT interacting protein (SIP)	1	AF080561		+	+	+		+	
T cell activation, increased late expression (TACTILE)	4	M88282				+			
T cell receptor V alpha gene segment V-alpha-7 (clone IGRa11)	2	X58744							
T cell receptor V alpha gene segment V-alpha-w27	1	X58740							
T3 receptor-associated cofactor-1	5	S83390	+	+	+	+	+	+	
tafazzin (cardiomyopathy, dilated 3A (X-linked); endocardial fibroelastosis 2: Barth syndrome) (TAZ)	1	X92763	+	+		+		+	
TAFII100 protein (non-exact 53%)	1	U80191							
tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase (TNKS)	1	AF082556		+	+	+		+	
TAP1, TAP2, LMP2, LMP7 and DOB	1	X68401							
TAR DNA-binding protein-43	6	U23731	+	+	+	+		+	
Tat interactive protein (60kD) (TIP60)	2	U40989	+	+	+	+		+	
TATA box binding protein (TBP)-associated factor, RNA polymerase II, C1, 130kD (TAF2C1) (non-exact, 55%)	1	O00268							
TATA box binding protein (TBP)-associated factor, RNA polymerase II, F, 55kD (TAF2F)	4	X97999		+	+	+	+	+	
TATA box binding protein (TBP)-associated factor, RNA polymerase II, G, 32kD (TAF2G)	2	U21858		+	+	+	+	+	
TATA box binding protein (TBP)-associated factor, RNA polymerase II, I, 28kD (TAF2I)	1	U63705	+	+	+	+		+	
Tax1 (human T-cell leukemia virus type I) binding protein 1 (TAX1BP1)	1	U33821		+	+	+	+	+	
T-box 2 (TBX2) (non-exact 77%)	1	U28049			+	+		+	
TBP-associated factor 172 (TAF-172)	1	AJ001017		+		+		+	
T-cell death-associated gene 8 (TDAG8)	1	U95218				+			
T-cell leukemia/lymphoma 1A (TCL1A)	1	X82240	+						
T-cell leukemia/lymphoma 1A (TCL1A) (low match)	1	X82240							
T-cell receptor (delta D2-J1-region) (clone K3B)	1	M22197							

T-cell receptor (V beta 5.1, J beta 1.5, C beta 1) (low match)	1	M97705								
T-cell receptor alpha delta (=M94081)	2	AE000662								
T-cell receptor alpha enhancer-binding protein, short form (=X58636 Mouse LEF1 lymphoid enhancer binding factor 1 (=D16503))	1	B39625								
T-cell receptor delta gene D2-J1-region, clone K3B	1	M22197								
T-cell receptor germline beta chain gene V-region (V) V-beta-MT1-1	1	M11955								
T-cell receptor germline beta-chain gene J2.1 exon	1	M14159	+							only in blood
T-cell receptor germline delta-chain D-J region	2	M22152								
T-cell receptor interacting molecule (TRIM) protein	2	AJ224878							+	
T-cell receptor rearranged delta-chain, V-region (V-delta 3-J)	1	M21784								
T-cell receptor, alpha (V,D,J,C) (TCRA)	3	AE000660	+	+	+	+			+	
T-cell receptor, beta cluster (TCRB)	3	L34740	+	+	+	+	+	+	+	high in pancreas
T-cell receptor, delta (V,D,J,C) (TCRD)	2	X73617			+	+			+	
T-cell, immune regulator 1 (TCIRG1)	3	U45285								only found in tumor
TCF-1 mRNA for T cell factor 1	1	X59870								
TCF-1 mRNA for T cell factor 1 (splice form B) (low match)	1	X59870								
T-COMPLEX PROTEIN 1, ETA SUBUNIT (TCP-1-ETA) (CCT-ETA) (HIV-1 NEF INTERACTING PROTEIN)	1	Q99832								
T-COMPLEX PROTEIN 1, THETA SUBUNIT (TCP-1-THETA) (CCT-THETA) (KIAA0002)	1	P50990								
TCR eta = T cell receptor(eta-exon)	1	S94421								
TCR V Beta 13.2	1	X75419								
TERA	1	AC004472								
testis enhanced gene transcript (TEGT)	33	X75861	+	+	+	+	+	+	+	
tetracycline transporter-like protein (TETRAN)	2	LT1669			+	+	+		+	
tetrapeptide repeat domain 1 (TTC1)	1	U48570	+	+	+	+			+	
tetrapeptide repeat domain 2 (TTC2)	1	U48571			+				+	
tetrapeptide repeat domain 3 (TTC3)	1	D84298	+	+	+	+			+	
TGFBI-induced anti-apoptotic factor 1 (TIAF1)	1	D88970	+	+	+	+			+	
thioredoxin reductase 1 (TXNRD1)	3	S79851			+	+	+		+	
THIOREDOXIN-DEPENDENT PEROXIDE REDUCTASE PRECURSOR, mitochondrial (ANTI-OXIDANT PROTEIN 1) (AOP-1)	1	P30048								

threonyl-tRNA synthetase (TARS)	1	M63180		+	+	+		+	
thrombin inhibitor	1	Z22658							
thrombospondin 1 (THBS1)	2	X04865		+	+	+	+	+	
thromboxane A synthase 1 (platelet, cytochrome P450, subfamily V) (TBXAZ1)	1	M80647		+		+	+	+	
thymidine kinase 2, mitochondrial (TK2)	2	X76104		+	+		+		
thymidylate kinase (CDC8)	1	L16991		+	+	+		+	
thymine-DNA glycosylase (TDG)	2	U51166	+	+	+	+		+	
Thymosin, beta 10 (TMSB10)	2	M20259	+	+	+	+	+	+	
thymosin, beta 4, X chromosome (TMSB4X)	29	M17733		+	+	+		+	
thyroid autoantigen 70kD (Ku antigen) (G22P1)	7	J04611							
thyroid hormone receptor coactivating protein (SMAP)	1	AF016270		+		+		+	
thyroid hormone receptor interactor 7 (TRIP7)	2	L40357		+	+	+		+	
thyroid hormone receptor interactor 8r (TRIP8)	4	L40411		+					
thyroid hormone receptor-associated protein, 230 kDa subunit (TRAP230)	1	D83783							
thyroid receptor interacting protein 15 (TRIP15)	2	L40388	+	+	+	+			
TI-227H	1	D50525							
TIA1 cytotoxic granule-associated RNA-binding protein (TIA1)	1	M77142		+	+	+		+	
tissue inhibitor of metalloproteinase 1 (erythroid potentiating activity, collagenase inhibitor) (TIMP1)	1	X02598	+	+	+	+	+	+	
tissue inhibitor of metalloproteinase 2 (TIMP2)	1	M32304	+	+	+	+		+	high in placenta
tissue specific transplantation antigen P35B (TSTA3)	1	U58766	+	+	+	+		+	
titin (TTN)	1	X64697	+	+	+	+		+	high in muscle
TNF receptor-associated factor 2 (TRAF2)	1	U12597		+	+	+		+	
TNF receptor-associated factor 3 (TRAF3)	1	AF110908.1		+					
TNF receptor-associated factor 6 (TRAF6) (low match)	1	U78798							
tolllike receptor 1 (TLR1)	1	U88540				+			
tolllike receptor 2 (TLR2)	1	U88878	+	+		+		+	
tolllike receptor 4 (TLR4)	1	U88880		+				+	
tolllike receptor 5 (TLR5)	1	AF051151		+		+			
topoisomerase (DNA) I (TOP1)	1	J03250		+	+	+			
topoisomerase (DNA) II beta (180kD) (TOP2B)	2	X68050	+	+	+	+		+	
topoisomerase (DNA) III beta (TOP3B)	3	D87012	+						
TR3beta	1	D85245		+					
TRAF family member-associated NF-kB activator (TANK)	3	U63830	+	+	+	+	+	+	
TRANSALDOLASE	1	P37837							
transaldolase 1 (TALDO1)	4	L19437		+	+	+	+	+	

transaldolase-related protein	1	AF010398							
transcobalamin II (TCII)	1	AF047576							
transcription elongation factor B (SIII), polypeptide 1-like (TCEB1L)	2	Z47087	+	+	+	+		+	
transcription elongation factor B (SIII), polypeptide 3 (110kD, elongin A) (TCEB3)	1	L47345	+	+	+	+	+	+	
transcription factor 12 (HTF4, helix-loop-helix transcription factors 4) (TCF12)	1	M83233	+	+	+	+		+	
transcription factor 17 (TCF17)	2	D89928		+		+			
transcription factor 4 (TCF4)	2	X52079		+	+	+		+	
transcription factor 6-like 1 (mitochondrial transcription factor 1-like) (TCF6L1)	2	M62810	+	+	+	+			
transcription factor 7-like 2 (T-cell specific, HMG-box) (TCF7L2)	1	Y11306		+	+	+		+	
transcription factor binding to IGHM enhancer 3 (TFE3)	1	X96717	+	+	+	+		+	
transcription factor IL-4 Stat	7	AF087575	+	+	+	+	+	+	
transcription factor IL-4 Stat (low match)	1	U16031							
transcription factor ISGF-3 (=M97936)	4	M97935							
transcription factor REST	1	A56138							
transcription factor TFIID	1	Z22828							
transcriptional adaptor 2 (ADA2, yeast, homolog)-like (TADA2L)	1	AF064094							
transcriptional intermediary factor 1 (TIF1) (non-exact 72%)	1	AF009353							
transducin (beta)-like 1 (TBL1)	1	Y12781	+	+	+	+		+	
transducin-like enhancer of split 3, homolog of Drosophila E(sp1) (TLE3)	1	M99438	+	+					
transformation/transcription domain-associated protein (TRRAP)	1	AF076974	+	+	+	+		+	
transformation-sensitive, similar to Saccharomyces cerevisiae STI1 (STI1L)	2	M86752		+	+	+		+	
transforming growth factor beta-activated kinase 1 (TAK1) (non-exact 78%)	1	AB009356							
transforming growth factor beta-stimulated protein TSC-22 (TSC22)	3	AJ222700	+	+	+	+		+	
transforming growth factor, beta receptor III (betaglycan, 300kD) (TGFBR3)	1	L07594		+	+	+		+	
transforming growth factor, beta-induced, 68kD (TGFBI)	2	4507488	+	+	+	+	+	+	
TRANSFORMING GROWTH FACTOR-BETA INDUCED PROTEIN IG-H3 PRECURSOR (BETA IG-H3)	2	Q15582							
transforming, acidic coiled-coil containing protein 1 (TACC1) (non-exact 70%)	1	AF049910							

transgelin 2 (TAGLN2)	14	D21261	+	+	+	+	+	+	
transgelin 2 (TAGLN2) (non-exact)	1	D21261							
trans-Golgi network protein (46, 48, 51kD isoforms) (TGN51)	2	AF029316		+		+			
transient receptor potential channel 1 (TRPC1)	1	X89066		+	+	+		+	
transketolase (Wernicke-Korsakoff syndrome) (TKT)	7	L12711		+	+	+		+	
translation factor suit homolog (GC20)	1	AF064607		+	+	+	+	+	
translin (TSN)	3	X78627	+	+	+	+		+	
translin-associated factor X (TSNAX)	1	X95073		+	+	+		+	
transmembrane glycoprotein (A33)	1	U79725							
transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment (P63)	1	X89910	+	+	+	+		+	
transmembrane protein 1 (TMEM2)	1	AB001523		+		+		+	
TRANSMEMBRANE PROTEIN SEX PRECURSOR (non-exact 65%)	1	P51805							
transmembrane trafficking protein (TMP21)	2	X97442	+	+	+	+	+	+	
transporter 1, ABC (ATP binding cassette) (TAP1)	3	L21208	+	+	+	+		+	
Trachea Collins-Franceschetti syndrome 1 (TCOF1)	2	U40847	+	+	+	+		+	high in many libraries
triophosphate isomerase 1 (TPI1)	2	X89723	+	+	+	+	+	+	
tropomyosin	2	X04201		+	+	+		+	
tropomyosin 4 (TPM4)	2	X05276	+	+	+	+		+	
TRPM-2 protein	2	M63376							
tryptase 1 precursor (non-exact 64%)(=P20231)	1	A35853							
tryptophan rich basic protein (WRB)	1	Y12478							
tryptophanyl-tRNA synthetase (WARS)	1	X59892	+	+	+	+	+	+	
Ts translation elongation factor, mitochondrial (TSFM)	1	L37936	+	+		+		+	
topoisomerase (DNA) II beta (180kD)	1	Z15115		+	+			+	
Tu translation elongation factor, mitochondrial (TUFM)	4	L38995							
tuberous sclerosis 1 (TSC1)	1	AF013168		+	+	+		+	
tuberous sclerosis 2 (TSC2)	1	X75621		+	+	+		+	
tubulin, alpha 1 (testis specific) (TUBA1)	1	X06956		+				+	
tubulin, alpha, ubiquitous (K-ALPHA-1)	11	K00558	+	+	+	+	+	+	high in many libraries
tubulin, alpha, ubiquitous (K-ALPHA-1) (low match)	1	K00558							
tubulin-specific chaperone c (TBCC)	1	U61234		+	+	+		+	
tumor necrosis factor (ligand) superfamily, member 10 (TNFSF10)	7	U37518		+	+	+		+	

tumor necrosis factor (ligand) superfamily, member 13 (TNFSF13)	1	AF046888	+	+		+		+	
tumor necrosis factor (ligand) superfamily, member 14 (TNFSF14)	1	AF036581							
tumor necrosis factor (ligand) superfamily, member 6 (TNFSF6)	1	D38122	+						Found only in library 386: T-cell lymphoma
tumor necrosis factor (ligand) superfamily, member 8 (TNFSF8)	1	L09753	B only						
tumor necrosis factor alpha-inducible cellular protein containing leucine zipper domains (FIP2)	1	AF061034		+	+	+		+	
Tumor necrosis factor receptor superfamily member 7 (TNFRSF7)	2	M63928		+				+	
tumor necrosis factor receptor superfamily, member 10b (TNFRSF10B)	1	AF016266		+	+	+	+	+	
tumor necrosis factor receptor superfamily, member 10c, decoy without an intracellular domain (TNFRSF10C)	3	AF012629						+	
tumor necrosis factor receptor superfamily, member 10d, decoy with truncated death domain (TNFRSF10D) (non-exact 84%)	1	AF023849							found only in prostate
tumor necrosis factor receptor superfamily, member 12 (translocating chain-association membrane protein) (TNFRSF12)	1	U94508	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator) (TNFRSF14)	1	U70321	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 1B (TNFRSF1B)	5	U52165	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 6 (TNFRSF6)	1	X83717	B, W						+
tumor necrosis factor receptor superfamily, member 7 (TNFRSF7)	1	M63928	+	+					
tumor necrosis factor, alpha-induced protein 2 (TNFAIP2)	8	M92357		+	+			+	
tumor necrosis factor, alpha-induced protein 3 (TNFAIP3)	2	M59465							
tumor protein 53-binding protein, 1 (TP53BP1)	1	AF078776		+	+	+		+	
tumor protein p53 (Li-Fraumeni syndrome) (TP53)	1	M14695	+	+					+
Tumor protein p53-binding protein (TP53BPL)	1	U82939	+				+		+
tumor protein, translationally-controlled 1 (TPT1)	35	X16064							
tumor protein, translationally-controlled 1 (TPT1) (low score)	1	X16064							
tumor rejection antigen (gp96) 1 (TRA1)	9	X15187	+	+	+	+	+	+	

tumorous imaginal discs (Drosophila) homolog (TID1)	2	AF061749		+							
TXK tyrosine kinase (TXK)	2	L27071									
type II integral membrane protein (NKG2-E)	1	AJ001685							+		found only in fetal liver/spleen
TYRO protein tyrosine kinase binding protein (TYROBP)	3	AF019582								+	
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, beta polypeptide (YWHAB)	1	X57346	+	+	+	+				+	high in ecnorm
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ)	1	M86400									
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ)	1	M86400									
Tyrosine kinase 2 (TYK2)	3	X54637								+	
TYROSINE-PROTEIN KINASE ZAP-70 (70 KD ZETA-ASSOCIATED PROTEIN) (SYK-RELATED TYROSINE KINASE)	2	P43403									
tyrosyl-tRNA synthetase (YARS)	1	U89436	+	+	+	+				+	
U1 small nuclear RNA	1	M14387									
U19H snoRNA (=M63485 R.norvegicus matrin 3)	1	AJ224166									
U2(RNU2) small nuclear RNA auxiliary factor 1 (non-standard symbol) (U2AF1)	1	M96982								+	
U22 snoRNA host gene (UHG)	2	U40580									
U4/U6-associated RNA splicing factor (HPRP3P)	4	AF016370								+	
U49 small nuclear RNA	1	X96649									
U5 snRNP-specific protein (220 kD), ortholog of S. cerevisiae Prp8p (PRP8)	1	AB007510	+	+	+	+				+	
U5 snRNP-specific protein, 116 kD (U5-116KD)	4	D21163	+	+	+	+				+	
U5 snRNP-specific protein, 200 kDa (DEXH RNA helicase family) (U5-200-KD)	3	Z70200									
Uba80 mRNA for ubiquitin	4	S79522	+	+	+	+	+	+	+	+	high in ovary
ubiquinol-cytochrome c reductase (6.4kD) subunit (UQCR)	1	D55638	+	+	+	+	+	+	+	+	high in fetal lung
UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT PRECURSOR (RIESKE IRON-SULFUR PROTEIN) (RISP) (low match)	1	P47985									
ubiquitin A-52 residue ribosomal protein fusion product 1 (UBA52)	2	X56999									
ubiquitin activating enzyme E1-like protein (GSA7)	1	AF094516								+	
ubiquitin C (UBC)	5	AB009010								+	high in ovary

Ubiquitin carboxyl-terminal esterase L3 (ubiquitin thioesterase) (UCHL3)	1	M30498	+	+	+	+		+
ubiquitin fusion degradation 1-like (UFD1L)	1	U64444	+	+	+	+		+
ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A)	1	U84404	B	+	+			+
ubiquitin specific protease 10 (USP10)	4	D80012	+	+	+	+		+
ubiquitin specific protease 11 (USP11)	1	U44839	+	+	+	+	+	+
ubiquitin specific protease 15 (USP15)	3	AB011101	+	+	+	+		+
ubiquitin specific protease 19 (USP19)	1	AB020898		+				
ubiquitin specific protease 4 (proto-oncogene) (USP4)	1	AF017306	B	+	+		+	+
ubiquitin specific protease 4 (proto-oncogene) (USP4) (non-exact, 86%)	1	AF017306						
ubiquitin specific protease 7 (herpes virus-associated) (USP7)	1	Z72499		+	+	+		+
ubiquitin specific protease 8 (USP8)	5	D28956		+	+	+		+
UBIQUITIN-ACTIVATING ENZYME E1 (A1S9 PROTEIN) (56%)	1	P22314						
ubiquitin-activating enzyme E1 (A1S9T and BN75 temperature sensitivity complementing) (UBE1)	1	M58028	+	+	+	+		+
ubiquitin-activating enzyme E1, like (UBE1L)	1	L34170	+	+		+		+
UBIQUITIN-BINDING PROTEIN P62; phosphotyrosine independent ligand for the Lck SH2 domain p62 (P62)	1	U41806			+		+	
ubiquitin-conjugating enzyme E2 variant 1 (UBE2V1)	2	U48278	+	+	+	+	+	+
ubiquitin-conjugating enzyme E2 variant 2 (UBE2V2)	1	X98091						
UBIQUITIN-CONJUGATING ENZYME E2-17 KD (UBIQUITIN-PROTEIN LIGASE)	1	Q16781						
ubiquitin-conjugating enzyme E2B (RAD6 homolog) (UBE2B)	1	M74525	+	+	+	+		+
ubiquitin-conjugating enzyme E2G 2 (homologous to yeast UBC7) (UBE2G2)	1	AF032456	+	+	+	+		+
ubiquitin-conjugating enzyme E2H (homologous to yeast UBC8) (UBE2H)	1	Z29328	+	+	+	+		+
ubiquitin-conjugating enzyme E2L 1 (UBE2L1)	1	X92982		+	+			+
ubiquitin-conjugating enzyme E2L 3 (UBE2L3)	3	AJ000519		+	+	+		+
ubiquitin-conjugating enzyme E2L 6 (UBE2L6)	4	AF031141		+	+	+	+	+
ubiquitin-like 1 (sentrin) (UBL1)	2	U81397	+	+	+	+		+

UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 2 (GalNAc-T2) (GALNT2)	2	X85019								
UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 3 (GalNAc-T3) (GALNT3) (non-exact 65%)	1	X92689								
inactive progesterone receptor, 23 Kd (P23)	2	L24804		+	+	+			+	
unconventional myosin-1D (MYO1F)	3	U57053								
uncoupling protein homolog (UCPH)	1	U94592								
uncoupling protein homolog (UCPH) (low match 67%)	1	U94592								
Unknown gene product	1	AC002310								
unknown mRNA (clone 24514)	1	AF070542								
unknown protein (clone ICRFp507L0677)	2	Z70223								
unknown protein (Hs.93832)	1	AF070626	+	+	+	+	+	+	+	
unknown protein IT14	1	AF040988								
uppressor of 1y (<i>S. cerevisiae</i>) 6 homolog	1	D79984	+	+	+	+	+	+	+	
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1)	74	S73591	+	+	+	+			+	high in heart
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1) (low match)	1	S73591								
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1) (low match)	1	S73591								
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1) (low score)	1	S73591								
upstream binding factor (hUBF)	1	X53481	+	+		+			+	
UV radiation resistance associated gene (UVRAG)	2	X99050		+	+	+			+	
vacuolar proton-ATPase, subunit D; V-ATPase, subunit D (ATP6DV)	4	X71490		+	+	+	+	+	+	
v-akt murine (thymoma viral oncogene homolog 1) (AKT1)	1	M63167	+	+	+	+			+	
Vanin 2 (VNN2)	3	AJ132100								
vasodilator-stimulated phosphoprotein (VASP)	3	Z46389	+		+	+			+	
vav 1 oncogene (VAV1)	1	M59834							+	
vav 2 oncogene (VAV2)	1	S76992	+	+						
v-crk avian sarcoma virus CT10 oncogene homolog (CRK)	1	D10656	W	+	+			+		
v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3 (ERBB3)	1	M29368							+	
VERSICAN CORE PROTEIN PRECURSOR	1	P13611								
Vesicle-associated membrane protein 1 (synaptobrevin 1) (VAMP1)	1	M36196		+	+	+			+	

vesicle-associated membrane protein 3 (cellubrevin) (VAMP3)	1	U64520								
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS)	26	K00650		+	+	+	+	+		high in aorta
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS) (low match)	1	K00650								
villin 2 (ezrin) (VIL2)	1	X51521	+	+	+	+			+	
villin-like protein	1	D88154								
vimentin (VIM)	12	X58134		+	+	+	+	+		high in many libraries
vinculin (VCL)	4	M33308		+	+	+			+	
vitamin A responsive: cytoskeleton related (JWA)	6	AF070523		+	+	+			+	
v-jun avian sarcoma virus 17 oncogene homolog (JUN)	2	U65928	+	+	+	+			+	
v-myb avian myeloblastosis viral oncogene homolog (MYB)	1	M15024			+			+		
voltage-dependent anion channel 1 (VDAC1)	1	L06132	+	+	+	+			+	
voltage-dependent anion channel 3 (VDAC3)	4	U90943		+	+	+			+	
von Hippel-Lindau syndrome (VHL)	1	L15409		+	+	+			+	
von Willebrand factor (vWF) (low matched)	1	X06828								
v-raf murine sarcoma 3611 viral oncogene homolog 1 (RAF1)	2	L24038	+	+	+	+				
v-raf-1 murine leukemia viral oncogene homolog 1 (RAF1)	1	X03484	+	+	+	+			+	
v-raf simian leukemia viral oncogene homolog B (ras related; GTP binding protein) (RALB)	3	M35416								
V-rel avian reticuloendotheliosis viral oncogene homolog A (nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (p65)) (RELA)	1	L19087		+	+	+			+	
v-yes-1 Yamaguchi sarcoma viral related oncogene homolog (LYN)	2	M16038	+	+		+			+	
WD repeat domain 1 (WDR1)	1	AB010427	+	+	+	+	+	+	+	
WDR1 (=AF020260)	1	AF020058								
WD-repeat protein (HAN11)	2	U94747		+	+				+	
Williams-Beuren syndrome chromosome region 1 (WBSCR1)	12	AF045555	+	+	+	+	+	+	+	
Wiskott-Aldrich syndrome protein interacting protein (WASPIP)	4	X86019	+	+	+				+	
X (inactive)-specific transcript (XIST)	2	M97168								
xeroderma pigmentosum, complementation group C (XPC)	3	D21089	+	+	+	+				
XIAP associated factor-1	2	X99699						+		
XIB	1	X90392		+	+			+	+	
X-linked anhidrotic ectodermal dysplasia	1	AF003528								

X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining; Ku autoantigen, 80kD) (XRCC5)	1	M30938	+	+	+	+		+	high in spleen
XRP2 protein	1	AJ007590							
yeoid differentiation primary response gene (88) (MYD88)	1	U84408		+	+	+		+	
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70)	1	L05148	+			+			
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70) (low match)	1	L05148							
zinc finger protein (Hs.47371)	2	U69274	+	+	+	+		+	
zinc finger protein (Hs.78765)	1	U69845	+	+	+	+		+	
zinc finger protein 10 (KOX 1) (ZNF10)	1	X78933							+ only
ZINC FINGER PROTEIN 124 (HZF-16) (non-exact 51%)	1	Q15973							
zinc finger protein 124 (HZF-16) (ZNF124) (non-exact, 78%)	1	S54841							
ZINC FINGER PROTEIN 133	1	P52736							
zinc finger protein 136 (clone pHZ-20) (ZNF136)	1	U09367			+	+			
zinc finger protein 140 (clone pHZ-39) (ZNF140)	1	U09368		+		+		+	
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 59%)	1	AF080865							
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%)	1	U09368							
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%aa)	1	S66508							
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact, 80%)	1	U09368							
zinc finger protein 143 (clone pHZ-1) (ZNF143)	2	U09850	+	+	+	+	+	+	
zinc finger protein 143 (clone pHZ-1) (ZNF143) (low match)	1	U09850							
zinc finger protein 148 (pHZ-52) (ZNF148)	1	AF039019	+						
ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN) (low match)	1	Q13105							
zinc finger protein 173 (ZNF173)	1	U09825	B, I	+	+		+		
zinc finger protein 192 (ZNF192) (non-exact, 66%)	1	U57798							
zinc finger protein 198 (ZNF198)	1	AJ224901		+	+	+			
zinc finger protein 2 (ZNF2) (low match)	1	X60152							
zinc finger protein 200 (ZNF200)	1	AF080866		+		+			
zinc finger protein 207 (ZNF207)	6	AF046001	+	+	+	+	+	+	high in prostate
zinc finger protein 216 (ZNF216)	2	AF052072	+	+	+	+		+	

ZINC FINGER PROTEIN HRX (ALL-1) (71%a.a.)	1	Q03164							
zinc finger protein HZF4	1	X78927							
zinc finger protein RIZ	1	D45132	+	+	+	+			+
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1)	1	U40462	+						
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1) (low match)	1	U40462							
zinc finger transcriptional regulator (GOS24)	1	M92844							
zinc-finger helicase (hZFH)	2	U91543	+	+	+	+			+
Zn-15 related zinc finger protein (rff)	1	U22377		+	+	+			
Zn-15 related zinc finger protein (rff) (non-exact 58%)	1	U22377							
ZNF80-linked ERV9 long terminal repeat	1	X83497							
ZW10 (Drosophila) homolog, centromere/kinetochore protein (ZW10)	2	U54996		+					
zyxin (ZYX)	4	X95735							

Column 1: List of unique genes derived from 6,283 known ESTs from blood cells.

Column 2: Number of genes found in randomly sequenced ESTs from blood cells.

- 5 Column 3: Accession number. Column 4: "+" indicates the presence of the unique gene in publicly available cDNA libraries of blood (Bl), brain (Br), heart (H), kidney (K), liver (Li) and lung (Lu). **Comparison to previously identified tissue-specific genes was determined using the GenBank of the National Centre of Biotechnology Information (NCBI) Database.

10

Discussion

Every cell and tissue comprising the human body share the necessary genetic information required to maintain cellular homeostasis. These "housekeeping" genes function in basic cellular maintenance, including energy metabolism and cellular structure in all cell types. However, in certain situations, even the housekeeping genes show altered expression. Thus, it is necessary to define the use of these genes as internal controls from one investigation to another. Current results from the human blood cell EST database indicate that over 50% of the transcripts are

WU 00/40/97
widely expressed throughout the human body. Most of the cell or tissue specific genes are also detectable in blood cells by RT-PCR analysis.

For example, isoformic myosin heavy chain genes are known to be generally expressed in cardiac muscle tissue. In the rodent, the β MyHC gene is only highly expressed in the fetus and in diseased states such as overt cardiac hypertrophy, heart failure and diabetes; the α MyHC gene is highly expressed shortly after birth and continues to be expressed in the adult heart. In the human, however, β MyHC is highly expressed in the ventricles from the fetal stage through adulthood. This highly expressed β MyHC, which harbours several mutations, has been demonstrated to be involved in familial hypertrophic cardiomyopathy (Geisterfer-Lowrance *et al.* 1990). It was reported that mutations of β MyHC can be detected by PCR using blood lymphocyte DNA (Ferrie *et al.*, 1992). Most recently, it was also demonstrated that mutations of the myosin-binding protein C in familial hypertrophic cardiomyopathy can be detected in the DNA extracted from lymphocytes (Niimura *et al.*, 1998).

Similarly, APP and APC, which are known to be tissue specific and predominantly expressed in the brain and intestinal tract, are also detectable in the transcripts of blood. These cell- or tissue-specific transcripts are not detectable by Northern blot analysis. However, the low number of transcript copies can be detected by RT-PCR analysis. These findings strongly demonstrate that genes preferentially expressed in specific tissues can be detected by a highly sensitive RT-PCR assay. In recent years, evidence has been obtained to indicate that expression of cell or tissue-restricted genes can be detected in the peripheral blood of patients with metastatic transitional cell carcinoma (Yuasa *et al.* 1998) and patients with prostate cancer (Gala *et al.* 1998).

Atrial natriuretic factor (ANF) and zinc finger protein (ZFP), which are known to be highly expressed in heart tissue biopsies and in the plasma of heart failure patients, are also detectable in the transcripts of blood. Differential expression of zinc finger protein among the normal, diabetic and asymptomatic preclinical

WU 00/40/97

subjects may have additional value as a prophylactic "early warning system". On a related note, there is now more attention/discussion in the cardiovascular disease field being focused on Syndrome X, loosely defined as a continuum of hypertension, increasing sugar levels, diabetes, kidney failure, culminating in heart failure, with the possibility of stroke and heart attack at any time in the continuum. The early identification of patients at risk of organ failure has been a challenge to the medical community for some time and the present method has the potential of resolving or, at least, ameliorating this challenge.

The present invention demonstrates that a simple drop of blood may be used to determine the quantitative expression of various mRNAs that reflect the health/disease state of the subject through the use of RT-PCR analysis. This entire process takes about three hours or less. The single drop of blood may also be used for multiple RT-PCR analyses. There is no need for large samples and/or costly and time-consuming separation of cell types within the blood for this method as compared to the methods described by Kimoto (1998) and Chelly et al. (1989; 1988). It is believed that the present finding can potentially revolutionize the way that diseases are detected, diagnosed and monitored because it provides a non-invasive, simple, highly sensitive and quick screening for tissue-specific transcripts. The transcripts detected in whole blood have potential as prognostic or diagnostic markers of disease, as they reflect disturbances in homeostasis in the human body. Delineation of the sequences and/or quantitation of the expression levels of these marker genes by RT-PCR will allow for an immediate and accurate diagnostic/prognostic test for disease or to assess the efficacy and monitor a particular therapeutic.

In addition to RT-PCR, other methods of amplifying may also be used for the purpose of measuring/quantitating tissue-specific transcripts in human blood. For example, mass spectrometry may be used to quantify the transcripts. (Koster et al., 1996; Fu et al., 1998). The application of presently disclosed method for detecting tissue-specific transcripts in blood does not restrict to subjects undergoing course of

therapy or treatment, it may also be used for monitoring a patient for the onset of overt symptoms of a disease. Furthermore, the present method may be used for detecting any gene transcripts in blood. A kit for diagnosing, prognosing or even predicting a disease may be designed using gene-specific primers or probes derived from a whole blood sample for a specific disease and applied directly to a drop of blood. A cDNA library specific for a disease may be generated from whole blood samples and used for diagnosis, prognosis or even predicting a disease.

The following references were cited herein:

- Claudio JO *et al.* (1998). *Genomics* 50:44-52.
- 10 Chelly J *et al.* (1989). *Proc. Nat. Acad. Sci. USA.* 86:2617-2621.
- Chelly J *et al.* (1988). *Nature* 333:858-860.
- Drews J & Ryser S (1997). *Nature Biotech.* 15:1318-9.
- Ferrie RM *et al.* (1992). *Am. J. Hum. Genet.* 51:251-62.
- Fu D-J *et al.* (1998). *Nat. Biotech* 16: 381-4.
- 15 Gala JL *et al.* (1998). *Clin. Chem.* 44(3):472-81.
- Geisterfer-Lowrance AAT *et al.* (1990). *Cell* 62:999-1006.
- Groden J *et al.* (1991). *Cell* 66:589-600.
- Hwang DM *et al.* (1997). *Circulation* 96:4146-4203.
- Jandreski MA & Liew CC (1987). *Hum. Genet.* 76:47-53.
- 20 Jin O *et al.* (1990). *Circulation* 82:8-16
- Kimoto Y (1998). *Mol. Gen. Genet* 258:233-239.
- Koster M *et al.* (1996). *Nat. Biotech* 14: 1123-8.
- Liew & Jandreski (1986). *Proc. Nat. Acad. Sci. USA.* 83:3175-3179
- Liew CC *et al.* (1990). *Nucleic Acids Res.* 18:3647-3651.
- 25 Liew CC (1993). *J Mol. Cell. Cardiol.* 25:891-894
- Liew CC *et al.* (1994). *Proc. Natl. Acad. Sci. USA.* 91:10645-10649.
- Liew *et al.* (1997). *Mol. and Cell. Biochem.* 172:81-87.
- Niimura H *et al.* (1998). *New Eng. J. Med.* 338:1248-1257.

WO 00/40749

PCT/CA00/00005

Ogawa M (1993). *Blood* 81:2844-2853.

Santoro IM & Groden J (1997). *Cancer Res.* 57:488-494.

Yuasa T *et al.* (1998). *Japanese J. Cancer Res.* 89:879-882.

5 Any patents or publications mentioned in this specification are indicative of the levels of those skilled in the art to which the invention pertains.

10 One skilled in the art will appreciate readily that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those objects, ends and advantages inherent herein. The present examples, along with the methods, procedures, treatments, molecules, and specific compounds described herein are presently representative of preferred embodiments, are exemplary, and are not intended as limitations on the scope of the invention. Changes therein and other uses will occur to those skilled in the art which are encompassed within the spirit of the invention as defined by the scope of the claims.

Table 3-I

Gene Identification (see Table 2 for Accession No.'s)
100 kDa coactivator
10kD protein (BC10)
14-3-3 epsilon
14-3-3 protein
15 kDa selenoprotein (SEP15)
1-phosphatidylinositol-4-phosphate 5-kinase isoform C
23 kD highly basic protein
2-5A-dependent RNase
2'-5'oligoadenylate synthetase 2 (OAS2)
26S proteasome subunit 11
36 kDa phosphotyrosine protein
3-7 gene product (non-exact 86%aa)
3-phosphoglycerate dehydrogenase (PGAD)
3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 1 (PAPSS1)
46kd mannose 6-phosphate receptor (MPR46) (low match)
5-aminoimidazole-4-carboxamide ribonucleotide transformylase
5'-nucleotidase
6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4 (PFKFB4)
6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (PF2K)
71 kd heat shock cognate protein hsc70
76 kDa membrane protein (P76)
8-oxoguanine DNA glycosylase (OGG1)
a disintegrin and metalloprotease domain 10 (ADAM10)
a disintegrin and metalloprotease domain 8 (ADAM8)
A kinase anchor protein 95 (AKAP95)
A kinase anchor protein, 149kD (AKAP149)
A4 differentiation-dependent protein (A4), triple LIM domain protein (LMO6), and synaptophysin (SYP); calcium channel alpha-1 subunit (CACNA1F)
ABL and putative M8604 Met protein
Absent in melanoma 1 (AIM1)
accessory proteins BAP31/BAP29 (DXS1357E)
acetyl-Coenzyme A acyltransferase (peroxisomal 3-oxoacyl-Coenzyme A thiolase) (ACAA)
acetyl-Coenzyme A transporter (ACATN)
acidic 82 kDa protein
acidic protein rich in leucines (SSP29)
Aconitase 2, mitochondrial (ACO2)
actin binding protein MAYVEN
actin, beta (ACTB)
actin, beta (ACTB) (non-exact, low match 73%)

actin, gamma (low score)
actin, gamma 1 (ACTG1)
actin-binding LIM protein (ABLIM)
Actinin, alpha 1 (ACTN1)
actinin, alpha 4 (ACTN4)
activated p21cdc42Hs kinase (ACK)
activated RNA polymerase II transcription cofactor 4 (PC4)
activating transcription factor 1 (ATF1)
activating transcription factor 2 (ATF2)
activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4)
active BCR-related gene (ABR)
acyl-CoA oxidase (AOX)
acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain (ACADM)
acyl-Coenzyme A dehydrogenase, very long chain (ACADVL)
acyloxyacyl hydrolase (neutrophil) (AOAH)
adaptin, delta (ADTD)
adaptin, delta (ADTD) (non-exact 59%)
adaptin, gamma (ADTG)
adaptor complex sigma3B (AP3S3)
adaptor protein p150
adducin 1 (alpha) (ADD1)
adducin 1 (alpha) (add1)
adducin 3 (gamma) (ADD3)
adenine nucleotide translocator 2 (fibroblast) (ANT2)
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact 81%)
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 79%)
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 86%)
adenine nucleotide translocator 3 (liver) (ANT3)
adenomatous polyposis-coli protein (APC)
adenosine deaminase, RNA-specific (ADAR)
adenylate cyclase 3 (ADCY3)
adenylate cyclase 7 (ADCY7)
adenylate kinase 2 (AK2)
adenylate kinase 3 (AK3) (non-exact, 67%)
adenylyl cyclase-associated protein (CAP)
adipose differentiation-related protein; adipophilin (ADFP)
ADP-ribosylation factor 1 (ARF1)
ADP-ribosylation factor 3 (ARF3)
ADP-ribosylation factor 4 (ARF4)
ADP-ribosylation factor 5 (ARF5)
ADP-ribosylation factor domain protein 1, 64kD (ARFD1)
ADP-ribosyltransferase (NAD ⁺ ; poly (ADP-ribose) polymerase) (ADPRT)
adrenergic, beta, receptor kinase 1 (ADRBK1)

adrenoleukodystrophy-like 1 (ALDL1)
AE-binding protein 1 (AEBP1) (non-exact, 62%)
AF-17
A-gamma-globin
A-gamma-globin (chromosome 11 allele)
agammaglobulinaemia tyrosine kinase (ATK)
AHNAK nucleoprotein (desmoyokin) (AHNAK)
alanyl (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150) (ANPEP)
alcohol dehydrogenase 5 (class III), chi polypeptide (ADH5)
aldehyde dehydrogenase 1, soluble (ALDH1)
aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase) (ALDH10)
aldehyde reductase 1 (low Km aldose reductase) (ALDR1)
aldo-keto reductase family 1, member A1 (aldehyde reductase) (AKR1A1)
aldo-keto reductase family 1, member C3 (3-alpha hydroxysteroid dehydrogenase, type II) (AKR1C3)
aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase) (AKR7A2)
aldolase A, fructose-bisphosphate (ALDOA)
aldolase C, fructose-bisphosphate (ALDOC)
alkaline phosphatase, liver/bone/kidney (ALPL)
ALL-1 (=L04731;L04284 HRX)
alpha mannosidase II isozyme
alpha thalassemia/mental retardation syndrome X-linked (ATRX)
alpha-2 macroglobulin
alpha-2-globin
alpha-2-macroglobulin receptor/lipoprotein receptor protein (A2MR/LRP)
alpha-polypeptide of N-acetyl-alpha-glucosaminidase (HEXA)
alpha-spectrin
alpha-subunit of Gi2 a (GTP-binding signal transduction protein)
aminin receptor 1 (67kD); Ribosomal protein SA (LAMR1)
aminolevulinate, delta-, dehydratase (ALAD)
amino-terminal enhancer of split (AES)
amino-terminal enhancer of split (AES)
AMP deaminase isoform L (AMPD2)
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)
amphiphysin II
amphiphysin II (67%aa amphiphysin?)
amphiphysin II (non-exact 69% aa)
amphiphysin-like (AMPHL)
amphiphysin-like (AMPHL) (low match)
AMY-1
amyloid beta (A4) precursor protein-binding, family B, member 1 (Fe65) (APBB1)
amyloid beta (A4) precursor-like protein 2 (APLP2)
amyloid precursor protein (APP)

ankyrin 3, node of Ranvier (ankyrin G) (ANK) (non-exact, 50%)
annexin I (lipocortin I) (ANX1)
annexin II
annexin II (lipocortin II; calpactin I, heavy polypeptide) (ANX2)
annexin IV (placental anticoagulant protein II) (ANX4)
annexin V (endonexin II) (ANX5)
annexin V (endonexin II) (ANXV)
annexin VI (p68) (ANX6)
annexin VII (synexin) (ANX7)
antigen identified by monoclonal antibodies 12E7, F21 and O13 (MIC2)
antigen identified by monoclonal antibodies 4F2, TRA1.10, TROP4, and T43 (MDU1)
anti-oxidant protein 2 (non-selenium glutathione peroxidase, acidic calcium-independent phospholipase A2) (KIAA0106)
APEX nuclease (multifunctional DNA repair enzyme) (APEX)
Apolipoprotein L (APOL) (59%aa)
apoptosis inhibitor 1 (API1)
apoptosis inhibitor 4 (survivin) (API4)
apoptosis inhibitor 5 (API5)
apoptosis specific protein (ASP)
apoptotic protease activating factor (APAF1)
aquaporin 3 (AQP3)
aquaporin 9 (AQP9)
arachidonate 12-lipoxygenase (ALOX12)
arachidonate 5-lipoxygenase-activating protein (ALOX5AP)
ariadne homolog (ARI)
ariadne-2 (D. melanogaster) homolog (all-trans retinoic acid inducible RING finger) (ARI2)
ARP1 (actin-related protein 1, yeast) homolog A (centractin alpha) (ACTR1A)
ARP2 (actin-related protein 2, yeast) homolog (ACTR2)
ARP2/3 protein complex subunit 34 (ARC34)
Arp2/3 protein complex subunit p41 (ARC41)
Arp2/3 protein complex subunit p41 (ARC41) (low match)
Arp2/3 protein complex subunit p16 (ARC16)
Arp2/3 protein complex subunit p20 (ARC20)
Arp2/3 protein complex subunit p21(ARC21)
ARP3 (actin-related protein 3, yeast) homolog (ACTR3)
arrestin, beta 2 (ARRB2)
arsA (bacterial) arsenite transporter, ATP-binding, homolog 1 (ASNA1)
aryl hydrocarbon receptor nuclear translocator-like (ARNTL)
aryl hydrocarbon receptor-interacting protein (AIP)
arylsulfatase A (ARSA)
asialoglycoprotein receptor 2 (ASGR2)
asparaginyl-tRNA synthetase (NARS)
aspartyl-tRNA synthetase (DARS)
ataxia telangiectasia mutated (includes complementation groups A, C and D) (ATM)

ataxin-2-like protein A2LP (A2LG)
ATF6
ATP binding cassette transporter (ABCR) (non-exact 80%)
ATP synthase (F1-ATPase) alpha subunit, mitochondrial
ATP synthase beta subunit gene
ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit b, isoform 1 (ATP5F1)
ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit c (subunit 9), isoform 1 (ATP5G1)
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle (ATP5A1)
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle (ATP5A1) (low match)
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, beta polypeptide (ATP5B)
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, gamma polypeptide 1 (ATP5C1)
ATP synthase, H ⁺ transporting, mitochondrial F1F0, subunit g (ATP5JG)
ATP/GTP-binding protein (HEAB)
ATPase, Ca ⁺⁺ transporting, ubiquitous (ATP2A3)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 21kD (ATP6F)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 31kD (ATP6E)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 42kD; Vacuolar proton-ATPase, subunit C; V-ATPase, subunit C (ATP6D)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), alpha polypeptide, 70kD, isoform 1 (ATP6A1)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), beta polypeptide, 56/58kD, isoform 2 (ATP6B2)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), member J (ATP6J)
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), subunit I (ATP6S1)
ATP-binding cassette 50 (TNF-alpha stimulated) (ABC50)
ATP-binding cassette protein M-ABC1 (mitochondrial)
ATP-dependent RNA helicase
atrial natriuretic factor (ANF)
autoantigen (Hs.75528)
autoantigen (Hs.75528) (non-exact 84%)
autoantigen (Hs.75682)
autoantigen La/SS-B
axin (AXIN1)
axonemal dynein heavy chain (DNAH17)
BAl1-associated protein 3 (BAIAP3) (non-exact 54%)
basement membrane-induced gene (ICB1)
basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1)
basic transcription factor 3 (BTF3)
basigin (BSG)
BC-2
B-cell CLL/lymphoma 6 (zinc finger protein 51) (BCL6)
B-cell translocation gene 1, anti-proliferative (BTG)
BCL2/adenovirus E1B 19kD-interacting protein 2 (BNIP2)
BCL2/adenovirus E1B 19kD-interacting protein 3-like (BNIP3L)
beclin 1 (coiled-coil, myosin-like BCL2-interacting protein) (BECN1)

beta-1,2-N-acetylglucosaminyltransferase II (MGAT2)
beta-2-microglobulin (B2M)
beta-hexosaminidase alpha chain (HEXA)
beta-tubulin
beta-tubulin (non-exact, 76%)
beta-tubulin, pseudogene
BING4
biotinidase (BTD) (non-exact 62%)
biotinidase (BTD) (non-exact 70%)
biotinidase (BTD) (non-exact, 56%)
BIOTINIDASE PRECURSOR
biphenyl hydrolase-like (serine hydrolase) (BPHL)
bone marrow stromal cell antigen 1 (BST1)
box-dependent myc-interacting protein isoform BIN1-10 (BIN1)
box-dependent myc-interacting protein isoform BIN1-10 (BIN1) (non-exact, 64%)
brain my047 protein
branched chain keto acid dehydrogenase E1, alpha polypeptide (maple syrup urine disease) (BCKDHA)
BRCA1 associated protein-1 (ubiquitin carboxy-terminal hydrolase) (BAP1)
BRCA1, Rho7 and vat1 genes, and ipf35
breakpoint cluster region protein, uterine leiomyoma, 1; barrier to autointegration factor (BCRP1)
breakpoint cluster region protein, uterine leiomyoma, 2 (BCRP2)
breast cancer anti-estrogen resistance 3 (BCAR3) (non-exact 73%)
bromodomain-containing protein, 140kD (peregrin) (BR140)
Bruton's agammaglobulinemia tyrosine kinase (Btk)
Bruton's tyrosine kinase (BTK)
Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3)
BS4
BTG2 (BTG2)
BTK region clone ftp
BTK region clone ftp-3
BUB3 (budding uninhibited by benzimidazoles 3, yeast) homolog (BUB3)
butyrate response factor 1 (EGF-response factor 1) (BRF1)
butyrophilin (BTF1)
butyrophilin like receptor
CAG repeat containing (CTG4A)
CAGH32
calcium channel, voltage-dependent, L type, alpha 1D subunit (CACNA1D) (low match)
calcium/calmodulin-dependent protein kinase (CaM kinase) II gamma (CAMK2G)
calcium/calmodulin-dependent protein kinase kinase (KIAA0787)
calmodulin (=M19311)
calmodulin 1 (phosphorylase kinase, delta) (CALM1)
calnexin (CANX)
calpain, large polypeptide L1 (CAPN1)

calpain, large polypeptide L2 (CANP2)
calpain, small polypeptide (CAPN4)
calpastatin (CAST)
Calponin 2
calponin 2 (CNN2)
calponin 2 (CNN2) (low score)
calumenin (CALU)
cAMP response element-binding protein CRE-Bpa (H_GS165L15.1)
cAMP-dependent protein kinase type II (Ht31)
canicular multispecific organic anion transporter (CMOAT2)
capping protein (actin filament) muscle Z-line, alpha 1 (CAPZA1)
capping protein (actin filament) muscle Z-line, alpha 2 (CAPZA2)
capping protein (actin filament) muscle Z-line, beta (CAPZB)
capping protein (actin filament), gelsolin-like (CAPG)
carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase (CAD)
carbonic anhydrase V, mitochondrial (CA5)
carboxypeptidase D (CPD)
cardiac beta-myosin heavy chain
carnitine/acylcarnitine translocase (CACT)
Cas-Br-M (murine) ecotropic retroviral transforming sequence (cbl)
casein kinase 1, alpha 1 (CSNK1A1)
casein kinase 2, alpha 1 polypeptide (CSNK2A1)
casein kinase I gamma 3L (CSNK1G3L)
casein kinase II alpha subunit(=S72393)
CASP8 and FADD-like apoptosis regulator (CFLAR)
caspase 1, apoptosis-related cysteine protease (interleukin 1, beta, convertase) (CASP1)
caspase 10, apoptosis-related cysteine protease (CASP10)
caspase 3, apoptosis-related cysteine protease (CASP3)
caspase 4, apoptosis-related cysteine protease (CASP4)
caspase 5, apoptosis-related cysteine protease (CASP5)
caspase 8, apoptosis-related cysteine protease (CASP8)
caspase 9, apoptosis-related cysteine protease (CASP9)
catalase (CAT)
catechol-O-methyltransferase (COMT)
catenin (cadherin-associated protein), alpha 1 (102kD) (CTNNA1)
cathelicidin antimicrobial peptide (CAMP)
cathepsin B (CTSB)
cathepsin C (CTSC)
cathepsin D (lysosomal aspartyl protease) (CTSD)
cathepsin E (CTSE)
cathepsin G (CTSG)
cathepsin S (CTSS)
cathepsin W (lymphopain) (CTSW)

CBF1 interacting corepressor CIR (=U03644 recepim)
CCAAT/enhancer binding protein (C/EBP), alpha (CEBPA)
CCAAT/enhancer binding protein (C/EBP), delta (CEBPB)
CCAAT-box-binding transcription factor (CBF2)
CCR5 receptor (CCR5) (non-exact?)
CD14 antigen (CD14)
CD18 (=M95293)
CD1C antigen, c polypeptide (CD1C)
CD2 antigen (cytoplasmic tail)-binding protein 2 (CD2BP2)
CD2 antigen (p50), sheep red blood cell receptor (CD2)
CD2 cytoplasmic tail-binding protein 1 (CD2BP1)
CD20 antigen (CD20)
CD20 receptor (S7)
CD22 antigen (CD22)
CD24 signal transducer
CD33 antigen (gp67) (CD33)
CD33 antigen-like 2; OB binding protein-2 (CD33L2) (non-exact, 68%)
CD33L2 (61% aa)
CD36 antigen (collagen type I receptor, thrombospondin receptor) (CD36)
CD37 antigen (CD37)
CD38 alt
CD39 antigen (CD39)
CD3D antigen, delta polypeptide (TiT3 complex) (CD3D)
CD3E antigen, epsilon polypeptide (TiT3 complex) (CD3E)
CD3G antigen, gamma polypeptide (TiT3 complex) (CD3G)
CD3Z antigen, zeta polypeptide (TiT3 complex) (CD3Z)
CD3-zeta (clone pBS NK1)
CD4 (low match)
CD4 antigen (p55) (CD4)
CD44 antigen (homing function and Indian blood group system) (CD44)
CD48 antigen (B-cell membrane protein) (CD48)
CD53 antigen (CD53)
CD53 antigen (CD53) (low match)
CD63 antigen (melanoma 1 antigen) (CD63)
CD68 antigen (CD68)
CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen-associated) (CD74)
CD79A antigen (immunoglobulin-associated alpha) (CD79A)
CD79B antigen (immunoglobulin-associated beta) (CD79B)
CD8 antigen, alpha polypeptide (p32) (CD8A)
CD8 antigen, beta polypeptide 1 (p37) (CD8B1)
CD81 antigen (target of antiproliferative antibody 1) (CD81)
CD83 antigen (activated B lymphocytes, immunoglobulin superfamily) (CD83)
CD84 antigen (leukocyte antigen) (CD84)

CD86 antigen
CD9 antigen (p24) (CD9)
CD97 antigen (CD97)
CD97 antigen (CD97) (no-in-exact 59%)
CD97 antigen (CD97) (non-exact 62%)
CDC23 (cell division cycle 23, yeast, homolog) (CDC23)
CDC37 homolog
Cdc42 effector protein 3 (CEP3)
CDC-like kinase (CLK)
CDC-like kinase 2 (CLK2)
CDW52 antigen (CAMPATH-1 antigen) (CDW52)
cell cycle progression restoration 8 protein(CPR8)
cell division cycle 10 (homologous to CDC10 of <i>S. cerevisiae</i>) (CDC10)
cell division cycle 20, <i>S.cerevisiae</i> homolog (CDC20)
cell division cycle 25B (CDC25B)
cell division cycle 2-like 1 (PITSLRE proteins) (CDC2L1) (non-exact 42%)
cell division cycle 42 (GTP-binding protein, 25kD) (CDC42)
cell division protein (non-exact 68%)
CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN)
centromere protein B (80kD) (CENPB)
cep250 centrosome associated protein
ceroid-lipofuscinosis, neuronal 2, late infantile (Jansky-Bielschowsky disease) (CLN2)
c-fgr (=M63877 nonreceptor protein-tyrosine kinase (fgr))
CGI-19 protein
chaperonin containing TCP1, subunit 3 (gamma) (CCT3)
chaperonin containing TCP1, subunit 4 (delta) (CCT4)
chaperonin containing TCP1, subunit 6A (zeta 1) (CCT6A)
chaperonin containing TCP1, subunit 7 (eta) (CCT7)
Chediak-Higashi syndrome 1 (CHS1)
Chediak-Higashi syndrome 1 (CHS1) (low score)
chemokine (C-C motif) receptor 2 (CCR2)
chemokine (C-C motif) receptor 4 (CCR4) (low match) (may contain repeat)
chemokine (C-C motif) receptor 7 (CCR7)
chemokine (C-X3-C) receptor 1 (CX3CR1)
chemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)
chitinase 3-like 1 (cartilage glycoprotein-39) (CHI3L1)
chitinase 3-like 2 (CHI3L2)
chloride channel 1 , skeletal muscle (CLCN1)
chloride channel 6 (CLCN6)
Chloride intracellular channel 1 (CLIC1)
chondroitin sulfate proteoglycan 2 (versican) (CSPG2)
chondroitin sulfate proteoglycan core protein
chromatin assembly factor 1 p48 subunit (CAF-1 P48 subunit) (retinoblastoma binding protein p48) (retinoblastoma-binding protein 4) (MSI1 protein homolog)

chromodomain helicase DNA binding protein 1 (CHD1)
chromodomain helicase DNA binding protein 1-like (CHD1L)
chromodomain helicase DNA binding protein 2 (CHD2)
chromodomain helicase DNA binding protein 3 (CHD3)
chromodomain helicase DNA binding protein 4 (CHD4)
chromosome 1 open reading frame 7 (C1ORF7)
chromosome 1 specific transcript KIAA0493
chromosome 17 open reading frame 1B (C17ORF1B)
chromosome 4 open reading frame 1 (C4ORF1)
chromosome condensation 1-like (CHC1L)
chromosome X open reading frame 5 (CXORF5)
chromosome-associated polypeptide C(CAP-C)
cig42
cig5
citrate synthase (CS)
class I major histocompatibility antigen (HLA-Cw3)
class I major histocompatibility antigen (HLA-Cw3) (low match)
clathrin assembly protein lymphoid myeloid leukemia (CALM)
clathrin heavy chain
clathrin, heavy polypeptide-like 2 (CLTCL2)
clathrin, light polypeptide (Lca) (CLTA) (low match)
clathrin-associated/assembly/adaptor protein, medium 1 (CLAPM1)
cleavage stimulation factor, 3' pre-RNA, subunit 2 64kD (CSTF2) (non-exact 82%)
cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kD (CSTF3)
clk3
clone 23815 (Hs.82845)
clone 24592 mRNA sequence
Clq/MBL/SPA receptor ClqR(p) ()
clusterin (complement lysis inhibitor, SP-40,40, sulfated glycoprotein 2, testosterone-repressed prostate message 2, apolipoprotein J) (CLU)
CMP-sialic acid transporter (CMPST)
CMRF35
c-myc oncogene containing coxIII
coagulation factor II (thrombin) receptor (F2R)
coagulation factor V (proaccelerin, labile factor) (F5)
coagulation factor XIII a subunit
coagulation factor XIII, A1 polypeptide (F13A1)
coated vesicle membrane protein (RNP24)
coatamer protein complex, subunit alpha (COPA)
Cofilin I (non-muscle) (CFL1)
cold inducible RNA-binding protein (CIRBP)
cold shock domain protein A (CSDA)
collagen, type IX, alpha 2 (COL9A2)
colony stimulating factor 1 receptor, formerly McDonough feline sarcoma viral (v-fms) oncogene homolog

(CSF1R)
colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage) (CSF2RB)
colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage) (CSF2RB) (low match)
colony stimulating factor 3 receptor (granulocyte) (CSF3R)
complement component 5 receptor 1 (C5a ligand) (C5R1)
conserved gene amplified in osteosarcoma (OS4)
COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 3 (COPS3)
COP9 homolog (HCOP9)
COPII protein, homolog of s. cerevisiae SEC23p (SEC23A)
copine I (CPNE1)
copine I (CPNE1) (low score)
coproporphyrinogen oxidase (coproporphyrin, harderoporphyrin) (CPO)
core-binding factor, beta subunit (CBFB)
coronin
coronin (low match)
coronin (non-exact, 71%)
cot (cancer Osaka thyroid) oncogene (COT)
cryptochrome 1 (photolyase-like) (CRY1)
CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) phosphatase, subunit 1 (CTDPI)
C-terminal binding protein 1 (CTBP1)
C-terminal binding protein 2 (CTBP2)
CUG triplet repeat, RNA-binding protein 1 (CUGBP1)
cullin 1 (CUL1)
cullin 3 (CUL3)
cut (Drosophila)-like 1 (CCAAT displacement protein) (CUTL1)
cyclin D2 (CCND2)
cyclin D3 (CCND3)
cyclin G1 (CNNG1)
cyclin I
cyclin T2 (CNNT2)
cyclin-dependent kinase 2 (CDK2)
cyclin-dependent kinase inhibitor (p27Kip1)
cyclin-dependent kinase inhibitor 1A (p21, Cip1) (CDKN1A)
CYP2D7-CYP2D6 intergenic region (partial)
cystatin B (stefin B) (CSTB)
cysteine and glycine-rich protein 3 (cardiac LIM protein) (CSR3)
cytidine deaminase (CDA)
cytochrome b
cytochrome b (CYTB) (isolate Aus5)
cytochrome b(-245) beta chain N-terminal region (X-linked granulomatous disease gene)
cytochrome b-245, beta polypeptide (chronic granulomatous disease) (CYBB)
cytochrome C
cytochrome c oxidase subunit IV (COX4)

cytochrome c oxidase subunit Vb (COX5B)
cytochrome c oxidase subunit VII-related protein (COX7RP)
cytokine suppressive anti-inflammatory drug binding protein 1 (p38 MAP kinase) (CSBP1)
Cytoplasmic antiproteinase=38 kda intracellular serine proteinase inhibitor
cytotoxic granule-associated RNA-binding protein p40-TIA-1
D123 (D123)
D2-2
D38
damage-specific DNA binding protein 1 (127kD) (DDB1)
DCHT (low match)
DEAD/H (Asp-Glu-Ala-Asp/His) box binding protein 1 (DDXBP1)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide (72KD) (P72)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 15 (DDX15)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16 (DDX16)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3 (DDX3)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5) (low match)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD) (DDX6)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 8 (RNA helicase, 54kD) (DDX8)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 9 (RNA helicase A, nuclear DNA helicase II; leukophysin) (DDX9)
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide, Y chromosome (DBY)
Death associated protein 3 (DAP3)
death effector domain-containing protein (DEDD)
death-associated protein 6 (DAXX)
dedicator of cyto-kinesis 2 (DOCK2)
defender against cell death 1 (DAD1)
Defensin, alpha 1, myeloid-related sequence (DEFA1)
DEK gene (D6S231E)
delta sleep inducing peptide, immunoreactor (DSIPI)
dendritic cell protein (GA17)
deoxycytidine kinase (DCK)
deoxyribonuclease II, lysosomal (DNASE2)
DGS-I
diacylglycerol kinase
diacylglycerol kinase alpha (DAGK1) (clone 24)
diacylglycerol kinase alpha (DAGK1) (clone 24) (low match)
diaphanous (Drosophila, homolog) 1 (DIAPH1)
diaphorase (NADH) (cytochrome b-5 reductase) (DIA1)
differentiated Embryo Chondrocyte expressed gene 1 (DEC1)
differentiated Embryo Chondrocyte expressed gene 1 (DEC1) (low match)
differentiation antigen CD20
DiGeorge syndrome critical region gene 2 (DGCR2)

dihydrolipoamide dehydrogenase (E3 component of pyruvate dehydrogenase complex, 2-oxo-glutarate complex, branched chain keto acid dehydrogenase complex) (DLD)
dihydrolipoamide S-acetyltransferase (E2 component of pyruvate dehydrogenase complex) (DLAT)
dihydropyrimidinase-like 2 (DPYSL2)
dinG gene
diphtheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2 (DPH2L2)
disintegrin-protease (non-exact 72%)
DJ-1 protein
Dmx-like 1 (DMXL1)
DNA (cytosine-5-)-methyltransferase 1 (DNMT1)
DNA fragmentation factor, 40 kD, beta subunit (DFFB)
DNA fragmentation factor, 45 kD, alpha subunit (DFFA)
DNA mismatch repair protein (hMLH1)
DNA segment on chromosome X (unique) 648 expressed sequence
DNA segment, single copy probe LNS-CAI/LNS-CAII (deleted in polyposis (D5S346)
DNA-damage-inducible transcript 1 (DDIT1) (low match)
DnaJ protein
docking protein 2, 56kD (DOK2)
dolichyl-diphosphooligosaccharide-protein glycosyltransferase (DDOST)
dolichyl-phosphate mannosyltransferase polypeptide 1, catalytic subunit (DPM1)
down-regulated by activation (immunoglobulin superfamily) (DORA)
down-regulated in adenoma DRA (low match)
D-type cyclin-interacting protein 1 (DIP1)
dual specificity phosphatase 1 (DUSP1)
dual specificity phosphatase 11 (RNA/RNP complex 1-interacting) (dusp11)
dual specificity phosphatase 3 (vaccinia virus phosphatase VH1-related) (DUSP3)
dual specificity phosphatase 6 (DUSP6)
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1)
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1) (low match)
dynamitin 2 (DNM2)
dynamitin (dynactin complex 50 kD subunit) (DCTN-50) (non-exact 88%)
dynein, axonemal, heavy polypeptide 17-like (non-exact, 57%aa)
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCLI2)
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCLI2) (non-exact, 69%)
dyskeratosis congenita 1, dyskerin (DKC1)
dystonia 1, torsion (autosomal dominant) (DYT1)
dystrobrevin, beta (DTNB)
dystrophia myotonica-containing WD repeat motif (DMWD)
dystrophia myotonica-protein kinase (DMPK)
dystrophin (muscular dystrophy, Duchenne and Becker types) (DMD) (low match, 59%aa)
E1B-55kDa-associated protein
E2F transcription factor 3 (E2F3)
E2F transcription factor 4, p107/p130-binding (E2F4)
E2F transcription factor 5, p130-binding (E2F5)

E74-like factor 1 (ets domain transcription factor) (ELF1)
E74-like factor 4 (ets domain transcription factor) (ELF4)
E74-like factor 4 (ets domain transcription factor) (ELF4) (non-exact, 71%)
early development regulator 2 (homolog of polyhomeotic 2) (EDR2)
EBV induced G-protein coupled receptor (EBI2)
ecotropic viral integration site 2B (EVI2B)
ectin, galactoside-binding, soluble, 1 (galectin 1) (LGALS1)
EGF-like-domain, multiple 4 (EGFL4)
eIF-2-associated p67 homolog
elastin (supravalvular aortic stenosis, Williams-Beuren syndrome) (ELN) (low match)
elav-type RNA-binding protein (ETR-3)
electron-transfer-flavoprotein, alpha polypeptide (glutaric aciduria II) (ETFA)
ELK3, ETS-domain protein (SRF accessory protein 2) (ELK3)
elongation factor 1-beta
elongation factor Ts (mitochondrial protein)
elongation factor Tu-nuclear encoded mitochondrial
eMDC II protein
ems1 sequence (mammary tumor and squamous cell carcinoma-associated (p80/85 src substrate) (EMS1)
endogenous retroviral element HC2
endosulfine alpha (ENSA)
endothelial differentiation, sphingolipid G-protein-coupled receptor, 1 (EDG1)
endothelial differentiation, sphingolipid G-protein-coupled receptor, 1 (EDG1) (low match 66%)
endothelial monocyte-activating polypeptide (EMAPII)
enolase 1, (alpha) (ENO1)
enolase 2, (gamma, neuronal) (ENO2)
enolase-alpha
enoyl Coenzyme A hydratase 1, peroxisomal (ECH1)
enoyl Coenzyme A hydratase, short chain, 1, mitochondrial (ECHS1)
ENOYL-COA HYDRATASE, MITOCHONDRIAL PRECURSOR (SHORT CHAIN ENOYL-COA HYDRATASE) (SCEH) (ENOYL-COA HYDRATASE 1) (low match, non-exact 56%)
epidermal growth factor receptor pathway substrate 15 (EPS15)
EPIDIDYMAL SECRETORY PROTEIN E1 PRECURSOR (EPI-1) (HE1) (EPIDIDYMAL SECRETORY PROTEIN 14.6) (ESP14.6)
epithelial membrane protein 3 (EM[P3)
Epoxide hydrolase 1, microsomal (xenobiotic) (EPHX1)
ERCC2 (=L47234)
ERF-2
ERp28 protein
erythrocyte membrane protein
erythroleukemic cells K562
EST (Hs.189509)
estrogen receptor-related protein (hERRa1)
ESTs, Highly similar to ADENYLOSUCCINATE SYNTHETASE
ESTs, Moderately similar to cysteine-rich fibroblast growth factor receptor

ET binding factor 1 (SBF1)
ets domain protein ERF
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1)
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)
eukaryotic translation elongation factor 1 beta 2 (EEF1B2)
eukaryotic translation elongation factor 1 delta (guanine nucleotide exchange protein) (EEF1D)
eukaryotic translation elongation factor 1 gamma (EEF1G)
eukaryotic translation elongation factor 2 (EEF2)
eukaryotic translation initiation factor 2, subunit 1 (alpha, 35kD) (EIF2S1)
eukaryotic translation initiation factor 2, subunit 2 (beta, 38kD) (EIF2S2)
eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD) (EIF2S3)
eukaryotic translation initiation factor 3, subunit 10 (theta, 150/170kD) (EIF3S10)
eukaryotic translation initiation factor 3, subunit 2 (beta, 36kD) (EIF3S2)
eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD) (EIF3S3)
eukaryotic translation initiation factor 3, subunit 4 (delta, 44kD) (EIF3S4)
eukaryotic translation initiation factor 3, subunit 6 (48kD) (EIF3S6)
eukaryotic translation initiation factor 3, subunit 6 (EIF3S6)
eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67kD) (EIF3S7)
eukaryotic translation initiation factor 3, subunit 8, 110KD (EIF3S8)
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G)
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G) (low match)
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G1)
eukaryotic translation initiation factor 4 gamma, 2 (EIF4G2)
eukaryotic translation initiation factor 4 gamma, 2 (EIFG2)
eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1)
eukaryotic translation initiation factor 4A, isoform 2 (EIF4A2)
eukaryotic translation initiation factor 4B (EIF4B)
eukaryotic translation initiation factor 4E (EIF4E)
Eukaryotic translation initiation factor 4E binding protein 2 (EIF4EBP2)
eukaryotic translation initiation factor 4H (EIF4H)
eukaryotic translation initiation factor 5 (EIF5)
eukaryotic translation termination factor 1 (ETF1)
EV12 protein
Ewing sarcoma breakpoint region 1 (EWSR1)
EWS/FLI1 activated transcript 2 homolog (EAT-2)
EWS-E1A-F chimeric protein
excision repair cross-complementing rodent repair deficiency, complementation group 1 (includes overlapping antisense sequence) (ERCC1)
excision repair cross-complementing rodent repair deficiency, complementation group 5 (xeroderma pigmentosum, complementation group G (Cockayne syndrome)) (ERCC5)
exostoses (multiple)-like 3 (EXTL3)
F11
F1-ATPase beta subunit (F-1 beta)
Fanconi anaemia group A

Fanconi anemia, complementation group A (FANCA)
far upstream element (FUSE) binding protein 1 (FUBP1)
farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (FDPS)
farnesyl-diphosphate farnesyltransferase 1 (FDFT1)
farnesyltransferase, CAAX box, beta (FNTB)
Fas ligand (gene and promoter region)
Fas-ligand associated factor 1
fatty-acid-Coenzyme A ligase, long-chain 1 (FACL1)
Fc fragment of IgA, receptor for (FCAR)
Fc fragment of IgE, high affinity I, receptor for; gamma polypeptide (FCER1G)
Fc fragment of IgE, low affinity II, receptor for (CD23A) (FCER2)
Fc fragment of IgG, low affinity IIa, receptor for (CD32)
Fc fragment of IgG, low affinity IIa, receptor for (CD32) (FCGR2A)
Fc fragment of IgG, low affinity IIIa, receptor for (CD16) (FCGR3A)
Fc fragment of IgG, receptor, transporter, alpha (FCGRT)
fc-fgr
Fc-gamma-receptorIIIB (FCGR3B)
feline sarcoma (Snyder-Theilen) viral (v-fes)/Fujinami avian sarcoma (PRCII) viral (v-fps) oncogene homolog(FES) c-fes/fps)
female sterile homeotic-related gene 1 (mouse homolog) (FSRG1)
ferritin L-chain
ferritin, heavy polypeptide 1 (FTH1)
fertilin alpha pseudogene
fetal Alzheimer antigen (FALZ)
fetal Ig heavy chain variable region
fibrillarin (FBL)
fibrinogen-like protein 2 (T49)
fibroblast growth factor receptor 2 (bacteria-expressed kinase, keratinocyte growth factor receptor, craniofacial dysostosis 1, Crouzon syndrome) syndrome, Pfeiffer syndrome, Jackson-Weiss) (FGFR2)
ficolin (collagen/fibrinogen domain-containing) 1 (FCN1)
filamin A, alpha (actin-binding protein-280) (FLNA)
filamin B, beta (actin-binding protein-278) (FLNB)
Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV) ubiquitously expressed (fox derived); ribosomal protein S30 (FAU)
FK-506 binding protein
FK506-binding protein 1A (12kD) (FKBP1A)
FK506-binding protein 1B (12.6 kD) (FKBP1B)
FK506-binding protein 5 (FKBP5)
Flightless I (Drosophila) homolog (FLII)
Flightless I (Drosophila) homolog (FLII) (low match)
FLN29 (FLN29)
flotillin 2 (FLOT2)
folate receptor 2 (fetal) (FOLR2)

forkhead (Drosophila) homolog (rhabdomyosarcoma) like 1 (FKHRL1)
Formyl peptide receptor 1 (FPR1)
formyl peptide receptor-like 1 (FPRL1)
formyl peptide receptor-like 1 (FPRL1) (low score)
fragile X mental retardation 1 (FMR1)
fragile X mental retardation, autosomal homolog 1 (FXR1)
Friend leukemia virus integration 1 (FLI1)
fructose-bisphosphatase 1 (FBP1)
FSHD-associated repeat DNA, proximal region
fucose-1-phosphate guanylyltransferase (FPGT)
full length insert cDNA clone ZA78A09
full length insert cDNA YP07G10
fumarate hydratase (FH)
FUS (low match)
FYN-binding protein (FYB-120/130) (FYB)
G alpha interacting protein (GAIP) (low score)
G protein beta subunit-like protein 12.3
G protein-coupled receptor 64 (HE6) (non-exact 59%)
G protein-coupled receptor kinase 6 (GPRK6)
G1 to S phase transition 1 (GSPT1)
GA-binding protein transcription factor, beta subunit 2 (47kD) (GABPB2)
galactose-1-phosphate uridylyltransferase (GALT)
galactosidase, beta 1 (GLB1)
galactosyltransferase (=X13223 N-acetylglucosamide-(beta 1-4)-galactosyltransferase)
galectin-9 isoform
gamma2-adaptin (G2AD)
gamma-actin
gamma-aminobutyric acid (GABA) B receptor 1 (GABBR1)
GATA-binding protein 2 (GATA2)
GATA-binding protein 3 (GATA3)
GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 1 (GCN5L1)
GDP dissociation inhibitor 1 (GDI1)
GDP dissociation inhibitor 2 (GDI2)
GDS-related protein (HKE1.5)
gelsolin (amyloidosis, Finnish type) (GSN)
general transcription factor II, I (GTF2I)
general transcription factor II, i, pseudogene 1 (GTF2IP1)
general transcription factor IIF, polypeptide 1 (74kD subunit) (GTF2F1)
general transcription factor IIH, polypeptide 3 (34kD subunit) (GTF2H3)
general transcription factor IIH, polypeptide 4 (52kD subunit) (GTF2H4)
general transcription factor IIIA (GTF3A)
general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD) (GTF3C1)
general transcription factor IIIC, polypeptide 2 (beta subunit, 110kD) (GTF3C2)

germline immunoglobulin heavy chain (IGHV@)
germline immunoglobulin heavy chain, variabl region
germline immunoglobulin heavy chain, variable region, (21-2)
GLE1 (yeast homolog)-like, RNA export mediator (GLE1L)
glia maturation factor, beta (GMFB)
glioma-associated oncogene homolog (zinc finger protein) (GLI)
glioma-associated oncogene homolog (zinc finger protein) (GLI) (low score)
globin, alpha 2
glucocorticoid receptor (=M69104)
glucocorticoid receptor (GRL)
glucos phosphate isomerase (CONTAINS LARGE REPEAT)
glucosamine (N-acetyl)-6-sulfatase (Sanfilippo disease IIID) (GNS)
glucosamine (N-acetyl)-6-sulfatase (Sanfilippo disease IIID) (GNS) (non-exact 56%)
glucose transporter-like protein-III (GLUT3)
glucose transporter-like protein-III (GLUT3) (low match)
glucosidase, alpha; acid (Pompe disease, glycogen storage disease type II) (GAA)
glucosidase, beta; acid (includes glucosylceramidase) (GBA)
glutamate dehydrogenase 1 (GLUD1)
glutamate-ammonia ligase (glutamine synthase) (GLUL)
glutamate-ammonia ligase (glutamine synthase) (GLUL) (low score)
glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLCLC)
glutamine cyclotransferase
glutamine-fructose-6-phosphate transaminase 1 (GFPT1)
glutaminyI-tRNA synthetase
glutaminyI-tRNA synthetase (QARS)
glutamyl-prolyl-tRNA synthetase (EPRS)
glutathione peroxidase 1 (GPX1)
glutathione peroxidase 4 (phospholipid hydroperoxidase) (GPX4)
glutathione S-transferase pi (GSTP1)
glutathione S-transferase subunit 13 homolog
glyceraldehyde-3-phosphate dehydrogenase (GAPD)
glycogenin (GYG)
glycophorin C (Gerbich blood group) (GYPC)
glycoprotein M6B (GPM6B)
glycyl-tRNA synthetase (GARS)
glyoxalase I (lactoyl glutathione lyase) (GLYI)
golgi autoantigen, golgin subfamily a, 1 (GOLGA1)
golgi autoantigen, golgin subfamily a, 2 (GOLGA2) (non-exact, 70%)
golgi autoantigen, golgin subfamily a, 4 (GOLGA4)
golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1 (GOLGB1)
gp25L2 protein
grancalcin
granulin (GRN)

granulin (GRN) (low match)
Granulysin (NKG5)
granzyme A (granzyme 1, cytotoxic T-lymphocyte-associated serine esterase 3) (GZMA)
GRB2-related adaptor protein (GRAP)
Grb2-related adaptor protein 2 (GRAP2)
GRO1 oncogene (melanoma growth stimulating activity, alpha) (GRO1)
growth arrest and DNA-damage-inducible gene (GADD153)
growth arrest-specific 7 (GAS7)
growth factor receptor-bound protein 2 (GRB2)
GS1 (protein of unknown function)
GS3955
GTP binding protein 1 (GTPBP1)
GTP binding protein similar to <i>S. cerevisiae</i> HBS1 (HBS1)
GTPase activating protein-like (GAPL)
GTP-binding protein (low match)
GTP-binding protein G(K), alpha subunit (=G(I) ALPHA-3)(=GTP-binding regulatory protein Gi alpha-3 chain)
Gu protein (GURDB)
guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 (GNAI2)
guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3 (GNAI3)
guanine nucleotide binding protein (G protein), alpha stimulating activity polypeptide 1 (GNAS1)
guanine nucleotide binding protein (G protein), alpha transducing activity polypeptide 2 (GNAT2)
guanine nucleotide binding protein (G protein), beta 5 (GNB5)
guanine nucleotide binding protein (G protein), beta polypeptide 1 (GNB1)
guanine nucleotide binding protein (G protein), q polypeptide (GNAQ)
guanine nucleotide binding protein-like 1 (GNL1)
guanine nucleotide exchange factor
guanine nucleotide regulatory factor (LFP40)
GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN 12.3 (P205) (RECEPTOR OF ACTIVATED PROTEIN KINASE C 1) (RACK1)
GUANINE-MONOPHOSPHATE SYNTHETASE (GMPS)
guanosine monophosphate reductase (GMPR) (non-exact, 72%)
guanosine-diphosphatase like protein
guanylate binding protein 1, interferon-inducible, 67kD (GBP1)
guanylate binding protein 2, interferon-inducible (GBP2)
H2A histone family, member C (H2AFC)
H2A histone family, member Y (H2AY)
H2B histone family, member L (H2BFL)
h2-calponin
H-2K binding factor-2
H3 histone family, member K (H3FK)
H3 histone, family 3A (H3F3A)
H3 histone, family 3B (H3.3B) (H3F3B)
hbc647
heat shock 27kD protein 1 (HSPB1)

heat shock 40kD protein 1 (HSPF1)
heat shock 60kD protein 1 (chaperonin) (HSPD1)
heat shock 70kD protein 1 (HSPA1A)
heat shock 70kD protein 5 (glucose-regulated protein, 78kD) (HSPA5)
heat shock 70kD protein 6 (HSP70B') (HSPA6)
heat shock 70kD protein 9B (mortalin-2) (HSPA9B)
HEAT SHOCK COGNATE 71 KD PROTEIN
heat shock factor binding protein 1 (HSBP1)
heat shock protein 90
heat shock protein, DNAJ-like 2 (HSJ2)
Hect (homologous to the E6-AP (UBE3A) carboxyl terminus) domain and RCC1 (CHC1)-like domain (RLD) 1 (HERC1)
hect domain and RLD 2 (HERC2)
helicase-like protein (HLP)
helix-loop-helix protein HE47 (E2A)
hematopoietic cell-specific Lyn substrate 1 (HCLS1)
heme oxygenase (decycling) 1 (HMOX1)
HEMOGLOBIN ALPHA CHAIN
hemoglobin beta (beta globin)
hemoglobin, alpha 1 (HBA1)
hemoglobin, alpha 1 (HBA1) (low match)
hemoglobin, alpha 1 (low match)
hemoglobin, alpha 1 (non-exact, 76%)
hemoglobin, alpha 1 (non-exact, 82%)
hemoglobin, beta (HBB)
hemoglobin, beta (HBB) (low match)
hemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)
hemopoietic cell kinase (HCK)
hepatitis C-associated microtubular aggregate protein p44
hepatoma-derived growth factor
Hermansky-Pudlak syndrome (HPS)
HERV-E integrase (non-exact 76%aa)
heterogeneous nuclear protein similar to rat helix destabilizing protein (FBRNP)
heterogeneous nuclear ribonucleoprotein (C1/C2) (HNRPC)
heterogeneous nuclear ribonucleoprotein A/B (HNRPAB)
heterogeneous nuclear ribonucleoprotein A1 (HNRPA1)
heterogeneous nuclear ribonucleoprotein A2/B1 (HNRPA2B1)
heterogeneous nuclear ribonucleoprotein D (hnRNP D)
heterogeneous nuclear ribonucleoprotein D-like (HNRPDL)
heterogeneous nuclear ribonucleoprotein F (HNRPF)
heterogeneous nuclear ribonucleoprotein F (HNRPF) (83%)
heterogeneous nuclear ribonucleoprotein G (HNRPG)
heterogeneous nuclear ribonucleoprotein H (HNRPH) (FTP-3)
heterogeneous nuclear ribonucleoprotein H (HNRPH) (low match)

heterogeneous nuclear ribonucleoprotein H1 (H) (HNRPH1)
heterogeneous nuclear ribonucleoprotein K (HNRPK)
heterogeneous nuclear ribonucleoprotein R (HNRPR)
heterogeneous nuclear ribonucleoprotein U (scaffold attachment factor A) (HNRPU)
hexokinase 1 (HK1)
hexokinase 2 (HK2)
hexokinase 3 (HK3)
hexosaminidase A (alpha polypeptide) (HEXA)
HGMP07I gene for olfactory receptor
High density lipoprotein binding protein (HDLBP)
high-mobility group (nonhistone chromosomal) protein 1 (HMG1)
high-mobility group (nonhistone chromosomal) protein 1 (HMG1) (non-exact 60%)
High-mobility group (nonhistone chromosomal) protein 17 (HMG17)
high-mobility group (nonhistone chromosomal) protein 2 (HMG2)
high-mobility group (nonhistone chromosomal) protein isoforms I and Y
high-risk humanpapilloma viruses E6 oncoproteins targeted protein E6TP1 beta (=AB007900 KIAA0440)
histidine ammonia-lyase (HAL)
histidyl-tRNA synthetase (HARS)
histocompatibility antigen (HLA-Cw3), class I
histone deacetylase 1 (HDAC)
histone deacetylase 1 (HDAC1)
histone deacetylase 5 (NY-CO-9)
HK2 gene for hexokinase II
HL9 monocyte inhibitory receptor precursor
HLA class I heavy chain (HLA-Cw*1701)
HLA class I locus C heavy chain
HLA class II SB 4-beta chain
HLA class III region containing NOTCH4 gene
HLA-A
HLA-A*7402
HLA-A11
HLA-B
HLA-B associated transcript-1 (D6S81E)
HLA-B associated transcript-2 (D6S51E)
HLA-B*1529
HLA-Bw72 antigen
HLA-C gene (HLA-Cw*0701 allele)
HLA-Cw*0701
HLA-Cw*0801
HLA-Cw*1203
HLA-DC classII histocompatibility antigens alpha-chain (=K01160)
HLA-DR alpha-chain
HLA-F (leukocyte antigen F)

HMG box containing protein 1
hMLH1 (=U83845)
Hmob33
HMT1 (hnRNP methyltransferase, <i>S. cerevisiae</i>)-like 1 (HRMT1L1)
hnRNP C1/C2
homeobox (=X58250 Mouse homeo box protein, put. transcription factor involved in embryogenesis and hematopoiesis)
homeobox protein (HLX1) (=M60721)
homeodomain-interacting protein kinase 3 (HIPK3)
homolog of <i>Drosophila</i> past (PAST)
homolog of yeast (<i>S. cerevisiae</i>) ufd2 (UFD2)
HPV16 E1 protein binding protein
HRIHFB2157
HRX-like protein (=AF010403 ALR)
hsc70 gene for 71 kd heat shock cognate protein
HSPC012
HSPC021
HsPex13p
htra2-beta-2
HU-K4
hunc18b2
HUNKI
huntingtin-interacting protein HYPA/FBP11 (HYPA)
hVps41p (HVPS41)
hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), alpha subunit (HADHA)
hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB)
hydroxysteroid (17-beta) dehydrogenase 1 (HSD17B1)
hypothetical protein (AL008729) (dJ257A7.2)
hypothetical protein (CIT987SK_2A8_1 chromosome 8)
hypothetical protein (clone 24640)
hypothetical protein (clone ICRFp507G2490).
hypothetical protein (dJ1042K10.4) (non-exact 76%)
hypothetical protein (dJ465N24.1 similar to predicted yeast and worm proteins)
hypothetical protein (dJ487J7.1.1)
hypothetical protein (dJ753P9.2)
hypothetical protein (DKFZp586I111)
hypothetical protein (J257A7.2)
hypothetical protein (KIAA0440) (=AF026504 <i>R. norvegicus</i> SPA-1 like protein)
hypothetical protein (S164)
hypothetical protein (similar to thrombospondin) (non-exact 56%)
hypothetical protein B (HSU47926) (non-exact, 56%)
hypothetical protein from BCRA2 region (CG005)

hypoxia-inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor) (HIF1A)
Ia-associated invariant gamma-chain (clones lambda-y (1,2,3))
iduronate 2-sulfatase (Hunter syndrome) (IDS)
Ig heavy chain V region (=D11016)
Ig heavy chain variable region
Ig heavy chain variable region (VH4DJ) (clone T14.4)
Ig heavy chain variable region (VH4DJ) (clone T22.18)
Ig J chain
Ig kappa
IG kappa light chain variable region A20
Ig kappa light chain, V- and J-region (=X59315)
Ig lambda light chain variable region (26-34ITIII120)
Ig mu-chain VDJ4-region
Ig rearranged anti-myelin kappa-chain (V-J4-region, hybridoma AE6-5)
Ig rearranged H-chain mRNA V-region
Ig rearranged light-chain V region (=D90158)
IGF-II mRNA-binding protein 3 (KOC1) (non-exact, 75%)
IgG Fc binding protein (FC(GAMMA)BP)
IgG heavy chain variable region (vH26)
IgM heavy chain (C mu, membrane exons)
IkB kinase-beta (IKK-beta)
IL-1 receptor type II
IL2-inducible T-cell kinase (ITK)
immediate early protein (ETR101)
immunoglobulin light chain (lambda)
Immunoglobulin (CD79A) binding protein 1 (IGBP1)
immunoglobulin C (mu) and C (delta) heavy chain (=K02878)
immunoglobulin G Fc receptor IIIB
immunoglobulin gamma 3 (Gm marker) (IGHG3)
immunoglobulin gamma heavy chain variable region (=X61011)
immunoglobulin heavy chain (VI-3B)
immunoglobulin heavy chain J region
immunoglobulin heavy chain J region, B1 haplotype
immunoglobulin heavy chain variable region (IGH) (clone 21u-48)
immunoglobulin heavy chain variable region (IGH) (clone 23u-1)
immunoglobulin heavy chain variable region V1-18 (IGHV@) (=X60503)
immunoglobulin heavy chain variable region V3-43 (IGHV@)
immunoglobulin heavy chain variable region V3-7 (IGHV@)
immunoglobulin IgH heavy chain Fd fragment
immunoglobulin kappa light chain
immunoglobulin kappa light chain V-segment A27
immunoglobulin light chain
immunoglobulin light chain (low match)

immunoglobulin light chain variable region (lambda IIIb subgroup) from IgM rheumatoid factor
immunoglobulin M heavy chain V region=anti-lipid A antibody
immunoglobulin mu (IGHM)
immunoglobulin mu binding protein 2 (IGHMBP2)
immunoglobulin superfamily, member 2 (IGSF2)
Immunoglobulin VH mRNA (487 bp) (=M99652 immunoglobulin heavy chain variable region V3-11 (IGHV@))
imogen 38 (IMOGEN38)
IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1)
IMP (inosine monophosphate) dehydrogenase 2 (IMPDH2)
inc finger protein 151 (pHZ-67) (ZNF151)
inc finger protein, C2H2, rapidly turned over (ZNF20)
inducible poly(A)-binding protein (IPABP)
inducible poly(A)-binding protein (IPABP) (low match)
inducible protein (Hs.80313)
inhibitor of DNA binding 2, dominant negative helix-loop-helix protein (ID2)
inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein (IKBKAP)
inositol 1,3,4-trisphosphate 5/6-kinase
inositol 1,4,5 trisphosphate receptor type 1 (ITPR1)
inositol 1,4,5-trisphosphate 3-kinase B (ITPKB)
inositol monophosphatase
inositol polyphosphate-5-phosphatase, 145kD (INPP5D)
Ins(1,3,4,5)P4-binding protein
insulin (INS)
insulin-like growth factor 2 receptor (IGF2R)
integral membrane protein 1 (ITM1)
integral membrane protein 2C (ITM2C)
integral membrane protein Tmp21-I (p23)
integrin beta 4 binding protein (ITGB4BP)
integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41B) (ITGA2B)
integrin, alpha 5 (fibronectin receptor, alpha polypeptide) (ITGA5)
integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL)
integrin, alpha M (complement component receptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM)
integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX)
integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1)
integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2)
integrin, beta 7 (ITGB7)
Integrin-linked kinase (ILK)
intercellular adhesion molecule 1 (CD54), human rhinovirus receptor (ICAM1)
intercellular adhesion molecule 2 (ICAM2)
intercellular adhesion molecule 3 (ICAM3)
intercellular adhesion molecule 4, Landsteiner-Wiener blood group (ICAM4)
Interferon consensus sequence binding protein 1 (ICSBP1)

Interferon consensus sequence binding protein 1 (ICSBP1) (low match)
interferon regulatory factor 2 (IRF2)
interferon regulatory factor1 (IRF1)
interferon regulatory factor5 (IRF5)
interferon, gamma-inducible protein 16 (IFI16)
interferon, gamma-inducible protein 30 (IFI30)
INTERFERON-INDUCED GUANYLATE-BINDING PROTEIN 1 (GUANINE NUCLEOTIDE-BINDING PROTEIN 1) (non-exact 62%)
interferon-induced protein 17 (IFI17)
interferon-induced protein 54 (IFI54)
interferon-inducible (1-8D)
interferon-inducible (1-8U)
interferon-related developmental regulator 1 (IFRD1)
interferon-stimulated transcription factor 3, gamma (48kD) (ISGF3G)
interleukin 1 receptor, type II (IL1R2)
Interleukin 10 receptor, beta (I.10RB)
interleukin 12 receptor, beta 1 (IL12RB1)
interleukin 13 receptor, alpha 1 (IL13RA1)
interleukin 16 (lymphocyte chemoattractant factor) (IL16)
interleukin 18 receptor 1 (IL18R1)
interleukin 2 receptor, beta (IL2RB)
interleukin 2 receptor, gamma (severe combined immunodeficiency) (IL2RG)
interleukin 4 receptor (IL4R)
interleukin 6 receptor (IL6R)
interleukin 6 signal transducer (gp130, oncostatin M receptor) (IL6ST)
interleukin 7 receptor (IL7R)
interleukin 7 receptor (IL7R) (low match)
interleukin 8 (IL8)
interleukin 8 receptor alpha (IL8RA)
interleukin 8 receptor, beta (IL8RB)
interleukin enhancer binding factor 2, 45kD (ILF2)
interleukin enhancer binding factor 3, 90kD (ILF3)
interleukin-1 receptor-associated kinase 1 (IRAK1)
interleukin-1 receptor-associated kinase 1 (low match)
interleukin-10 receptor, alpha (IL10RA)
interleukin-11 receptor, alpha (IL11RA)
INTERLEUKIN-14 PRECURSOR (IL-14) (HIGH MOLECULAR WEIGHT B-CELL GROWTH FACTOR) (HMW-BCGF) (non-exact 46%)
intestinal carboxylesterase; liver carboxylesterase-2 (ICE)
inversin protein (non-exact 52%)
IQ motif containing GTPase activating protein 1 (IQGAP1)
IQ motif containing GTPase activating protein 2 (IQGAP2)
isocitrate dehydrogenase 1 (NADP+), soluble (IDH1)
isocitrate dehydrogenase 2 (NADP+), mitochondrial (IDH2)

isocitrate dehydrogenase 3 (NAD+) alpha (IDH3A)
isocitrate dehydrogenase 3 (NAD+) gamma (IDH3G)
isolate Aus3 cytochrome b (CYTB)
isolate TzCCR5-179 CCR5 receptor (CCR5)
isopentenyl-diphosphate delta isomerase (IDI1)
Janus kinase 1 (a protein tyrosine kinase) (JAK1)
Janus kinase 2 (a protein tyrosine kinase) (JAK2)
Jk-recombination signal binding protein (RBPJK)
JM1 protein
jumonji (mouse) homolog (JMJ)
jun D proto-oncogene (JUND)
jun dimerization protein
junction plakoglobin (JUP)
kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2 leukocyte antigen, antigen detected by monoclonal and antibody IA4)) (KAI1)
karyopherin (importin) beta 1 (KPNB1)
karyopherin (importin) beta 2 (KPNB2)
karyopherin alpha 1 (importin alpha 5) (KPNA1)
karyopherin alpha 2 (RAG cohort 1, importin alpha 1) (DPNA2)
karyopherin alpha 3 (importin alpha 4) (KPNA3)
karyopherin alpha 4 (KPNA4)
Katanin (80 kDa) (KAT)
KE03 protein
Kelch-like ECH-associated protein 1 (KIAA0132) (66%aa)
Keratin 8 (KRT8)
ketoheokinase (fructokinase) (KHK)
KIAA0001 (KIAA0001) (72% aa)
KIAA0001 (KIAA0001) (76% aa)
KIAA0001 (KIAA0001) (non-exact 72%)
KIAA0002 (KIAA0002)
KIAA0005 (KIAA0005)
KIAA0010 (KIAA0010)
KIAA0016 (KIAA0016)
KIAA0017 (KIAA0017)
KIAA0022 (KIAA0022)
KIAA0023 (KIAA0023)
KIAA0024 (KIAA0024)
KIAA0025 (KIAA0025)
KIAA0026 (KIAA0026)
KIAA0027
KIAA0032 (KIAA0032)
KIAA0040 (KIAA0040)
KIAA0050 (KIAA0050)
KIAA0053 (KIAA0053)

KIAA0057 (KIAA0057)
KIAA0058 (KIAA0058)
KIAA0063 (KIAA0063)
KIAA0064 (KIAA0064)
KIAA0066
KIAA0068
KIAA0073
KIAA0081
KIAA0084
KIAA0085
KIAA0088
KIAA0090
KIAA0092 (KIAA0092)
KIAA0094
KIAA0095 (KIAA0095)
KIAA0096
KIAA0097 (KIAA0097)
KIAA0099 (KIAA0099)
KIAA0102 (KIAA0102)
KIAA0105
KIAA0120
KIAA0120 (non-exact, 65%)
KIAA0121 (KIAA0121)
KIAA0123
KIAA0128
KIAA0129 (KIAA0129)
KIAA0130 (KIAA0130)
KIAA0136
KIAA0137 (KIAA0137)
KIAA0140 (KIAA0140)
KIAA0141 (KIAA0141)
KIAA0144 (KIAA0144)
KIAA0144 (KIAA0144) (low match)
KIAA0144 (non-exact 61%)
KIAA0144 (non-exact 65%)
KIAA0146
KIAA0148 (KIAA0148)
KIAA0154
KIAA0156
KIAA0160
KIAA0161 (KIAA0161)
KIAA0164 (KIAA0164)
KIAA0167 (KIAA0167)

KIAA0168 (KIAA0168)
KIAA0169
KIAA0171 (KIAA0171)
KIAA0174 (KIAA0174)
KIAA0179
KIAA0181
KIAA0183
KIAA0184
KIAA0191 (72% aa)
KIAA0191 (non-exact 77%)
KIAA0193 (KIAA0193)
KIAA0200 (KIAA0200)
KIAA0210 (KIAA0210)
KIAA0217
KIAA0219
KIAA0222 (KIAA0222)
KIAA0223
KIAA0229
KIAA0232 (KIAA0232)
KIAA0233 (KIAA0233)
KIAA0235
KIAA0239
KIAA0239 (non-exact 80%)
KIAA0240
KIAA0242
KIAA0248
KIAA0249 (KIAA0249)
KIAA0253
KIAA0254 (KIAA0254)
KIAA0255(KIAA0255)
KIAA0262 (KIAA0262)
KIAA0263 (KIAA0263)
KIAA0264
KIAA0268
KIAA0269
KIAA0275 (KIAA0275)
KIAA0304 (KIAA0304)
KIAA0308
KIAA0310 (KIAA0310)
KIAA0314 (=U96635 M.musculus ubiquitin protein ligase Nedd-4)
KIAA0315 (KIAA0315)
KIAA0325 (=L08505 R.norvegicus cytoplasmic dynein heavy chain (MAP 1C))
KIAA0329 (KIAA0329)

KIAA0330
KIAA0332
KIAA0333
KIAA0336 (KIAA0336)
KIAA0336 (KIAA0336) (low match)
KIAA0342 (KIAA0342)
KIAA0344 (KIAA0344)
KIAA0354 (KIAA0354)
KIAA0365 (KIAA0365)
KIAA0370
KIAA0372 (KIAA0372)
KIAA0373 (KIAA0373)
KIAA0375 (KIAA0375)
KIAA0377 (KIAA0377)
KIAA0379
KIAA0379 (non-exact, 65%)
KIAA0380 (KIAA0380)
KIAA0380 (KIAA0380) (60%aa)
KIAA0382 (KIAA0382)
KIAA0383
KIAA0386 (KIAA0386)
KIAA0392
KIAA0397 (KIAA0397)
KIAA0403
KIAA0404
KIAA0409
KIAA0421
KIAA0424 (non-exact 82%)
KIAA0428 (KIAA0428)
KIAA0429 (KIAA0429)
KIAA0430 (KIAA0430)
KIAA0432 (KIAA0432)
KIAA0435 (KIAA0435)
KIAA0438 (KIAA0438)
KIAA0447 (KIAA0447)
KIAA0449
KIAA0456
KIAA0458 (KIAA0458)
KIAA0462
KIAA0465
KIAA0476 (KIAA0476)
KIAA0489
KIAA0494 (KIAA0494)

KIAA0515
KIAA0521
KIAA0525
KIAA0530
KIAA0532
KIAA0537 (KIAA0537)
KIAA0540
KIAA0543
KIAA0544
KIAA0549
KIAA0551
KIAA0554
KIAA0561
KIAA0562 (KIAA0562)
KIAA0563 (KIAA0563)
KIAA0569 (KIAA0569)
KIAA0571 (KIAA0571)
KIAA0573
KIAA0576
KIAA0580
KIAA0584
KIAA0592
KIAA0596
KIAA0598 (KIAA0598)
KIAA0608
KIAA0614
KIAA0615 (KIAA0615)
KIAA0621
KIAA0648
KIAA0652 (KIAA0652)
KIAA0668
KIAA0669
KIAA0671 (KIAA0671)
KIAA0675 (KIAA0675)
KIAA0676
KIAA0677 (KIAA0677)
KIAA0678
KIAA0679
KIAA0680 (KIAA0680)
KIAA0692
KIAA0697
KIAA0699
KIAA0700

KIAA0737 (KIAA0737)
KIAA0748 (KIAA0748)
KIAA0763 (KIAA0763)
KIAA0769 (KIAA0769)
KIAA0782
KIAA0796
KIAA0798 (KIAA0798)
KIAA0823
KIAA0854
KIAA0856
KIAA0860
KIAA0862
KIAA0871 (non-exact 88%)
KIAA0873
KIAA0892
KIAA0906
KIAA0991
killer cell lectin-like receptor subfamily B, member 1 (KLRB1)
killer cell lectin-like receptor subfamily C, member 4 (KLRC4)
kinectin 1 (kinesin receptor) (KTN1)
kinesin family member 5B (KIF5B)
kinesin-like DNA binding protein
Krueppel-related DNA-binding protein (TF6) (low match)
Kruppel related gene (clone pHKR1RS)
Kruppel-like zinc finger protein Zf9
Kruppel-like zinc finger protein Zf9 (non-exact 76%)
kruppel-type zinc finger protein, ZK1
L apoferritin
lactate dehydrogenase A (LDHA)
lactate dehydrogenase A (LDHA) (non-exact, 81%)
lactate dehydrogenase B (LDHB)
lactotransferrin (LTF)
laminin binding protein (low score)
laminin receptor 1 (67kD); Ribosomal protein SA (LAMR1)
laminin receptor homolog {3' region}
laminin, gamma 1 (formerly LAMB2) (LAMC1)
latent transforming growth factor beta binding protein 1 (LTBP1)
LAZ3/BCL6 (=Z79582;D28522/4)
LDLC
lecithin-cholesterol acyltransferase (LCAT) (non-exact, 66%)
lectin, galactoside-binding, soluble, 2 (galectin 2) (LGALS2)
lectin, galactoside-binding, soluble, 3 binding protein (galectin 6 binding protein) (LGALS3BP)
leucine rich repeat (in FLII) interacting protein 1 (LRRFIP1)

leucocyte immunoglobulin-like receptor-5 (LIR-5)
leucocyte immunoglobulin-like receptor-6a (LIR-6)
leucocyte immunoglobulin-like receptor-7 (LIR-7)
leukemia virus receptor 1 (GLVR1)
leukocyte adhesion protein p150,95 alpha subunit
leukocyte antigen, HLA-A2
leukocyte immunoglobulin-like receptor (MIR-10)
leukocyte tyrosine kinase (LTK)
leukocyte-associated Ig-like receptor 1 (LIAR1)
leukotriene A4 hydrolase (LTA4H)
leupaxin (LDPL)
ligase I, DNA, ATP-dependent (LIG1)
LIM and SH3 protein 1 (LASP1)
LIM domain kinase 2 (LIMK2)
Line-1 repeat mRNA with 2 open reading frames
Line-1 repeat with 2 open reading frames
LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
lipase A, lysosomal acid, cholesterol esterase (Wolman disease) (LIPA)
lipase, hormone-sensitive (LIPE)
LMP7
Lon protease-like protein (LONP)
low density lipoprotein-related protein 1 (alpha-2-macroglobulin receptor) (LRP1)
low density lipoprotein-related protein-associated protein 1 (alpha-2-macroglobulin receptor-associated protein 1) (LRPAP1)
low density lipoprotein-related protein-associated protein 1 (alpha-2-macroglobulin receptor-associated protein 1) (LRPAP1) (non-exact, 75%)
low-affinity Fc-gamma receptor IIA
LPS-induced TNF-alpha factor (PIG7)
Lst-1
L-type amino acid transporter subunit LAT1
lung resistance-related protein (LRP)
Lymphocyte antigen 75 (LY75)
lymphocyte antigen 9 (LY9)
lymphocyte antigen HLA-B*4402 and HLA-B*5101
lymphocyte cytosolic protein 1 (L-plastin) (LCPI)
lymphocyte cytosolic protein 2 (SH2 domain-containing leukocyte protein of 76kD) (LCP2)
lymphocyte glycoprotein T1/Leu-1
lymphocyte-specific protein 1 (LSP1)
lymphocyte-specific protein tyrosine kinase (LCK)
lymphoid phosphatase LyP1
lymphoid-restricted membrane protein (LRMP)
lymphoid-specific SP100 homolog (LYSP100-A)
lymphoma proprotein convertase (LPC)
LYSOSOMAL PROTECTIVE PROTEIN PRECURSOR (CATHEPSIN A) (CARBOXYPEPTIDASE C)

lysosomal-associated membrane protein 1 (LAMP1)
Lysosomal-associated membrane protein 2 (LAMP2)
lysozyme (renal amyloidosis) (LYZ)
lysyl-tRNA synthetase (KARS)
M phase phosphoprotein 10 (U3 small nucleolar ribonucleoprotein) (MPP-10)
M1-type and M2-type pyruvate kinase
m6A methyltransferase (MT-A70)
mab-21 (C. elegans)-like 1 (MAB21L1)
MacMarcks
macrophage-associated antigen (MM130)
MADS box transcription enhancer factor 2, polypeptide A (myocyte enhancer factor 2A) (MEF2A)
MADS box transcription enhancer factor 2, polypeptide C (myocyte enhancer factor 2C) (MEF2C)
major cytoplasmic tRNA-Val(IAC) (=M33940)
major histocompatibility complex class I beta chain (HLA-B)
major histocompatibility complex, class I, A (HLA-A)
major histocompatibility complex, class I, A (HLA-A) (low match)
major histocompatibility complex, class I, C (HAL-C)
major histocompatibility complex, class I, E (HLA-E)
major histocompatibility complex, class II, DM BETA (HLA-DMB)
major histocompatibility complex, class II, DP beta 1 (HLA-DPB1)
major histocompatibility complex, class II, DR beta 1 (HLA-DRB1)
Major histocompatibility complex, class II, Y box-binding protein I; DNA-binding protein B (YB1)
malate dehydrogenase 1, NAD (soluble) (mdh1)
malate dehydrogenase 1, NAD (soluble) (MDH1)
malonyl-CoA decarboxylase precursor
maltase-glucoamylase (mg)
manic fringe (Drosophila) homolog (MFNG)
mannose phosphate isomerase (MPI)
mannose phosphate isomerase (mpi)
mannose-6-phosphate receptor (cation dependent) (M6PR)
mannose-P-dolichol utilization defect 1 (MPDU1)
mannosidase, alpha B, lysosomal (MANB)
mannosyl (alpha-1,3-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase (MGAT1)
map 4q35 repeat region
MAP kinase-interacting serine/threonine kinase 1 (MKNK1)
MAP/ERK kinase kinase 3 (MEKK3)
MAP/ERK kinase kinase 5 (MEKK5)
MAP/microtubule affinity-regulating kinase 3 (MARK3)
Marenostrin protein
MASL1
MAX dimerization protein (MAD)
MaxiK potassium channel beta subunit
MBP-2 for MHC binding protein 2

Meis (mouse) homolog 3 (MEIS3)
melanoma-associated antigen p97 (melanotransferrin)
membrane cofactor protein (CD46, trophoblast-lymphocyte cross-reactive antigen) (MCP)
membrane component, chromosome 17, surface marker 2 (ovarian carcinoma antigen CA125) (M17S2)
membrane metallo-endopeptidase (neutral endopeptidase, enkephalinase, CALLA, CD10) (MME)
membrane protein, palmitoylated 1 (55kD) (MPP1)
meningioma expressed antigen (MGEA)
meningioma-expressed antigen 11 (MEA11)
Menkes Disease (ATP7A) putative Cu ⁺⁺ -transporting P-type ATPase
metallothionein 2A (MT2A)
metaxin 1 (MTX1)
methionine adenosyltransferase II, alpha (MAT2A)
methyl-CpG binding domain protein 1 (MBD1) (non-exact 59%aa)
methylene tetrahydrofolate dehydrogenase (NAD ⁺ dependent), methenyltetrahydrofolate cyclohydrolase (MTHFD2)
methylenetetrahydrofolate dehydrogenase (NADP ⁺ dependent), methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase (MTHFD1)
methyltransferase, putative
MHC antigen (HLA-B) (=L42024)
MHC class I region
MHC class I antigen (HLA-A2)
MHC class I antigen (HLA-A33)
MHC class I antigen (HLA-C)
MHC class I antigen B*5801 (HLA-B)
MHC class I antigen HLA-A (HLA-A)
MHC class I antigen HLA-A (HLA-A-2402 allele)
MHC class I antigen HLA-A11K
MHC class I antigen HLA-B (B*0801 variant) (=AF028596)
MHC class I antigen HLA-B (B*0801 variant) (=U88254)
MHC class I antigen HLA-B (B*48 allele)
MHC class I antigen HLA-B (HLA-B*1502 allele)
MHC class I antigen HLA-B (HLA-B*40MD)
MHC class I antigen HLA-B (HLA-B*4103 allele)
MHC class I antigen HLA-B gene (HLA-B*4402 variant allele)
MHC class I antigen HLA-B GN00110-B*3910
MHC class I antigen HLA-Cw*04011
MHC class I antigen R69772 HLA-A (A*0302)
MHC class I antigen SHCHA (HLA-B*4403 variant)
MHC class I histocompatibility antigen (HLA-B) (clone C21/14)
MHC class I HLA B71
MHC class I HLA-A (Aw33.1)
MHC class I HLA-B
MHC class I HLA-B (HLA-B-07ZEL allele) (=X86704)
MHC class I HLA-B (HLA-B-08NR allele)

MHC class I HLA-B*3512
MHC class I HLA-B41 variant (=U17572)
MHC class I HLA-B44.2 chain
MHC class I HLA-B51-cd3.3
MHC class I HLA-C allele
MHC class I HLA-Cw*0304 (=M84172; M99389)
MHC class I HLA-Cw*0803
MHC class I HLA-Cw6
MHC class I HLA-J antigen
MHC class I lymphocyte antigen A2 (A2.1) variant DK1
MHC class I mic-B antigen
MHC class I polypeptide-related sequence A (MICA)
MHC class I protein HLA-C heavy chain (C*0701new allele) (=AF017331)
MHC class II DNA Sequence (clone A37G7-1C11)
MHC class II DQ-alpha associated with DRw6, DQw1 protein
MHC class II DQ-beta associated with DR2, DQw1 protein
MHC class II HAL-DQ-LTR5 (DQ,w8) DNA fragment, long terminal repeat region
MHC class II hla-dr alpha-chain (=J00197;M60334;K011171;J00194;M60333;X00274)
MHC class II HLA-DRB1
MHC class II HLA-DRw11-beta-1 chain (DRw11.3)
MHC class II lymphocyte antigen (DPw4-beta-1)
MHC CLASS II TRANSACTIVATOR CIITA (non-exact 57%)
MHC HLA-E2.1 (=X87679)
MHC HLA-E2.1 (alpha-2 domain) (low match)
Mi-2 autoantigen 240 kDa protein (non-exact 84%)
microsomal stress 70 protein ATPase core (stch)
microtubule-associated protein 4 (MAP4)
microtubule-associated protein 7 (MAP7)
mineralocorticoid receptor (aldosterone receptor) (MLR)
minichromosome maintenance deficient (<i>S. cerevisiae</i>) 3 (MCM31)
minichromosome maintenance deficient (<i>S. cerevisiae</i>) 3-associated protein (MCM3AP)
minichromosome maintenance deficient (<i>S. cerevisiae</i>) 5 (cell division cycle 46) (MCM5)
mitochondrial cytochrome b (CYTB)
mitochondrial 16S rRNA
mitochondrial ATP synthase (F1-ATPase) alpha subunit
mitochondrial ATP synthase c subunit (P1 form)
mitochondrial cytochrome b (CYTB)
mitochondrial cytochrome b small subunit of complex II
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE I
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE II
mitochondrial cytochrome C oxidase subunit II
mitochondrial cytochrome oxidase subunit II (COII) (=U12692 Hsa4 mitochondrion cytochrome oxidase subunit II)
mitochondrial DNA loop attachment sequences (clone LAS34)

mitochondrial DNA polymerase accessory subunit precursor (MtPolB) nuclear gene encoding mitochondrial protein,
mitochondrial DNA, complete genome
mitochondrial genes for several tRNAs (Phe, Val, Leu) and 12S and 16S ribosomal RNAs.
mitochondrial genes for tRNA (Phe) and 12S rRNA (fragment)
mitochondrial inner membrane preprotein translocase Tim17a
mitochondrial isolate Afr7 cytochrome b(CYTB)
mitochondrial loop attachment sequence (clone LAS88)
mitochondrial NADH dehydrogenase subunit 2 (ND2)
mitochondrial translational initiation factor 2 (MTIF2)
mitochondrion cytochrome b
mitogen inducible gene mig-2
mitogen inducible gene mig-2 (non-exact, 71%)
mitogen-activated protein kinase-activated protein kinase 3 (MAPKAPK3)
MLN51
MLN64 (=D38255 CAB1)
moesin (MSN)
monocytic leukaemia zinc finger protein (MOZ)
MOP1 ()
motor protein (Hs.78504)
mouse double minute 2, human homolog of; p53-binding protein (MDM2)
M-phase phosphoprotein 6 (MPP-6)
M-phase phosphoprotein, mpp11
MPS1
Mr 110,000 antigen
MRC OX-2, V-like region (=M17227)
mu-adaptin-related protein-2; mu subunit of AP-4 (MU-ARP2)
multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase (ADE2H1)
murine leukemia viral (bmi-1) oncogene homolog (BMI1)
mutant (Daudi) beta2 - microglobulin
mutated in colorectal cancers (MCC)
myeloid cell leukemia sequence 1 (BCL2-related) (MCL1)
myeloid cell nuclear differentiation antigen (MNDA)
myeloid differentiation primary response gene (88) (MYD88)
myeloid leukemia factor 2 (MLF2)
myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 7 (MLLT7)
MYH9 (cellular myosin heavy chain)
myomesin (M-protein) 2 (165kD) (MYOM2)
myosin IE (MYO1E)
myosin light chain kinase (MLCK)
myosin phosphatase, target subunit 1 (MYPT1)
myosin regulatory light chain (=U26162)
myosin VIIa (low match 71)
myosin, heavy polypeptide 9, non-muscle (MYH9)

myosin, light polypeptide, regulatory, non-sarcomeric (20kD) (MLCB)
myosin-I beta
myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L) (MACS)
myxovirus (influenza) resistance 1, homolog of murine (interferon-inducible protein p78) (MX1)
myxovirus (influenza) resistance 2, homolog of murine (MX2)
N-acetylgalactosaminidase, alpha- (NAGA)
N-acetylglucosamine receptor 1 (thyroid) (NAGR1)
NACP/alpha-synuclein
N-acylaminoacyl-peptide hydrolase (APEH)
N-acylsphingosine amidohydrolase (acid ceramidase) (ASAH)
NAD ⁺ -specific isocitrate dehydrogenase beta subunit precursor (encoding mitochondrial protein)
NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 5 (13kD, B13) (NDUFA5)
NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5 (16kD, SGDH) (NDUFB5)
NADH dehydrogenase (ubiquinone) Fe-S protein 2 (49kD) (NADH-coenzyme Q eductase) (NDUFS2)
NADH dehydrogenase (ubiquinone) flavoprotein 2 (24kD) (NDUFV2)
NADH:ubiquinone dehydrogenase 51 kDa subunit (NDUFV1)
NADH-CYTOCHROME B5 REDUCTASE (B5R) (50%aa)
NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1
Nardilysin (N-arginine dibasic convertase) (NRD1)
nascent-polypeptide-associated complex alpha polypeptide (NACA)
natural killer cell group 7 sequence (NKG7)
natural killer cell transcript 4 (NK4)
natural killer-associated transcript 3 (NKAT3)
natural killer-associated transcript 5 (NKAT5)
natural killer-tumor recognition sequence (NKTR)
N-deacetylase/N-sulfotransferase (heparan glucosaminyl) 2 (NDST2)
Ndr protein kinase
Nedd-4-like ubiquitin-protein ligase WWP1
nel (chicken)-like 2 (NELL2)
N-ethylmaleimide-sensitive factor attachment protein, alpha (NAPA)
N-ethylmaleimide-sensitive factor attachment protein, gamma (NAPG)
neural precursor cell expressed, developmentally down-regulated 5 (NEDD5)
neural precursor cell expressed, developmentally down-regulated 8 (NEDD8)
neuregulin 1 (NRG1)
neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS)
Neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS) (low match)
Neurofibromin 2 (bilateral acoustic neuroma) (NF2)
neuronal apoptosis inhibitory protein (NAIP)
neuronal cell adhesion molecule (NRCAM)
neuropathy target esterase (NTE)
neuropeptide Y3 receptor, 5'UTR (low score)
neurotrophic tyrosine kinase, receptor, type 1 (NTRK1)
neutrophil cytosolic factor 4 (40kD)

NG31
NGAL (=X83006)
nibrin (NBS)
NIK
Ninjurin 1; nerve injury-induced protein-1
nitrilase 1 (NIT1) (=AF069984)
NKG2-D (low match) (non-exact, 58%)
Nmi
N-myristoyltransferase 1 (NMT1)
No arches-like (zebrafish) zinc finger protein (NAR)
non-histone chromosome protein 2 (<i>S. cerevisiae</i>)-like 1 (NHP2L1)
non-muscle alpha-actinin
non-muscle myosin alkali light chain (Hs.77385)
non-neuronal enolase (EC 4.2.1.11)
non-receptor tyrosine phosphatase 1
normal keratinocyte subtraction library mRNA, clone H22a
notch group protein (N)
novel protein
novel T-cell activation protein
N-ras protein NRU
N-sulfoglucosamine sulfohydrolase (sulfamidase) (SGSH)
nsulin induced gene 1 (INSIG1)
ntegrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor) (ITGA14)
nterferon, gamma-inducible protein 16 (IFI16)
nterleukin 1, beta (IL1RB)
nuclear antigen H731-like protein
nuclear antigen Sp100 (SP100)
Nuclear antigen Sp100 (SP100) (85%aa)
Nuclear antigen Sp100 (SP100) (89%aa)
nuclear autoantigenic sperm protein (histone-binding) (NASP)
nuclear corepressor KAP-1 (KAP-1) (=U95040; X97548 TIF1beta zinc finger protein)
Nuclear domain 10 protein (NDP52)
Nuclear factor (erythroid-derived 2)-like 2 (NFE2L2)
Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105) (NFKB1)
nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha (NFKBIA)
nuclear factor related to kappa B binding protein (NFRKB)
nuclear mitotic apparatus protein 1 (NUMA1)
nuclear receptor coactivator 2 (GRIP1)
nuclear receptor coactivator 3 (AIB3)
nuclear receptor coactivator 4 (ELE1)
nuclear receptor interacting protein 1 (NRIP1)
nuclear respiratory factor 1 (NRF1)
nuclear RNA helicase, DECD variant of DEAD box family (DDXL)

nuclear transcription factor Y, alpha (NFYA)
nuclear transcription factor, X-box binding 1 (NFX1)
nuclear transport factor 2 (placental protein 15) (PP15)
nucleobindin (=M96824)
nucleobindin 1 (NUCBI)
nucleolar phosphoprotein p130 (P130)
nucleolar protein (KKE/D repeat) (NOP56)
nucleolar protein (MSP58)
nucleolar protein 1 (120kD) (NOL1)
nucleolar protein p40
nucleolin (NCL)
nucleophosmin (nucleolar phosphoprotein B23, numatrin) (NPM1)
nucleophosmin-retinoic acid receptor alpha fusion protein NPM-RAR long form
nucleoporin (NUP358) (=D42063 RanBP2 (Ran-binding protein 2))
nucleoporin 153kD (NUP153)
nucleoporin 98kD (NUP98)
nucleosome assembly protein
nucleosome assembly protein 1-like 1 (NAP1L1)
nucleosome assembly protein 1-like 4 (NAP1L4)
nucleosome assembly protein, 5'UTR
olfactory receptor (OR7-141)
OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (OR17-4) (non-exact 65%)
oligodendrocyte myelin glycoprotein (OMG)
O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine:polypeptide-N-acetylglucosaminyl transferase) (OGT)
oncofetal trophoblast glycoprotein 5T4 precursor (non-exact 55%)
Oncogene TIM (TIM) (non-exact 84%)
ORF (Hs.77868)
ORF1; MER37; putative transposase similar to pogo element Length = 454
origin recognition complex, subunit 2 (yeast homolog)-like (ORC2L)
origin recognition complex, subunit 4 (yeast homolog)-like (ORC4L) (low match)
ornithine aminotransferase (gyrate atrophy) (OAT)
ornithine decarboxylase (ODC)
ornithine decarboxylase antizyme, ORF 1 and ORF 2
orphan receptor (Hs.100221)
OS-9 precurosor
osteonectin (=X82259 BM-40)
ovel centrosomal protein RanBPM (RANBPM)
over-expressed breast tumor protein
oviductal glycoprotein 1, 120kD (OVGP1)
oxidase (cytochrome c) assembly 1-like (OXAIL)
oxoglutarate dehydrogenase (lipoamide) (OGDH)
oxysterol binding protein (OSBP)
OZF

OZF (non-exact zinc finger)
p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20-related) (PAK1)
P35-related protein (= S80990 ficolin)
p40
p40phox (=U50720)
P47 LBC oncogene
p53-induced protein (PIG11)
p54nrb (low match)
p62 nucleoporin
p63 mRNA for transmembrane protein
PAC clone DJ0701O16 from 7q33-q36 (non-exact 54%)
palmitoyl-protein thioesterase (ceroid-lipofuscinosis, neuronal 1, infantile; Haltia-Santavuori disease) (PPT)
papillary renal cell carcinoma (translocation-associated) (PRCC)
PAR protein
partial EST (clone c-1gh04)
PAX3/forkhead transcription factor gene fusion
paxillin (PXN)
PBK1 protein
PBS-EST (nz92e01.s1 NCI_CGAP_GCB1 clone IMAGE:1302936) (low score)
PDZ domain protein (Drosophila inaD-like) (INALD)
PEBP2aC Runt domain encoding gene (=Z35728)
peptidase D (PEPD)
peptidylprolyl isomerase A (cyclophilin A) (PPIA)
peptidylprolyl isomerase D (cyclophilin D) (PPID)
peptidylprolyl isomerase E (cyclophilin E) (PPIE)
PERB11.1 (=U56942 MHC class I chain-related protein A)
perforin 1 (preforming protein) (PRF1)
peroxisomal acyl-CoA thioesterase (PTE1)
Peroxisomal acyl-coenzyme A oxidase
peroxisomal farnesylated protein (PXF)
phorbol-12-myristate-13-acetate-induced protein (PMAIP1)
phosphate carrier (mitochondrial gene?)
Phosphate carrier, mitochondrial (PHC)
phosphate cytidyltransferase 1, choline, alpha isoform (PCYT1A)
PHOSPHATIDATE CYTIDYLYLTRANSFERASE (CDP-DIGLYCERIDE)
phosphatidylinositol 3-kinase delta catalytic subunit
phosphatidylinositol 4-kinase, catalytic, beta polypeptide (PIK4CB)
phosphatidylinositol glycan, class H (PIGH)
phosphatidylinositol transfer protein (PI-TPbeta)
phosphatidylinositol transfer protein, membrane-associated (PITPNM)
phosphatidylinositol transfer protein, membrane-associated (PITPNM) (non-exact 64%)
phosphatidylinositol-4-phosphate 5-kinase, type II, alpha (PIP5K2A)
phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B)

phosphodiesterase 7A (PDE7A)
phosphodiesterase IB (PDES1B)
phosphoglucomutase 1 (PGM1)
phosphogluconate dehydrogenase (PGD)
phosphoglycerate kinase 1 (PGK1)
phosphoglycerate mutase 1 (brain) (PGAM1)
phosphoglycerate mutase 2 (muscle) (PGAM2)
phosphoinositide-3-kinase, catalytic, alpha polypeptide (PIK3CA)
phosphoinositide-3-kinase, catalytic, delta polypeptide (PIK3CD)
phosphoinositide-3-kinase, catalytic, gamma polypeptide (PIK3CG)
phospholipase C
phospholipase C, delta 1 (PLCD1)
phospholipase C, gamma 1 (formerly subtype 148) (PLCG1)
phospholipid scramblase
phosphoribosyl pyrophosphate synthetase-associated protein 1 (PRPSAPI)
phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminoimidazole synthetase (GART)
phosphorylase kinase, alpha 2 (liver), glycogen storage disease IX (PHKA2)
phosphorylase, glycogen; brain (PYGB)
phosphorylase, glycogen; brain (PYGB) (low match, non-exact, 75%)
phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI) (PYGL)
phosphorylation regulatory protein HP-10
phosphatidylinositol transfer protein (PITPN)
pigment epithelium-derived factor (PEDF)
pim-1 oncogene (PIM1)
pinin, desmosome associated protein (PNN)
placenta (Diff33)
placenta (Diff33) (non-exact, 69%)
placenta (Diff48)
placenta (Diff48) (low match)
placenta(Diff48) (low match)
plasminogen activator, urokinase receptor (PLAUR)
platelet factor 4 (PF4)
platelet/endothelial cell adhesion molecule (CD31 antigen) (PECAM1)
platelet-activating factor acetylhydrolase 2 (40kD) (PAFAH2)
platelet-activating factor acetylhydrolase, isoform Ib, alpha subunit (45kD) (PAFAH1B1)
platelet-activating factor receptor (PTAFR)
pleckstrin (PLEK)
pleckstrin (PLEK) (low match)
pleckstrin homology, Sec7 and coiled/coil domains 1(cytohesin 1) (PSCD1)
pleckstrin homology, Sec7 and coiled/coil domains, binding protein (PSCDBP)
pM5 protein
PMP69
poly (ADP-ribose) polymerase (NAD (+) ADP-ribosyltransferase) (=X16674)

poly(A) polymerase (PAP)
poly(A)-binding protein-like 1 (PABPL1)
poly(rC)-binding protein 1 (PCBP1)
polyadenylate binding protein
polycystic kidney disease 1 (autosomal dominant) (PKD1)
polymerase (DNA directed), beta (POLB)
polymerase (DNA directed), gamma (POLG)
polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A)
polymyositis/scleroderma autoantigen 2 (100kD) (PMSCL2)
polypyrimidine tract binding protein (heterogeneous nuclear ribonucleoprotein I) (PTB)
positive regulator of programmed cell death ICH-1L (Ich-1)
postmeiotic segregation increased 2-like 12 (PMS2L12)
postmeiotic segregation increased 2-like 8 (PMS2L8)
potassium inwardly-rectifying channel, subfamily J, member 15 (KCNJ15)
potassium voltage-gated channel, KQT-like subfamily, member 1 (KCNQ1)
POU domain, class 2, associating factor 1 (POU2AF1)
POU domain, class 2, transcription factor 1 (POU2F1)
PPAR binding protein (PPARBP)
PPAR gamma2
pre-B-cell colony-enhancing factor (PBEF)
prefoldin 1 (PFDN1)
prefoldin 5 (PRFLD5)
prefoldin subunit 3 (=U96759 von Hippel-Lindau binding protein (VBP-1))
pregnancy-associated plasma protein A (PAPPA)
pre-mRNA splicing factor SF3a (60kD), similar to <i>S. cerevisiae</i> PRP9 (spliceosome-associated protein 61) (SF3A60)
pre-mRNA splicing factor SF3a (60kD), similar to <i>S. cerevisiae</i> PRP9 (spliceosome-associated protein 61) (SF3A60) (low score)
pre-mRNA splicing factor SRp20, 5'UTR
preprotein translocase (TIM17)
prion protein
prion protein (p27-30) (Creutzfeldt-Jakob disease, Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia) (PRNP)
pristanoyl-CoA oxidase (low match)
pristanoyl-CoA oxidase (low score)
procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD)
procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide 1 (P4HA1)
procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), beta polypeptide (protein disulfide isomerase; thyroid hormone binding protein p55) (P4HB)
profilin 1 (PFN1)
progesterone receptor-associated p48 protein (P48)
prohibitin (PHB)
proliferating cell nuclear antigen (PCNA)
proliferation-associated gene A (natural killer-enhancing factor A) (PAGA)

proline-rich protein BstNI subfamily 2 (PRB2) (non-exact, 43%aa)
proline-serine-threonine phosphatase interacting protein 1 (PSTPIP1)
prolyl endopeptidase (PREP)
prolylcarboxypeptidase (angiotensinase C) (PRCP)
promyelocytic leukemia (PML)
properdin P factor, complement (PFC)
pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP)
proprotein convertase subtilisin/kexin type 7 (PCSK7)
prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy) (PSAP)
prostaglandin-endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase) (PTGS1)
prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase) (PTGS2)
prostaglandin-endoperoxide synthase-1 (=L08404; U84208) (all promoters)
prostate carcinoma tumor antigen (pcta-1)
protease inhibitor 1 (anti-elastase), alpha-1-antitrypsin (PI)
protease inhibitor 2 (anti-elastase), monocyte/neutrophil (ELANH2) (low match)
proteasome (prosome, macropain) 26S subunit, ATPase, 1 (PSMC1)
proteasome (prosome, macropain) 26S subunit, ATPase, 3 (PSMC3)
proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4)
proteasome (prosome, macropain) 26S subunit, ATPase, 5 (PSMC5)
proteasome (prosome, macropain) 26S subunit, ATPase, 6 (PMSC6)
proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11)
proteasome (prosome, macropain) 26S subunit, non-ATPase, 2 (PSMD2)
proteasome (prosome, macropain) 26S subunit, non-ATPase, 5 (PSMD5)
proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog) (PMSD7)
proteasome (prosome, macropain) 26S subunit, on-ATPase, 12 (PMSD12)
proteasome (prosome, macropain) activator subunit 1 (PA28 alpha) (PSME1)
proteasome (prosome, macropain) subunit, alpha type, 3 (PSMA3)
proteasome (prosome, macropain) subunit, alpha type, 5 (PSMA5)
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7)
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) (low match)
proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1)
proteasome (prosome, macropain) subunit, beta type, 10 (PSMB10)
proteasome (prosome, macropain) subunit, beta type, 6 (PMSB6)
proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7) (PSMB8)
proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2) (PSMB9)
proteasome (prosome, macropain) subunit, beta ype, 7 (PSMB7)
protective protein for beta-galactosidase (galactosialidosis) (PPGB)
protein A alternatively spliced form 2 (A-2)
protein activator of the interferon-induced protein kinase (PACT)
protein disulfide isomerase-related protein (P5)
protein geranylgeranyltransferase type I, beta subunit (PGGT1B)
protein homologous to chicken B complex protein, guanine nucleotide binding (H12.3)
protein kinase A anchoring protein

protein kinase C substrate 80K-H (PRKCSH)
protein kinase C, beta 1 (PRKCB1)
protein kinase C, delta (PRKCD)
protein kinase C, eta (PRKCH)
protein kinase C, mu (PRKCM) (non-exact 78%)
Protein kinase C-like 1 (PRKCL1)
protein kinase, AMP-activated, gamma 1 non-catalytic subunit (PRKAG1)
protein kinase, cAMP-dependent, regulatory, type I, alpha (tissue specific extinguisher 1) (PRKAR1A)
protein kinase, DNA-activated, catalytic polypeptide (PRKDC)
protein kinase, mitogen-activated 1 (MAP kinase 1; p40, p41) (PRKM1)
protein kinase, mitogen-activated 6 (extracellular signal-regulated kinase, p97) (PRKM6)
protein kinase, mitogen-activated, kinase 3 (MAP kinase kinase 3) (PRKMK3)
protein phosphatase 1, catalytic subunit, alpha isoform (PPP1CA)
protein phosphatase 1, regulatory subunit 10 (PPPR10)
protein phosphatase 1, regulatory subunit 7 (PPP1R7)
protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform (PPP2CB)
protein phosphatase 2 (formerly 2A), regulatory subunit B" (PR 72), alpha isoform and (PR 130), beta isoform (PPP2R3)
protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A)
protein phosphatase 2, regulatory subunit B (B56), delta isoform (PPP2R5D)
protein phosphatase 2, regulatory subunit B (B56), gamma isoform (PPP2R5C)
protein phosphatase 2A regulatory subunit alpha-isotype (alpha-PR65)
protein phosphatase 4 (formerly X), catalytic subunit (PPP4C)
protein tyrosine kinase 2 beta (PTK2B)
protein tyrosine phosphatase epsilon
protein tyrosine phosphatase type IVA, member 2 (PTP4A2)
protein tyrosine phosphatase, non-receptor type 1 (PTPN1)
protein tyrosine phosphatase, non-receptor type 12 (PTPN12)
protein tyrosine phosphatase, non-receptor type 12 (PTPN12) (non-exact, 70%)
protein tyrosine phosphatase, non-receptor type 2 (PTPN2)
protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte) (PTPN4)
protein tyrosine phosphatase, non-receptor type 6 (PTPN6)
protein tyrosine phosphatase, non-receptor type 7 (PTPN7)
protein tyrosine phosphatase, receptor type, alpha polypeptide (PTPRA)
protein tyrosine phosphatase, receptor type, c polypeptide (PTPRC)
protein tyrosine phosphatase, receptor type, M (PTPRM)
protein tyrosine phosphatase, receptor type, N polypeptide 2 (PTPRN2)
protein with polyglutamine repeat (ERPROT213-21)
protein-kinase, interferon-inducible double stranded RNA dependent inhibitor (PRKRI)
protein-L-isoaspartate (D-aspartate) O-methyltransferase (PCMT1)
proteoglycan 1, secretory granule (PRG1)
prothymosin, alpha (gene sequence 28) (PTMA)
prp28, U5 snRNP 100 kd protein (U5-100K)
PRP4/STK/WD splicing factor (HPRP4P)

PTK7 protein tyrosine kinase 7 (PTK7)
purinergic receptor P2X, ligand-gated ion channel, 4 (P2RX4)
purinergic receptor P2X, ligand-gated ion channel, 7 (P2RX7)
puromycin-sensitive aminopeptidase (PSA)
putative ATP(GTP)-binding protein
putative brain nuclearly-targeted protein (KIAA0765)
putative chemokine receptor; GTP-binding protein (HM74)
putative dienoyl-CoA isomerase (ECH1)
putative G-binding protein
Putative human HLA class II associated protein I (PHAP1)
Putative L-type neutral amino acid transporter (KIAA0436)
putative mitochondrial space protein 32.1
PUTATIVE MUCIN CORE PROTEIN PRECURSOR 24 (MULTI-GLYCOSYLATED CORE PROTEIN 24) (MGC-24) (MUC-24)
putative nucleic acid binding protein
putative outer mitochondrial membrane 34 kDa translocase Htom34
putative p150 (non-exact 88%)
putative translation initiation factor (SUI1)
putative tumor suppressor protein (I23F2)
pyrroline 5-carboxylate reductase
pyruvate dehydrogenase (lipoamide) alpha 1 (PDHA1)
pyruvate dehydrogenase (lipoamide) beta (PDHB)
Pyruvate dehydrogenase complex, lipoyl-containing component X; E3-binding protein (PDX1)
pyruvate kinase, muscle (PKM2)
RAB, member of RAS oncogene family-like (RABL)
RAB1, member RAS oncogene family (RAB1)
RAB11A, member RAS oncogene family (RAB11A)
RAB11B, member RAS oncogene family (Rab11B)
RAB27A, member RAS oncogene family (RAB27A)
RAB5B, member RAS oncogene family (RAB5B)
RAB6, member RAS oncogene family (RAB6)
RAB7, member RAS oncogene family (RAB7)
RAB7, member RAS oncogene family-like 1 (RAB7L1)
RAB9, member RAS oncogene family (RAB9)
RAD50 (<i>S. cerevisiae</i>) homolog (RAD50)
RAD51 (<i>S. cerevisiae</i>) homolog C (RAD51C)
Radin blood group (RD)
RAE1 (RNA export 1, <i>S.pombe</i>) homolog (RAE1)
ralA-binding protein (RLIP76)
RAN binding protein 2-like 1 (RANBP2L1)
Ran GTPase activating protein 1 (RANGAP1)
RAN, member RAS oncogene family (RAN) (low match)
RanBP2 (Ran-binding protein 2) (=U19248; L41840 sapiens nucleoporin (NUP358))
ransforming growth factor, beta receptor II (70-80kD) (TGFBR2)

RAP1A, member of RAS oncogene family (RAP1A)
RAR-related orphan receptor C (RORC)
RAS guanyl releasing protein 2 (calcium and DAG-regulated)
ras homolog gene family, member A (ARHA)
ras homolog gene family, member G (rho G) (ARHG)
ras homolog gene family, member H (ARHH)
ras inhibitor (RIN1)
Ras-GTPase activating protein SH3 domain-binding protein 2 (KIAA0660)
Ras-GTPase-activating protein SH3-domain-binding protein (G3BP)
ras-related C3 botulinum toxin substrate 2 (rho family, small GTP binding protein Rac2) (RAC2)
RAS-RELATED PROTEIN RAP-1B (GTP-BINDING PROTEIN SMG P21B)
RBQ-1
rearranged T cell receptor beta variable region (TCRB) (=X58810)
regulator of Fas-induced apoptosis (TOSO)
regulator of G protein signalling 6 (RGS6)
regulator of G-protein signalling 14 (RGS14)
regulator of G-protein signalling 2, 24kD (RGS2)
regulator of G-protein signalling 5 (RGS5) (49% aa)
regulatory factor X, 4 (influences HLA class II expression) (RFX4)
regulatory factor X, 5 (influences HLA class II expression) (RFX5)
replication protein A1 (RPA1)
replication protein A3 (14kD) (RPA3) (low match)
reproduction 8 (D8S2298E)
requiem, apoptosis response zinc finger gene (REQ)
requiem, apoptosis response zinc finger gene (REQ) (=AF001433) (low match)
restin (Reed-Steinberg cell-expressed intermediate filament-associated protein) (RSN)
retinoblastoma 1 (including osteosarcoma) (RB1)
retinoblastoma binding protein 2 homolog 1 (RBBP2H1)
retinoblastoma-binding protein 1 (RBBP1)
retinoblastoma-binding protein 2 (RBBP2)
retinoblastoma-binding protein 4 (RBBP4)
retinoblastoma-binding protein 7 (RBBP7)
retinoblastoma-like 2 (p130) (RBL2)
retinoic acid receptor responder (tazarotene nduced) 3 (RARRES3)
retinoic acid receptor, alpha (RARA)
retinoic acid responsive (NN8-4AG)
retinoid X receptor beta (RXR-beta)
REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta (REV3L)
Rho GDP dissociation inhibitor (GDI) beta (ARHGDIB)
Rho GTPase activating protein 4 (ARHGAP4)
Rho GTPase activating protein 4 (ARHGAP4) (low match)
Rho-associated, coiled-coil containing protein kinase 2 (ROCK2)
ribonuclease 6 precursor (RNASE6PL)

ribonuclease 6 precursor (RNASE6PL) (low match)
ribonuclease, RNase A family, 2 (liver, eosinophil-derived neurotoxin) (RNASE2)
ribonuclease/angiogenin inhibitor (RNH)
ribonucleoside diphosphate reductase M1 subunit
ribonucleotide reductase M2 polypeptide (non-exact 91%)
ribophorin I (RPN1)
ribophorin II (RPN2)
ribosomal 18S rRNA
ribosomal 28S RNA
ribosomal phosphoprotein P0, 5'UTR (low match)
ribosomal protein L10 (RPL10)
RIBOSOMAL PROTEIN L10A (CSA-19)
ribosomal protein L11 (RPL11)
ribosomal protein L12 (RPL19)
ribosomal protein L13 (PRL13)
ribosomal protein L14 (RPL14)
ribosomal protein L17 (RPL17)
ribosomal protein L18 (RPL18)
ribosomal protein L18a (RPL18A)
ribosomal protein L18a homologue
ribosomal protein L19 (RPL19)
ribosomal protein L21 (RPL21)
ribosomal protein L22 (RPL22)
ribosomal protein L23 (RPL23)
ribosomal protein L23a (RPL23A)
ribosomal protein L26 (RPL26)
ribosomal protein L27 (RPL27)
ribosomal protein L27a (RPL27A)
ribosomal protein L28 (RPL28)
ribosomal protein L29 (RPL29)
ribosomal protein L3 (RPL3)
ribosomal protein L3 homologue
ribosomal protein L30 (RPL30)
ribosomal protein L30 (RPL30) (low score)
ribosomal protein L31 (RPL31)
ribosomal protein L32 (RPL32)
ribosomal protein L33-like (RPL33L)
ribosomal protein L34 (RPL34)
ribosomal protein L34 (RPL34) (low match)
ribosomal protein L37 (RPL37)
ribosomal protein L37a
ribosomal protein L38 (PRL38)
ribosomal protein L4 (RPL4)

ribosomal protein L41 (RPL41)
ribosomal protein L5 (RPL5)
ribosomal protein L5 (RPL5) (low match)
ribosomal protein L6 (RPL6)
ribosomal protein L7 (RPL7)
ribosomal protein L7a (RPL7A)
ribosomal protein L8 (RPL8)
ribosomal protein L9 (RPL9)
ribosomal protein S10 (RPS10)
ribosomal protein S11 (RPS11)
ribosomal protein S11 (RPS11) (low match)
ribosomal protein S12 (RPS12)
ribosomal protein S13 (RPS13)
ribosomal protein S14 (RPS14)
ribosomal protein S15 (RPS15)
ribosomal protein S16 (RPS16)
ribosomal protein S17 (RPS17)
ribosomal protein S18
ribosomal protein S19 (RPS19)
ribosomal protein S2 (RPS2)
RIBOSOMAL PROTEIN S2 (RPS4)
ribosomal protein S20 (RPS20)
ribosomal protein S21 (RPS21)
ribosomal protein S23 (RPS23)
ribosomal protein S24 (RPS24)
ribosomal protein S25 (RPS25)
ribosomal protein S26 (RPS26)
ribosomal protein S27 ((metallopanstimulin 1) (RPS27)
ribosomal protein S28 (RPS28)
ribosomal protein S29 (RPS29)
ribosomal protein S3 (RPS3)
ribosomal protein S3 (RPS3) (low match)
ribosomal protein S3A (RPS3A)
ribosomal protein S3A (RPS3A) (low score)
ribosomal protein S4, X-linked (RPS4X)
ribosomal protein S4, Y-linked (RPS4Y)
ribosomal protein S5 (RPS5)
RIBOSOMAL PROTEIN S6 (PHOSPHOPROTEIN NP33)
ribosomal protein S6 (RPS6)
ribosomal protein S6 (RPS6) (non-exact 86%)
ribosomal protein S6 kinase, 90kD, polypeptide 1 (RPS6KA1)
ribosomal protein S6 kinase, 90kD, polypeptide 2 (RPS6KA2)
ribosomal protein S7 (RPS7)

ribosomal protein S8 (RPS8)
ribosomal protein S9 (RPS9)
ribosomal protein, large, P0 (RPLP0)
ribosomal protein, large, P1 (RPLP1)
ribosomal RNA 18S (=M10098; K03432) (=polyadenylating sequence)
ribosomal RNA 28S
ribosomal RNA, 16S
ring finger protein (non-exact 58%)
ring finger protein 3 (RNF3)
ring finger protein 4 (RNF4)
ring zinc-finger protein (ZNF127-Xp)
RNA (guanine-7-) methyltransferase (RNMT)
RNA binding motif protein 5 (RBM5)
RNA binding motif, single stranded interacting protein 2 (RBMS2)
RNA helicase (putative), (Myc-regulated DEAD box protein) (MRD8)
RNA helicase-related protein
RNA pol II largest subunit
RNA polymerase I subunit (RPA40)
RTVP-1 protein
S100 calcium-binding protein A10 (annexin II ligand, calpactin I, light polypeptide (p11)) (S100A10)
S100 calcium-binding protein A11 (calgizzarin) (S100A11)
S100 calcium-binding protein A4 (calcium protein, calvasculin, metastasin, murine placental homolog)(S100A4)
S100 calcium-binding protein A8 (calgranulin A) (S100A8)
S100 calcium-binding protein A9 (calgranulin B) (S100A9)
S164 gene
S-adenosylmethionine decarboxylase 1 (AMD1)
SB classII histocompatibility antigen alpha-chain
SC35-interacting protein 1 (SRRP129)
scaffold attachment factor B (SAFB)
scaffold attachment factor B (SAFB) (non-exact 78%)
scRNA molecule, transcribed from Alu repeat
SEC14 (<i>S. cerevisiae</i>)-like (SEC14L)
SEC23-like protein B (SEC23B)
SEC63 (SEC63)
secreted protein, acidic, cysteine-rich (osteonectin) (SPARC)
secretory carrier membrane protein 1 (SCAMP1)
secretory carrier membrane protein 2 (SCAMP2)
secretory carrier membrane protein 3 (SCAMP3)
secretory granule proteoglycan core (clones lambda-PG[6,7,8])
selectin L (lymphocyte adhesion molecule 1) (SELL)
selectin P ligand (SELPLG)
sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 4D (SEMA4D)
Ser/Arg-related nuclear matrix protein (plenty of prolines 101-like) (SRM160)

serine palmitoyltransferase subunit I (SPTI)
serine palmitoyltransferase, subunit II (LCB2)
serine protease
serine protease inhibitor, Kunitz type, 2 (SPINT2)
serine/threonine kinase 10 (STK10)
serine/threonine kinase 19 (STK19)
serine/threonine kinase 4 (STK4)
serine/threonine protein kinase KKIALRE (KKIALRE)
serine/threonine protein-kinase (NIK)
SERINE/THREONINE-PROTEIN KINASE RECEPTOR R3 PRECURSOR (SKR3)
serologically defined colon cancer antigen 16 (NY-CO-16)
serologically defined colon cancer antigen 33 (SDCCAG33)
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)
serum deprivation response (phosphatidylserine-binding protein) (SDPR) (=S67386)
serum/glucocorticoid regulated kinase (SGK)
SET domain, bifurcated 1 (SETDB1)
SH2 domain protein 1A, Duncan's disease lymphoproliferative syndrome) (SH2D1A)
SH3 binding protein (SAB)
SH3 domain protein 1B (SH3D1B)
SH3BGR PROTEIN (=21-GLUTAMIC ACID-RICH PROTEIN;21-GARP) (non-exact 82%aa)
SH3-binding domain glutamic acid-rich protein like (SH3BGRL)
SH3-domain GRB2-like 1 (SH3GL1)
SHC (Src homology 2 domain-containing) transforming protein 1 (SHC1)
siah binding protein 1 (SiahBP1)
siah binding protein 1 (SiahBP1) (non-exact, 69%)
Sialomucin CD164 (CD164)
sialophorin (gpL115, leukosialin, CD43) (SNP)
sialyltransferase (STHM)
sialyltransferase 1 (beta-galactoside alpha-2,6-sialyltransferase) (SIAT1)
sialyltransferase 4A (beta-galactosidase alpha-2,3-sialyltransferase) (SIAT4A)
sialyltransferase 8 (alpha-2, 8-polysialyltransferase) D (SIAT8D)
signal peptidase 25kDa subunit
signal recognition particle 14kD (homologous Alu RNA-binding protein) (SRP14)
signal recognition particle 54kD (SRP54)
signal recognition particle 9kD (SRP9)
signal recognition particle receptor ('docking protein') SRPR
signal regulatory protein, beta, 1 (SIRP-BETA-1)
signal sequence receptor, alpha (translocon-associated protein alpha) (SSR1)
signal sequence receptor, beta (translocon-associated protein beta) (SSR2)
signal transducer and activator of transcription (STAT5A)
signal transducer and activator of transcription 2, 113KD (STAT2)
signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3)
signal transducer and activator of transcription 5A (STAT5A)

signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM)
silencing mediator of retinoid and thyroid hormone action (SMRT)
similar to beta-transducin superfamily proteins (SAZD)
similar to <i>S. cerevisiae</i> SSM4 (TEB4)
similar to yeast pre-mRNA splicing factors, Prp1/Zer1 and Prp6
SIT protein
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1)
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) (match to zinc finger)
SKAP55 homologue (SKAP-HOM)
skb1 (<i>S. pombe</i>) homolog (SKB1)
skeletal muscle abundant protein
SMA3 (SMA3)
small acidic protein
small EDRK-rich factor 2 (SERF2)
small inducible cytokine A5 (RANTES) (SCYA5)
small inducible cytokine subfamily C, member 2 (SCYC2)
small nuclear ribonucleoprotein polypeptide B" (SNRPB2)
small nuclear ribonucleoprotein polypeptide N (SNRPN)
small nuclear ribonucleoprotein polypeptides B and B1 (SNRPB)
small nuclear RNA activating complex, polypeptide 5, 19kD (SNAPC5)
smallest subunit of ubiquinol-cytochrome c reductase
SMC (mouse) homolog, X chromosome (SMCX)
SMT3B protein (2)
SNARE protein (YKT6) (low match)
SNC19
SNC73 protein (SNC73)
solute carrier family 1 (neutral amino acid transporter), member 5 (SLC1A5)
Solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1 (SLC11A1)
solute carrier family 17 (sodium phosphate), member 3 (SLC17A3)
solute carrier family 19 (folate transporter), member 1 (SLC19A1)
solute carrier family 2 (facilitated glucose transporter), member 1 (SLC2A1)
solute carrier family 23 (nucleobase transporters), member 2 (SLC23A2)
solute carrier family 25 (mitochondrial carrier; oxoglutarate carrier), member 11 (SLC25A11)
solute carrier family 31 (copper transporters), member 2 (SLC31A2)
solute carrier family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-like 1) (SLC4A2)
solute carrier family 4, sodium bicarbonate cotransporter, member 8 (SLC4A8)
solute carrier family 7 (cationic amino acid transporter, y ⁺ system), member 5 (SLC7A5)
solute carrier family 7 (cationic amino acid transporter, y ⁺ system), member 6 (SLC7A6)
solute carrier family 7 (cationic amino acid transporter, y ⁺ system), member 6 (SLC7A6) (non-exact 77%)
solute carrier family 9 (sodium/hydrogen exchanger), isoform 6 (SLC9A6)
somatic cytochrome c (HCS)
SON DNA binding protein (SON)
son of sevenless (<i>Drosophila</i>) homolog 1 (SOS1)

sorcin (SRI)
sortilin 1 (SORT1)
sortilin-related receptor, L(DLR class) A repeats-containing (SORL1)
sorting nexin 1 (SNX1)
sorting nexin 2 (SNX2)
sorting nexin 6 (SNX6) (=U83194.1 TRAF4-associated factor 2)
Sp3 transcription factor (SP3)
special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's) (SATB1)
speckle-type POZ protein (SPOP)
speckle-type POZ protein (SPOP) (non-exact)
spectrin SH3 domain binding protein 1 (SSH3BP1)
Spectrin, alpha, non-erythrocytic 1 (alpha-fodrin) (SPTAN1)
spermidine/spermine N1-acetyltransferase (SAT)
spermidine/spermine N1-acetyltransferase (SAT) (non-exact, 84%)
spermine synthase (SMS)
SPF31 (SPF31)
sphingomyelin phosphodiesterase 1, acid lysosomal (acid sphingomyelinase) (SMPD1)
SPINDLIN HOMOLOG (PROTEIN DXF34)
spinocerebellar ataxia 1 (olivopontocerebellar ataxia 1, autosomal dominant, ataxin 1) (SCA1)
spinocerebellar ataxia 2 (olivopontocerebellar ataxia 2, autosomal dominant, ataxin 2) (SCA2)
spinocerebellar ataxia 7 (olivopontocerebellar atrophy with retinal degeneration) (SCA7)
spliceosome associated protein (SAP 145)
splicing factor (CC1.3) (CC1.3)
splicing factor SRp40-1 (SRp40)
splicing factor, arginine/serine-rich 11 (SFRS11)
splicing factor, arginine/serine-rich 7 (35kD) (SFRS7)
Src-like adapter protein (non-exact, 76%aa)
Src-like-adapter (SLA)
Src-like-adapter (SLA) (low match)
Src-like-adapter (SLA) (low score)
stannin (SNN)
STAT induced STAT inhibitor 3 (SSI-3)
STE20-like kinase 3 (MST-3)
step II splicing factor SLU7 (SLU7)
steroid sulfatase
steroid sulfatase (microsomal), arylsulfatase C, isozyme S (STS)
sterol carrier protein 2 (SCP2)
sterol O-acyltransferase (acyl-Coenzyme A: cholesterol acyltransferase) 1 (SOAT1)
stimulated trans-acting factor (50 kDa) (STAF50)
Striatin, calmodulin-binding protein (STRN) (low match, 71%aa)
Stromal antigen 2 (STAG2)
stromal interaction molecule 1 (STIM1)
structure specific recognition protein 1 (SSRP1)

succinate dehydrogenase complex, subunit A, flavoprotein (Fp) (SDHA)
succinate dehydrogenase complex, subunit B, iron sulfur (Ip) (SDHB)
succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC)
succinate dehydrogenase complex, subunit D, Integral membrane protein (SDHD)
succinate-CoA ligase, GDP-forming, beta subunit (SUCLG2)
succinyl CoA synthetase
sudD (suppressor of bimD6, Aspergillus nidulans) homolog (SUDD)
sulfotransferase family 1A, phenol-preferring, member 1 (SULT1A1)
sulfotransferase family 1A, phenol-preferring, member 3 (SULT1A3) (non-exact 67%)
superoxide dismutase 1, soluble (amyotrophic lateral sclerosis 1 (adult)) (SOD1)
superoxide dismutase 2, mitochondrial (SOD2)
supervillin (SVIL)
suppression of tumorigenicity 5 (ST5)
suppression of tumorigenicity 5 (ST5) (non-exact 82%)
suppressor of K ⁺ transport defect 1 (SKD1)
suppressor of Ty (S.cerevisiae) 3 homolog (SUPT3H)
suppressor of Ty (S.cerevisiae) 4 homolog 1 (SUPT4H1)
suppressor of Ty (S.cerevisiae) 5 homolog (SUPT5H)
suppressor of Ty (S.cerevisiae) 6 homolog (SUPT6H)
suppressor of variegation 3-9 (Drosophila) homolog 1 (SUV39H1)
survival of motor neuron 1, telomeric (SMN1)
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SMARCA1) (non-exact, 75%)
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 2 (SMARCA2)
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 4 (SMARCA4)
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 2 (SMARCC2)
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member 1 (SMARCE1)
synaptobrevin-like 1 (SYBL1)
synaptosomal-associated protein, 23kD (SNAP23)
syndecan binding protein (syntenin) (SDCBP)
synovial sarcoma, translocated to X chromosome (SSXT)
syntaxin 16
syntaxin 3A (STX3A)
syntaxin 6 (STX6)
SYNTAXIN BINDING PROTEIN 3 (UNC-18 HOMOLOG 3) (UNC-18C)
syntaxin-16C
SYT interacting protein (SIP)
T cell activation, increased late expression (TACTILE)
T cell receptor V alpha gene segment V-alpha-7 (clone IGRa11)
T cell receptor V alpha gene segment V-alpha-w27
T3 receptor-associating cofactor-1
tafazzin (cardiomyopathy, dilated 3A (X-linked); endocardial fibroelastosis 2; Barth syndrome) (TAZ)
TAFIII100 protein (non-exact 53%)
tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase (TNKS)

TAP1, TAP2, LMP2, LMP7 and DOB
TAR DNA-binding protein-43
Tat interactive protein (60kD) (TIP60)
TATA box binding protein (TBP)-associated factor, RNA polymerase II, C1, 130kD (TAF2C1) (non-exact, 55%)
TATA box binding protein (TBP)-associated factor, RNA polymerase II, F, 55kD (TAF2F)
TATA box binding protein (TBP)-associated factor, RNA polymerase II, G, 32kD (TAF2G)
TATA box binding protein (TBP)-associated factor, RNA polymerase II, I, 28kD (TAF2I)
Tax1 (human T-cell leukemia virus type I) binding protein 1 (TAX1BP1)
T-box 2 (TBX2) (non-exact 77%)
TBP-associated factor 172 (TAF-172)
T-cell death-associated gene 8 (TDAG8)
T-cell leukemia/lymphoma 1A (TCL1A)
T-cell leukemia/lymphoma 1A (TCL1A) (low match)
T-cell receptor (delta D2-J1-region) (clone K3B)
T-cell receptor (V beta 5.1, J beta 1.5, C beta 1) (low match)
T-cell receptor alpha delta (=M94081)
T-cell receptor alpha enhancer-binding protein, short form (=X58636 Mouse LEF1 lymphoid enhancer binding factor 1 (=D16503))
T-cell receptor delta gene D2-J1-region, clone K3B
T-cell receptor germline beta chain gene V-region (V) V-beta-MT1-1
T-cell receptor germline beta-chain gene J2.1 exon
T-cell receptor germline delta-chain D-J region
T-cell receptor interacting molecule (TRIM) protein
T-cell receptor rearranged delta-chain, V-region (V-delta 3-J)
T-cell receptor, alpha (V,D,J,C) (TCRA)
T-cell receptor, beta cluster (TCRB)
T-cell receptor, delta (V,D,J,C) (TCRD)
T-cell, immune regulator 1 (TCIRG1)
TCF-1 mRNA for T cell factor 1
TCF-1 mRNA for T cell factor 1 (splice form B) (low match)
T-COMPLEX PROTEIN 1, ETA SUBUNIT (TCP-1-ETA) (CCT-ETA) (HIV-1 NEF INTERACTING PROTEIN)
T-COMPLEX PROTEIN 1, THETA SUBUNIT (TCP-1-THETA) (CCT-THETA) (KIAA0002)
TCR eta =T cell receptor(eta-exon)
TCR V Beta 13.2
TERA
testis enhanced gene transcript (TEGT)
tetracycline transporter-like protein (TETRAN)
tetratricopeptide repeat domain 1 (TTC1)
tetratricopeptide repeat domain 2 (TTC2)
tetratricopeptide repeat domain 3 (TTC3)
TGFBI-induced anti-apoptotic factor 1 (TIAF1)
thioredoxin reductase 1 (TXNRD1)
THIOREDOXIN-DEPENDENT PEROXIDE REDUCTASE PRECURSOR, mitochondrial (ANTI-OXIDANT PROTEIN 1) (AOP-1)

threonyl-tRNA synthetase (TARS)
thrombin inhibitor
thrombospondin 1 (THBS1)
thromboxane A synthase 1 (platelet, cytochrome P450, subfamily V) (TBXAZ1)
thymidine kinase 2, mitochondrial (TK2)
thymidylate kinase (CDC8)
thymine-DNA glycosylase (TDG)
Thymosin, beta 10 (TMSB10)
thymosin, beta 4, X chromosome (TMSB4X)
thyroid autoantigen 70kD (Ku antigen) (G22P1)
thyroid hormone receptor coactivating protein (SMAP)
thyroid hormone receptor interactor 7 (TRIP7)
thyroid hormone receptor interactor 8r (TRIP8)
thyroid hormone receptor-associated protein, 230 kDa subunit (TRAP230)
thyroid receptor interacting protein 15 (TRIP15)
TI-227H
TIA1 cytotoxic granule-associated RNA-binding protein (TIA1)
tissue inhibitor of metalloproteinase 1 (erythroid potentiating activity, collagenase inhibitor) (TIMP1)
tissue inhibitor of metalloproteinase 2 (TIMP2)
tissue specific transplantation antigen P35B (TSTA3)
titin (TTN)
TNF receptor-associated factor 2 (TRAF2)
TNF receptor-associated factor 3 (TRAF3)
TNF receptor-associated factor 6 (TRAF6) (low match)
toll-like receptor 1 (TLR1)
toll-like receptor 2 (TLR2)
toll-like receptor 4 (TLR4)
toll-like receptor 5 (TLR5)
topoisomerase (DNA) I (TOP1)
topoisomerase (DNA) II beta (180kD) (TOP2B)
topoisomerase (DNA) III beta (TOP3B)
TR3beta
TRAF family member-associated NF-kB activator (TANK)
TRANSALDOLASE
transaldolase 1 (TALDO1)
transaldolase-related protein
transcobalamin II (TCII)
transcription elongation factor B (SIII), polypeptide 1-like (TCEB1L)
transcription elongation factor B (SIII), polypeptide 3 (110kD, elongin A) (TCEB3)
transcription factor 12 (HTF4, helix-loop-helix transcription factors 4) (TCF12)
transcription factor 17 (TCF17)
transcription factor 4 (TCF4)
transcription factor 6-like 1 (mitochondrial transcription factor 1-like) (TCF6L1)

transcription factor 7-like 2 (T-cell specific, HMG-box) (TCF7L2)
transcription factor binding to IGHM enhancer 3 (TFE3)
transcription factor IL-4 Stat
transcription factor IL-4 Stat (low match)
transcription factor ISGF-3 (=M97936)
transcription factor REST
transcription factor TFIID
transcriptional adaptor 2 (ADA2, yeast, homolog)-like (TADA2L)
transcriptional intermediary factor 1 (TIF1) (non-exact 72%)
transducin (beta)-like 1 (TBL1)
transducin-like enhancer of split 3, homolog of Drosophila E(sp1) (TLE3)
Transformation/transcription domain-associated protein (TRRAP)
transformation-sensitive, similar to Saccharomyces cerevisiae ST11 (STI1L)
transforming growth factor beta-activated kinase 1 (TAK1) (non-exact 78%)
transforming growth factor beta-stimulated protein TSC-22 (TSC22)
transforming growth factor, beta receptor III (betaglycan, 300kD) (TGFBR3)
transforming growth factor, beta-induced, 68kD (TGFBI)
TRANSFORMING GROWTH FACTOR-BETA INDUCED PROTEIN IG-H3 PRECURSOR (BETA IG-H3)
transforming, acidic coiled-coil containing protein 1 (TACCI1) (non-exact 70%)
transgelin 2 (TAGLN2)
transgelin 2 (TAGLN2) (non-exact)
trans-Golgi network protein (46, 48, 51kD isoforms) (TGN51)
transient receptor potential channel 1 (TRPC1)
transketolase (Wernicke-Korsakoff syndrome) (TKT)
translation factor sui1 homolog (GC20)
translin (TSN)
translin-associated factor X (TSNAX)
transmembrane glycoprotein (A33)
transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment (P63)
transmembrane protein 1 (TMEM2)
TRANSMEMBRANE PROTEIN SEX PRECURSOR (non-exact 65%)
transmembrane trafficking protein (TMP21)
transporter 1, ABC (ATP binding cassette) (TAP1)
Treacher Collins-Franceschetti syndrome 1 (TCOF1)
triosephosphate isomerase 1 (TPI1)
tropomyosin
tropomyosin 4 (TPM4)
TRPM-2 protein
tryptase I precursor (non-exact 64%)(=P20231)
tryptophan rich basic protein (WRB)
tryptophanyl-tRNA synthetase (WARS)
Ts translation elongation factor, mitochondrial (TSFM)
ttopoisomerase (DNA) II beta (180kD)

Tu translation elongation factor, mitochondrial (TUFM)
tuberous sclerosis 1 (TSC1)
tuberous sclerosis 2 (TSC2)
tubulin, alpha 1 (testis specific) (TUBA1)
tubulin, alpha, ubiquitous (K-ALPHA-1)
tubulin, alpha, ubiquitous (K-ALPHA-1) (low match)
tubulin-specific chaperone c (TBCC)
tumor necrosis factor (ligand) superfamily, member 10 (TNFSF10)
tumor necrosis factor (ligand) superfamily, member 13 (TNFSF13)
tumor necrosis factor (ligand) superfamily, member 14 (TNFSF14)
tumor necrosis factor (ligand) superfamily, member 6 (TNFSF6)
tumor necrosis factor (ligand) superfamily, member 8 (TNFSF8)
tumor necrosis factor alpha-inducible cellular protein containing leucine zipper domains (FIP2)
Tumor necrosis factor receptor superfamily member 7 (TNFRSF7)
tumor necrosis factor receptor superfamily, member 10b (TNFRSF10B)
tumor necrosis factor receptor superfamily, member 10c, decoy without an intracellular domain (TNFRSF10C)
tumor necrosis factor receptor superfamily, member 10d, decoy with truncated death domain (TNFRSF10D) (non-exact 84%)
tumor necrosis factor receptor superfamily, member 12 (translocating chain-association membrane protein) (TNFRSF12)
tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator) (TNFRSF14)
tumor necrosis factor receptor superfamily, member 1B (TNFRSF1B)
tumor necrosis factor receptor superfamily, member 6 (TNFRSF6)
tumor necrosis factor receptor superfamily, member 7 (TNFRSF7)
tumor necrosis factor, alpha-induced protein 2 (TNFAIP2)
tumor necrosis factor, alpha-induced protein 3 (TNFAIP3)
tumor protein 53-binding protein, 1 (TP53BP1)
tumor protein p53 (Li-Fraumeni syndrome) (TP53)
Tumor protein p53-binding protein (TP53BPL)
tumor protein, translationally-controlled 1 (TPT1)
tumor protein, translationally-controlled 1 (TPT1) (low score)
tumor rejection antigen (gp96) 1 (TRA1)
tumorous imaginal discs (Drosophila) homolog (TID1)
TXK tyrosine kinase (TXK)
type II integral membrane protein (NKG2-E)
TYRO protein tyrosine kinase binding protein (TYROBP)
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, beta polypeptide (YWHAB)
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ)
Tyrosine kinase 2 (TYK2)
TYROSINE-PROTEIN KINASE ZAP-70 (70 KD ZETA-ASSOCIATED PROTEIN) (SYK-RELATED TYROSINE KINASE)
tyrosyl-tRNA synthetase (YARS)
U1 small nuclear RNA
U19H snoRNA (=M63485 R.norvegicus matrin 3)

U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol) (U2AF1)
U22 snoRNA host gene (UHG)
U4/U6-associated RNA splicing factor (HPRP3P)
U49 small nuclear RNA
U5 snRNP-specific protein (220 kD), ortholog of <i>S. cerevisiae</i> Prp8p (PRP8)
U5 snRNP-specific protein, 116 kD (U5-116KD)
U5 snRNP-specific protein, 200 kDa (DEXH RNA helicase family) (U5-200-KD)
Uba80 mRNA for ubiquitin
ubiquinol-cytochrome c reductase (6.4kD) subunit (UQCR)
UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT PRECURSOR (RIESKE IRON-SULFUR PROTEIN) (RISP) (low match)
ubiquitin A-52 residue ribosomal protein fusion product 1 (UBA52)
ubiquitin activating enzyme E1-like protein (GSA7)
ubiquitin C (UBC)
ubiquitin carboxyl-terminal esterase L3 (ubiquitin thiolesterase) (UCHL3)
ubiquitin fusion degradation 1-like (UFD1L)
ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A)
ubiquitin specific protease 10 (USP10)
ubiquitin specific protease 11 (USP11)
ubiquitin specific protease 15 (USP15)
ubiquitin specific protease 19 (USP19)
ubiquitin specific protease 4 (proto-oncogene) (USP4)
ubiquitin specific protease 4 (proto-oncogene) (USP4) (non-exact, 66%)
ubiquitin specific protease 7 (herpes virus-associated) (USP7)
ubiquitin specific protease 8 (USP8)
UBIQUITIN-ACTIVATING ENZYME E1 (A1S9 PROTEIN) (56%)
ubiquitin-activating enzyme E1 (A1S9T and BN75 temperature sensitivity complementing) (UBE1)
ubiquitin-activating enzyme E1, like (UBE1L)
UBIQUITIN-BINDING PROTEIN P62; phosphotyrosine independent ligand for the Lck SH2 domain p62 (P62)
ubiquitin-conjugating enzyme E2 variant 1 (UBE2V1)
ubiquitin-conjugating enzyme E2 variant 2 (UBE2V2)
UBIQUITIN-CONJUGATING ENZYME E2-17 KD (UBIQUITIN-PROTEIN LIGASE)
ubiquitin-conjugating enzyme E2B (RAD6 homolog) (UBE2B)
ubiquitin-conjugating enzyme E2G 2 (homologous to yeast UBC7) (UBE2G2)
ubiquitin-conjugating enzyme E2H (homologous to yeast UBC8) (UBE2H)
ubiquitin-conjugating enzyme E2L 1 (UBE2L1)
ubiquitin-conjugating enzyme E2L 3 (UBE2L3)
ubiquitin-conjugating enzyme E2L 6 (UBE2L6)
ubiquitin-like 1 (sentrin) (UBL1)
UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 2 (GalNAc-T2) (GALNT2)
UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 3 (GalNAc-T3) (GALNT3) (non-exact 65%)
inactive progesterone receptor, 23 Kd (P23)
unconventional myosin-ID (MYO1F)

uncoupling protein homolog (UCPH)
uncoupling protein homolog (UCPH) (low match 67%)
Unknown gene product
unknown mRNA (clone 24514)
unknown protein (clone ICRFp507L0677)
unknown protein (Hs.93832)
unknown protein IT14
uppressor of Ty (<i>S.cerevisiae</i>) 6 homolog
upregulated by 1,25-dihydroxyvitamin D-3 (VDUPI)
upregulated by 1,25-dihydroxyvitamin D-3 (VDUPI) (low match)
upregulated by 1,25-dihydroxyvitamin D-3 (VDUPI) (low score)
upstream binding factor (hUBF)
UV radiation resistance associated gene (UVRAG)
vacuolar proton-ATPase, subunit D; V-ATPase, subunit D (ATP6DV)
v-akt murine thymoma viral oncogene homolog 1 (AKT1)
Vanin 2 (VNN2)
vasodilator-stimulated phosphoprotein (VASP)
vav 1 oncogene (VAV1)
vav 2 oncogene (VAV2)
v-crk avian sarcoma virus CT10 oncogene homolog (CRK)
v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3 (ERBB3)
VERSICAN CORE PROTEIN PRECURSOR
Vesicle-associated membrane protein 1 (synaptobrevin 1) (VAMP1)
vesicle-associated membrane protein 3 (cellubrevin) (VAMP3)
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS)
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS) (low match)
villin 2 (ezrin) (VIL2)
villin-like protein
vimentin (VIM)
vinculin (VCL)
vitamin A responsive; cytoskeleton related (JWA)
v-jun avian sarcoma virus 17 oncogene homolog (JUN)
v-myb avian myeloblastosis viral oncogene homolog (MYB)
voltage-dependent anion channel 1 (VDAC1)
voltage-dependent anion channel 3 (VDAC3)
von Hippel-Lindau syndrome (VHL)
von Willebrand factor (vWF) (low matched)
v-raf murine sarcoma 3611 viral oncogene homolog 1 (ARAF1)
v-raf-1 murine leukemia viral oncogene homolog 1 (RAF1)
v-ral simian leukemia viral oncogene homolog B (ras related; GTP binding protein) (RALB)
V-rel avian reticuloendotheliosis viral oncogene homolog A (nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (p65)) (RELA)
ZFP
v-yes-1 Yamaguchi sarcoma viral related oncogene homolog (LYN)

WD repeat domain 1 (WDR1)
WDR1 (=AF020260)
WD-repeat protein (HAN11)
Williams-Beuren syndrome chromosome region 1 (WBSCR1)
Wiskott-Aldrich syndrome protein interacting protein (WASPIP)
X (inactive)-specific transcript (XIST)
xeroderma pigmentosum, complementation group C (XPC)
XIAP associated factor-1
XIB
X-linked anhidrotic ectodermal dysplasia
X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining; Ku autoantigen, 80kD) (XRCC5)
XRP2 protein
yeloid differentiation primary response gene (88) (MYD88)
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70)
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70) (low match)
zinc finger protein (Hs.47371)
zinc finger protein (Hs.78765)
zinc finger protein 10 (KOX 1) (ZNF10)
ZINC FINGER PROTEIN 124 (HZF-16) (non-exact 51%)
zinc finger protein 124 (HZF-16) (ZNF124) (non-exact, 78%)
ZINC FINGER PROTEIN 133
zinc finger protein 136 (clone pHZ-20) (ZNF136)
zinc finger protein 140 (clone pHZ-39) (ZNF140)
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 59%)
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%)
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%aa)
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact, 80%)
zinc finger protein 143 (clone pHZ-1) (ZNF143)
zinc finger protein 143 (clone pHZ-1) (ZNF143) (low match)
zinc finger protein 148 (pHZ-52) (ZNF148)
ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN) (low match)
zinc finger protein 173 (ZNF173)
zinc finger protein 192 (ZNF192) (non-exact, 66%)
zinc finger protein 198 (ZNF198)
zinc finger protein 2 (ZNF2) (low match)
zinc finger protein 200 (ZNF200)
zinc finger protein 207 (ZNF207)
zinc finger protein 216 (ZNF216)
zinc finger protein 217 (ZNF217)
ZINC FINGER PROTEIN 22 (ZINC FINGER PROTEIN KOX15) (non-exact 58%)
zinc finger protein 230 (ZNF230)
Zinc finger protein 239 (ANF239)
zinc finger protein 261 (ZNF261)

zinc finger protein 262 (ANF262)
zinc finger protein 263 (ZNF263)
zinc finger protein 264 (ZNF264)
ZINC FINGER PROTEIN 33A (ZINC FINGER PROTEIN KOX31) (KIAA0065) (HA0946)
zinc finger protein 42 (myeloid-specific retinoic cid- responsive) (ZNF42)
zinc finger protein 43 (HTF6) (ZNF43) (low match)
zinc finger protein 43 (HTF6) (ZNF43) (non-exact, 54%)
zinc finger protein 43 (HTF6) (ZNF43) (non-exact, 71%)
ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6) (non-exact 67%)
zinc finger protein 45 (a Kruppel-associated box (KRAB) domain polypeptide) (ZNF45)
ZINC FINGER PROTEIN 46 (ZINC FINGER PROTEIN KUP) (non-exact 62%)
zinc finger protein 6 (CMPX1) (ZNF6)
zinc finger protein 74 (Cos52) (ZNF74) (non-exact, 67%)
zinc finger protein 76 (expressed in testis) (ZNF76)
ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1) (non-exact 65%)
zinc finger protein 84 (HPF2) (ZNF84)
zinc finger protein 85 (ZNF85))
zinc finger protein 9 (ZNF9)
ZINC FINGER PROTEIN 93 (=ZINC FINGER PROTEIN HTF34) (non-exact 70%)
zinc finger protein C2H2-25 (ZNF25)
zinc finger protein clone L3-4
zinc finger protein homologous to Zfp-36 in mouse (ZFP36)
ZINC FINGER PROTEIN HRX (ALL-1) (71%a.a.)
zinc finger protein HZF4
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1)
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1) (low match)
zinc finger transcriptional regulator (GOS24)
zinc-finger helicase (hZFH)
Zn-15 related zinc finger protein (rlf)
Zn-15 related zinc finger protein (rlf) (non-exact 56%)
ZNF80-linked ERV9 long terminal repeat
ZW10 (Drosophila) homolog, centromere/kinetochore protein (ZW10)
zyxin (ZYX)

SEQUENCE LISTING

<110> GENENEWS INC.

<120> METHOD OF PROFILING GENE EXPRESSION IN A HUMAN SUBJECT HAVING
 COLORECTAL CANCER

<130> 14317-290

<150> 09/477,148

<151> 2000-01-06

<150> US 60/115,125

<151> 1999-01-06

<160> 10

<210> 1

<211> 18

<212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> forward primer of exon 1 of insulin gene used for quantitative
 RT-PCR analysis

<400> 1

gccctctggg gacctgac

18

<210> 2

<211> 18

<212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> reverse primer of exons 1 and 2 of insulin gene used for
 quantitative RT-PCR analysis

<400> 2

cccacctgca ggtcctct

18

<210> 3
 <211> 24
 <212> DNA
 <213> artificial sequence

<220>
 <221> primer_bind
 <223> forward primer of (MyHC gene used for quantitative RT-PCR analysis

<400> 3

gctggaacgt agagactccc tgct

24

<210> 4
 <211> 24
 <212> DNA
 <213> artificial sequence

<220>
 <221> primer_bind
 <223> reverse primer of (MyHC gene used for quantitative RT-PCR analysis

<400> 4

ggatccttcc agatcatcca cttg

24

<210> 5
 <211> 20
 <212> DNA
 <213> artificial sequence

<220>
 <221> primer_bind
 <223> forward primer of ANF used for quantitative RT-PCR analysis

<400> 5

ggatttcaag aatttgctgg

20

<210> 6
 <211> 20
 <212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> reverse primer of ANF used for quantitative RT-PCR analysis

<400> 6

gcagatcgat cagaggagtc

20

<210> 7

<211> 20

<212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> forward primer of APP used for quantitative RT-PCR analysis

<400> 7

ggatgcttca tgtgaacgtg

20

<210> 8

<211> 19

<212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> reverse primer of APP used for quantitative RT-PCR analysis

<400> 8

tcattcacac cagcacatg

19

<210> 9

<211> 21

<212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> forward primer of ZFP used for quantitative RT-PCR analysis

<400> 9

cacargagrc arggtcaacg a

21

<210> 10

<211> 22

<212> DNA

<213> artificial sequence

<220>

<221> primer_bind

<223> reverse primer of ZFP used for quantitative RT-PCR analysis

<400> 10

ggattaaaat gaagcaccca ga

22

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. A method of profiling gene expression in a human subject having colorectal cancer, the method comprising: for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from an unfractionated blood sample of the subject, wherein the set comprises the genes identified in Table 3-I, thereby profiling gene expression in a human subject having colorectal cancer.

2. A method of screening the human genome to identify at least one marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby screening the human genome to identify at least one marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer.

3. A method of screening the human genome to identify at least one potential marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a potential marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby screening the human genome to identify at least one potential marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer.

4. A method of identifying at least one marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby identifying at least one marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer.

5. A method of identifying at least one potential marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a potential marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby identifying at least one potential marker for differentiating between subjects having colorectal cancer and subjects not having colorectal cancer.

6. A method of screening the human genome to identify at least one marker of colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a marker of colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby screening the human genome to identify at least one marker of colorectal cancer.

7. A method of screening the human genome to identify at least one potential marker of colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a potential marker of colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby screening the human genome for at least one potential marker of colorectal cancer.

8. A method of identifying at least one marker of colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a marker of colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby identifying at least one marker of colorectal cancer.

9. A method of identifying at least one potential marker of colorectal cancer, the method comprising:

(a) for each gene of a set of genes, determining a level of RNA encoded by the gene in total blood cell RNA extracted from unfractionated blood samples of human subjects having colorectal cancer; and

(b) comparing the level of step (a) with a level of RNA encoded by the gene in blood of human subjects not having colorectal cancer;

wherein a determination, resulting from step (b), of a significant difference between the levels identifies the gene as a potential marker of colorectal cancer, and wherein the set comprises the genes identified in Table 3-I,

thereby identifying at least one potential marker of colorectal cancer.




FIGURE 1

1 2 3 4 5 6 7 8



FIGURE 2

3/7

1 2 3 4




FIGURE 3




FIGURE 4

WU 00/40/49






FIGURE 5

CC New Sept 1999

WO 00/40749

6/7

A

B







FIGURE 6

Total : 13, 283 ESTs
 Known: 6,283
 Mitochondrial: 405
 Ribosome: 498
 Repeat: 868
 Mis. : 156
 Novel: 2,718

- Cell Division
- Cell Signalling/Communication
- Cell structure/Motility
- Cell/organism defense
- Gene/Protein expression
- Metabolism
- Uncharacterized

Human Blood



Human Fetal Heart





FIGURE 7

A



B

