



US00D837069S

(12) **United States Design Patent**
Tartock

(10) **Patent No.:** **US D837,069 S**
(45) **Date of Patent:** **** Jan. 1, 2019**

- (54) **STACKABLE TRAY FOR CONTAINERS**
- (71) Applicant: **Closure Systems International Inc., Indianapolis, IN (US)**
- (72) Inventor: **Russell Tartock, Crawfordsville, IN (US)**
- (73) Assignee: **Closure Systems International Inc., Memphis, TN (US)**
- (**) Term: **15 Years**
- (21) Appl. No.: **29/563,418**
- (22) Filed: **May 4, 2016**
- (51) **LOC (11) Cl.** **09-03**
- (52) **U.S. Cl.**
USPC **D9/755**
- (58) **Field of Classification Search**
USPC D9/762, 757, 737, 761, 420-426, 432, D9/418, 415, 501, 72, 739, 742, 753, 756, D9/741; D7/611, 550.1, 605, 701, 553.1, D7/553.2, 614; D3/313, 304, 311, 314, D3/315; D6/396, 397, 449, 450, 466, D6/469, 629; D24/227; 206/139, 206/201-203, 427, 265, 504, 518, 519, 206/524.1, 557, 561, 564, 565, 703, 704, 206/705, 523, 586, 515, 521.1, 521.15, 206/521.3, 521.6, 521.8, 521.4, 521.9, 206/406; 220/4.26, 508; 229/406; 426/119, 112, 298, 614; D11/143, 155, D11/156
CPC B65D 2543/00194; B65D 2543/00296; B65D 43/162; B65D 2543/00324; B65D 83/0445
See application file for complete search history.

- 5,213,211 A * 5/1993 Umiker B65D 71/70 206/392
- 5,316,172 A * 5/1994 Apps B65D 21/0212 220/519
- D390,458 S * 2/1998 Kristoffersson D3/311
- D465,417 S * 11/2002 Apps D9/456
- D485,756 S * 1/2004 Apps D9/434
- D535,881 S * 1/2007 Liukko D3/304
- D594,660 S * 6/2009 Lindstrom D3/304
- D600,016 S * 9/2009 Tiilikainen D3/304
- D628,450 S * 12/2010 Kulzer D7/553.2
- D653,453 S * 2/2012 Pettorelli D3/311
- 8,636,142 B2 * 1/2014 Apps B65D 1/243 206/203
- 9,233,778 B2 * 1/2016 Prince B65D 71/70
- D793,252 S * 8/2017 Prince D9/755
- D813,036 S * 3/2018 Prince D9/456
- 2005/0072710 A1 * 4/2005 Hammett B65D 1/243 206/507

(Continued)

Primary Examiner — Cathron C Brooks
Assistant Examiner — W. A. Teddy Falloway
(74) *Attorney, Agent, or Firm* — Nixon Peabody LLP

(57) **CLAIM**



The ornamental design for a stackable tray for containers, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of the stackable tray for containers;
FIG. 2 is an opposite side elevational view thereof;
FIG. 3 is an end elevational view thereof;
FIG. 4 is an opposite end elevational view thereof;
FIG. 5 is a top isometric view thereof;
FIG. 6 is a bottom isometric view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D317,670 S * 6/1991 Apps D3/314
5,105,948 A * 4/1992 Morris B65D 71/70 206/427



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0230318	A1*	9/2010	Stahl	B65D 1/243 206/509
2014/0158576	A1*	6/2014	McCanless	B65D 21/0233 206/518
2014/0197064	A1*	7/2014	Prince	B65B 5/068 206/501

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7

Fig. 8

